



**PROMIX**  
PROMIX HOLDINGS (PVT) LTD

# **COMPANY PROFILE**

**PROMIX HOLDINGS PVT.LTD**

**No: 79/05/F/02, Indigollawatta, Ambagaspitiya, Yakkala.**

**+94775274374 / +94740604333**

# **CONTENTS**

- 1. What are we**
- 2. General Information**
- 3. Our Finishes**
- 4. Our Products**
- 5. Product range with price and color**

# WHAT ARE WE ?

- Cement Based Ready to use Building Materials Manufacturer, Supplier and applier
- We take your headaches to our shoulders by providing innovative, cost-effective building materials to get rid from the tradition
- We introduce ready to use cement based mortar mixes to overcome building barriers

# GENERAL INFORMATION

- **Company Name:** PROMIX HOLDINGS PVT.LTD
- **Company Registration No:** PV00234170
- **Office & Factory:** No: 79/05/F/02, Indigollawatta, Ambagaspitiya, Yakkala.
- **Phone:** 0775274374 / 0740604333
- **Email:** [marketing@promixlk.com](mailto:marketing@promixlk.com)
- **Web :** [www.promixlk.com](http://www.promixlk.com)
- **Facebook:** [www.facebook.com/promixholdings](http://www.facebook.com/promixholdings)

# OUR MANAGEMENT

Mr.Sujan Preethisinghe

B.B.Mgt(sp)(Mkt).UOK  
Managing Director ( CEO)  
+94775274374

Mr.Nadeesha Jeewantha

B.B.Mgt(sp)(Mkt).UOK  
Director Marketing  
+94778744984

Mr.Priyantha Balasooriya

Bsc(sp)(Adm).J.pura  
Director Admin



# **OUR WALL FINISHES**

# **WHITE SEMI ROUGH (WSR)**



## **Where to apply :**

Exterior Walls and ceilings

## **Application Method :**

1. Apply WPL100 on Block/Block/Concrete
2. Level The surface
3. Get the semi rough finish
4. Apply Top Coat

## **Material Use :**

White Plaster WPL100, TC68

## **Rate:**

Rs. 135.00/sqft (13mm)

# **GREY SEMI ROUGH (GSR)**



## **Where to apply :**

Exterior Walls and ceilings

## **Application Method :**

1. Apply GPL100 on Block/Block/Concrete
2. Level the surface
3. Get the semi rough finish
4. Apply Top Coat

## **Material Use :**


Grey Plaster GPL100, TC68

## **Rate:**

Rs. 110.00/sqft(13mm)



# **WHITE SMOOTH (WS)**



## **Where to apply :**

Interior Walls and ceilings

## **Application Method :**

1. Apply WPL200 on Block work
2. Level The surface
3. Get the smooth finish
4. Sanding
5. Apply Clear Wax


## **Material Use :**

White Plaster WPL200, Clear Wax

## **Rate:**

Rs. 150.00/sqft(13mm)

# **GREY SMOOTH (GS)**



## **Where to apply :**

Interior Walls and ceilings

## **Application Method :**

1. Apply GPL200 on Block work
2. Level The surface
3. Get the smooth finish
4. Sanding
5. Apply Clear Wax

## **Material Use :**

White Plaster GPL200, Clear Wax

## **Rate:**

Rs. 125.00/sqft(13mm)

# **ORANGE CLAY ROUGH (OCR)**



## **Where to apply :**

Interior/Exterior Walls and ceilings

## **Application Method :**

1. Apply OMPL100 on Block work
2. Level The surface
3. Get the rough finish
4. Apply Top Coat


## **Material Use :**

White Plaster OMPL100, TC68

## **Rate:**

Rs. 150.00/sqft(13mm)

# **YELLOW CLAY ROUGH (YCR)**



## **Where to apply :**

Interior/Exterior Walls and ceilings

## **Application Method :**

1. Apply YMPL100 on Block work
2. Level The surface
3. Get the rough finish
4. Apply Top Coat

## **Material Use :**

White Plaster YMPL100, TC68

## **Rate:**

Rs. 150.00/sqft(13mm)

# **BALL CLAY SMOOTH (BCS)**



## **Where to apply :**

Interior Walls and ceilings

## **Application Method :**

1. Apply OMPL200 on Block work
2. Level The surface
3. Get the smooth finish
4. Sanding
5. Apply Clear Wax

## **Material Use :**

GPL100 + BCP , Clear Wax

## **Rate:**

Rs. 160.00/sqft(13mm)

# **ORANGE CLAY SMOOTH (OCS)**



## **Where to apply :**

Interior Walls and ceilings

## **Application Method :**

1. Apply OMPL200 on Block work
2. Level The surface
3. Get the smooth finish
4. Sanding
5. Apply Clear Wax

## **Material Use :**

Orange Clay Plaster OMPU, Clear Wax

## **Rate:**

Rs. 160.00/sqft(13mm)

# **YELLOW CLAY SMOOTH (YCS)**



## **Where to apply :**

Interior Walls and ceilings

## **Application Method :**

1. Apply YMPL200 on Block work
2. Level The surface
3. Get the smooth finish
4. Sanding
5. Apply Clear Wax


## **Material Use :**

Yellow Clay Plaster YMPU, Clear Wax

## **Rate:**

Rs. 160.00/sqft (13mm)

# **WHITE PUTTY FINISH (WPF1)**



## **Where to apply :**

Interior Walls and ceilings

## **Application Method :**

1. Level the surface and Finish the surface with white matty putty at the same time (1 coat)
2. Sanding
3. Apply wall filler


## **Materials:**

GPL100, WMPU200

**Rate:** Rs. 130.00/sqft (13mm)



# **WHITE PUTTY FINISH (WPF2)**



## **Where to apply :**

Interior Walls and ceilings

## **Application :**

1. Level the surface using GPL100
2. Finish the surface using WP200 two coats
3. sanding
4. Apply wall filler


## **Materials:**

GPL100, WPU200

## **Rate:**

Rs. 140.00/sqft (13mm Thickness)

# **WHITE PUTTY FINISH (WPF3)**



## **Where to apply :**

Directly on Finished block work and ceilings

## **Application :**

1. Apply first Coat of WMPU200
2. Apply Second Coat of WMPU200
3. Sanding
4. Apply Wall Filler

## **Rate:**

Rs. 100.00/sqft (6mm)

# **TITANIUM FINISH (TF)**



## **Where to apply :**

Interior Walls and ceilings

## **Application :**

1. Level the surface using GPL100
2. Finish the surface using Tio2 two coats
3. sanding
4. Apply Wax

## **Materials:**

GPL100, Tio2, Clear Wax

## **Rate:**

Rs. 250.00/sqft (13mm Thickness)

# **ROLL EASY (RE)**



## **Where to apply :**

Interior Walls and ceilings

## **Application :**

1. Apply SP2 First coat
2. Apply SP2 Second Coat

## **Materials:**

SP2

## **Colors:**

White, Grey, Yellow, Orange

## **Rate:**

Rs. 50.00/sqft (3mm Thickness)

# **PRO VAWE (PV)**

**Rate:**

Rs. 165.00/sqft (13mm Thickness)

**Where to apply :**

Interior Walls and ceilings

**Application :**

1. Level the Surface using GPL100
2. Apply Decorative Mortar
3. Finish with steel trowel
4. Apply Wax


**Materials:**

GPL100, DM2

**Colors:**

White, Grey, Yellow, Orange

# **PRO SCRAPE(PS)**

**Rate:**

Rs. 165.00/sqft (13mm Thickness)

**Where to apply :**

Interior Walls and ceilings

**Application :**

1. Level the Surface using GPL100
2. Apply Decorative Mortar
3. Finish with steel trowel
4. Apply Wax

**Materials:**

GPL100, DM3

**Colors:**

White, Grey, Yellow, Orange

# **PRO NUTS(PN)**

**Rate:**

Rs. 200.00/sqft (13mm Thickness)

**Where to apply :**

Interior Walls and ceilings

**Application :**

1. Level the Surface using GPL100
2. Apply Decorative Mortar

**Materials:**

GPL100, DM4

**Colors:**

White, Grey, Yellow, Orange

# **PRO STAMPING(PST)**



## **Rate:**

Up to Rs. 200.00/sqft (13mm)

## **Where to apply :**

Interior Walls and ceilings

## **Application :**

1. Level the Surface using GPL100
2. Apply Decorative Mortar
3. Stamping
4. Apply Clear Wax

## **Materials:**

GPL100, DM5

## **Colors:**

White, Grey, Yellow, Orange



# OUR PRODUCTS

# Plaster Mortar

- Ready to use 25Kg cement based plastering mortar mix
- Just add 4.5L of water and mix
- Directly applied on block, brick and concrete walls
- Can be leveled by using Leveling boards
- Can be floated by using plastic float
- Corners can be finished
- Approximate coverage 30 sqft (8mm)
- Smooth or Rough finish
- Exterior and Interior use
- Available in various colors

# Prices with Colors

Product	Code	MRP(Rs)	Color
White Plaster	WPL	1,350.00	
Grey Plaster	GPL	1,000.00	
Yellow Clay Plaster	YMPL	1,500.00	
Orange Clay Plaster	OMPL	1,500.00	

# Wall Clay Putty (CP)

- Ready to use 20Kg Clay cement based plastering mortar mix
- Just add 8L of water and mix
- Directly applied on, Plaster, Finished blocks and concrete walls
- Corners can be finished
- Approximate coverage 60 sqft (4mm)
- Smooth finish
- Interior & Exterior use
- Available in White, Grey, yellow, orange

# Prices with Colors

Product	Code	MRP(Rs)	Color
White Clay Putty	WCP	1,000.00	
Grey Clay Putty	GCP	1,000.00	
Yellow Clay Putty	YMCP	1,500.00	
Orange Clay Putty	OMCP	1,500.00	

# Clay Flooring

- Ready to use 20Kg Clay cement based floor finishing mix
- Just add 8L of water and mix
- Directly applied on rendered floors
- Corners can be finished
- Approximate coverage 60 sqft (4mm)
- Smooth finish
- Interior & Exterior use
- Available in various white, grey, yellow, orange

# Prices with Colors

Product	Code	MRP(Rs)	Color
White Clay Flooring	WF	2,000.00	
Grey Clay Flooring	GF	2,000.00	
Yellow Clay Flooring	YF	2,000.00	
Orange Clay Flooring	OF	2,000.00	

# Block Mortar (BM)

- Ready to use 25Kg cement based Adhesive mortar mix
- Just add 4.5L of water and mix
- Specialized for cement blocks
- High bonding strength
- Approximate bonding 50 Blocks
- Exterior and Interior use



# Prices with Colors

Product	Code	MRP(Rs)	Color
White Block Mortar	WBM	1,200.00	
Grey Block Mortar	GBM	1,000.00	
Yellow Clay Plaster	YBM	1,400.00	
Orange Clay Plaster	OBM	1,400.00	

# Cool Paint (CLP)

- Keep the temperature down ( Heat Resistant)
- Ready to use 20Kg powdered clay (cool paint) mix
- Just add 10L of water and mix
- Directly applied on roof, terrace, exterior walls
- No need to use fillers
- Approximate coverage 500 sqft/ 20Kg bag
- Available in various colors

# Prices with Colors

Product	Code	MRP(Rs)	Color
Cool Paint White	CLPW	5,500.00	
Cool Paint Grey	CLPG	5,000.00	
Cool Paint Yellow	CLPY	5500.00	
Cool Paint Orange	CLPO	5500.00	

# Tile Mortar (TM)

- Can be lay tiles on a concrete surface
- No need of a cement screed
- Ready to use 25Kg cement based Adhesive mortar mix
- Just add 5L of water and mix
- Specialized for Porcelain tiles
- High bonding strength
- Exterior and Interior use

Product	Code	MRP(Rs)	Color
Tile Mortar	TM	1,000.00	

# Waterproofing Compound (WPC)

- Single component (Powder only)
- Ready to use 20Kg powder mix
- Just add 10L of water and mix
- Can be applied on slab, bathroom, swimming pools and blind walls
- Approximate coverage 300 sqft

Product	Code	MRP(Rs)	Color
Waterproofing Compound	WPC	10,000.00	



***Thank You!***