MATAMEC







KIPAWA RARE EARTH PROJECT









SUMMARY
DESCRIPTION OF A DESIGNATED PROJECT

Golder Associés

January 2013
020-12-1222-0009

Project Notice Summary

General Information

Matamec Explorations Inc. (Matamec) aims to develop the Kipawa Rare Earth Project, an open-pit mine located in Abitibi-Témiscamingue, Quebec, approximately 45 km from the town of Témiscaming (by air).

Proponent Contact Information

Name of Designated Project:	Kipawa Rare Earth Project
Proponent's Name:	Matamec Explorations Inc.
Address:	1010 Sherbrooke Street West, Suite 700 Montréal (Quebec) H3A 2R7
Telephone:	514-844-5252
Fax:	514-844-0550
Commander-in-chief:	André Gauthier, President and CEO
Contact:	Sylvain Doire, Director of Environment Sylvain.doire@matamec.com 819-290-4771

Other Relevant Information

According to its technical specifications, the project would not trigger an environmental impact assessment and review process under the *Environment Quality Act* (EQA) in Quebec. Section 2 of the *Regulation Respecting Environmental Impact Assessment and Review* describes the types of projects which are subject to the provincial environmental impact assessment and review process. Regulatory elements that may be relevant to the proposed project include the following subsections:

- n.8) the construction of an ore processing plant for metalliferous ore or asbestos ore, where the processing capacity of the plant is 7,000 tonnes or more per day;
- p) the opening and operation of a metal or asbestos mine with a production capacity of 7,000 tonnes or more per day;
- e) the construction, rebuilding or widening, along more than 1 km, of a road or other public road infrastructure designed for 4 or more lanes of traffic or having a right-of-way whose average width is 35 m or more, except the rebuilding or widening of such a road or road infrastructure in a right-of-way that already belongs to the proponent of the project on December 30, 1980.

The anticipated production and processing capacities for the Kipawa facilities are less than 7,000 tonnes/day (4,200 tonnes/day) and the right-of-way of the access road will not have an average width of 35 m or more. As such, the project should not be subject to the provincial environmental impact assessment and review process.

An application for a certificate of authorization under section 22 of the EQA is however required.

Background and Objectives

Demand for rare earth is constantly changing due to the use of these minerals in a wide range of common devices such as computers, cellphones, batteries, solar cells, wind turbines, hybrid and electric cars as well as many other useful applications. This situation stimulates mining exploration and investments for the operation phase.

The project aims to develop an open-pit mine, including an ore processing plant and areas of waste rock, reject and tailings disposal.

Exploration drilling and an economic assessment have already been performed. In addition, metallurgical testing has been finalized and the process design is currently being optimized. According to the latest NI 43-101 report, issued by Matamec for this project, global resources listed are 17.645 million tonnes of rare earth and the inferred resources are 6.805 million tonnes of rare earth using a cut-off grade of 0.2% total rare earth oxide.

Regulations Designating Physical Activities Pertinent to the Project

The Regulations Designating Physical Activities establish the list of projects or activities subject to the *Canadian Environmental Assessment Act* (2012) that may require an environmental assessment by the *Canadian Environmental Assessment Agency*, the *Canadian Nuclear Safety Commission* or the National Energy Board. The specific provisions of the *Regulations Designating Physical Activities* that describe the project in whole or in part include the following:

- Section 8. The construction, operation, decommissioning and abandonment of a facility for the extraction of 200,000 m^3/a or more of groundwater or an expansion of such a facility that would result in an increase in production capacity of more than 35%[1].
- Section 15. The construction, operation, decommissioning and abandonment of:
  - a) a metal mine, other than a gold mine, with an ore production capacity of 3,000 tonnes/day or more;
  - b) a metal mill with an ore input capacity of 4,000 tonnes/day or more.

PROJECT INFORMATION

Project Overview

The Kipawa Rare Earth Project includes three main sites (Figures 1 and 2). The first site will include the development of an open-pit mine, two waste rock piles, a mechanical maintenance shop and explosive magazines. The second site will include the ore processing plant and associated buildings such as the

[1] It is anticipated that the extraction of groundwater will be less than 200,000 m^3/a because of the low permeability of the bedrock in the mine area. However, analysis should be completed in the next few months to estimate the volume of groundwater to manage.

warehouses, a laboratory and administrative offices. The third and final site will be dedicated to the MagSep separation rejects and tailings from the ore processing plant.

According to the scenario published by Matamec, 1.5 million tonnes of ore will be treated on an annual basis as of the second year of operation, and the operations will take place over a period of 12.9 years (i.e., mine life).

The completion of the feasibility study is anticipated for 2013 and the beginning of construction (land clearing, excavating and infilling, blasting and drilling, etc.) is anticipated for 2014. The operation (blasting and hauling, ore processing, waste and petroleum product management, maintenance of structures) would start in 2015. The end of operation is anticipated for 2028, while closure and site restoration activities (some restoration activities will be conducted during operation) should be completed in 2031.

Ore Extraction and Processing

The open-pit mine operations are expected to be conventional, including activities such as drilling, blasting, loading and transporting. The projected pit will be 1,500 m in length, 320 m in width and 110 m in depth. The ore will be transported to the ore processing plant located south of the mine.

The proposed process will start with the magnetic separation of crushed and milled materials (Figure 3). The resulting product will then be purified and concentrated by a hydrometallurgical process. The magnetic separation step will produce a reject. This reject will be filtered and will be 90% solid. The hydrometallurgical process will produce a tailings that will be thickened and will be 35-40% solid. The rejects and the tailings will be stored separately in one location, or in two different areas. The rejects and tailings facility location(s) have not been determined yet. A comprehensive assessment of potential sites, including environmental, social, technical and economic aspects is underway, along with a geochemical characterization program that will assess the acid generation potential, leachability and radioactivity of the rejects and the tailings.

Transport

The total rare earth element concentrate will be transported to Témiscaming by truck and then by rail to a port on the Pacific coast for transport to a refinery in Asia and/or sent to the port of Quebec for shipping to a refinery in Europe.

Matamec will be responsible for the transport of the concentrate from the mine to the port. The concentrate will be stored in double bags, which will be stacked in a container. Each container will contain approximately 20 bags. The sealed container will be transported by truck to Témiscaming and will be delivered by rail to a port on the Pacific coast (Vancouver) for final delivery to an Asian refinery and/or delivered to a port in the province of Quebec (Montréal, Bécancour or Québec City) for final delivery to an European refinery (the exact destination is still unknown). It is anticipated that the mine will produce the equivalent of 2 containers each day.

Emissions, Rejects and Waste

Waste rock will be stored on two sites located a few hundred metres away from the open-pit. Waste rock piles will have a total capacity of 28 Mt and will reach a maximum elevation of 365 m (respective heights of 48 m and 80 m).

According to the latest NI 43-101 report published for this project, preliminary analyses indicate low concentrations of sulphur in the waste rock and ore (< 0.3% for all the samples). However, a geochemical

characterization program is underway and will assess the acid generation potential, leachability and radioactivity of the waste rock.

It is important to note that no waterbody will be used to deposit waste rock.

According to the preliminary design, the tailings and rejects sites will have a total capacity of 20.4 Mt. Their locations have not yet been determined. A comprehensive assessment of potential sites, including the environmental, social, technical and economic aspects, is underway. The analysis is being performed according to Environment Canada's guide and the MDDEFP's *Directive 019*.

Location and layout variants are included in the analysis of sites. The MagSep rejects and the mine tailings could be stored side by side and managed in one location or stored in separate locations. A geochemical characterization program is underway and will assess the acid generation potential, leachability and radioactivity of the mine tailings and the MagSep rejects.

At this stage of the project, it is anticipated that the rejects coming from the magnetic separation will not generate acid or be leachable. They will be filtered and will be 90% solid, which represents 11.5 Mt of the total capacity. Based on these characteristics, it is expected that the rejects will be piled and that a drainage system will collect the water. The dimensions of the pile and the details of its construction will be provided at a later date.

Tailings coming from the hydrometallurgical process will likely need a Level A confinement, according to *Directive 019*. They will be thickened and will be 35-40% solid, which represents 8.9 Mt. Based on these characteristics, it is expected that they will be deposited in a tailings storage facility confined by a dike, the tailings storage facility will be lined with a geomembrane. Construction materials will come from borrow pits. Their location will be determined at a later date.

It is important to note that no waterbody will be used to deposit rejects and tailings.

Industrial water management includes: mine water, waste rock pile runoff, tailings site runoff, rejects site runoff, industrial site runoff and process water surplus. All industrial wastewater will be managed according to its quality, but discharge points have not yet been determined.

Water in the pit, from precipitation, infiltration and wastewater used for mining activities, will be pumped out. It will be sent to a sedimentation pond and then used as process water or cleaning water on mining equipment.

A trench system will be built around the open-pit, the MagSep rejects site and the waste rock piles to redirect the surface water towards the sedimentation and polishing pond, then, if required, towards the lakes or receiving waterbodies. If necessary, treatment may be needed to meet the environmental discharge objectives.

Most of the water spilt on the tailings site would be collected in a sedimentation pond and reused as process water. However, since precipitation exceeds evaporation, an effluent will need to be installed. The number and location of discharge points have not yet been determined.

Fresh water intake will be necessary: one for the mine site and one for the plant. They will meet the water needs for the plant, the garage and the service buildings. The exact location of the water intake has not yet been determined. In total, the need for fresh water is currently estimated at 190 to 210 m^3/hr. Water use and recycling at the ore processing plant is currently being optimized to reduce the need for fresh water.

Dust could be released during mining operations (blasting, ore crushing and milling, transportation by truck) and while managing MagSep rejects, tailings and waste rock. Following the impact assessment, mitigation measures will be implemented to minimize the amount of dust released by the mining activities (e.g., use of a dust collector).

Related Infrastructures

Additional infrastructures will be required to support the operations of the project including new access roads or changes to existing forestry roads (e.g., new bridge over the Kipawa River). In addition, discussions are currently underway with Hydro-Québec to assess the best way to connect to the existing power supply network.

The feasibility study should be completed by May 2013. Matamec anticipates that the construction of project-related infrastructures may start in February 2014. To date, it is expected that the start-up and production may begin in November 2015.

PROJECT LOCATION

The project is located in the administrative region of Abitibi-Témiscamingue in the Regional County Municipality (MRC) of Témiscamingue (Figure 1 and Appendix A). By air, it is about 160 km south of Rouyn-Noranda, 45 km east of the town of Témiscaming and 40 km east of the village of Kipawa.

The closest aboriginal communities are the Algonquin of Eagle Village First Nation and Wolf Lake First Nation. The community of Eagle Village First Nation has established a reserve embedded within the municipality of Kipawa. Wolf Lake First Nation has no reserve and some of its members live in Témiscaming.

The mine site is approximately centred at latitude 46°48 '24.81" and longitude -78°29'45.14", while the ore processing plant is approximately centred at latitude 46 44' 29.633" and longitude -78°27 '1.27".

The project is located entirely on public lands. The mining rights for the Kipawa deposit belong to Matamec. Matamec holds 299 mining claims, covering 24,611 ha in the project area. It should be noted that no regional environmental study, as per the *Canadian Environmental Assessment Act, 2012*, has been conducted in the project area.

FEDERAL PARTICIPATION

To date, no federal authority has offered financial support for this project and no federal lands are found within the project area.

The *Canadian Environmental Assessment Act, 2012* may apply to this project. Moreover, we anticipate that the following applications for a permit or authorization may potentially be required (note that the following list is not exhaustive):

- Fisheries and Oceans Canada may have to issue an authorization under the *Fisheries Act* as the project could potentially affect the fish habitat*;*
- Transport Canada may have to issue an authorization under the *Navigable Waters Protection Act* for the construction of a bridge and culverts;
- Natural Resources Canada may have to issue a licence under the *Explosives Act;*

- An authorization or a permit may be required in order to perform an activity that is likely to result in the destruction of a species' critical habitat or cause disturbance to a species under the *Species at Risk Act;*
- Environment Canada may have to issue an authorization under the *Migratory Birds Convention Act, 1994;* and
- Environment Canada will have to issue an authorization to deposit an effluent under the *Metal Mining Effluent Regulations*.

MAIN ENVIRONMENTAL COMPONENTS AND CONSTRAINTS TO THE PROJECT

Physical Environment

Components of the physical environment include hydrology, surface water and sediment quality, hydrogeology and groundwater quality, soil and terrain, climate and air quality, and noise and vibration. The following sections briefly describe the physical elements for which relevant information is available.

Hydrology and Surface Water Quality

The project is located in the greater basin of the St. Lawrence River, specifically in the Ottawa River watershed (Figure 4). The proposed facilities will be located:

- within the Kipawa River subwatershed (mine, ore treatment plant and proposed tailings sites); and
- within the Maganasipi subwatershed (a portion of a proposed tailings site).

Northwest of the proposed project sites, the Kipawa River widens into a vast labyrinth of interconnected waterways. This set of very irregular shapes is referred to as "Kipawa Lake" by the locals. This "Kipawa Lake" includes many lakes (that may or may not have their own names), islands, islets and large bays. Ultimately, the Kipawa River empties into the Ottawa River via two outlets controlled by dams (one north of "Kipawa Lake" and the other west of it).

The major lakes close to the proposed project activities include:

- Sheffield and Sairs Lake (which are enlargements of the Kipawa River) near the proposed mine site; and
- Square, Bell, Kessik, and Long Lake (flowing ultimately into the Kipawa River) near the proposed plant site.

In addition to these lakes, several small lakes, wetlands and streams are present close to the proposed activities.

Surface water samples collected in October 2010 and in May, July and October 2012 were sent to the laboratory for physico-chemical analyses.

Soils and Terrain

The surface deposits of the project area are mainly glacial deposits composed of heterometric sediments including sand, pebbles and surface boulders. Surrounding the mine and plant sites, thin and discontinuous till (average thickness less than 1 m on interfluves), which may include areas of exposed bedrock, can be found.

To a lesser extent, there are also subtidal sediments and beach deposits resulting from glaciolacustrine deposits. These sediments are composed of sand, silty sand, boulders and gravel ranging from 1 to 20 m in thickness.

The topography of the project area is generally flat with a slight overall slope towards the Ottawa River located to the west. The proposed mine site and ore processing plant are located on a plateau about 300 m above sea level that in part slopes down towards the Kipawa River, located about 60 m below.

Biological Environment

The biological environment includes vegetation and wetlands, mammals and birds, reptiles and amphibians, and fish and their habitat. Particular attention was paid to protected areas as well as to species at risk.

Protected Areas

Three types of protected areas are present in a 5-km radius around the proposed mine, plant and Mag Sep separation rejects and tailings sites. They include an ecological reserve, an exceptional forest ecosystem and six biological reserves.

Lake Malakisis Ecological Reserve is located approximately 5 km west of the proposed plant site. This reserve was chosen to protect ecosystems that are representative of the Témiscaming forest environments, which belong to the sugar maple-yellow birch stand domain.

Less than 4 km east of the proposed plant site is an exceptional forest ecosystem, which is located outside of the boundaries of the Lake Malaksis Ecological Reserve, and consists of an old-growth forest called “Forêt ancienne du Lac-Richelieu.”

Six biological reserves are located within 5 km of the proposed infrastructures. Biological refuges are small forest areas, averaging 200 ha, not subject to forest management activities and in which species and habitats are protected permanently.

No Migratory Bird Sanctuaries established by the Canadian Wildlife Service (CWS) are present near the proposed mine site or infrastructures. Similarly, none of the 54 National Wildlife Areas are located near the study sites.

Vegetation and Wetlands

The project site is located within the western maple-yellow birch stand subdomain of the southern Laurentian natural region. The maple-yellow birch bioclimatic domain is the northernmost domain of the hardwood forest subzone of the northern temperate zone. According to the Ecological Land Classification of the Ministry of Natural Resources of Quebec (MNR) for forest vegetation, this area belongs to the “3a – Collines de l’Outaouais et du Témiscamingue” ecological region as well as the “3a-S - Collines du lac Kipawa ecological subregion.”

According to the ecoforestry maps, 270 different groups of species are present within the project area. Mixed stands occupy the majority of productive forest land in these territories, followed by hardwood and softwood stands. The rest of the lands classified as productive forests are occupied by recent clear-cuts whose canopies have not yet been differentiated.

The dominant species within these groups are yellow birch (*Betula alleghaniensis*), paper birch (*Betula papyrifera*), sugar maple (*Acer saccharum*), black spruce (*Picea mariana*), trembling aspen (*Populus tremuloides*), and eastern hemlock (*Tsuga canadensis*).

The proposed mine site is partially covered by two red oak-sugar maple stands and one red oak-red maple stand, totalling 25 hectares. The only other red oak stands that are present in the area are located a little less than 5 km from the proposed infrastructures for the ore processing plant. None of these red oak stands have been granted a special status.

According to the information derived from the ecoforestry maps, less than 10% of the project area is defined as wetlands. Included amongst these types of wetlands are treed swamps, marshes, ponds, shoreline fens and alder bogs.

Mammals and Birds

The main mammals likely to be observed in the area of the proposed infrastructures are: the North American beaver (*Castor canadensis*), the white-tailed deer (*Odocoileus virginianus*), the coyote (*Canis latrans*), the mink (*Mustela erminea*) the gray wolf (*Canis lupus*), the river otter (*Lutra canadensis*), the Canada lynx (*Felis lynx*), the bobcat (*Felis rufus*), the American marten (*Martes americana*), the striped skunk (*Mephitis mephitis*), the moose (*Alces alces*), the black bear (*Ursus americanus*), the fisher (*Martes pennanti*), the American porcupine (*Erethizon dorsatum*), the raccoon (*Procyon lotor*), the red fox (*Vulpes vulpes*), and the American mink (*Mustela vison*).

The following species were observed during various surveys in 2012: the North American beaver, the white-tailed deer, the river otter, the Canada lynx, the moose, the black bear and the red fox.

Three bird surveys were conducted in April-May, June and July 2012 in the project areas. The survey records focused on forest birds, waterfowl and other aquatic birds, as well as diurnal and nocturnal birds of prey (i.e., raptors).

The forest avifauna survey in June enumerated 87 species of birds. Waterfowl, waterbird and diurnal/ nocturnal raptor surveys were conducted in April-May and June. A total of 18 species of waterfowl and aquatic birds were observed during these surveys. Four species of nocturnal raptors responded to broadcasted songs: the great horned owl (*Bubo virginianus*), the boreal owl (*Aegolius funereus*), the barred owl (*Strix varia*), and the saw-whet owl (*Aegolius acadicus*).

The following six species of diurnal raptors were observed: the northern harrier (*Circus cyaneus*), the bald eagle (*Haliaeetus leucocephalus*), the osprey (*Aegolius acadicus*), the turkey vulture (*Cathartes aura*), the red-tailed hawk (*Buteo jamaicensis*), and the American kestrel (*Falco sparverius*).

One active raptor nest was observed. The red-tailed hawk nest was located within the proposed mine site more than three kilometers east of the pit near the Sairs Lake.

Reptiles and Amphibians

Fieldwork conducted in May and June 2012 confirmed the presence of 11 species of amphibians: the American toad (*Anaxyrus americanus*), the wood frog (*Lithobates sylvaticus*), the northern frog (*Lithobates septentrionalis*) the green frog (*Lithobates clamitans*), the American bullfrog (*Lithobates catesbeianus*), the spring peeper (*Pseudacris crucifer*), the gray treefrog (*Hyla versicolor*), the redback salamander (*Plethodon cinereus*), the

spotted salamander (*Ambystoma maculatum*), the blue-spotted salamander (*Ambystoma laterale*), and the newt (*Notophthalmus viridescens*).

In addition, four species of reptiles were observed: the northern ringneck snake (*Diadophis punctatus edwardsii*), the common garter snake (*Thamnophis sirtalis*), the painted turtle (*Chrysemys picta*), and the snapping turtle (*Chelydra serpentina*).

Fish and Fish Habitat

Fish and fish habitat surveys were conducted in October 2010, from April 26 to May 6, 2012, from July 24 to August 6, 2012 and October 22 to November 4, 2012. These assessments included experimental fishing, spawning ground surveys, and lake/river shoreline habitat mapping.

During the spring, summer and fall field seasons, a total of 28 fish species were captured using gill nets, minnow traps and electro-fishing equipment. The captured sporting fish species included: the walleye (*Sander vitreus*), the northern pike (*Esox lucius*), the brook trout (*Salvelinus fontinalis*), the yellow perch (*Perca flavescens*), and the lake trout (*Salvelinus namaycush*).

The search for fish eggs using drift nets, kick nets and egg mats identified walleye spawning grounds in the Kipawa River.

Species at Risk

By the end of the various field surveys conducted in the spring and summer of 2012, a few species at risk were observed within the study area.

Rare plant surveys were conducted in May, June and July, including areas surrounding the proposed mine site. These surveys revealed one special status plant species. Low densities of northeastern bladderwort colonies (*Utricularia resupinata*) were observed on the edge of the exposed beaches along the right banks of the Kipawa River. This species is likely to be designated threatened or vulnerable under the Quebec *Act respecting threatened or vulnerable species* (LEMV).

Six species of birds observed during the 2012 surveys are protected under the federal *Species at Risk Act* (SARA) and/or provincial LEMV:

- Olive-sided flycatcher (*Contopus cooperi*): likely to be designated a threatened or vulnerable species according to the LEMV and considered a threatened species under SARA;
- Common nighthawk (*Chordeiles minor*): likely to be designated a threatened or vulnerable species according to the LEMV and considered a threatened species under SARA;
- Canada warbler (*Wilsonia canadensis*): likely to be designated a threatened or vulnerable species according to the LEMV and considered a threatened species under SARA;
- Chimney swift (*Chaetura pelagica*): likely to be designated a threatened or vulnerable species according to the LEMV and considered a threatened species under SARA;
- Rusty blackbird (*Euphagus carolinus*): likely to be designated a threatened or vulnerable species according to the LEMV and considered a species of special concern under SARA*;* and

- Bald eagle (*Haliaeetus leucocephalus*): a vulnerable species according to the LEMV and not at risk by the Committee on the Status of Endangered Wildlife in Canada (COSEWIC).

For special status reptiles, the northern ringneck snake was found about 3 km northeast of the proposed pit region. This species is likely to be designated threatened or vulnerable under the LEMV. Snapping turtles, designated as a species of special concern under SARA, have been found in a lake located southwest of the proposed mine site. In addition, predated snapping turtle nests were observed on the southwestern tip of Sairs Lake.

No special status mammal, fish or amphibian species were observed during the surveys.

Social Environment

The social environment includes land and resource use in the project area, the socio-economic profile of the population, archeology and landscape. The following section describes the first two components of the social environment for which data are available.

Land and Resource Use in the Project Area

The utilization of the territory in the MRC of Témiscamingue is characterized by its rurality. The two largest cities, Témiscaming and Ville-Marie, only include approximately 2,500 inhabitants each.

The MRC occupies 19,243.88 km^2 and the population is dispersed within:

- 20 municipalities, including 17 rural municipalities;
- 2 unorganized territories (TNO's); and
- 4 Algonquin communities.

The Lacs-du-Témiscamingue TNO covers 12,226.17 km^2, nearly two-thirds of the MRC. The proposed project sites are located within the Restigo controlled harvesting zone (ZEC). The project area is characterized by rugged terrain, hardwood forests and lakes that, for the most part, seem to be in their natural states.

Among the lakes, Kipawa Lake is of particular importance to the Aboriginal and non-Aboriginal people. The village of Kipawa, Eagle Village First Nation Reserve, the inhabited area of the Laniel TNO, and the Hunter's Point camp of Wolf Lake First Nation are all located along Kipawa Lake. Many camps and cottages are also present along the islands and bays of this vast area. However, neither the site of the proposed mine, nor the proposed site for the plant is located on the shore of Kipawa Lake.

No residential area is located close to the proposed project activities. The closest non-Aboriginal communities to the proposed project sites are Témiscaming and the rural municipality of Kipawa located, by air, 45 km and 40 km respectively west of the proposed mine site.

The two Aboriginal communities living closest to the proposed project sites are the following: the community of Eagle Village First Nation, established on a 0.22 km^2 reserve embedded within the municipality of Kipawa, and the Wolf Lake First Nation community, which has no reserve and whose members are partly established in Témiscaming. This community uses a traditional camp located in Hunter's Point, more than 30 km northwest of the proposed mine site.

Outside the town of Témiscaming and village of Kipawa, the land is mostly used for logging and recreational activities.

Land users include Aboriginal and non-Aboriginal people. The recognition and affirmation of Algonquin treaty rights in the territory, including resource use in Abitibi-Témiscamingue, are at the heart of Aboriginal claims that cover the entire region and other neighbouring regions. Land use by non-Aboriginal people is mainly recreational as shown by the presence of a large number of leases for temporary shelters and housing for vacationing purposes. Among non-Aboriginal users of the territory, there are many non-residents of Ontario and the United States of America.

Socio-economic Profile of the Population

The area within 30 km of the project area is uninhabited except for seasonal camps and cottages. In fact, the project is located in the Lacs-du-Témiscamingue TNO which, according to Statistics Canada (2012a), has no permanent residents. In a radius of 45 km, the total population is estimated at 3,350 people. This population is concentrated in Témiscaming and Kipawa. Algonquin represent nearly 15% of the population. In addition to their mother tongue, English is used as their language of choice. English is also the language spoken at home by a significant proportion of the non-Aboriginal population in Témiscaming and Kipawa.

The forest industry dominates the economy in the municipalities of Témiscaming and Kipawa, as well as in the Lacs-du-Témiscamingue TNO. Tembec is the largest employer in the MRC of Témiscamingue. In addition to the Témiscaming plant which employs nearly 1,000 people, Tembec also has mills in Béarn, La Sarre and Senneterre. Although a significant proportion of the Témiscaming plant personnel resides in this town or in Kipawa, some of the staff comes from Ontario and other areas in the MRC of Témiscamingue.

The MRC, especially Témiscaming and Kipawa, shows a lack of economic diversity. It remains heavily dependent on the forest industry.

MAIN POTENTIAL EFFECTS

Physical Environment

The main potential environmental effects on the physical environment to be assessed are the following:

- Potential changes in soil and/or water quality due to spills (oil and/or other contaminants);
- Potential changes in the quality and availability of surface water due to variations in runoff, higher concentration of suspended solids associated with potential erosion and subsidence, and potential contamination by effluents;
- Potential changes to air quality due to dust and contaminant emission from operating activities; and
- Potential changes in noise and vibrations caused by operating activities.

Biological Environment

The main potential environmental effects on the biological environment to be assessed are the following:

- Potential losses and changes in vegetation and wetlands caused by the implementation of new project infrastructures (e.g., especially the open-pit, the waste rock piles and tailings);
- Potential losses and changes in fish populations and their habitats through the implementation of new project infrastructures (e.g., especially the open-pit, tailings, waste rock piles, and construction over or in proximity to waterbodies); effluents and effects associated with drainage and erosion. It should be noted that no aquatic species at risk, according to the *Species at Risk Act,* has been found in the project area and consequently would be affected by the project; and
- Potential losses and changes in wildlife and bird habitats caused by the construction of new infrastructures (especially the open-pit, the waste rock piles and tailings); disturbance by humans as well as noise and vibration. Those impacts could potentially impact some migratory bird species identified in the *Migratory Birds Convention Act, 1994* (91 species where observed in the area during the 2012 surveys, see appendix B).

Social Environment

The main potential environmental effects on the social environment to be assessed are the following:

- Potential changes in the current and planned land and resource use by Aboriginal and non-Aboriginal people;
- Potential socio-economic changes including local and regional job creation, new training and investment opportunities, debt overload, changes in the social fabric of the communities, etc.;
- Potential effects on the visual landscape due to new project infrastructures;
- Potential effects on historic and archaeological sites;
- Potential effects on the health and safety of communities and workers; and
- The social acceptability of the project for indigenous and non-indigenous, local and regional.

Changes to the environment that may occur, as a result of carrying out the project, on federal lands, in a province other than the province in which the project is proposed to be carried out or outside of Canada

The potential changes to the environment caused by the project on federal lands in a province other than the province in which the project is proposed to be carried out or outside Canada will mainly concern ore and chemical product transport, and demographic changes. The main potential environmental effects are the following:

- Potential socio-economic benefits in Ontario;
- Potential increase of traffic between Quebec and Ontario;
- Potential risk of spilling of chemical product transported from Ontario;
- Potential increase of the pressure on health services of North Bay hospital in Ontario because of the increase of the population in the project area.

The concentrate will transit through a port, which will possibly be on federal land as the port of Vancouver, Montréal and Québec City are under federal jurisdiction. However, the handling will only consist in transferring the containers into the vessels. It is anticipated that the equivalent of approximately two containers will be produced each day. The transport frequency will be determined later but considering the low volume of concentrate that will be transiting at each delivery, the potential impact on the port activities is assumed to be low.

CONSULTATION AND PARTICIPATION ACTIVITIES AMONGST THE INDIGENOUS COMMUNITIES

As of 2009, the chiefs of the closest Algonquin communities (i.e., Eagle Village First Nation and Wolf Lake First Nation) were interviewed on several occasions by the proponent. A "Memorandum of Understanding" was signed in July 2012, illustrating the proponent's willingness to collaborate and respect the principles of equality, reciprocity, and mutual interest. This document sets out the general provisions for cooperation between the Algonquin and the proponent with respect to the project preparation, most importantly the involvement of the Eagle Village First Nation and Wolf Lake First Nation communities in completing the environmental and social effects assessment.

Under the "Memorandum of Understanding" the Eagle Village First Nation and Wolf Lake First Nation communities will complete their own study describing the past and current traditional land and resource uses. This study will contribute to the preparation of the environmental effects assessment of the project.

The main concerns expressed during public information meetings with these two communities were linked to the:

- Potential deterioration in the water quality of Kipawa Lake;
- Potential effects of the project on traditional activities taking place on these lands;
- Potential effects of the project on wildlife;
- Importance of community participation in the project (i.e., Eagle Village First Nation and Wolf Lake First Nation);
- Potential economic benefits for the surrounding communities; and
- Potential risks associated with the presence of radioactive substances in the rare earths.

PUBLIC AND OTHER PARTY CONSULTATIONS

Since 2009, the project proponent has undertaken a consultation process with communities and non-Aboriginal institutions. In 2011, this consultation process was made official when a committee was established to periodically inform and consult elected officials and key local and regional institutional stakeholders that may be impacted by the project.


This working group, called the "Table d'harmonisation et de suivi du projet Kipawa de Matamec" (*Table d'harmonisation*), includes representatives from the following jurisdictions and stakeholders: the MRC of

Témiscamingue, the mayors of the town of Témiscaming and the municipality of Kipawa, the President of Laniel TNO Municipal Committee, the Band Council of Eagle Village First Nation, the Band Council of Wolf Lake First Nation, the development society of Témiscamingue, the Lake Témiscamingue School Board, the MNR, the forestry company Tembec, the Témiscaming-Kipawa Chamber of Commerce, and the ZEC Restigo.

From the *Table d'harmonisation* results three subcommittees: Education, Environment, and Economy and Business Opportunities. The Education Committee and the Environment Committee are currently active while that Economy and Business Opportunities should begin operations in 2013.

Other institutions have also been informed about the project by the proponent. These include the "Table de gestion intégrée des ressources du Témiscamingue", Réserve Beauchêne, Envol adult education centre, "l'organisme du Bassin versant du Témiscamingue" and the Témiscamingue Mayor's Assembly. In addition, the project proponent has held several public information meetings and consultations for the communities of Témiscaming and Kipawa to allow a broad participation on the part of the population.

To date, the main issues and concerns raised by the aforementioned institutions and non-Aboriginal communities are very similar to those raised by the two Aboriginal communities closest to the project site. They include the following: potential risk of environmental deterioration caused by the mining activities of the project; potential risks associated with chemical spills related to trucking; potential risks of the project on Kipawa Lake; potential employment opportunities and economic benefits for the surrounding communities; potential effects of the project on wildlife; and potential risks associated with the presence of radioactive substances in the rare earths for the health of surrounding communities.




LÉGENDE / LEGEND

- Ville ou village / Town or village
- Établissement autochtone / Aboriginal settlement
- Limite administrative / Administrative boundary
- Infrastructures projetées / Proposed infrastructure
- Sites potentiels pour le parc à residus / Potential sites for tailing the management facility
- Zones d'exploitation contrôlée (ZEC) / Controlled harvesting zone (ZEC)
- Refuge biologique / Biological refuge
- Réserve Beauchêne / Beauchêne reserve
- Réserve de biodiversité projetée des Basses-Collines-du-Ruisseau-Serpent / Basses-Collines-du-Ruisseau-Serpent proposed biodiversity reserve
- Réserve écologique du lac Malakisis / Lac Malakisis ecological reserve
- Forêt ancienne du Lac-Richelieu / Lac-Richelieu old forest

Route / Road

- Chemin Maniwaki / Maniwaki road
- Route principale (pavée) / Main road (paved)
- Chemin forestier - Primaire / Forest trail (primary)
- Chemin forestier - Secondaire / Forest trail (secondary)
- Chemin forestier - Autres / Forest trail (other)
- Chemin de fer / Railroad (Ottawa Valley Railway)



0 2.5 5 10

Kilomètres / Kilometers

RÉFÉRENCES / REFERENCES

Données / Data: Canvec 50k © RNCan, Cartes écoforestière 20k / Ecoforestry maps 20k, Haldes à stériles / Waste rock piles: haldes-20121004.dwg (Roche), Fosse / Pit: 4_PitPlanView_UTM.dwg (Matamec), Halde mort-terrain / Overburden mineral deposit: 3_KipawaGeneralSiteLayout.dwg (Matamec), Usine et route d'accès / Plant and access road: PLAN_A_JOUR.dwg (Matamec), Parc à résidus / Tailings: 1212210034-08.dwg (Golder). Projection / Projection: NAD 83, UTM zone 17N.

PROJET / PROJECT

MATAMEC

Projet de terres rares Kipawa – Description d'un projet désigné / Kipawa Rare Earth Project – Description of a Designated Project

TITRE / TITLE

Aire du projet / Project Area

Golder Associates
Montréal, Québec

# Projet / Project #: 12-1222-0009			
Projeté par / Designed by:	RM	2012-08-21	Rev1
SIG / GIS:	PJ	2012-10-10	Figure 1
Vérifiée par / Verified by:	GV	2012-10-10	
Approuvée par / Approved by:	CG	2012-12-13	

H:\Projets\Matamec\MXD\General\Fig_1_Aire_du_projet.mxd

680,000 685,000 690,000 695,000 700,000

5,185,000 5,180,000 5,175,000

N

Lac Brennan / Lac Sairs

Haldes à stériles / Waste rock piles

Aire de dépôts du mort-terrain / Overburden mineral deposit

Atelier d'entretien mécanique / Mechanical maintenance shop

Lac Clair

Lac Sheffield

Futur pont / Future bridge

Fosse de la mine / Mine pit

Lac Klondike

Futur chemin d'accès / Future access road

Rivière Kipawa

Rivière des Jardins

Lac Square

Usine / Plant

CHEMIN MANIWAKI

Lac Bois Franc / Lac Booth

Lac Long

Option 1

Option 2

Lac Richelieu

Lac Bell

Option 3

694,600 694,800 695,000 695,200

5,180,000 5,179,800 5,179,600

Concasseurs principal et secondaire / Main and secondary crushers

Dome - entreposage minerai concassé / Dome - crushed ore storage

Usine hydrométallurgique / Hydrometallurgical plant


Usine / Plant 1:7500

LÉGENDE / LEGEND

- Infrastructures projetées / Proposed infrastructure
- Sites potentiels pour le parc à residus / Potential sites for the tailing management facility

Route / Road

- Chemin Maniwaki / Maniwaki road
- Chemin forestier - Primaire / Forest trail (primary)
- Chemin forestier - Secondaire / Forest trail (secondary)
- Chemin forestier - Autres / Forest trail (other)



0 1.25 2.5 5

Kilomètres / Kilometres

RÉFÉRENCES / REFERENCES

Données / Data: Canvec 50k © RNCan, Cartes écoforestière 20k / Ecoforestry maps 20k, Haldes à stériles / Waste rock piles: haldes-20121004.dwg (Roche), Fosse / Pit: 4_PitPlanView_UTM.dwg (Matamec), Halde mort-terrain / Overburden mineral deposit: 3_KipawaGeneralSiteLayout.dwg (Matamec), Usine et route d'accès / Plant and access road: PLAN_A_JOUR.dwg (Matamec), Parc à résidus / Tailings: 1212210034-08.dwg (Golder). Projection / Projection: NAD 83, UTM zone 17N.

PROJET / PROJECT

MATAMEC

Projet de terres rares Kipawa – Description d'un projet désigné / Kipawa Rare Earth Project – Description of a Designated Project


TITRE / TITLE

Composantes projetées / Proposed Components

Golder Associés Montréal, Québec

# Projet / Project #: 12-1222-0009			
Projetée par / Designed by:	GV	2012-08-21	Rev1
SIG / GIS:	PJ	2012-10-10	Figure 2
Vérifiée par / Verified by:	GV	2012-10-10	
Approuvée par / Approved by:	CG	2012-12-13	

H:\Projets\Matamec\MXD\General\Fig_2_Composantes_projetées.mxd



Date:	2012-12-14	Échelle:	1 : 1 000
Dessiné par:	M. Bernier	Projeté par:	L. Marcoux
Verifié par:	R. Methot	Approuvé par:	C. Guay
No. de dessin:	1212220009-1000-1002-02	No. de projet:	12-1222-0009

MATAMEC

PROJET DE TERRES RARES KIPAWA - DESCRIPTION D'UN PROJET DÉSIGNÉ / KIPAWA RARE EARTH PROJECT - DESCRIPTION OF A DESIGNATED PROJECT


Golder Associés
9200, boul. de l'Acadie, bureau 10
Montréal (Québec) H4N 2T2
Tél.: (514) 383-0990 Fax: (514) 383-5332

PROCÉDÉ DE TRAITEMENT DU MINERAI / ORE PROCESSING

FIGURE 3

LÉGENDE / LEGEND

- Ville ou village / Town or village
- Établissement autochtone / Aboriginal settlement
- Chemin Maniwaki / Maniwaki road
- Direction d'écoulement des bassins régionaux / Flow direction of regional watersheds
- Bassin versant régional / Regional watershed
- Lac Kipawa / Kipawa lake
- Infrastructures projtées / Proposed infrastructure
- Sites potentiels pour le parc à residus / Potential sites for the tailing management facility



0 2.5 5 10

Kilomètres / Kilometers

RÉFÉRENCES / REFERENCES

Bassins interprétés à partir des données hydrographique des cartes Topo Canvec 1:250 000 / Watersheds interpreted from Canvec Topo 1:250 000 hydro features.
Données / Data: Canvec 50k © RNCan, Cartes écoforestière 20k / Ecoforestry maps 20k, Haldes à stériles / Waste rock piles: haldes-20121004.dwg (Roche), Fosse / Pit: 4_PitPlanView_UTM.dwg (Matamec), Halde mort-terrain / Overburden mineral deposit: 3_KipawaGeneralSiteLayout.dwg (Matamec), Usine et route d'accès / Plant and access road: PLAN_A_JOUR.dwg (Matamec), Parc à résidus / Tailings: 1212210034-08.dwg (Golder).
Projection / Projection: NAD 83, UTM zone 17N.

PROJET / PROJECT

MATAMEC

Projet de terres rares Kipawa – Description d'un projet désigné / Kipawa Rare Earth Project – Description of a Designated Project

TITRE / TITLE

Limites des bassins versants / Watershed Limits

Golder Associés Montréal, Québec

# de projet / Project #: 12-1222-0009			
Projeté par / Designed by:	RS/AG	2012-10-22	Rev1
SIG / GIS:	PJ	2012-11-06	Figure 4
Vérifiée par / Verified by:	GV	2012-10-22	
Approuvée par / Approved by:	CG	2012-12-13	

H:\Projets\Matamec\MXD\General\Fig_4_Limites_des_bassins versants.mxd

Copyright:© 2009 ESRI

ANNEXE / APPENDIX A

Photos



Photo 1: Site d'exploration minière – carothèques / Mining exploration site – core shacks



Photo 2: Site d'exploitation minière – vue des environs/ Mining exploitation site –view of the surroundings




Photo 3: Site d'exploitation minière – fôret / Mining exploitation site – surrounding forest



Photo 4: Site de l'usine en survol / Aerial view of plant site



Photo 5: Site de l'usine / Plant site



Photo 6: Parc à residus (Option B1) en survol / Aerial view of tailings site (Option B1)



Photo 7: Parc à résidus (Option B1) / Tailings site (Option B1)



Photo 8: Lac localisé au sud du parc à résidus (Option B2) en survol / Aerial view of lake located south of the tailings site (Option B2)



Photo 9: Parc à résidus (Option B2) / Tailings site (Option B2)



Photo 10: Parc à résidus (Option B3) en survol / Aerial view of tailings site (Option B3)



Photo 11: Parc à résidus (Option B3) / Tailings site (Option B3)

ANNEXE / APPENDIX B

Liste des espèces migratrices au sens de la Loi de 1994 sur la convention concernant les oiseaux migrateurs répertoriées dans la région du projet / List of Migratory Bird Species Identified in the *Migratory Birds Convention Act, 1994* Observed in the Project Region

Famille	Nom scientifique	Nom français	Nom anglais
Anatidae	*Aix sponsa*	Canard branchu	Wood Duck
Anatidae	*Anas crecca*	Sarcelle d'hiver	Green-winged Teal
Anatidae	*Anas platyrhynchos*	Canard colvert	Mallard
Anatidae	*Anas rubripes*	Canard noir	American Black Duck
Anatidae	*Aythya collaris*	Fuligule à collier	Ring-necked Duck
Anatidae	*Branta canadensis*	Bernache du Canada	Canada Goose
Anatidae	*Bucephala albeola*	Petit Garrot	Bufflehead
Anatidae	*Bucephala clangula*	Garrot à oeil d'or	Common Goldeneye
Anatidae	*Lophodytes cucullatus*	Harle couronné	Hooded Merganser
Anatidae	*Mergus merganser*	Grand Harle	Common Merganser
Apodidae	*Chaetura pelagica*	Martinet ramoneur	Chimney Swift
Ardeidae	*Ardea herodias*	Grand Héron	Great Blue Heron
Bombycillidae	*Bombycilla cedrorum*	Jaseur d'Amérique	Cedar Waxwing
Caprimulgidae	*Chordeiles minor*	Engoulevent d'Amérique	Common Nighthawk
Cardinalidae	*Passerina cyanea*	Passerin indigo	Indigo Bunting
Cardinalidae	*Pheucticus ludovicianus*	Cardinal à poitrine rose	Rose-breasted Grosbeak
Cardinalidae	*Piranga olivacea*	Pyranga écarlate	Scarlet Tanager
Certhiidae	*Certhia americana*	Grimpereau brun	Brown Creeper
Emberizidae	*Ammodramus leconteii*	Bruant de Le Conte	Le Conte's Sparrow
Emberizidae	*Junco hyemalis*	Junco ardoisé	Dark-eyed Junco
Emberizidae	*Melospiza georgiana*	Bruant des marais	Swamp Sparrow
Emberizidae	*Melospiza lincolnii*	Bruant de Lincoln	Lincoln's Sparrow
Emberizidae	*Melospiza melodia*	Bruant chanteur	Song Sparrow
Emberizidae	*Spizella passerina*	Bruant familier	Chipping Sparrow
Emberizidae	*Zonotrichia albicollis*	Bruant à gorge blanche	White-throated Sparrow
Fringillidae	*Carpodacus purpureus*	Roselin pourpré	Purple Finch
Fringillidae	*Loxia leucoptera*	Bec-croisé bifascié	White-winged Crossbill
Fringillidae	*Spinus pinus*	Tarin des pins	Pine Siskin
Fringillidae	*Spinus tristis*	Chardonneret jaune	American Goldfinch
Gaviidae	*Gavia immer*	Plongeon huard	Common Loon
Gruidae	*Grus canadensis*	Grue du Canada	Sandhill Crane
Hirundinidae	*Tachycineta bicolor*	Hirondelle bicolore	Tree Swallow
Icteridae	*Euphagus carolinus*	Quiscale rouilleux	Rusty Blackbird
Icteridae	*Quiscalus quiscula*	Quiscale bronzé	Common Grackle
Laridae	*Larus argentatus*	Goéland argenté	Herring Gull
Paridae	*Poecile atricapillus*	Mésange à tête noire	Black-capped Chickadee
Paridae	*Poecile hudsonicus*	Mésange à tête brune	Boreal Chickadee
Parulidae	*Cardellina canadensis*	Paruline du Canada	Canada Warbler
Parulidae	*Cardellina pusilla*	Paruline à calotte noire	Wilson's Warbler
Parulidae	*Geothlypis philadelphia*	Paruline triste	Mourning Warbler
Parulidae	*Geothlypis trichas*	Paruline masquée	Common Yellowthroat
Parulidae	*Mniotilta varia*	Paruline noir et blanc	Black-and-white Warbler
Parulidae	*Oreothlypis peregrina*	Paruline obscure	Tennessee Warbler
Parulidae	*Oreothlypis ruficapilla*	Paruline à joues grises	Nashville Warbler

Parulidae	*Parkesia noveboracensis*	Paruline des ruisseaux	Northern Waterthrush
Parulidae	*Seiurus aurocapilla*	Paruline couronnée	Ovenbird
Parulidae	*Setophaga americana*	Paruline à collier	Northern Parula
Parulidae	*Setophaga caerulescens*	Paruline bleue	Black-throated Blue Warbler
Parulidae	*Setophaga coronata*	Paruline à croupion jaune	Yellow-rumped Warbler
Parulidae	*Setophaga fusca*	Paruline à gorge orangée	Blackburnian Warbler
Parulidae	*Setophaga magnolia*	Paruline à tête cendrée	Magnolia Warbler
Parulidae	*Setophaga palmarum*	Paruline à couronne rousse	Palm Warbler
Parulidae	*Setophaga pensylvanica*	Paruline à flancs marron	Chestnut-sided Warbler
Parulidae	*Setophaga petechia*	Paruline jaune	Yellow Warbler
Parulidae	*Setophaga pinus*	Paruline des Pins	Pine Warbler
Parulidae	*Setophaga ruticilla*	Paruline flamboyante	American Redstart
Parulidae	*Setophaga tigrina*	Paruline tigrée	Cape May Warbler
Parulidae	*Setophaga virens*	Paruline à gorge noire	Black-throated Green Warbler
Picidae	*Colaptes auratus*	Pic flamboyant	Northern Flicker
Picidae	*Dryocopus pileatus*	Grand Pic	Pileated Woodpecker
Picidae	*Picoides arcticus*	Pic à dos noir	Black-backed Woodpecker
Picidae	*Picoides pubescens*	Pic mineur	Downy Woodpecker
Picidae	*Picoides villosus*	Pic chevelu	Hairy Woodpecker
Picidae	*Sphyrapicus varius*	Pic maculé	Yellow-bellied Sapsucker
Podicipedidae	*Podilymbus podiceps*	Grèbe à bec bigarré	Pied-billed Grebe
Regulidae	*Regulus calendula*	Roitelet à couronne rubis	Ruby-crowned Kinglet
Regulidae	*Regulus satrapa*	Roitelet à couronne dorée	Golden-crowned Kinglet
Scolopacidae	*Actitis macularius*	Chevalier grivelé	Spotted Sandpiper
Scolopacidae	*Gallinago delicata*	Bécassine de Wilson	Wilson's Snipe
Scolopacidae	*Scolopax minor*	Bécasse d'Amérique	American Woodcock
Scolopacidae	*Tringa melanoleuca*	Grand Chevalier	Greater Yellowlegs
Scolopacidae	*Tringa solitaria*	Chevalier solitaire	Solitary Sandpiper
Sittidae	*Sitta canadensis*	Sittelle à poitrine rousse	Red-breasted Nuthatch
Sittidae	*Sitta carolinensis*	Sittelle à poitrine blanche	White-breasted Nuthatch
Trochilidae	*Archilochus colubris*	Colibri à gorge rubis	Ruby-throated Hummingbird
Troglodytidae	*Troglodytes hiemalis*	Troglodyte des forêts	Winter Wren
Turdidae	*Catharus fuscescens*	Grive fauve	Veery
Turdidae	*Catharus guttatus*	Grive solitaire	Hermit Thrush
Turdidae	*Catharus ustulatus*	Grive à dos olive	Swainson's Thrush
Turdidae	*Hylocichla mustelina*	Grive des bois	Wood Thrush
Turdidae	*Turdus migratorius*	Merle d'Amérique	American Robin
Tyrannidae	*Contopus cooperi*	Moucherolle à côtés olive	Olive-sided Flycatcher
Tyrannidae	*Contopus virens*	Pioui de l'Est	Eastern Wood-Pewee
Tyrannidae	*Empidonax alnorum*	Moucherolle des aulnes	Alder Flycatcher
Tyrannidae	*Empidonax flaviventris*	Moucherolle à ventre jaune	Yellow-bellied Flycatcher
Tyrannidae	*Empidonax minimus*	Moucherolle tchébec	Least Flycatcher

Tyrannidae	*Sayornis phoebe*	Moucherolle phébi	Eastern Phoebe
Tyrannidae	*Tyrannus tyrannus*	Tyran tritri	Eastern Kingbird
Vireonidae	*Vireo olivaceus*	Viréo aux yeux rouges	Red-eyed Vireo
Vireonidae	*Vireo philadelphicus*	Viréo de Philadelphie	Philadelphia Vireo
Vireonidae	*Vireo solitarius*	Viréo à tête bleue	Blue-headed Vireo

Chez Golder Associés, nous mettons tout en œuvre pour constituer la firme la plus respectée mondialement pour ses services spécialisés en consultation, en conception et en construction dans les secteurs des sciences de la Terre, de l'environnement et de l'énergie. L'entreprise est la propriété des employés depuis sa création en 1960. Nos objectifs clairs ainsi que le caractère unique de notre culture et de nos façons d'opérer donnent à chacun l'occasion et le pouvoir d'exceller, ce qui attire chez nous les meilleurs spécialistes dans nos domaines d'expertise. Nos professionnels prennent le temps de comprendre les besoins des clients et les contraintes spécifiques rattachées à leurs activités. Nous continuons à étendre notre expertise technique alors que nos effectifs croissent de façon constante, avec des employés qui travaillent à partir de nos nombreux bureaux situés en Afrique, en Asie, en Océanie, en Europe, en Amérique du Nord et en Amérique du Sud.

Afrique	+ 27 11 254 4800
Amérique du Nord	+ 1 800 275 3281
Amérique du Sud	+ 55 21 3095 9500
Asie	+ 86 21 6258 5522
Europe	+ 356 21 42 30 20
Océanie	+ 61 3 8862 3500

solutions@golder.com
www.golder.com

Golder Associés Ltée
9200, boul. de l'Acadie, bureau 10
Montréal (Québec) H4N 2T2
Canada
T: +1 (514) 383 0990

Golder Associés