NATO STANDARD

ADatP-34

NATO Interoperability Standards and Profiles

Volume 1

Introduction

Edition M Version 1

7 Jan 2020



NORTH ATLANTIC TREATY ORGANIZATION ALLIED DATA PUBLICATION

Published by the NATO STANDARDIZATION OFFICE (NSO)
© NATO/OTAN

NATO LETTER OF PROMULGATION

The enclosed Alied Data Publication ADatP-34, Edition M, Version 1 NATO Interoperability Standards and Profiles, which has been approved by the nations in the C3B, is promulgated herewith. The agreement of nations to use this publication is recorded in STANAG 5524.

ADatP-34, Edition M, Version 1 is effective on receipt.

No part of this publication may be reproduced, stored in a retrieval system, used commercially, adapted, or transmitted in any form or by any means, electronic, mechanical, photo-copying, recording or otherwise, without the prior permission of the publisher. With the exception of commercial sales, this does not apply to member or partner nations, or NATO commands and bodies.

This publication shall be handled in accordance with C-M(2002)60.

Zoltán GULYÁS Brigadier General, HUNAF Director, NATO Standardization Office

RESERVED FOR NATIONAL LETTER OF PROMULGATION

RECORD OF RESERVATIONS

CHAPTER	RECORD OF RESERVATION BY NATIONS

Note: The reservations listed on this page include only those that were recorded at time of promulgation and may not be complete. Refer to the NATO Standardization Document Database for the complete list of existing reservations.

RECORD OF SPECIFIC RESERVATIONS

[nation]	[detail of reservation]

Note: The reservations listed on this page include only those that were recorded at time of promulgation and may not be complete. Refer to the NATO Standardization Document Database for the complete list of existing reservations.

Table of Contents

	1
1. Introduction	
1.1. Purpose of the NISP	
1.2. Intended Audience	
2. Basic Concepts	
2.1. Standards	
2.2. STANAG	
2.3. Interoperability Profiles	
2.4. Basic Standards Profile	
2.5. Creating relationships to other concepts and planning objects within NATO	
2.5.1. Architecture Building Block	
2.5.2. FMN Spiral Specifications	
2.5.3. Capability Packages	
2.6. Criteria for selecting standards	
2.7. Criteria for selecting Non-NATO standards	
3. Organization of the NISP Information	11
3.1. NISP Structure	. 11
4. Interoperability in Support of Capability Planning	. 13
5. Configuration Management	
5.1. NISP Update Process	16
5.2. NISP Products	
6. National Systems Interoperability Coordination	19
7. Interoperability Standards Guidance	21
8. Applicability	
A. Profile Guidance	27
A.1. Profile Conceptual Background	
A.2. Purpose of Interoperability Profiles	
A.3. Applicability	
A.4. Guidelines for Interoperability Profile Development	
A.5. Structure of Interoperability Profile Documentation	
A.5.1. Identification	
A.5.2. Profile Elements	
A.6. Verification and Conformance	
A.6.1. Approach to Validating Service Interoperability Points	
A.6.2. Relevant Maturity Level Criteria	
A.6.3. Key Performance Indicators (KPIs)	
A.6.4. Experimentation	
A.6.5. Demonstration	
A.7. Configuration Management and Governance	
A.7.1. Configuration Management	
A.7.1. Configuration Management	
B. Interoperability in the context of NATO Defence Planning	
B.1. NATO Defence Planning	
C. Changes from NISP Version 12 (L) to NISP Version 13 (M)	33

D. Detailed Changes from NISP Version 12 (L) to NISP Version 13 (M)	37
D.1. New standards	37
D.1.1. C3B	37
D.1.2. CCEB	37
D.1.3. DMG	37
D.1.4. DMTF	37
D.1.5. IDEF	37
D.1.6. IETF	37
D.1.7. ISO/IEC	37
D.1.8. ISO/IEC/IEEE	37
D.1.9. MIP	38
D.1.10. NATO	38
D.1.11. NATO-Expected	40
D.1.12. NCIA	41
D.1.13. OASIS	41
D.1.14. OGC	41
D.1.15. OMG	41
D.1.16. Open Group	
D.1.17. Opensearch	
D.1.18. SEI	41
D.1.19. TM-FORUM	41
D.1.20. TMA	42
D.1.21. US DoD	42
D.2. Deleted standards	42
D.2.1. CCEB	42
D.2.2. IETF	42
D.2.3. NATO	42
D.2.4. OMG	43
D.2.5. W3C	43
E. Processed RFCs	45

CHAPTER 1. INTRODUCTION

001. The NATO Interoperability Standards and Profiles (NISP) is developed by the NATO Consultation, Command and Control (C3) Board Interoperability Profiles Capability Team (IP CaT).

002. The NISP will be made available to the general public as ADatP-34(L) when approved by the C3 Board¹.

003. The included interoperability standards and profiles (Volume 2) are **mandatory** for use in NATO common funded Communications and Information Systems (CIS). Volume 3 contains **candidate** standards and profiles.

004. In case of conflict between any recommended non-NATO² standard and relevant NATO standard, the definition of the latter prevails.

005. In the NISP the keywords "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" are to be interpreted as described in [IETF RFC 2119].

Table 1.1. Abbreviations

Abbreviation	Full Text
ABB	Architecture Building Block
ACaT	Architecture Capability Team
ACP	Allied Communications Publication
AdatP-34	Allied Data Publication - Cover publication for the NISP
BSP	Basic Standards Profile
C3	Consultation, Command and Control
CCEB	Combined Communications Electronic Board (military communications-electronics organization established among five nations: Australia, Canada, New Zealand, United Kingdom, and the United States)
CESF	Core Enterprise Services Framework
COI	Community of Interest
CIAV (WG)	Coalition Interoperability Assurance and Validation (Working Group)
CIS	Communication and Information Systems

¹AC/322-N(2019)0052-REV1-COR-1 approved ADatP-34(L)

²ISO or other recognized non-NATO standards organization

Abbreviation	Full Text
CWIX	Coalition Warrior Interoperability eXploration, eXperimentation, eXamination eXercise
DOTMLPFI	Doctrine, Organization, Training, Materiel, Leadership, Personnel, Facilities and Interoperability
EAPC	Euro-Atlantic Partnership Council
FMN	Federated Mission Networking
IOP	Interoperability Point
IP CaT	Interoperability Profiles Capability Team
MIP	Multilateral Interoperability Programme
NAF	NATO Architecture Framework
NDPP	NATO Defence Planning Process
NISP	NATO Interoperability Standards and Profiles
NIST	National Institute of Standards and Technology
NGO	Non governmental organization
RFC	Request for Change
SDS	Service Data Sheet
SIOP	Service Interoperability Point Definition is to be found in EAPC(AC/322)D (2006)0002-REV 1): SIOP is a reference point within an architecture where one or more service interfaces are physically or logically instantiated to allow systems delivering the same service using different protocols to interoperate. Note: A service interoperability point serves as the focal point for service interoperability between interconnected systems, and may be logically located at any level within the components, and its detailed technical specification is contained within a service interface profile.
SIP	Service Interface Profile
SME	Subject Matter Expert

Abbreviation	Full Text
SOA	Service Oriented Architecture
STANAG	NATO abbreviation for STAN dardization AG reement, which set up processes, procedures, terms, and conditions for common military or technical procedures or equipment between the member countries of the alliance.
TACOMS	Tactical Communication Programme

1.1. PURPOSE OF THE NISP

006. NISP gives guidelines to capability planners, programme managers and test managers for NATO common funded systems in the short or mid-term timeframes.

007. The NISP prescribes the necessary technical standards and profiles to achieve interoperability of Communications and Information Systems in support of NATO's missions and operations. In accordance with the Alliance C3 Strategy (ref. C-M(2014)0016) all NATO Enterprise (ref. C-M(2014)0061) entities shall adhere to the NISP mandatory standards and profiles in volume 2.

008. Other activities that assure interoperability within the alliance should list their profiles in the NISP.

1.2. INTENDED AUDIENCE

009. The intended audience of the NISP are all stakeholders in the NATO Enterprise, and Allied and Partner nations involved in development, implementation, lifecycle management, and transformation to a federated environment.

010. There are specific viewpoints that are mapped to the NISP structure. NISP gives guidelines to:

- capability planners involved in NDPP and NATO led initiatives
- programme managers for building NATO common funded systems
- test managers for their respective test events (such as CWIX, CIAV, etc.)
- national planning and programme managers for their national initiatives

011. Specific NATO or national views to the NISP based on data export to external planning and management systems will be possible upon delivery of an updated version of the NISP Exchange Specification in 2019.

CHAPTER 2. BASIC CONCEPTS

012. This chapter gives an overview to understand the data in volume 2 and volume 3. NISP does not differentiate between the usage of NATO and non-NATO standards but always strives to select the most appropriate and up to date. The classification (Mandatory or Candidate) of any standard depends on its location in the NISP, Volume 2 or Volume 3, respectively.

2.1. STANDARDS

013. Standards (their content) are defined and managed in their life cycle by standardization bodies with their own timetable. A standard may have life cycle status such as emerging, mature, fading, or obsolete. Different standardization bodies may use their own lifecycle status definitions. NISP takes lifecyle status of standards into account, but does not copy them into the NISP database. For aspects of obligation status for standards in planning and programmes, see the next paragraph.

2.2. STANAG

- 014. STANAGs are managed by the NATO Standardization Office (NSO). NATO STANAGS that are promulgated shall be considered mandatory only for NATO common-funded systems. If NISP references a STANAG, the obligation status for it is only informative. The NSO maintains the obligation status in their own process of standardization.
- 015. Some older STANAGs combine the agreement and the actual specification into one single document. NISP references the specification part.
- 016. Some STANAGs and NATO Standards included in the NISP are not yet registered in the NSO database. To indicate this, in the NISP tables the publication number starts with "NATO-Expected" instead of "NATO" and in the index, they are grouped under "NATO Standardization Office (expected in the future)".
- 017. For some STANAGs, the status in the NISP deviates from the status according to the NSO. For example, the NISP contains mandatory STANAGs that are Superseded or Cancelled according to the NSO. Also the NISP contains candidate STANAGs that are already Promulgated according to the NSO. For those STANAGs, this deviation is documented in a footnote. In general IP CaT strives to explicitly mandate the latest version of a standard in Volume 2. However, in Community of Interest (COI) profiles such as FMN 3, or the Archive profile, the CoI might choose, for purely technical reasons, to keep a superseded standard for a certain time-frame in their profile.
- 018. When a STANAG is not yet Promulgated, this is identified by including "Study" or "RD" (Ratification Draft) in the publication number. In general IP CaT strives to explicitly use promulgated standards especially in Volume 2. However, in Community of Interest (COI) profiles such as FMN, or the Archive profile, the CoI might choose, for purely technical reasons,

to inject a Study or Ratification Draft of a standard in their profile. These should be limited to Volume 3.

2.3. INTEROPERABILITY PROFILES

019. Profiles define the specific use of standards at a service interoperability point (SIOP) in a given context. Profiles support prerequisites for programmes or projects and enable interoperability implementation and testing.

020. Interoperability Profiles provide combinations of standards and (sub)profiles for different CIS and identify essential profile elements including:

- Capability Requirements and other NAF architectural views
- Characteristic protocols
- Implementation options
- · Technical standards
- Service Interoperability Points, and
- The relationship with other profiles such as the system profile to which an application belongs.

021. The NISP now defines the **obligation status** of profiles and standards as "mandatory" or "candidate".

- Mandatory: The application of standards or profiles is enforced for NATO common funded systems in planning, implementing and testing. Nations are required to use the NISP for developing capabilities that support NATO's missions (ie. NATO led operations, projects, programs, contracts and other related tasks). Nations are invited to do the same nationally to promote interoperability for federated systems and services.
- Candidate: The application of a standard or profile shall only be used for the purpose of testing and programme / project planning. The standard or profile must have progressed to a stage in its life-cycle and is sufficiently mature and is expected to be approved by the standardization body in the foreseeable future. This implies, that from a planning perspective, the respective standard or profile is expected to become mandatory during execution of the programme. A candidate standard or profile should not stay in volume 3 for more than 3 years.
- 022. Profiles shall be updated if referenced standards change. Profiles are dynamic entities by nature. NATO captures this dynamic situation by updating profiles once a year in the NISP. Profile owners are responsible for the versioning of their profiles. Profile reviews are required every 2 years by their owners to ensure their accuracy and continued relevance.

- 023. Proposed profiles (and standards) can be accepted as candidates in order to follow their developments and to decide if they can be promoted to mandatory standards and profiles. In some cases proposed standards and profiles can be readily accepted directly as mandatory.
- 024. Interoperability Profiles can reference other Interoperability Profiles to allow for maximal reuse.
- 025. Further information and guidance on creation of profiles is available in Appendix A.

2.4. BASIC STANDARDS PROFILE

- 026. Within the NISP, the "Basic Standards Profile" specifies the technical, operational, and business standards that are generally applicable in the context of the Alliance and the NATO Enterprise. For a specific context, such as Federated Mission Networking, separate profiles may be defined that apply specifically to that context or related architectures. The standards that are cited may be NATO standards, or other agreed international and open standards.
- 027. As there is no overarching alliance architecture, each standard is associated with elements of the C3 Taxonomy. A distinction must be made between applicability of a standard, and conformance to the standard. If a standard is applicable to a given C3 Taxonomy element, any architecture that implements such an element need not be fully conformant with the standard. The degree of conformance may be judged based on the specific context of the project. For example, to facilitate information exchange between C2 and logistics systems it may be sufficient to implement only a subset of concepts as defined in JC3IEDM (STANAG 5525).
- 028. The "Basic Standards Profile" contains "agreed" as well as "candidate" standards.

2.5. CREATING RELATIONSHIPS TO OTHER CONCEPTS AND PLANNING OBJECTS WITHIN NATO

029. Different initiatives and organizations have developed new concepts to govern developments in the interoperability domain. These concepts have logical relationship to the NISP.

2.5.1. Architecture Building Block

030. An Architecture Building Block (ABB) is a constituent of the architecture model that describes a single aspect of the overall model ¹.

- 7 -

2.5.1.1. Characteristics

031. ABBs:

¹TOGAF 9.1 Specification

- Capture architecture requirements; e.g., business, data, application, and technology requirements
- Direct and guide the development of Solution Building Blocks

2.5.1.2. Specification Content

032. ABB specifications include the following as a minimum:

- Fundamental functionality and attributes: semantic, unambiguous, including security capability and manageability
- Interfaces: chosen set, supplied
- Interoperability and relationship with other building blocks
- Dependent building blocks with required functionality and named user interfaces
- Map to business/organizational entities and policies

2.5.2. FMN Spiral Specifications

033. Federated Mission Networking (FMN) Spiral² Specifications encompass "an evolutionary cycle that will raise the level of maturity of federated mission networking capabilities over time".

034. The FMN spiral specification contain the following sections

- architecture
- instructions
- profiles, and
- requirements specifications.

The Mandatory and Candidate FMN Spiral Profiles, in context for FMN Affiliates, are listed in the NISP Volumes 2 and 3.

2.5.3. Capability Packages

035. Profiles will be referenced in the NISP for specified NATO Common Funded Systems or Capability Packages and may include descriptions of interfaces to National Systems where appropriate.

²Annex B TO Volume I - Implementation Overview, NATO FMN Implementation Plan v4.0 dated: 23 September 2014, Terms and Definitions

2.6. CRITERIA FOR SELECTING STANDARDS

036. Any standard(s) listed in Volume 2 of the NISP shall:

- Be already approved by a NATO Standardization Tasking Authority or another non- NATO standards development organization (e.g. ISO, ANSI, ETSI, IEEE, IETF, W3C);
- Have an assigned responsible party within NATO that can provide relevant subject matter expertise;
- Be available in one of the NATO official languages;
- Support C3 Interoperability (including, people, processes and technology) and related NATO common funded Communication and Information Systems (CIS), including their development and operations;
- Enable the NATO Enterprise, NATO Nations and Partner Nations to develop interoperable C3 capabilities that support NATO's missions (i.e. NATO led operations, projects, programs, contracts and other related tasks).
- Any standard deviating from the criteria listed in the paragraph 4.1., can be recommended by the IP CaT for inclusion in the NISP and can be implemented after the approval of the C3B.

2.7. CRITERIA FOR SELECTING NON-NATO STANDARDS

037. Any Non-NATO standard(s) listed in Volume 2 of NISP should:

- Have implementations from a cross-section of vendors available;
- Be utilized by the broader user community;
- Be developed in a consensus-based way;
- Be free from any legal issues (i.e. intellectual property rights);
- Meet NATO requirements;
- Be easily accessible to vendors;
- Have an open architecture, e.g. extensible for new technological developments,
- Be compatible with other NATO-agreed standards;
- Be stable (mostly recognized by related community/industry) and mature enough in terms of technology;
- Be measurable in terms of its compliance.

CHAPTER 3. ORGANIZATION OF THE NISP INFORMATION

038. This chapter gives an overview of the new structure of all three volumes.

3.1. NISP STRUCTURE

039. The structure of the NISP is organized to list and categorize the standards and profiles according to their usage in NATO. It contains three volumes:

- **Volume 1** Introduction: This volume introduces basic concepts, provides the management framework for the configuration control of the NISP and the process for handling Request for Change (RFC). It includes also guidance on development of interoperability profiles.
- Volume 2 Agreed Interoperability Standards and Profiles: This volume lists agreed interoperability standards and profiles, mandatory for NATO common funded systems. These should support NATO and National systems today and new systems actually under procurement or specification.
- Volume 3 Candidate Interoperability Standards and Profiles: This Volume lists informative references to Standards and Interoperability Profiles, such as drafts of NATO specifications, that may be used as guidance for future programmes.

040. Volume 2 is normative for NATO common funded systems and Volume 3 is informative.

CHAPTER 4. INTEROPERABILITY IN SUPPORT OF CAPABILITY PLANNING

041. The following documents form the foundation to understand the embedding of NISP into NDPP and architecture work:

Table 4.1. NDPP References

Document	Document Reference
Alliance C3 Strategy Information and Communication Technology to prepare NATO 2020 (20 July 2018)	Alliance C3 Strategy C-M(2019)0037
Alliance C3 Policy (25 April 2016)	C-M(2015)0041-REV1
NATO Defence Planning Process (NDPP)	PO(2016)0655 (INV)

042. The NATO Defence Planning Process (NDPP) is the primary means to identify the required capabilities and promote their timely and coherent development and acquisition by Allies and Partners. It is operationally driven and delivers various products which could support the development and evolution of more detailed C3 architecture and interoperability requirements. The development of NDPP products also benefits from input by the architecture and interoperability communities, especially the NISP, leading to a more coherent development of CIS capabilities for the Alliance.

043. The work on Enterprise, Capability, and programme level architecture will benefit from the NISP by selecting coherent sets of standards for profiles.

044. More information on how the NISP supports the NDPP can be found in Annex B.

CHAPTER 5. CONFIGURATION MANAGEMENT

045. The NISP is updated once a year to account for the evolution of standards and profiles.

046. Request for Change (RFC) to the NISP will be processed by the IP CaT, following the process in the graphic below:



Figure 5.1. RFC Handling Process

047. The RFC contains all information required for the NISP management by IP CaT; The detailed information about standard or profile is handed over as attachments to this form. A notional RFC form with example information is presented below:



Figure 5.2. RFC Notional Form

- 048. The primary point of contact for RFC submission is the IP CaT. RFCs may be submitted to the IP CaT via the Change web site or via email to herve.radiguet@act.nato.int with attachments.
- 049. Review of RFCs will be coordinated with the responsible C3 Board substructure organizations where appropriate.
- 050. The IP CaT reviews the submissions in dialog with national and international bodies. Based on that review, the RFC will be formally processed into the next version of the NISP; or returned to the originator for further details; or rejected. The IP CaT will attempt to address all RFCs submitted by 1 September into the next NISP release. RFCs submitted after this date may be considered for inclusion at the discretion of the IP CaT, or will be processed for the following NISP release.

5.1. NISP UPDATE PROCESS

- 051. The new NISP version is submitted to the C3 Board by end of the year after internal review by the IP CaT. The version under review is a snapshot in time of the status of standards and profiles.
- 052. The database of standards and profiles maintained by the IP CaT is the definitive source of the current status of standards and profiles.

053. A standard listed in Volume 2 of the NISP shall:

- 1. be approved already by a NATO Standardization Tasking Authority or another non-NATO standards development organization (e.g. ISO, ANSI, ETSI, IEEE, IETF, W3C),
- 2. have an assigned responsible party that can provide relevant subject matter expertise,
- 3. be available in one of the NATO official languages,
- 4. support C3 Interoperability (incl. people, processes and technology) and related NATO common funded Communication and Information Systems (CIS) including their development and operations, and
- 5. enable the NATO Enterprise, NATO Nations and partner nations to develop interoperable capabilities that support NATO's missions (ie. NATO led operations, projects, programs, contracts and other related tasks).
- 054. Deviations from the rules listed above can be recommended by the IP CaT and approved by the C3B.
- 055. Some key criteria for inclusion of non-NATO standards into Volume 2 are
- Availability of implementations from a cross-section of vendors;
- Usage of implementations by user community;
- Compatibility with other standards;
- Completeness. Does the standard meet the functional requirements?
- Extensibility. Can the standard easily add new technologies when they become available?;
- Stability/maturity. Is the standard based on well understood technology, and has it matured enough to ensure no major changes will occur through further refinements?
- Non-discriminatory. Was the standard developed in a consensus-based way?
- Testability. Conformance metrics. Can the standard be tested to prove compliance?
- Legitimacy. Freedom from legal issues.

5.2. NISP PRODUCTS

056. The NISP is published in several formats:

- Documentation in HTML and PDF Formats
- Website and searchable online Database

• Data export in XML format

CHAPTER 6. NATIONAL SYSTEMS INTEROPERABILITY COORDINATION

057. Coordination of standards and profiles between Nations and NATO are critical for interoperability. As a result of the C3 Board substructure reorganization, participants in IP CaT are subject matter experts (SME) and are no longer national representatives. SME's should therefore coordinate with national and C3 Board representatives to ensure national perspectives are presented to IP CaT. As such, each of the IP CaT SMEs is responsible for:

- Appropriate and timely coordination of standards and profiles with respect to interoperability with national systems;
- Coordination of the SME input including coordination with national SMEs of other C3 Board substructure groups; and
- Providing appropriate technical information and insight based on national market assessment.

058. National level coordination of interoperability technical standards and profiles is the responsibility of the C3 Board. When the latest version of NISP is approved by the C3 Board, it will become the NATO Standard covered by STANAG 5524 Edition 2. This STANAG contains the agreement of the participating nations regarding usage of the mandatory standards and profiles in the NISP.

CHAPTER 7. INTEROPERABILITY STANDARDS GUIDANCE

059. The NISP references Standards from different standardization bodies¹. In the case of a ratified STANAG, NATO standardization procedures apply. The NISP only references these STANAG's without displaying the country-specific reservations. The country-specific reservations can be found in the NATO Standardization Office's NATO Standardization Document Database.

060. The Combined Communications Electronics Board (CCEB) nations will use NISP Volume 2 to publish the interoperability standards for the CCEB under the provisions of the NATO-CCEB List of Understandings (LoU)².

061. The NISP organizes the standards using the structure of the latest approved baseline of NATO's C3 Taxonomy. A graphical representation of this taxonomy is given in the following figure and a description of it can be obtained at: https://tide.act.nato.int/tidepedia/index.php/C3_Taxonomy. Currently, the standards only address a subset of the services in the taxonomy, mainly services in the group Technical Services. For some standards it is indicated that an appropriate mapping to the C3 Taxonomy could not yet be made.

¹In case of conflict between any recommended non-NATO standard and relevant NATO standard, the definition of the latter prevails.

²References: NATO Letter AC/322(SC/5)L/144 of 18 October 2000, CCEB Letter D/CCEB/WS/1/16 of 9 November 2000, NATO Letter AC/322(SC/5)L/157 of 13 February 2001



Figure 7.1. C3 Taxonomy

062. In principle, NISP only contains or references standards or related documents, which are generally available for NATO/NATO member nations/CCEB.

063. However, a subset of documents may only be available for those nations or organizations, which are joining a specific mission or are members of a special working group. The membership in these activities is outside the scope of NISP.

CHAPTER 8. APPLICABILITY

064. The mandatory standards and profiles documented in Volume 2 will be used in the implementation of NATO Common Funded Systems. Participating nations agree to use the mandatory standards and profiles included in the NISP at the Service Interoperability Points and to use Service Interface Profiles among NATO and Nations to support the exchange of information and the use of information services in the NATO realm.

APPENDIX A. PROFILE GUIDANCE

A.1. PROFILE CONCEPTUAL BACKGROUND

065. ISO/IEC TR 10000 [2] defines the concept of profiles as a set of one or more base standards and/or International Standardized Profiles, and, where applicable, the identification of chosen classes, conforming subsets, options and parameters of those base standards, or International Standardized Profiles necessary to accomplish a particular function.

066. The C3 Board (C3B) Interoperability Profiles Capability Team (IP CaT) has extended the profile concept to encompass references to NAF architectural views [1], characteristic protocols, implementation options, technical standards, Service Interoperability Points (SIOP), and related profiles.

067. Nothing in this guidance precludes the referencing of National profiles or profiles developed by non-NATO organizations in the NATO Interoperability Standards and Profiles (NISP).

A.2. PURPOSE OF INTEROPERABILITY PROFILES

068. Interoperability Profiles aggregate references to the characteristics of other profiles types to provide a consolidated perspective.

069. Interoperability Profiles identify essential profile elements including Capability Requirements and other NAF architectural views [1], characteristic protocols, implementation options, technical standards, Service Interoperability Points, and the relationship with other profiles such as the system profile to which an application belongs.

070. NATO and Nations use profiles to ensure that all organizations will architect, invest, and implement capabilities in a coordinated way that will ensure interoperability for NATO and the Nations. Interoperability Profiles will provide context and assist or guide information technologists with an approach for building interoperable systems and services to meet required capabilities.

A.3. APPLICABILITY

071. NISP stakeholders include engineers, designers, technical project managers, procurement staff, architects and other planners. Architectures, which identify the components of system operation, are most applicable during the development and test and evaluation phase of a project. The NISP is particularly applicable to a federated environment, where interoperability of mature National systems requires an agile approach to architectures.

072. The IP CaT has undertaken the development of interoperability profiles in order to meet the need for specific guidance at interoperability points between NATO and Nations systems

and services required for specific capabilities. As a component of the NISP, profiles have great utility in providing context and interoperability specifications for using mature and evolving systems during exercises, pre-deployment or operations. Application of these profiles also provides benefit to Nations and promotes maximum opportunities for interoperability with NATO common funded systems as well as national to national systems. Profiles for system or service development and operational use within a mission area enable Nations enhanced readiness and availability in support of NATO operations.

A.4. GUIDELINES FOR INTEROPERABILITY PROFILE DEVELOPMENT

073. Due to the dynamic nature of NATO operations, the complex Command and Control structure, and the diversity of Nations and Communities of Interest (COI), interoperability must be anchored at critical points where information and data exchange between entities exists. The key drivers for defining a baseline set of interoperability profiles include:

- Identify the Service Interoperability Points and define the Service Interface Profiles
- Develop modular Architecture Building Blocks
- Use standards consistent with common architectures
- Develop specifications that are service oriented and independent of the technology implemented in National systems where practical
- Develop modular profiles that are reusable in future missions or capability areas
- Use an open system approach to embrace emerging technologies

074. The starting point for development of a profile is to clearly define the Service Interoperability Point where two entities will interface and the standards in use by the relevant systems.

075. The NISP is the governing authoritative reference for NATO interoperability profiles. Doctrine, Organization, Training, Materiel, Leadership and education, Personnel, Facilities and Interoperability (DOTMLPFI) capability analysis may result in a profile developer determining that some of the capability elements may not be relevant for a particular profile. In such cases, the "not applicable" sections may either be marked "not applicable" or omitted at the author's discretion.

A.5. STRUCTURE OF INTEROPERABILITY PROFILE DOCUMENTATION

076. This section identifies typical elements of Interoperability Profile Documentation.

A.5.1. Identification

077. Each NATO or candidate NATO Interoperability Profile **shall** have a unique identifier assigned to it when accepted for inclusion in the NISP. This **shall** be an alpha-numeric string appended to the root mnemonic from the NISP profile taxonomy.

A.5.2. Profile Elements

078. Profile elements provide a coherent set of descriptive inter-related information to NATO, national, Non-Governmental Organization (NGO), commercial and other entities ('actors') desiring to establish interoperability.

079. Profiles are not concepts, policies, requirements, architectures, patterns, design rules, or standards. Profiles provide context for a specific set of conditions related to the aforementioned documents in order to provide guidance on development of systems, services, or even applications that must consider all of these capability related products. Interoperability Profiles provide the contextual relationship for the correlation of these products in order to ensure interoperability is 'built-in' rather than considered as an 'after-thought'.

A.5.2.1. Applicable Standards

080. Each profile **should** document the standards required to support this or other associated profiles and any implementation specific options. The intention of this section is to provide an archive that shows the linkage between evolving sets of standards and specific profile revisions.

ID	Purpose/Service	Standards	Guidance
A unique profile	A description of the	A set of relevant	Implementation
identifier	purpose or service	Standard Identifier	specific guidance
		from the NISP	associated with this
			profile (may be a
			reference to a separate
			annex or document)

Table A.1. Applicable Standards

A.5.2.2. Related Profiles

081. Each profile should document other key related system or service profiles in a cross reference table. The intention of this section is to promote smart configuration management by including elements from other profiles rather than duplicating them in part or in whole within this profile. Related profiles would likely be referenced in another section of the profile.

Table A.2. Related Profiles

Profile ID	Profile Description	Community of Interest	Associated SIOPs
A unique profile identifier	A short description of the profile		Unique SIOP identifiers

A.6. VERIFICATION AND CONFORMANCE

082. Each profile **should** identify authoritative measures to determine verification and conformance with agreed quality assurance, Key Performance Indicators (KPIs), and Quality of Service standards such that actors are satisfied they achieve adequate performance. All performance requirements must be quantifiable and measurable; each requirement must include a performance (what), a metric (how measured), and a criterion (minimum acceptable value).

083. Stakeholders are invited to provide feedback to improve a profile's verification and conformance criteria.

084. Verification and Conformance is considered in terms of the following five aspects:

- 1. Approach to Validating Service Interoperability Points
- 2. Relevant Maturity Level Criteria
- 3. Key Performance Indicators (KPIs)
- 4. Experimentation
- 5. Demonstration

A.6.1. Approach to Validating Service Interoperability Points

085. Each profile should describe the validation approach used to demonstrate the supporting service interoperability points. The intention of this section is to describe a high-level approach or methodology by which stakeholders may validate interoperability across the SIOP(s).

A.6.2. Relevant Maturity Level Criteria

086. Each profile should describe the Maturity criteria applicable to the profile. The intention of this section is to describe how this profile supports the achievement of improved interoperability.

A.6.3. Key Performance Indicators (KPIs)

087. Each profile should describe the associated Key Performance Indicators (KPIs) to establish a baseline set of critical core capability components required to achieve the enhanced

interoperability supported by this profile. The intention of this section is to assist all stakeholders and authorities to focus on the most critical performance-related items throughout the capability development process.

Table A.3. Key Performance Indicators (KPIs)¹

Key Performance Indicators (KPI)	Description
KPI #1: Single (named) Architecture	
KPI #2: Shared Situational Awareness	
KPI #3: Enhanced C2	
KPI #4: Information Assurance	
KPI #5: Interoperability	
KPI #6: Quality of Service	
KPI #7: TBD	

¹'notional' KPIs shown in the table are for illustrative purposes only.

A.6.4. Experimentation

088. Each profile should document experimentation venues and schedules that will be used to determine conformance. The intention of this section is to describe how experimentation will be used to validate conformance.

A.6.5. Demonstration

089. Each profile should document demonstration venues and schedules that demonstrate conformance. The intention of this section is to describe how demonstration will be used to validate conformance.

A.7. CONFIGURATION MANAGEMENT AND GOVERNANCE

A.7.1. Configuration Management

090. Each profile **shall** identify the current approach or approaches toward configuration management (CM) of core documentation used to specify interoperability at the Service Interoperability Point. The intention of this section is to provide a short description of how often documents associated with this profile may be expected to change, and related governance measures that are in place to monitor such changes [e.g., the IP CaT].

A.7.2. Governance

091. Each profile **shall** identify **one or more authorities** to provide feedback and when necessary, Request for Change (RFC) for the Profile in order to ensure inclusion of the most

up-to-date details in the NISP. The intention of this section is to provide a clear standardized methodology by which stakeholders may submit recommended changes to this profile.

References

- [1] NATO Architecture Framework Version 4. 25 January 2018. AC/322-D(2018)0002.
- [2] Information Technology Framework and Taxonomy of International Standardized Profiles Part 3: Principals and Taxonomy for Open System Environment Profiles. Copyright # 1998. ISO. ISO/IEC TR 10000-3.

APPENDIX B. INTEROPERABILITY IN THE CONTEXT OF NATO DEFENCE PLANNING

B.1. NATO DEFENCE PLANNING

092. The NATO Defence Planning Process (NDPP) is the primary means to identify required capabilities and promote their timely, coherent development and acquisition by Allies and the NATO Enterprise. It is operationally driven and delivers various products which could support the development and evolution of more detailed C3 architecture and interoperability requirements. The development of NDPP products also benefits from input by the architecture and interoperability communities, especially the NISP, leading to a more coherent development of CIS capabilities for the Alliance.

093. Ideally technical interoperability requirements align with the NDPP to ensure coherence in the development of capabilities within the Alliance. NDPP Mission Types and Planning Situations provide the essential foundation for the development of the Minimum Capability Requirements (MCR) and the derivation of high level information exchange and interoperability requirements. MCRs are expressed via a common set of definitions for capabilities (including CIS) called Capability Codes and Statements (CC&S), including explicit reference to STANAGs in some cases¹. Interoperability aspects are primarily captured in free text form within the Capability Statements and in the subsequent NDPP Targets². The NDPP products could be leveraged by the architecture and interoperability community, to define the operational context for required Architecture Building Blocks and interoperability profiles.

094. The Defence Planning Capability Survey (DPCS) is the tool to collect information on national capabilities, the architecture and interoperability communities should provide input on questions related to C3 related capabilities. The architecture and interoperability communities could also bring valuable insight and expertise to the formulation and tailoring of C3 capabilities-related targets to nations, groups of nations or the NATO enterprise.

095. In practice, there is not always an opportunity (time or money) for such a "clean" approach and compromises must be made - from requirements identification to implementation. In recognition of this fact, NATO has developed a parallel track approach, which allows some degree of freedom in the systems development. Although variations in sequence and speed of the different steps are possible, some elements need to be present. Architecture, including the selection of appropriate standards and technologies, is a mandatory step.

096. In a top-down execution of the systems development approach, architecture will provide guidance and overview to the required functionality and the solution patterns, based on longstanding and visionary operational requirements. In a bottom-up execution of the approach, which may be required when addressing urgent requirements and operational imperatives,

¹Bi-SC Agreed Capability Codes and Capability Statements, 26 January 2016 and SHAPE/PLANS/JCAP/FCP/16-311533 5000/FPR-0460/TTE-151451/Ser:NU0083

²C-M(2017)0021, NATO Capability Targets, 26 June 2017

architecture will be used to assess and validate chosen solution in order to align with the longer term vision.

097. The NISP is a major tool supporting NATO architecture work and must be suitable for use in the different variations of the systems development approach. The NISP will be aligned with the Architectural efforts of the C3 Board led by the ACaT.

098. The relationship of the NISP, the Architecture Building Blocks activities of the ACaT, and Allied Command Transformation Architecture efforts is of a mutual and reciprocal nature. Architecture products provide inputs to the NISP by identifying the technology areas that in the future will require standards. These architecture products also provide guidance on the coherence of standards by indicating in which timeframe certain standards and profiles are required. NATO Architectures benefit from the NISP by selecting coherent sets of standards from profiles.

APPENDIX C. CHANGES FROM NISP VERSION 12 (L) TO NISP VERSION 13 (M)

099. Major content changes to NISP v13 include:

- FMN Spiral 4 Profile added as Candidate (Vol 3)
- ??? RFCs processed. Details of the RFC changes are captured in Appendix E.

APPENDIX D. DETAILED CHANGES FROM NISP VERSION 12 (L) TO NISP VERSION 13 (M)

D.1. NEW STANDARDS

D.1.1. C3B

• NATO Architecture Framework (C3B ac322-n2018-0002:2018)

D.1.2. CCEB

• Instructions for the Preparation of ACPs (CCEB ACP 198(O))

D.1.3. DMG

• Predictive Model Markup Language (PPML) (DMG ppml-4.2.1:2015)

D.1.4. DMTF

• Open Virtualization Format Specification, v.1.1 (DMTF DSP0243 1.1:2013)

D.1.5. IDEF

- Function Modeling Method (IDEF IDEF0:1993)
- Data Modelling Method (IDEF IDEF1X:1993)

D.1.6. IETF

- The Text/Plain Format and DelSp Parameters (IETF RFC 3676:2004)
- URI Fragment Identifiers for the text/plain Media Type (IETF RFC 5147:2008)
- XML Media Types (IETF RFC 7303:2014)
- Path MTU Discovery (IETF RFC 1191:1990)
- Address Allocation for Private Internets (IETF RFC 1918:1996)

D.1.7. ISO/IEC

- Technical Corrigendum 1 to International Standard ISO/IEC 12087-5:1998 (ISO/IEC 12087-5-cor1:2001)
- Technical Corrigendum 2 to International Standard ISO/IEC 12087-5:1998 (ISO/IEC 12087-5-cor2:2002)

D.1.8. ISO/IEC/IEEE

• Enterprise, systems and software - Architecture Evaluation (ISO/IEC/IEEE FDIS 42030:2017)

D.1.9. MIP

- MIP Information Model 5.0 (MIP MIM 5.0:2019)
- MIP 4.2 Information Exchange Specification (MIP MIP Ver 4.2:2018)

D.1.10. NATO

- Implementation Options and Guidance for integrating IFF Mk XIIA Mode 5 on Military Platforms (IOG) AETP-11Bv1 (NATO STANREG 5635 Ed 1:2017)
- Technical Characteristics of Reverse IFF using Mode 5 Waveform AEtP-4722 Edition A (NATO STANAG 4722 Ed 1)
- Identification Data Combining Process AIDPP-01 ed. A version 1 (NATO STANAG 4162 Ed 3)
- NATO Military Oceanographic and Rapid Environmental Assessment Support Procedures (NATO ATP 32 Ed E Ver 2:2016)
- Joint Brevity Words (NATO APP-07 Ed F Ver 2:2015)
- NATO Joint Military Symbology (NATO APP-06 Ed D Ver 1:2011)
- Warning and Reporting and Hazard Prediction of Chemical, Biological, Radiological and Nuclear Incidents (Operators Manual) (NATO ATP-45 Ed E Ver 1:2014)
- Captured Persons, Materiel And Documents (NATO AJP-2.5 Ed A:2007)
- Geodetic Datums, Projections, Grids and Grid References (NATO AGeoP-21 Ed A Ver 1:2016)
- Allied Joint Medical Doctrine For Medical Evacuation (NATO AJMedP-2 Ed A Ver 1:2018)
- NATO Specifications for Global Area Reference System (GARS), Edition A Version 1
 Oct 2012:GEODETIC DATUMS, PROJECTIONS, GRIDS AND GRID REFERENCES
 GEOREF, MGRS (NATO AGeoP-07 Ed A Ver 1:2012)
- NATO Geospatial Metadata Profile AGeoP-8 Edition B (NATO STANAG 2586 Ed 2:2019)
- NATO Geospatial Metadata Profile (NATO AGeoP-08 Ed B Ver 1:2019)
- NATO Geospatial Information Framework AGeoP-11(B) Ver. 1 (NATO STANAG 2592 Ed 2:2018)
- NATO Geospatial Information Framework (NATO AGeoP-11 Ed B Ver 1:2018)
- NATO Land Urgent Voice Messages (LUVM) Pocket Book (NATO ATP-97 Ed A Ver 1:2016)
- Technical standards for single channel UHF radio equipment (NATO AComP-4205 Ed A Ver 1:2018)
- Standard for optical connector medium-rate and high-rate military tactical link (NATO AComP-4290 Ed A Ver 2:2018)
- NATO Standard Bar Code Symbologies (NATO APP-44 Ed A:2010)
- Characteristics of a Robust, Non-Hopping Serial Tone Modulator/Demodulator For Severely Degraded HF Radio Links (NATO AComP-4415 Ed A Ver 1:2015)
- Super High Frequency (SHF) Military Satellite Communications (MILSATCOM) Frequency Division Multiple Access (FDMA) Non-EPM Modem for Services Conforming to Class-B Of STANAG 4484 (NATO AComP-4486 Ed A Ver 1:2016)
- NATO Secondary Imagery Format (NSIF) (NATO AEDP-04 Ed A Ver 1:2013)

- Standard on warship Electronic Chart Display and Information Systems (WECDIS) (NATO ANP-4564 Ed A Ver 1:2017)
- NATO Advanced Data Storage Interface (NADSI) (NATO AEDP-06 Ed B Ver 3:2014)
- Super High Frequency (SHF) Military Satellite Communications (Milsatcom) EPM Waveform For Class B Services (NATO AComP-4606 Ed A Ver 1)
- NATO Ground Moving Target Indicator(GMTI) Format (NATO AEDP-07 Ed 2 Ver 1:2010)
- US Motion Imagery Standards Board (MISB) Motion Imagimary Standards Profile-2015.1 (NATO NNSTD MISP-2015.1:2016)
- NATO Intelligence, Surveillance And Reconnaissance Tracking Standard (NATO AEDP-12 Ed A Ver 1:2014)
- Multi-hop IP Networking with legacy UHF Radios: Mobile ad hoc relay Line of Sight Networking (MARLIN) (NATO AComP-4691 Ed A Ver 1:2016)
- Interoperability Point Quality of Service (IP QoS) (NATO AComP-4711 Ed A Ver 1:2018)
- Biometrics Data, Interchange, Watchlisting and Reporting (NATO AEDP-15 Ed A Ver 1:2013)
- NATO standardization of measurement and signature intelligence (MASINT) Reporting (NATO AEDP-16)
- VLF / LF MSK Multi Channel Broadcast (NATO AComP-4724 Ed A Ver 1:2015)
- Networking Framework for All-IP Transport Services (NETIP) (NATO AComP-4731 Ed A Ver 1:2017)
- NATO Vector Graphics Specification 2.0.2 (NATO ADatP-4733 Ed A Ver 1:2017)
- Confidentiality Metadata Label Syntax (NATO ADatP-4774 Ed A Ver 1:2017)
- Metadata Binding (NATO ADatP-4778 Ed A Ver 1:2018)
- Standard for Interconnection of IPv4 and IPv6 Networks at Mission Secret and Unclassified Security Levels (NATO AComP-5067 Ed A Ver 1)
- Secure Communications Interoperability Protocol (SCIP) (NATO AComP-5068 Ed A Ver 2:2017)
- NATO Message Text Formatting System (FORMETS) Concept of Formets (CONFORMETS) (NATO ADatP-03 Ver 4:2010)
- Concept of NATO Message Text Formatting System (CONFORMETS) (NATO ADatP-03 Ed A Ver 1:2010)
- Concept of NATO Message Text Formatting System (CONFORMETS) ADatP-3 (NATO STANAG 5500 Ed 8:2019)
- Concept of NATO Message Text Formatting System (CONFORMETS) (NATO ADatP-03 Ed A Ver 3:2019)
- Tactical Data Exchange Link 1 (Point-to-Point) (NATO ATDLP-5.01 Ed A Ver 1:2015)
- Tactical Data Exchange Link 11/11B (NATO ATDLP-5.11 Ed B Ver 1)
- Tactical Data Exchange Link 16 (NATO ATDLP-5.16 Ed B Ver 1)
- Standard for Joint Range Extension Application Protocol (JREAP) (NATO ATDLP-5.18 Ed A Ver 1:2015)
- Joint Range Extension Application Protocol (JREAP) (NATO ATDLP-5.18 Ed B Ver 1:2016)
- Joint Range Extension Application Protocol (JREAP) (NATO ATDLP-5.18 Ed B Ver 2:2019)

- LAND C2 Information Exchange data Model (NATO ADatP-32:2005)
- Services to forward Friendly Force Information to Weapon Delivery Assets (NATO ADatP-37 Ed A ver 1:2018)
- NATO Qualification Levels for Tactical Data Link Personnel (NATO ATDLP-5.55 Ed A Ver 1:2017)
- Standards for Interface of Data Links 1, 11, and 11B Through a Buffer (NATO ATDLP-6.01 Ed A Ver 1:2016)
- Standard Interface for Multiple Platform Link Evaluation (SIMPLE) (NATO ATDLP-6.02 Ed A Ver 1:2014)
- NATO Meteorological Codes Manual (NATO AWP-4 Ed B:2005)
- Air Reconnaissance Primary Imagery Data Standard (NATO AEDP-09 Ed 1:2009)
- Imagery Air Reconnaissance Tape Recorder Interface (NATO AEDP-11 Ed 1:2001)
- Interoperable Data Links for Imaging Systems (NATO AEDP-7085 Ed A Ver 1:2011)
- NATO Message Catalogue (NATO APP-11 Ed D:2015)
- Additional Military Layers (AML) Digital Geospatial Data Products (NATO AGeoP-19 Ed A Ver 1:2015)
- NATO Imagery Interpretability Rating Scale (NIIRS) (NATO AIntP-07 Ed A Ver 1:2018)
- Web Service Messaging Profile (WSMP) (NATO ADatP-5644 (Study) Ed A Ver 1)
- Specifications Defining The Joint Dismounted Soldier System Interoperability Network (JDSSIN) Security (NATO AEP-76 Vol1 Ed A Ver 2:2017)
- Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) Data Model (NATO AEP-76 Vol2 Ed A Ver 2:2017)
- Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) Information Exchange Mechanism (NATO AEP-76 Vol4 Ed A Ver 2:2017)
- Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Network Access (NATO AEP-76 Vol5 Ed A Ver 2:2017)
- NATO SECONDARY IMAGERY FORMAT (NSIF) STANAG 4545 IMPLEMENTATION GUIDE (NATO AEDP-04 Ed 2 Ver 1:2013)
- NATO STANDARD ISR LIBRARY INTERFACE (NATO AEDP-17 Ed A Ver 1:2018)
- NATO STANDARD ISR WORKFLOW ARCHITECTURE (NATO AEDP-19 Ed A Ver 1:2018)
- NATO Motion Imagery STANAG 4609 Implementation Guide (NATO AEDP-08 Ed 3 Ver 1:2009)
- NATO Core Metadata Specification ADatP-39 Edition A (NATO STANAG 5636 (Study) Ed 1)
- NATO Core Metadata Specification (NATO ADatP-39 (Study) Ed. A Ver. 1)

D.1.11. NATO-Expected

- Tactical Data Exchange Link 11/11B (NATO-Expected ATDLP-5.11 Ed A Ver 1)
- Standards for Data Forwarding between Tactical Data Systems Link 16 (NATO-Expected ATDLP-5.16 Ed. A Ver. 1)
- Geospatial Web Services (NATO-Expected STANAG 6523 Ed 1 (RD))
- Geospatial Web Services (NATO-Expected AGeoP-26 Ed A Ver 1)

- NATO Message Catalogue (NATO-Expected APP-11 Ed D:2017)
- NATO Message Catalogue (NATO-Expected APP-11 Ed E)

D.1.12. NCIA

• Profiles for Binding Metadata to a Data Object (NCIA TN-1491 Edition 2:2017)

D.1.13. OASIS

- Trusted Automated eXchange of Intelligence Information (OASIS TAXII Version 2.0:2017)
- STIX Core Concepts (OASIS STIX Version 2.0 Part 1:2017)
- STIX Core Concepts (OASIS STIX Version 2.0 Part 2:2017)
- Cyber Observable Core Concepts (OASIS STIX Version 2.0 Part 3:2017)
- Cyber Observable Objects (OASIS STIX Version 2.0 Part 4:2017)
- STIX Patterning (OASIS STIX Version 2.0 Part 5:2017)

D.1.14. OGC

- OpenGIS Symbology Encoding Implementation Specification (OGC 05-077r4:2007)
- GML application schema for the Simple and GML serializations of GeoRSS (OGC 1.1:2006)
- GeoRSS Geography Markup Language (OGC)

D.1.15. OMG

- OMG Systems Modeling Language (OMG SysML) (OMG formal-17-05-01:2017)
- Unified Modeling Language (OMG formal/2017-12-01:2017)
- Unified Architecture Framework (OMG formal/2017-10-01:2017)

D.1.16. Open Group

• ArchiMate 3.1 Specification (Open Group c197:2019)

D.1.17. Opensearch

• OpenSearch 1.1 Draft 6 (Opensearch opensearch 11d6)

D.1.18. SEI

• ATAM: Method for Architecture Evaluation (SEI cmu-sei-2000-tr-004:2000)

D.1.19. TM-FORUM

- TMForum Event Management API R17.5 (TM-FORUM AP817:2017)
- TMForum Resource Inventory Management API REST Specification R17.0.1 (TM-FORUM TMF639:2017)

D.1.20. TMA

• Cross.Industry Standard Process for Data Mining (TMA crisp-dm-1.0:2000)

D.1.21. US DoD

• Over-The-Horizon Targeting Gold baseline 2007 (US DoD OTH-T Gold Baseline 2007:2007)

D.2. DELETED STANDARDS

D.2.1. CCEB

- Call Sign Book for Ships (CCEB ACP 113(AD))
- Mobile Tactical Wide Area Networking (MTWAN) Technical Instructions (CCEB ACP 200 V2(C))
- Multinational Videoconferencing Services (CCEB ACP 220(A):2008)

D.2.2. IETF

• Simple Mail Transfer Protocol (IETF RFC 2821:2001)

D.2.3. NATO

- Allied Call Sign and Address Group System Instructions and Assignments, NATO Supplement-1 (NATO ACP 100 NS-1(Q))
- Address Groups and Call Signs, Instructions and Assignments, NATO Supplement-2 (NATO ACP 100 NS-2(A))
- NATO Routing Indicator Book, NATO Supplement-1 (NATO ACP 117 NS-1(S))
- NATO Geospatial Metadata Profile AGeoP-8 Edition A (NATO STANAG 2586 Ed 1:2013)
- Super High Frequency (SHF) Military Satellite Communications (SATCOM) Frequency Division Multiple Access (FDMA) Non-EPM (Non-EPM) Modem for Services Conforming to Class-B of Stanag 4484 (NATO STANAG 4486 Ed 3:2015)
- Super High Frequency (SHF) MILSATCOM network management and controls (NATO STANAG 4505 Ed 1:2004)
- NATO Secondary Imagery Format (NSIF) (NATO STANAG 4545 Ed 1:1998)
- STANAG 4545 Edition 1 Amendment 1, NATO Secondary Imagery Format (NSIF) (NATO STANAG4545 Ed 1 Am 1:2000)
- NATO Vector Graphics (NVG) 2.0.2 ADatP-4733 Edition A Ver 1 (NATO ADatP-4733 Ed A Ver 1:2017)
- Standard Interface for Multiple Platform Link Evaluation (SIMPLE) (NATO STANAG 5602 Ed 3:2010)
- Digital Geographic Information Exchange Standard (DIGEST) (NATO STANAG 7074 Ed 2:1998)

- Vector Map (VMap) Level 1 (NATO STANAG 7163 Ed 1:2003)
- Additional Military Layers (AML) Digital Geospatial Data Products (NATO STANAG 7170 Ed 2:2010)

D.2.4. OMG

- OMG Systems Modeling Language (OMG SysML) (OMG formal-2015-06-03:2015)
- Unified Modeling Language, v2.4.1 (OMG formal/2011-08-05:2011)

D.2.5. W3C

• Simple Object Access Protocol (SOAP) (W3C NOTE-SOAP-20000508:2000)

APPENDIX E. PROCESSED RFCS

100. The following RFC have been processed::

RFC#	Title	Origin
12-003	OTH-T Gold Baseline 2007 added	SACT
12-004	Update OMG SysML to ver 1.5	C3B Arch CaT
12-005	Update UML to ver 2.5.1	C3B Arch CaT
12-006	Change RP for UML and SysML to Arch CaT	C3B Arch CaT
12-007	Change RP for SOAML to Arch CaT	C3B Arch CaT
12-008	Add NAF4	C3B Arch CaT
12-009	Add ISO/IEC/IEEE 42030.FDIS:2019 Software, systems and enterprise	C3B Arch CaT
12-010	Add UAF 1.0	C3B Arch CaT
12-011	Replace all reference APP-11(D)(2) and APP-11(D)(3) with APP-11(D) (without version)	C3B CaP1 TDL CaT
12-013	Replace STANAG 5500 Ed 7 with STANAG 5500 Ed 8	C3B CaP1 MTF CaT
12-014a	Change NATO ACP 192 NS-1(B) to NATO ACP 192 NS-1(C)	C3B NACP CaT
12-014b	Change NATO ACP 192 NS-2(B) to NATO ACP 192 NS-2(C)	C3B NACP CaT
12-014c	Remove CCEB ACP 220(A)	C3B NACP CaT
12-014d	Change CCEB ACP 133 to CCEB ACP 133(D)	C3B NACP CaT
12-014e	Change CCEB ACP 133 Suppl. 1edA to CCEB ACP 133 Supplement 1 (A)	C3B NACP CaT
12-014f	Add the edition (D) to the designation of CCEB ACP 200	C3B NACP CaT
12-014g	Use latest edition of CCEB ACP 113, which is AJ	C3B NACP CaT
12-014i	Change CCEB ACP 122(D) to CCEB ACP 122(G)	C3B NACP CaT
12-014j	Change CCEB ACP 133 ed.C to CCEB ACP 133(C)	C3B NACP CaT
12-014k	Change CCEB ACP 190(A) to CCEB ACP 190(D)	C3B NACP CaT
12-0141	Change CCEB ACP 198(N) to CCEB ACP 198(O)	C3B NACP CaT
12-014m	Remove CCEB ACP 200 V2(D)	C3B NACP CaT
12-014n	Change CCEB ACP 201(Orig) to CCEB ACP 201(A)	C3B NACP CaT
12-014o	Delete NATO ACP 100 NS-1(Q)	C3B NACP CaT
12-014p	Remove NATO ACP 100 NS-2(A)	C3B NACP CaT

RFC#	Title	Origin
12-014q	Clarify the status of NATO ACP 117 NS-1. Remove ed. S and add ed. T as candidate standard.	C3B NACP CaT
12-014s	Move NATO ACP 117 NS-2 (C) to Vol. 3	C3B NACP CaT
12-014t	Move NATO ACP 122 NS-2 (B) to Vol. 3; keep NATO ACP 122 NS-2 (A) as Mandatory.	C3B NACP CaT
12-014u	Change NATO ACP 176 NS-1(E) to NATO ACP 176 NS-1(F)	C3B NACP CaT
12-014v	Move NATO ACP 190 NS-2(D) to Vol. 3; keep NATO ACP 190 NS-2(C) as Mandatory.	C3B NACP CaT
12-014w	Change NATO ACP 198 NS-1(H) to NATO ACP 198 NS-1(G) and insert NATO ACP 198 NS-1(H) in Volume 3.	C3B NACP CaT
12-016a	ISO 18023-1 shoul be moved from Geospatial Services to Modeling and Simulation Services	JGSWG
12-016b	Add Style layer descriptor profile of the Web Map Implementation Specification, v 1.1.0 (OGC 05-078r4) to Symbology Services	JGSWG
12-016c	Add OpenGIS Symbology Encoding Implementation Specification, v1.1 to Symbology Services.	JGSWG
12-016d	Move NSO STANAG 7099 ED 2 from Symbology Services to Geospatial Services	JGSWG
12-016e	Remove NSO STANAG 7163 ED 1' from Symbology Services. and add NSO STANAG 7099 ED 2 to Geospatial Services.	JGSWG
12-016f	Update AGeoP-08 Ed. A / STANAG 2586 Ed. 1, NATO Geospatial Metadata Profile (NGMP) to AGeoP-08 Ed. B / STANAG 2586 Ed. 2, NATO Geospatial Metadata Profile (NGMP).	JGSWG
12-016g	Add AGeoP-11 Ed. B / STANAG 2592 Ed 2, NATO Geospatial Information Framework (NGIF) to Geospatial Services.	JGSWG
12-016h	Delete entry for NSO STANAG 7074 Ed.2, Digital Geographic Information Exchange Standard (DIGEST) from Geospatial Services.	JGSWG
12-016i	Set JGS as responsible party of NSO STANAG 7098 Ed. 2, Compressed ARC Digitized Raster Graphics (CADRG)	JGSWG
12-016k	Delete Style layer descriptor profile of the Web Map Implementation Specification, v 1.1.0 (OGC 02-070)	JGSWG

RFC#	Title	Origin
12-0161	Move Open GIS Web Map Service Implementation Specification v1.3 (OGC 06-042) to Geospatial Service	JGSWG
12-016m	Move OGC's Web Map Tile Service (WMTS) (OGC 07-057r7) to Geospatial Services	JGSWG
12-016n	Add STANAG 6523	JGSWG
12-017	Add Predictive Model Markup Language (PMML) v4.2.1	NCIA CES
12-018	Add SPARQL Protocol and RDF Query Language v1.1	NCIA CES
12-019	Add Cross-Industry Standard Process for Data Mining (CRISP-DM) v1.0	NCIA CES
12-020	Remove Tactical Messaging Profile from NISP	C3B IP CaT
12-021	Remove redundant versions of SOAP.	C3B IP CaT
12-022	Create an Architecture Profile	C3B Arch CaT
12-023a	Remove TN-1417	C3B CaP1 N&S CaT
12-023b	Categorize STANAG 5068 as an Audio-based Communication Service.	C3B CaP1 N&S CaT
12-025	Add Draft FMN 4	FMN CPWG
12-026	Move ATDP-5.01 Ed A from Recognized Maritime Picture Services to Recognised Air Picture Services.	C3B CaP1 TDL CaT
12-027	Replace all references to the NATO Message Catalogue, to read "APP-11(D)(1) covered by STANAG 7149 Ed 6"	IERHWG
12-028	Replace all references to AdatP-3 to read "ADatP-3(A)(3) covered by STANAG 5500 Ed 8"	IERHWG

NATO STANDARD

ADatP-34

NATO Interoperability Standards and Profiles Volume 2

Agreed Interoperability Standards and Profiles

Edition M Version 1

7 Jan 2020



NORTH ATLANTIC TREATY ORGANIZATION ALLIED DATA PUBLICATION

Published by the NATO STANDARDIZATION OFFICE (NSO)
© NATO/OTAN

NATO LETTER OF PROMULGATION

The enclosed Alied Data Publication ADatP-34, Edition M, Version 1 NATO Interoperability Standards and Profiles, which has been approved by the nations in the C3B, is promulgated herewith. The agreement of nations to use this publication is recorded in STANAG 5524.

ADatP-34, Edition M, Version 1 is effective on receipt.

No part of this publication may be reproduced, stored in a retrieval system, used commercially, adapted, or transmitted in any form or by any means, electronic, mechanical, photo-copying, recording or otherwise, without the prior permission of the publisher. With the exception of commercial sales, this does not apply to member or partner nations, or NATO commands and bodies.

This publication shall be handled in accordance with C-M(2002)60.

Zoltán GULYÁS Brigadier General, HUNAF Director, NATO Standardization Office

RESERVED FOR NATIONAL LETTER OF PROMULGATION

RECORD OF RESERVATIONS

CHAPTER	RECORD OF RESERVATION BY NATIONS

Note: The reservations listed on this page include only those that were recorded at time of promulgation and may not be complete. Refer to the NATO Standardization Document Database for the complete list of existing reservations.

RECORD OF SPECIFIC RESERVATIONS

[nation]	[detail of reservation]

Note: The reservations listed on this page include only those that were recorded at time of promulgation and may not be complete. Refer to the NATO Standardization Document Database for the complete list of existing reservations.

Table of Contents

1. Introduction	1
1.1. Scope	1
2. Reference Models: Transition from Platform Centric to Service Oriented Models	dels 3
3. Standards	5
3.1. Introduction	5
3.1.1. Releasability Statement	
3.2. User Applications	
3.3. Technical Services	9
3.3.1. Community Of Interest (COI) Services	10
3.3.2. Core Services	16
3.3.3. Communications Services	65
3.3.4. Cloud Services	79
3.3.5. Directory Data Synchronization Services	80
3.3.6. Archive Profile	82
3.3.7. Extended C3 Taxonomy	84
3.4. Un-assigned standards	84
4. Agreed Profiles	91
4.1. Introduction	91
Index	99

CHAPTER 1. INTRODUCTION

001. Volume 2 of the NISP focuses on agreed interoperability standards and profiles.

002. The NISP references Standards from different standardization bodies¹. In the case of a ratified STANAG, NATO Standardization procedures apply. The NISP only references these STANAG's without displaying the country-specific reservations. The country-specific reservations can be found in the NATO Standardization Office&s NATO Standardization Document Database (NSDD).

003. The Combined Communications Electronics Board (CCEB) nations will use NISP Volume 2 Chapter 3 and Section 3.3 tables to publish the interoperability standards for the CCEB under the provisions of the NATO-CCEB List of Understandings (LoU)².

1.1. SCOPE

004. The scope of this volume includes:

- Identifying the standards and technologies that are relevant to a service oriented environment,
- Describing the standards and technologies to support federation.

¹In case of conflict between any recommended non-NATO standard and relevant NATO standard, the definition of the latter prevails.

²References:NATO Letter AC/322(SC/5)L/144 of 18 October 2000, CCEB Letter D/CCEB/WS/1/16 of 9 November 2000, NATO Letter AC/322(SC/5)L/157 of 13 February 2001

This page is intentionally left blank

CHAPTER 2. REFERENCE MODELS: TRANSITION FROM PLATFORM CENTRIC TO SERVICE ORIENTED MODELS

005. Information technology has undergone a fundamental shift from platform-oriented computing to service-oriented computing. Platform-oriented computing emerged with the widespread proliferation of personal computers and the global business environment. These factors and related technologies have created the conditions for the emergence of network-oriented computing. This shift from platform to network is what enables the more flexible and more dynamic network-oriented operation. The shift from viewing NATO and partner Nations as independent to viewing them as part of a continuously adapting network ecosystem fosters a rich information sharing environment.

006. This shift is most obvious in the explosive growth of the Internet, intranets, and extranets. Internet users no doubt will recognize transmission control protocol/internet protocol (TCP/IP), hypertext transfer protocol (HTTP), hypertext markup language (HTML), Web browsers, search engines, and Java¹ Computing. These technologies, combined with high-volume, high-speed data access (enabled by the low-cost laser) and technologies for high-speed data networking (switches and routers) have led to the emergence of network-oriented computing. Information "content" now can be created, distributed, and easily exploited across the extremely heterogeneous global computing environment. The "power" or "payoff" of network-oriented computing comes from information-intensive interactions between very large numbers of heterogeneous computational nodes in the network, where the network becomes the dynamic information grid established by interconnecting participants in a collaborative, coalition environment. At the structural level, network-enabled warfare requires an operational architecture to enable common processes to be shared.

007. One of the major drivers for supporting net-enabled operations is Service-Oriented Architectures (SOA). SOA is an architectural style that leverages heterogeneity, focuses on interfaces between services and as such this approach is inherently platform-neutral. It is focused on the composition of Services into flexible processes and is more concerned with the Service interface and above (including composition metadata, security policy, and dynamic binding information), more so than what sits beneath the abstraction of the Service interface. SOA requires a different kind of platform, because runtime execution has different meanings within SOA. SOA enables users and process architects to compose Services into processes, and then manage and evolve those processes, in a declarative fashion. Runtime execution of such processes is therefore a metadata-centric operation of a different kind of platform -- a Service-oriented composite application platform.

008. Service-enabled operations are characterized by new concepts of speed of command and self-synchronization.

¹Registered Trademark of ORACLE and/or its affiliates. Other names may be the trademarks of their respective owners.

009. The most important SOA within an enterprise is the one that links all its systems. Existing platforms can be wrapped or extended in order to participate in a wider SOA environment. NATO use of the NISP will provide a template for new systems development, as well as assist in defining the path for existing systems to migrate towards net-enabled operations.

CHAPTER 3. STANDARDS

3.1. INTRODUCTION

- 010. The purpose of this chapter is to specify the agreed NISP standards. The document organizes these standards, following baseline 2.0 NATO's C3 Taxonomy, as endorsed by the NATO C3 Board per AC/322-D(2016)0017 "C3 Taxonomy Baseline 2.0" dated 14 March 2016. A graphical representation of this taxonomy is included in volume 1.
- 011. For some standards it was not clear yet which service identified in the C3 Taxonomy should be used. Therefore, as an interim solution, the taxonomy was extended with e.g. user-defined "Cloud Services". In a separate section, all standards are listed for which could not yet be defined how they should be linked to the C3 Taxonomy.
- 012. The standards are presented in tabular form. Each table represent a subtree from the C3 taxonomy and each table line (marked in bold and spanning all columns in the table) represents a taxonomy node from the subtree. Under each taxonomy node title, all standards which are mapped to the node are listed with the following attributes: title of the standard; where possible, a link to the standard; publication number of the standard; a list of all the capability profiles where the standard is used; and finally the "responsible party" which is the domain expert that advises NATO about the standard. In general, a taxonomy node is only listed if at least one standard is assigned to this taxonomy node.
- 013. When STANAG X Ed Y is in ratification process, this is indicated by STANAG (RD) X Ed Y, and when it is a study draft, this is indicated by STANAG (Study) X Ed Y.

3.1.1. Releasability Statement

014. In principle, NISP only contains or references standards or related documents, which are generally available for NATO/NATO member nations/CCEB.

3.2. USER APPLICATIONS

Title	Pubnum	Profiles	Responsible Party
Service Management Domain Appl	lications		
TMF000 Event API REST Specification R17.5 ¹	TM-FORUM TMF000:2017	SIP-FOR-SMC	FMN CPWG
Trouble Ticket REST API Specification R14.5.1 Interface	TM-FORUM TMF621:2015	SIP-FOR-SMC	FMN CPWG
Product Ordering API REST Specification R14.5.1 Interface	TM-FORUM TMF622:2015	SIP-FOR-SMC	FMN CPWG
TMF638 Service Inventory API REST Specification R16.5	TM-FORUM TMF638:2016	SIP-FOR-SMC	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
TMF661 Trouble Ticket API Conformance Profile R16.5.1	TM-FORUM TMF661:2017	SIP-FOR-SMC	FMN CPWG
API REST Conformance Guidelines R15.5.1 Standard	TM-FORUM TR250:2016	SIP-FOR-SMC	FMN CPWG
Architecture Management Applica	tion		
NATO Architecture Framework	C3B ac322- n2018-0002:2018	BSP, ARCHCAT- ARCHICTETURE	C3B Arch iCaT
Function Modeling Method	IDEF IDEF0:1993	ARCHCAT- ARCHICTETURE	C3B Arch EiCaT
Data Modelling Method	IDEF IDEF1X:1993	ARCHCAT- ARCHICTETURE	C3B Arch EiCaT
Systems and software engineering Architecture description	ISO/IEC/IEEE 42010:2011	BSP, ARCHCAT- ARCHICTETURE	C3B Arch iCaT
Enterprise, systems and software - Architecture processes	ISO/IEC/IEEE DIS42020:2017	BSP, ARCHCAT- ARCHICTETURE	C3B Arch iCaT
Enterprise, systems and software - Architecture Evaluation	ISO/IEC/IEEE FDIS 42030:2017	BSP, ARCHCAT- ARCHICTETURE	C3B Arch iCaT
NATO Interoperability Standards and Profile eXchange Specification	NATO AC/322- D(2017)0007-U:2017	BSP	C3B IP iCaT
BPMN Business Process Model and Notation	OMG formal/2011-01-03:201	BSP, ARCHCAT- ARCHICTETURE	C3B Arch iCaT
OMG Systems Modeling Language (OMG SysML)	OMG formal-17-05-01:2017	BSP, ARCHCAT- ARCHICTETURE	C3B Arch iCaT
Unified Architecture Framework	OMG formal/2017-10-01:201	BSP 7	C3B Arch iCaT
Unified Modeling Language	OMG formal/2017-12-01:201	BSP, ARCHCAT- ARCHICTETURE	C3B Arch iCaT
Service Oriented Architecture Modeling Language (SOAML)	OMG formal-2012-05-10:201	ARCHCAT- ARCHICTETURE	C3B Arch EiCaT

Title	Pubnum	Profiles	Responsible Party
ArchiMate Model Exchange File Format for the ArchiMate Modeling Language		BSP	C3B Arch iCaT
ArchiMate 3.1 Specification	Open Group c197:2019	ARCHCAT- ARCHICTETURE	C3B Arch EiCaT
Joint Applications			
IFF/SIF Operational Procedures	CCEB ACP 160(E)	BSP	C3B NACP CaT
Policy and Procedures for the Management of IFF/SIF, NATO Supplement-1		BSP	C3B NACP CaT
Implementation Options and Guidance for integrating IFF Mk XIIA Mode 5 on Military Platforms (IOG)		BSP	C3B CaP2 IFF CaT
Technical Characteristics of the IFF Mk XIIA System Part I: System Destription and General Characteristics		BSP	C3B CaP2
Technical Characteristics of the IFF Mk XIIA System Part II: Classified System Characteristics		BSP	C3B CaP2
Technical Characteristics of the IFF Mk XIIA System Part III: Installed System Characteristics		BSP	C3B CaP2
Geospatial Applications			
NATO Geospatial Information Framework	NATO AGeoP-11 Ed B Ver 1:2018 / STANAG 2592 Ed 2	BSP	JGSWG
Navstar Global Positioning System (GPS)(PART I) Summary Of Performance Requirements		BSP	C3B CaP2
Navstar Global Positioning System (GPS)(PART II) Summary Of Performance Requirements		BSP	C3B CaP2
Office Automation Applications			

Title	Pubnum	Profiles	Responsible Party
XMP Specification Part 3, Storage in Files	ADOBE XMP-part3-2016:2016	BINDING- EXTENSIBLE- V2	NCIA
Graphic Technology - Extensible metadata platform (XMP) specification - Part 1: Data model, serialization and core propertie	ISO 16684-1:2012	BINDING- EXTENSIBLE- V2	NCIA
Open Document Format for Office Applications (OpenDocument) v1.2 Part 1: OpenDocument Schema		BSP	FMN CPWG
Open Document Format for Office Applications (OpenDocument) v1.2 Part 2: Recalculated Formula (OpenFormula) Format		BSP	FMN CPWG
Open Document Format for Office Applications (OpenDocument) v1.2 Part 3: Packages		BSP	FMN CPWG
Office Open XML File Formats Part 2: Open Packaging Conventions		BINDING- GENERIC-V2, BINDING- OOXML-V2	NCIA
Rich Text Format (RTF) Specification, Version 1.9.1	Microsoft RTF 1.9.1:2008	BSP	NCIA/Sstrat/ Sea
Confidentiality Metadata Label Syntax - ADatP-4774 Edition A	NATO STANAG 4774 Ed 1:2017	BINDING- EXTENSIBLE- V2, BINDING- GENERIC-V2, BINDING- OOXML-V2	C3B CaP1 DM CaT
Metadata Binding - ADatP-4778 Edition A	NATO STANAG 4778 Ed 1:2018	BINDING- EXTENSIBLE- V2, BINDING- GENERIC-V2, BINDING- OOXML-V2	C3B CaP1 DM CaT
RDF 1.1 Concepts and Abstract Syntax	W3C REC-rdf11- concepts-20140225:20		NCIA/CES

revision:	 ·, o.,	~') /	// \a()+

Title	Pubnum	Profiles	Responsible Party
RDF Primer	W3C REC-rdf- primer-20040210:2004	BINDING- EXTENSIBLE- V2	NCIA
eXtensible Markup Language (XML) version 1.0 (Fifth Edition)	W3C REC- xml-20081126:2008	BINDING- EXTENSIBLE- V2	FMN CPWG
Browser Application			
Geolocation API Specification 2nd Edition	W3C geolocation-API:2016	SIP-FOR-WEB- APPS	FMN CPWG
HTML5 Differences from HTML4	W3C NOTE-html5-diff:2014	SIP-FOR-WEB- APPS	FMN CPWG
Hypertext Markup Language revision 5.2 (HTML5)	W3C REC- html52:2017	SIP-FOR-WEB- APPS	FMN CPWG
Hypertext Markup Language revision 5.3 Editor's Draft (4.7)	W3C REC-html53- Draft:2018	SIP-FOR-WEB- APPS	FMN CPWG
Media Source Extensions	W3C REC-media- source:2016	SIP-FOR-WEB- APPS	FMN CPWG
Mobile Web Application Best Practices	W3C REC- mwabp:2010	SIP-FOR-WEB- APPS	FMN CPWG
Web Speech API	W3C speech-API:2018	SIP-FOR-WEB- APPS	FMN CPWG
DOM Parsing and Serialization	W3C WD-DOM- Parsing:2016	SIP-FOR-WEB- APPS	FMN CPWG

¹TMF000 - TMF000 is included in FMN Spiral 3. An official publication number is not yet available.

3.3. TECHNICAL SERVICES

015. The "Technical Services" include those services required to enable "User Applications". They are part of the "Back-End Capabilities" while "User Applications" are part of "User-Facing Capabilities".

016. According to the C3 Taxonomy, they consist of "Community Of Interest (COI) Services", "Core Services" and "Communications Services". The complete collection of Technical Services is sometimes referred to as the "Technical Services Framework" (TSF) or "NNEC Services Framework" (NSF).

017. In addition to the "Technical Services" identified in the C3 Taxonomy, a taxonomy layer "Cloud Computing" has been added. This enables a more useful categorization of cloud-based standards (currently only included as candidate standards).

3.3.1. Community Of Interest (COI) Services

Title	Pubnum	Profiles	Responsible Party
Air Domain Services	l	I	
IFF/SIF Operational Procedures	CCEB ACP 160(E)	BSP	C3B NACP CaT
Policy and Procedures for the Management of IFF/SIF, NATO Supplement-1		BSP	C3B NACP CaT
Implementation Options and Guidance for integrating IFF Mk XIIA Mode 5 on Military Platforms (IOG)		BSP	C3B CaP2 IFF CaT
Joint Brevity Words	NATO APP-07 Ed F Ver 2:2015 / STANAG 1401 Ed 15	BSP	MC, MCJSB, IERHWG
Technical Characteristics of the IFF Mk XIIA System Part I: System Destription and General Characteristics		BSP	C3B CaP2
Technical Characteristics of the IFF Mk XIIA System Part II: Classified System Characteristics		BSP	C3B CaP2
Technical Characteristics of the IFF Mk XIIA System Part III: Installed System Characteristics		BSP	C3B CaP2
Recognized Air Picture Services			1
Tactical Data Exchange - Link 1 (Point-to-Point)	NATO ATDLP-5.01 Ed A Ver 1:2015 / STANAG 5501 Ed 7	BSP	C3B CaP1 TDL CaT
Tactical Data Exchange - Link 1 (Point-to-Point) - ATDLP-5.01 Edition A	I .	BSP	C3B CaP1 TDL CaT
Tactical Data Exchange - Link 11/11B	NATO STANAG 5511 Ed 6:2008	BSP	C3B CaP1 TDL CaT
Tactical Data Exchange - Link 16	NATO STANAG 5516 Ed 4:2008	FMN3	C3B CaP1 TDL CaT
Standard for Joint Range Extension Application Protocol (JREAP)	NATO STANAG 5518 Ed 1:2014	BSP	C3B CaP1 TDL CaT

Title	Pubnum	Profiles	Responsible Party
Joint Range Extension Application Protocol (JREAP) - ATDLP-5.18 Edition B Version 2 ¹		FMN3	C3B CaP1 TDL CaT
NATO Improved Link Eleven (NILE) - Link 22	NATO STANAG 5522 Ed 2:2008	BSP	C3B CaP1 TDL CaT
Recognized Maritime Picture Serv	ices		
NATO Vector Graphics (NVG) Protocol version 1.5:2010 (ACT)	NATO TIDE/ NVG:2008	FMN3,	NCIA/C2
Tactical Data Exchange - Link 11/11B	NATO STANAG 5511 Ed 6:2008	BSP	C3B CaP1 TDL CaT
Tactical Data Exchange - Link 16	NATO STANAG 5516 Ed 4:2008	BSP	C3B CaP1 TDL CaT
NATO Improved Link Eleven (NILE) - Link 22	NATO STANAG 5522 Ed 2:2008	BSP	C3B CaP1 TDL CaT
Operational Specification for OVER- THE-HORIZON TARGETING GOLD (Revision C) (OTH-G)	1	FMN2, FMN3,	FMN CPWG
Meteorology Services			
NATO Military Oceanographic and Rapid Environmental Assessment Support Procedures		BSP	MC, MCJSB, METOC
Warning and Reporting and Hazard Prediction of Chemical, Biological, Radiological and Nuclear Incidents (Operators Manual)	E Ver 1:2014 /	BSP	MC, MCJSB, JCBRND CDG
NATO Meteorological Codes Manual	NATO AWP-4 Ed B:2005 / STANAG 6015 Ed 4	BSP	MC, MCJSB, METOC
Specifications for Naval Mine Warfare Information and for Data Transfer - AMP-11 (Supplement) Edition A	1116 Ed 10:2014	BSP	MC, MCMSB, NMW
Adoption of a Standard Ballistic Meteorological Message	NATO STANAG 4061 Ed 4:2000	BSP	MC, MCJSB, METOC

Title	Pubnum	Profiles	Responsible Party
Adoption of a Standard Artillery Computer Meteorological Message	NATO STANAG 4082 Ed 3:2012	BSP	MC, MCJSB, METOC
1	NATO STANAG 4103 Ed 4:2001	BSP	MC, MCJSB, METOC
Adoption of a Standard Target Acquisition Meteorological Message		BSP	MC, MCJSB, METOC
Adoption of a Standard Gridded Data Meteorological Message	NATO STANAG 6022 Ed 2:2010	BSP	MC, MCJSB, METOC
COI-Enabling Services			
ECMAScript Language Specification ed.5.1:2011	ECMA ECMA-262:2011	BSP	FMN CPWG
ECMAScript for XML (E4X) Specification ed.2:2005	ECMA ECMA-357:2005	BSP	NCIA/CES
Representation of Dates and Times	ISO 8601:2004	BSP	NCIA/Sstrat/ Sea
MIP Information Model 5.0	MIP MIM 5.0:2019	BSP	C3B CaP1 DM CaT
NATO Standard Bar Code Symbologies	NATO APP-44 Ed A:2010 / STANAG 4329 Ed 4	BSP	MC, MCLSB, AST
Date and Time Formats	W3C NOTE-datetime:1998	BSP	NCIA/Sstrat/ Sea
Situational Awareness Services			
Joint C3 Information Exchange Data Model (JC3IEDM) 3.1.4:2015	MIP MIP JC3IEDM:2012	BSP	C3B CaP1 DM CaT
Tactical Data Exchange - Link 1 (Point-to-Point)	NATO ATDLP-5.01 Ed A Ver 1:2015 / STANAG 5501 Ed 7	BSP	C3B CaP1 TDL CaT
Tactical Data Exchange - Link 11/11B	NATO STANAG 5511 Ed 6:2008	BSP	C3B CaP1 TDL CaT
Tactical Data Exchange - Link 16	NATO STANAG 5516 Ed 4:2008	FMN3	C3B CaP1 TDL CaT

Title	Pubnum	Profiles	Responsible Party
Standard for Joint Range Extension Application Protocol (JREAP)	NATO STANAG 5518 Ed 1:2014	BSP	C3B CaP1 TDL CaT
Joint Range Extension Application Protocol (JREAP) - ATDLP-5.18 Edition B Version 2 ¹	1	FMN3	C3B CaP1 TDL CaT
NATO Improved Link Eleven (NILE) - Link 22	NATO STANAG 5522 Ed 2:2008	BSP	C3B CaP1 TDL CaT
Symbology Services			
Portable Network Graphics (PNG) Specification, v. 1.0	IETF RFC 2083:1997	BSP	NCIA/CES
NATO Vector Graphics (NVG) Protocol version 1.5:2010 (ACT)	NATO TIDE/ NVG:2008	FMN3,	NCIA/C2
NATO Joint Military Symbology - APP-6(D)	NATO STANAG 2019 Ed 7:2011	FMN3	MC, MCJSB, IERHWG
Military Telecommunications- Diagram Symbols	NATO STANAG 5042 Ed 1:1978	BSP	C3B CaP1
Web Feature Service Implementation Specification	OGC 04-094:2005	BSP	NCIA/Sstrat/ Sea
OpenGIS Symbology Encoding Implementation Specification	OGC 05-077r4:2007	BSP	JGSWG
OpenGIS Styled Layer Descriptor Profile of the Web Map Service (SLD) v1.1.0		BSP	JGSWG
Web Coverage Service Core (WCS):2012	OGC 09-110r4:2012	BSP	NCIA/JISR
Tasking and Order Services			
Joint C3 Information Exchange Data Model (JC3IEDM) 3.1.4:2015	MIP MIP JC3IEDM:2012	BSP	C3B CaP1 DM CaT
Operations Information Services			
Joint C3 Information Exchange Data Model (JC3IEDM) 3.1.4:2015	MIP MIP JC3IEDM:2012	FMN2	C3B CaP1 DM CaT
Battlespace Event Services			
Joint C3 Information Exchange Data Model (JC3IEDM) 3.1.4:2015	MIP MIP JC3IEDM:2012	FMN2	C3B CaP1 DM CaT

Title	Pubnum	Profiles	Responsible Party
NATO Message Catalogue - APP-11 Edition D v2 ²	NATO-Expected STANAG 7149 Ed 6:2017	FMN3	MC, MCJSB, IERHWG
Battlespace Object Services			
Joint C3 Information Exchange Data Model (JC3IEDM) 3.1.4:2015	MIP MIP JC3IEDM:2012	FMN3	C3B CaP1 DM CaT
Track Management Services			
Interim NATO Friendly Force Information (FFI) Standard for Interoperability of Force Tracking Systems (FFTS)	D(2006)0066:2006	BSP	C3B CaP2
Guide to electromagnetic Spectrum Management in military Operations	CCEB ACP 190(D):2013	BSP	C3B NACP CaT
Carrier Sense Multiple Access/ Collision Detect (CSMA/CD)	ISO/IEC 8802-3:2000	BSP	NCIA/NSII
SMADEF XML Documentation Rel.3.0.0	NATO AC/322(SC/3)D(2007) Rev5:2012	BSP 0003-	NCIA/NSII
NATO Guide to Spectrum Management in Military Operations, NATO Supplement-1		BSP	C3B NACP CaT
NATO Guide to Spectrum Management in Military Operations, NATO Supplement-2		BSP	C3B NACP CaT
Tactical Data Exchange - Link 1 (Point-to-Point)	NATO ATDLP-5.01 Ed A Ver 1:2015 / STANAG 5501 Ed 7	BSP	C3B CaP1 TDL CaT
Identification Data Combining Process	NATO STANAG 4162 Ed 2:2009	BSP	C3B CaP2
Battlefield Target Identification Device (BTIDs)	NATO STANAG 4579 Ed 1:2001	BSP	C3B CaP2
Tactical Data Exchange - Link 11/11B	NATO STANAG 5511 Ed 6:2008	BSP	C3B CaP1 TDL CaT
Tactical Data Exchange - Link 16	NATO STANAG 5516 Ed 4:2008	FMN3, SIP- RECOGNIZED- AIR-PICTURE- DATA	C3B CaP1 TDL CaT

Title	Pubnum	Profiles	Responsible Party
Standard for Joint Range Extension Application Protocol (JREAP)	NATO STANAG 5518 Ed 1:2014	FMN2	C3B CaP1 TDL CaT
Joint Range Extension Application Protocol (JREAP) - ATDLP-5.18 Edition B Version 2 ¹		FMN3, SIP- RECOGNIZED- AIR-PICTURE- DATA	C3B CaP1 TDL CaT
NATO Improved Link Eleven (NILE) - Link 22	NATO STANAG 5522 Ed 2:2008	BSP	C3B CaP1 TDL CaT
Friendly Force Tracking Systems (FFTS) Interoperability - ADatP-36 Edition A		FMN2, FMN3	C3B CaP2 FFT CaT
Standard Interface for Multiple Platform Link Evaluation (SIMPLE) - ATDLP-6.02 Edition A		FMN2	C3B CaP1 TDL CaT
NATO Message Catalogue - APP-11 Edition D	NATO STANAG 7149 Ed 6:2015	FMN2, FMN3	MC, MCJSB, IERHWG
		SIP- RECOGNIZED- AIR-PICTURE- DATA	
		SIP- RECOGNIZED- AIR-PICTURE- DATA	
Modeling and Simulation Services			
Modeling and Simulation (M&S) High Level Architecture (HLA)	IEEE P1516:2000	BSP	NCIA/E&T
SEDRIS functional specification	ISO/IEC FCD 18023-1:2006	BSP	NCIA/JISR
Common Object Request Broker Architecture (CORBA):2009	OMG formal/2002-12-06:200	BSP 2	NCIA/JISR

¹STANAG FT 5518 Ed 4 - The SIP for Recognized Air Picture Data refers to ATDLP-5.18 Ed B Version 1 instead of ATDLP-5.18 Ed B Version 2

 $^{^2}$ STANAG 7149 Ed 6 - APP-11 ed D ver 2 should be noted as an emerging standard that will extend the message formats in APP-11(D)(1) with new Urgent Operational Requirements.

3.3.2. Core Services

Title	Pubnum	Profiles	Responsible Party
Core Services			J
Identification cards - Contactless integrated circuit(s) cards - Proximity cards	ISO/IEC 14443:2008	BSP	C3B NPMA
Security Techniques - Evaluation criteria for IT security:2009	ISO/IEC 15408:2005	BSP	C3B CaP4
Business Support CIS Security Ser	vices		
Machine readable travel documents - Part 1: Machine readable passport	ISO/IEC 7501-1:2008	BSP	NCIA/Sstrat/ Sea
NATO Public Key Infrastructure (NPKI) Certificate Policy (CertP) Rev2.			C3B NPMA
SAML Token Profile 1.1	OASIS wss-v1.1- errata-os- SAMLTokenProfile:20		C3B CaP4
WSS XML Schema	OASIS wssutil:2001	BSP	NCIA/CS
WS-Trust 1.4	OASIS wstrust-1.4:2012	BSP	NCIA/CS
Basic Security Profile Version 1.1	WS-I BasicSecurityProfile-1	BSP 1-2010-01-24.htm	C3B CaP4 1:2010
Business Support Guard Services			1
Interim Implementation Guide for ACP 123/STANAG 4406 Messaging Services between Nations		BSP	C3B NACP CaT
Business Support SMC Services			
Trouble Ticket REST API Specification R14.5.1 Interface	TM-FORUM TMF621:2015	FMN2,	FMN CPWG
API REST Conformance Guidelines R15.5.1 Standard	TM-FORUM TR250:2016	FMN2,	FMN CPWG
Communication and Collaboration	Services		
Session Initiation Protocol	IETF RFC 3261:2002	BSP	FMN CPWG
Document management Portable document format Part 1: PDF 1.7	ISO 32000-1:2008	BSP	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
HyperText Markup Language (HTML)	ISO/IEC 15445:2000	BSP	FMN CPWG
Open Document Format (ODF) for Office Applications (OpenDocument) v1.0	ISO/IEC 26300:2006	BSP	FMN CPWG
Media Gateway Control Protocol (MGCP) v3	ITU-T H.248.1:2013	BSP	NCIA/NSII
Circuit-based Multimedia Comms. System	ITU-T H.320:2004	BSP	NCIA/NSII
Advanced Distributed Learning (ADL)	NATO STANAG 2591 Ed 1:2013	BSP	MC, MCJSB, NTG
XEP-0004: Data Forms	XMPP XEP-0004:2007	BSP	FMN CPWG
XEP-0030: Service Discovery	XMPP XEP-0030:2008	BSP	FMN CPWG
Informal Messaging Services			
MIME (Multipurpose Internet Mail Extensions) Part One: Mechanisms for Specifying and Describing the Format of Internet Message Bodies		FMN2	FMN CPWG
Hypertext Markup Language - 2.0	IETF RFC 1866:1995	FMN2, FMN3	FMN CPWG
SMTP Service Extension for Message Size Declaration	IETF RFC 1870:1995	FMN1, FMN2, FMN3,	FMN CPWG
The text/enriched MIME Content-type	IETF RFC 1896:1996	FMN2, FMN3,	FMN CPWG
Post Office Protocol - Version 3	IETF RFC 1939:1996	BSP	NCIA/CES
SMTP Service Extension for Remote Message Queue Starting	IETF RFC 1985:1996	FMN1, FMN2	FMN CPWG
SMTP Service Extension for Returning Enhanced Error Codes	IETF RFC 2034:1996	FMN1, FMN2, FMN3,	FMN CPWG
MIME - Part 1: Format of Internet Message Bodies	IETF RFC 2045:1996	FMN1, FMN2, FMN3,	FMN CPWG
MIME - Part 2: Media Types	IETF RFC 2046:1996	FMN1, FMN2, FMN3,	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
MIME - Part 3: Message Header Extensions for Non-ASCII Text	IETF RFC 2047:1996	FMN1, FMN2, FMN3,	FMN CPWG
MIME - Part 5: Conformance Criteria and Examples	IETF RFC 2049:1996	FMN1, FMN2, FMN3,	FMN CPWG
MIME Parameter Value and Encoded Word Extensions: Character Sets, Languages, and Continuations	IETF RFC 2231:1997	BINDING- SMTP-V2	NCIA
The TLS Protocol Version 1.0	IETF RFC 2246:1999	SIP-FOR-TLS	FMN CPWG
Content-ID and Message-ID Uniform Resource Locators	IETF RFC 2392:1998	BINDING- SMTP-V2	NCIA/CES
Simple Internet Messages	IETF RFC 2822:2001	FMN3	FMN CPWG
SMTP Service Extension for Command Pipelining	IETF RFC 2920:2000	FMN1, FMN2, FMN3,	FMN CPWG
SMTP Service Extensions for Transmission of Large and Binary MIME Messages	IETF RFC 3030:2000	FMN2	NCIA/CES
SMTP Service Extension for Secure SMTP over TLS	IETF RFC 3207:2002	FMN1, FMN2, FMN3,	FMN CPWG
SMTP Service Extension for Delivery Status Notifications	IETF RFC 3461:2003	FMN1, FMN2, FMN3,	FMN CPWG
Internet Message Access Protocol Version 4, revision 1	IETF RFC 3501:2003	BSP	NCIA/CES
UTF-8, a transformation format of ISO/IEC 10646	IETF RFC 3629:2003	FMN2, FMN3,	FMN CPWG
Transport Layer Security Protocol Compression Methods	IETF RFC 3749:2004	SIP-FOR-TLS	FMN CPWG
Message Disposition Notification	IETF RFC 3798:2004	FMN1, FMN2	FMN CPWG
SMTP Service Extension for Message Tracking	IETF RFC 3885:2004	FMN1, FMN2	FMN CPWG
Media Type Specifications and Registration Procedures	IETF RFC 4288:2005	FMN1, FMN2, FMN3	FMN CPWG
The Transport Layer Security (TLS) Protocol Version 1.1	IETF RFC 4346:2006	SIP-FOR-TLS	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
Elliptic Curve Cryptography (ECC) Cipher Suites for Transport Layer Security (TLS)		SIP-FOR-TLS	FMN CPWG
SMTP Service Extension for Authentication	IETF RFC 4954:2007	FMN1, FMN2, FMN3,	FMN CPWG
Transport Layer Security (TLS)	IETF RFC 5246:2008	SIP-FOR-TLS	C3B CaP4
Internet X.509 Public Key Infrastructure Certificate and CRL Profile	IETF RFC 5280:2008	SIP-FOR-TLS	FMN CPWG
Simple Mail Transfer Protocol	IETF RFC 5321:2008	FMN1, FMN2, FMN3,	FMN CPWG
Internet Message Format	IETF RFC 5322:2008	BINDING- SMTP-V2,	NCIA
Extensible Provisioning Protocol (EPP) Domain Name Mapping	IETF RFC 5731:2009	BINDING- SMTP-V2	NCIA
Transport Layer Security (TLS) Renegotiation Indication Extension	IETF RFC 5746:2010	SIP-FOR-TLS	FMN CPWG
Transport Layer Security (TLS) Extensions: Extension Definitions	IETF RFC 6066:2011	SIP-FOR-TLS	FMN CPWG
The Secure Sockets Layer (SSL) Protocol Version 3.0	IETF RFC 6101:2011	SIP-FOR-TLS	FMN CPWG
Representation and Verification of Domain-Based Application Service Identity within Internet Public Key Infrastructure Using X.509 (PKIX) Certificates in the Context of Transport Layer Security (TLS)		SIP-FOR-TLS	FMN CPWG
SMTP Service Extension for 8-bit MIME Transport	IETF RFC 6152:2011	FMN2, FMN3,	FMN CPWG
Prohibiting Secure Sockets Layer (SSL) Version 2.0	IETF RFC 6176:2011	SIP-FOR-TLS	FMN CPWG
Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS) Heartbeat Extension		SIP-FOR-TLS	FMN CPWG
Update to Internet Message Format to Allow Group Syntax in the From: and Sender: Header Fields		BSP	NCIA/CES

Title	Pubnum	Profiles	Responsible Party
X.509 Internet Public Key Infrastructure Online Certificate Status Protocol - OCSP	IETF RFC 6960:2013	SIP-FOR-TLS	FMN CPWG
The Transport Layer Security (TLS) Multiple Certificate Status Request Extension	IETF RFC 6961:2013	SIP-FOR-TLS	FMN CPWG
Encrypt-then-MAC for Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS)	IETF RFC 7366:2014	SIP-FOR-TLS	FMN CPWG
Security Labels in Internet Email	IETF RFC 7444:2015	BINDING- SMTP-V2	NCIA
Recommendations for Secure Use of Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS)	IETF RFC 7525:2015	SIP-FOR-TLS	FMN CPWG
Deprecating Secure Sockets Layer Version 3.0	IETF RFC 7568:2015	SIP-FOR-TLS	FMN CPWG
Transport Layer Security (TLS) Session Hash and Extended Master Secret Extension	IETF RFC 7627:2015	SIP-FOR-TLS	FMN CPWG
Negotiated Finite Field Diffie- Hellman Ephemeral Parameters for Transport Layer Security (TLS)	IETF RFC 7919:2016	SIP-FOR-TLS	FMN CPWG
Transmission Control Protocol	IETF RFC 793:1981	SIP-FOR-TLS	FMN CPWG
The SSL Protocol	IETF RFC SSL2:1995	SIP-FOR-TLS	FMN CPWG
Electronic document file format for long-term preservation Part 1: Use of PDF 1.4 (PDF/A-1)	ISO 19005-1:2005	FMN1, FMN2, FMN3,	FMN CPWG
Electronic document file format for long-term preservation Part 2: Use of ISO 32000-1 (PDF/A-2)	ISO 19005-2:2011	FMN1, FMN2, FMN3,	FMN CPWG
Document management Portable document format Part 1: PDF 1.7	ISO 32000-1:2008	FMN1, FMN2, FMN3,	FMN CPWG
Digital compression and coding of continuous-tone still images: Requirements and guidelines	I .	FMN1, FMN2, FMN3,	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
Digital compression and coding of continuous-tone still images: Extensions		FMN1, FMN2, FMN3,	FMN CPWG
Office Open XML File Formats Part 1: Fundamentals and Markup Language Reference	1	FMN1, FMN2, FMN3,	FMN CPWG
NATO Message Catalogue - APP-11 Edition D v2 ²	NATO-Expected STANAG 7149 Ed 6:2017	FMN3	MC, MCJSB, IERHWG
NATO Message Catalogue - APP-11 Edition D v2 ²	NATO-Expected STANAG 7149 Ed 6:2017	FMN3	MC, MCJSB, IERHWG
Captured Persons, Materiel And Documents - AJP-2.5(A)	NATO STANAG 2195 Ed 2:2007	FMN3	MC, MCJSB, JINT
Allied Joint Medical Doctrine For Medical Evacuation - AJMedP-2 Edition A		FMN3	COMEDS, MCMedSB, MedStd EM
NATO Land Urgent Voice Messages (LUVM) Pocket Book - ATP-97 Edition A		FMN3	MC, MCLSB, LO
Air Reconnaissance Intelligence Report Forms	NATO STANAG 3377:2002	FMN2, FMN3,	FMN CPWG
NATO Secondary Imagery Format (NSIF) - AEDP-04 Edition 2	NATO STANAG 4545 Ed 2:2013	FMN3	CNAD, AC/224 NAFAG, JCGISR
NATO Ground Moving Target Indicator(GMTI) Format - AEDP-07 Edition 2		FMN3	FMN CPWG
NATO Digital Motion Imagery Standard - MISP-2015.1	NATO STANAG 4609 Ed 4:2016	FMN3	FMN CPWG
NATO Intelligence, Surveillance And Reconnaissance Tracking Standard – AEDP-12 Edition A		FMN3	FMN CPWG
NATO standardization of measurement and signature	NATO STANAG (Study) 4716 Ed 1	FMN3	CNAD, AC/224

Title	Pubnum	Profiles	Responsible Party
intelligence (MASINT) Reporting - AEDP-16 Edition A			NAFAG, JCGISR
Confidentiality Metadata Label Syntax - ADatP-4774 Edition A	NATO STANAG 4774 Ed 1:2017	BINDING- SMTP-V2,	C3B CaP1 DM CaT
Metadata Binding - ADatP-4778 Edition A	NATO STANAG 4778 Ed 1:2018	BINDING- SMTP-V2,	C3B CaP1 DM CaT
NATO Message Catalogue - APP-11 Edition D	NATO STANAG 7149 Ed 6:2015	FMN2	MC, MCJSB, IERHWG
Fax Services			
Procedures for document facsimile transmission in the general switched telephone network		BSP	NCIA/NSII
Interoperability of Tactical Digital Facsimile Equipment	NATO STANAG 5000 Ed 3:2006	BSP	C3B CaP1 N&S CaT
Calendaring and Scheduling Service	ces		
Internet Calendaring and Scheduling Core Object Specification (iCalendar)		FMN3,	FMN CPWG
iCalendar Transport-Independent Interoperability Protocol (iTIP)	IETF RFC 5546:2009	FMN3,	FMN CPWG
iCalendar Message-Based Interoperability Protocol (iMIP)	IETF RFC 6047:2010	FMN3,	FMN CPWG
Video-based Communication Servi	ices	ı	
Session Initiation Protocol	IETF RFC 3261:2002	FMN2, FMN3,	FMN CPWG
Reliability of Provisional Responses in the Session Initiation Protocol (SIP)		FMN2, FMN3,	FMN CPWG
An Offer/Answer Model with the Session Description Protocol (SDP)	IETF RFC 3264:2002	FMN2, FMN3,	FMN CPWG
The Session Initiation Protocol (SIP) UPDATE Method	IETF RFC 3311:2002	FMN2, FMN3,	FMN CPWG
RTP: A Transport Protocol for Real- Time Applications	IETF RFC 3550:2003	FMN1	FMN CPWG
Session Timers in the Session Initiation Protocol (SIP)	IETF RFC 4028:2005	FMN2, FMN3,	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
A Framework for Conferencing with the Session Initiation Protocol (SIP)	IETF RFC 4353:2006	FMN2, FMN3,	FMN CPWG
Extending the Session Initiation Protocol (SIP) Reason Header for Preemption Events		FMN2, FMN3,	FMN CPWG
Communications Resource Priority for the Session Initiation Protocol (SIP)	IETF RFC 4412:2006	FMN2, FMN3,	FMN CPWG
SDP: Session Description Protocol	IETF RFC 4566:2006	FMN2, FMN3,	FMN CPWG
Session Initiation Protocol (SIP) Call Control - Conferencing for User Agents		FMN2, FMN3,	FMN CPWG
Conference Establishment Using Request-Contained Lists in the Session Initiation Protocol (SIP)	IETF RFC 5366:2008	FMN2, FMN3,	FMN CPWG
RTP Payload Format for H.264 Video	IETF RFC 6184:2011	FMN2, FMN3,	FMN CPWG
SIP-Specific Event Notification	IETF RFC 6665:2012	FMN2, FMN3,	FMN CPWG
RTP Topologies	IETF RFC 7667:2015	FMN2, FMN3,	FMN CPWG
Notation for national and international telephone numbers, e-mail addresses and web addresses	ITU-T E.123:2001	FMN2, FMN3,	FMN CPWG
The international public telecommunication numbering plan	ITU-T E.164:2010	FMN1, FMN2, FMN3,	FMN CPWG
Pulse code modulation (PCM) of voice frequencies	ITU-T G.711:1988	FMN2, FMN3,	FMN CPWG
7 kHz Audio-Coding within 64 kbit/s	ITU-T G.722:2012	FMN1	FMN CPWG
7 kHz Audio-Coding within 64 kbit/s	ITU-T G.722:2012	FMN1	FMN CPWG
Low-complexity coding at 24 and 32 kbit/s for hands-free operation in systems with low frame loss	1	FMN2, FMN3,	FMN CPWG
Call signalling protocols and media stream packetization for packet- based multimedia communication systems	ITU-T H.225.0:2009	FMN1	FMN CPWG
Control protocol for multimedia communication	ITU H.245:2011	FMN1	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
Video coding for low bit rate communication	ITU-T H.263:2005	FMN1	FMN CPWG
Advanced video coding for generic audiovisual services	ITU-T H.264:2017	FMN1, FMN2, FMN3,	FMN CPWG
Packet-based Multimedia Communication System	ITU-T H.323:2001	FMN1	FMN CPWG
Air Reconnaissance Intelligence Report Forms	NATO STANAG 3377:2002	FMN2	FMN CPWG
International Network Numbering for Communications Systems in use in NATO		FMN1, FMN2, FMN3,	C3B CaP1 N&S CaT
The NATO Military Communications Directory System	NATO STANAG 5046 Ed 4:2015	FMN1	C3B CaP1 N&S CaT
NATO Message Catalogue - APP-11 Edition D	NATO STANAG 7149 Ed 6:2015	FMN2	MC, MCJSB, IERHWG
Audio-based Communication Servi	ices		
Session Initiation Protocol	IETF RFC 3261:2002	FMN1	FMN CPWG
Reliability of Provisional Responses in the Session Initiation Protocol (SIP)	IETF RFC 3262:2002	FMN1	FMN CPWG
An Offer/Answer Model with the Session Description Protocol (SDP)	IETF RFC 3264:2002	FMN1	FMN CPWG
The Session Initiation Protocol (SIP) UPDATE Method	IETF RFC 3311:2002	FMN1	FMN CPWG
Session Initiation Protocol (SIP) Extension for Instant Messaging	IETF RFC 3428:2002	FMN1	FMN CPWG
RTP: A Transport Protocol for Real- Time Applications	IETF RFC 3550:2003	FMN1, FMN2, FMN3,	FMN CPWG
Session Timers in the Session Initiation Protocol (SIP)	IETF RFC 4028:2005	FMN1	FMN CPWG
Extending the Session Initiation Protocol (SIP) Reason Header for Preemption Events		FMN2, FMN3,	FMN CPWG
Communications Resource Priority for the Session Initiation Protocol (SIP)		FMN1, FMN2, FMN3,	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
SDP: Session Description Protocol	IETF RFC 4566:2006	FMN1	FMN CPWG
RTP Payload for DTMF Digits, Telephony Tones, and Telephony Signals	IETF RFC 4733:2006	FMN2, FMN3,	FMN CPWG
SCIP Signalling Plan rev.3.3	CIS3 C&IP SCIP-210:2010	FMN2, FMN3,	C3B CaP1 N&S CaT
Network-Specific Minimum Essential Requirements (MERs) for SCIP Devices, rev.1.2		FMN2	C3B CaP1 N&S CaT
SCIP over RTP rev.1.0	CIS3 C&IP SCIP-214.2:2010	FMN3,	C3B CaP1 N&S CaT
Securing SIP Signaling - Use of TLS with SCIP	CIS3 C&IP SCIP-214.3:2014	FMN3,	C3B CaP1 N&S CaT
U.S. SCIP/IP Implementation Standard and MER Publication rev.2.2		FMN2	C3B CaP1 N&S CaT
Requirement Document	CIS3 C&IP SCIP-220:2006	FMN2	C3B CaP1 N&S CaT
SCIP Minimum Implementation Profile (MIP) rev.3.0	CIS3 C&IP SCIP-221:2011	FMN2	C3B CaP1 N&S CaT
SCIP Cryptography Specification - Main Module rev.1.1	CIS3 C&IP SCIP-233:2012	FMN2	C3B CaP1 N&S CaT
Interoperable Terminal Priority (TP) Community of Interest (COI) Specification rev.1.0		FMN3,	C3B CaP1 N&S CaT
Secure MELP(e) Voice rev.1.1	CIS3 C&IP SCIP-233.501:2012	FMN3,	C3B CaP1 N&S CaT
Secure G.729D Voice Specification Rev. 1.1.	CIS3 C&IP SCIP-233.502:2011	FMN3,	C3B CaP1 N&S CaT
Notation for national and international telephone numbers, e-mail addresses and web addresses	ITU-T E.123:2001	FMN2, FMN3,	FMN CPWG
The international public telecommunication numbering plan	ITU-T E.164:2010	FMN1, FMN2, FMN3,	FMN CPWG
Pulse code modulation (PCM) of voice frequencies	ITU-T G.711:1988	FMN2, FMN3,	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
Low-complexity coding at 24 and 32 kbit/s for hands-free operation in systems with low frame loss	I The state of the	FMN2, FMN3,	FMN CPWG
14 kHz audio codec	ITU-T G.722.1c:2012	BSP	NCIA/NSII
Coding of speech at 8 kbit/s using conjugate-structure algebraic-code-excited linear prediction (CS-ACELP)	ITU-T G.729:2012	FMN1, FMN2, FMN3,	FMN CPWG
Advanced video coding for generic audiovisual services	ITU-T H.264:2017	FMN3,	FMN CPWG
Packet-based Multimedia Communication System	ITU-T H.323:2001	BSP	FMN CPWG
Secure Communications Interoperability Protocol (SCIP)	NATO AComP-5068 Ed A Ver 2:2017 / STANAG 5068 Ed 1	BSP	C3B CaP1 N&S CaT
NATO Message Catalogue - APP-11 Edition D v2 ²	NATO-Expected STANAG 7149 Ed 6:2017	FMN3	MC, MCJSB, IERHWG
NATO Message Catalogue - APP-11 Edition D v2 ²	NATO-Expected STANAG 7149 Ed 6:2017	FMN3	MC, MCJSB, IERHWG
Captured Persons, Materiel And Documents - AJP-2.5(A)	NATO STANAG 2195 Ed 2:2007	FMN3	MC, MCJSB, JINT
Allied Joint Medical Doctrine For Medical Evacuation - AJMedP-2 Edition A		FMN3	COMEDS, MCMedSB, MedStd EM
NATO Land Urgent Voice Messages (LUVM) Pocket Book - ATP-97 Edition A		FMN3	MC, MCLSB, LO
Air Reconnaissance Intelligence Report Forms	NATO STANAG 3377:2002	FMN3,	FMN CPWG
NATO Secondary Imagery Format (NSIF) - AEDP-04 Edition 2	NATO STANAG 4545 Ed 2:2013	FMN3	CNAD, AC/224 NAFAG, JCGISR

Title	Pubnum	Profiles	Responsible Party
The 600 Bit/S, 1200 Bit/S AND 2400 Bit/S NATO Interoperable Narrow Band Voice Coder		BSP	C3B CaP1 N&S CaT
NATO Ground Moving Target Indicator(GMTI) Format - AEDP-07 Edition 2	1	FMN3	FMN CPWG
NATO Digital Motion Imagery Standard - MISP-2015.1	NATO STANAG 4609 Ed 4:2016	FMN3	FMN CPWG
NATO Intelligence, Surveillance And Reconnaissance Tracking Standard – AEDP-12 Edition A		FMN3	FMN CPWG
International Network Numbering for Communications Systems in use in NATO		FMN1, FMN2, FMN3,	C3B CaP1 N&S CaT
NATO standardization of measurement and signature intelligence (MASINT) Reporting - AEDP-16 Edition A	(Study) 4716 Ed 1	FMN3	CNAD, AC/224 NAFAG, JCGISR
The NATO Military Communications Directory System		FMN1	C3B CaP1 N&S CaT
Text-based Communication Service	es		
The TLS Protocol Version 1.0	IETF RFC 2246:1999	SIP-FOR-TLS	FMN CPWG
Enhanced Security Services for S/MIME	IETF RFC 2634:1999	BINDING- XMPP-V2	NCIA
UTF-8, a transformation format of ISO/IEC 10646	IETF RFC 3629:2003	FMN2, FMN3,	FMN CPWG
Transport Layer Security Protocol Compression Methods	IETF RFC 3749:2004	SIP-FOR-TLS	FMN CPWG
Extensible Messaging and Presence Protocol (XMPP): Core	IETF RFC 3920:2004	FMN1	FMN CPWG
Extensible Messaging and Presence Protocol (XMPP): Instant Messaging and Presence	I .	FMN1	FMN CPWG
The Transport Layer Security (TLS) Protocol Version 1.1	IETF RFC 4346:2006	SIP-FOR-TLS	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
Elliptic Curve Cryptography (ECC) Cipher Suites for Transport Layer Security (TLS)		SIP-FOR-TLS	FMN CPWG
Transport Layer Security (TLS)	IETF RFC 5246:2008	SIP-FOR-TLS	C3B CaP4
Internet X.509 Public Key Infrastructure Certificate and CRL Profile	IETF RFC 5280:2008	SIP-FOR-TLS	FMN CPWG
Transport Layer Security (TLS) Renegotiation Indication Extension	IETF RFC 5746:2010	SIP-FOR-TLS	FMN CPWG
Transport Layer Security (TLS) Extensions: Extension Definitions	IETF RFC 6066:2011	SIP-FOR-TLS	FMN CPWG
The Secure Sockets Layer (SSL) Protocol Version 3.0	IETF RFC 6101:2011	SIP-FOR-TLS	FMN CPWG
Extensible Messaging and Presence Protocol (XMPP): Core	IETF RFC 6120:2011	BINDING- XMPP-V2, FMN2, FMN3,	NCIA
Extensible Messaging and Presence Protocol (XMPP): Instant Messaging and Presence		BINDING- XMPP-V2, FMN2, FMN3,	NCIA
Extensible Messaging and Presence Protocol (XMPP): Address Format	IETF RFC 6122:2011	BINDING- XMPP-V2, FMN2, FMN3,	NCIA
Representation and Verification of Domain-Based Application Service Identity within Internet Public Key Infrastructure Using X.509 (PKIX) Certificates in the Context of Transport Layer Security (TLS)		SIP-FOR-TLS	FMN CPWG
Prohibiting Secure Sockets Layer (SSL) Version 2.0	IETF RFC 6176:2011	SIP-FOR-TLS	FMN CPWG
Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS) Heartbeat Extension		SIP-FOR-TLS	FMN CPWG
X.509 Internet Public Key Infrastructure Online Certificate Status Protocol - OCSP	IETF RFC 6960:2013	SIP-FOR-TLS	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
The Transport Layer Security (TLS) Multiple Certificate Status Request Extension		SIP-FOR-TLS	FMN CPWG
Encrypt-then-MAC for Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS)		SIP-FOR-TLS	FMN CPWG
Recommendations for Secure Use of Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS)		SIP-FOR-TLS	FMN CPWG
Deprecating Secure Sockets Layer Version 3.0	IETF RFC 7568:2015	SIP-FOR-TLS	FMN CPWG
Transport Layer Security (TLS) Session Hash and Extended Master Secret Extension		SIP-FOR-TLS	FMN CPWG
Negotiated Finite Field Diffie- Hellman Ephemeral Parameters for Transport Layer Security (TLS)		SIP-FOR-TLS	FMN CPWG
Transmission Control Protocol	IETF RFC 793:1981	SIP-FOR-TLS	FMN CPWG
The SSL Protocol	IETF RFC SSL2:1995	SIP-FOR-TLS	FMN CPWG
NATO Message Catalogue - APP-11 Edition D v2 ²	NATO-Expected STANAG 7149 Ed 6:2017	FMN3	MC, MCJSB, IERHWG
NATO Message Catalogue - APP-11 Edition D v2 ²	NATO-Expected STANAG 7149 Ed 6:2017	FMN3	MC, MCJSB, IERHWG
Captured Persons, Materiel And Documents - AJP-2.5(A)	NATO STANAG 2195 Ed 2:2007	FMN3	MC, MCJSB, JINT
Allied Joint Medical Doctrine For Medical Evacuation - AJMedP-2 Edition A		FMN3	COMEDS, MCMedSB, MedStd EM
NATO Land Urgent Voice Messages (LUVM) Pocket Book - ATP-97 Edition A		FMN3	MC, MCLSB, LO
Air Reconnaissance Intelligence Report Forms	NATO STANAG 3377:2002	FMN2, FMN3,	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
NATO Secondary Imagery Format (NSIF) - AEDP-04 Edition 2	NATO STANAG 4545 Ed 2:2013	FMN3	CNAD, AC/224 NAFAG, JCGISR
NATO Ground Moving Target Indicator(GMTI) Format - AEDP-07 Edition 2		FMN3	FMN CPWG
NATO Digital Motion Imagery Standard - MISP-2015.1	NATO STANAG 4609 Ed 4:2016	FMN3	FMN CPWG
NATO Intelligence, Surveillance And Reconnaissance Tracking Standard – AEDP-12 Edition A		FMN3	FMN CPWG
NATO standardization of measurement and signature intelligence (MASINT) Reporting - AEDP-16 Edition A	(Study) 4716 Ed 1	FMN3	CNAD, AC/224 NAFAG, JCGISR
Confidentiality Metadata Label Syntax - ADatP-4774 Edition A	NATO STANAG 4774 Ed 1:2017	BINDING- XMPP-V2,	C3B CaP1 DM CaT
Metadata Binding - ADatP-4778 Edition A	NATO STANAG 4778 Ed 1:2018	BINDING- XMPP-V2,	C3B CaP1 DM CaT
NATO Message Catalogue - APP-11 Edition D	NATO STANAG 7149 Ed 6:2015	FMN2	MC, MCJSB, IERHWG
XEP-0004: Data Forms	XMPP XEP-0004:2007	FMN1, FMN2, FMN3,	FMN CPWG
XEP-0012: Last Activity	XMPP XEP-0012:2008	FMN2, FMN3,	FMN CPWG
XEP-0030: Service Discovery	XMPP XEP-0030:2008	FMN1, FMN2, FMN3,	FMN CPWG
XEP-0045: Multi-User Chat	XMPP XEP-0045:2012	FMN1, FMN2, FMN3,	FMN CPWG
XEP-0047: In-Band Bytestreams	XMPP XEP-0047:2012	FMN2, FMN3,	FMN CPWG
XEP-0049: Private XML Storage	XMPP XEP-0049:2004	FMN1, FMN2, FMN3,	FMN CPWG
XEP-0050: Ad-Hoc Commands	XMPP XEP-0050:2005	FMN1	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
XEP-0054: vcard-temp	XMPP XEP-0054:2008	FMN1, FMN2, FMN3,	FMN CPWG
XEP-0055: Jabber Search	XMPP XEP-0055:2009	FMN2, FMN3,	FMN CPWG
XEP-0059: Result Set Management	XMPP XEP-0059:2006	FMN2,	NCIA
XEP-0060: Publish-Subscribe	XMPP XEP-0060:2010	BINDING- XMPP-V2, FMN2, FMN3	NCIA
XEP-0065: SOCKS5 Bytestreams	XMPP XEP-0065:2011	FMN2, FMN3,	FMN CPWG
XEP-0082: XMPP Date and Time Profiles	XMPP XEP-0082:2013	FMN2,	FMN CPWG
XEP-0092: Software Version	XMPP XEP-0092:2007	FMN1, FMN2, FMN3,	FMN CPWG
XEP-0096: SI File Transfer	XMPP XEP-0096:2004	FMN1	FMN CPWG
XEP-0114: Jabber Component Protocol	XMPP XEP-0114:2012	FMN1, FMN2, FMN3,	FMN CPWG
XEP-0115: Entity Capabilities	XMPP XEP-0115:2008	FMN1, FMN2, FMN3	FMN CPWG
XEP-0160: Best Practices for Handling Offline Messages	XMPP XEP-0160:2016	FMN2, FMN3,	FMN CPWG
XEP-0198: Stream Management	XMPP XEP-0198:2011	FMN2, FMN3,	NCIA
XEP-0199: XMPP Ping	XMPP XEP-0199:2009	FMN2, FMN3,	NCIA
XEP-0202: Entity Time	XMPP XEP-0202:2009	FMN2, FMN3,	NCIA
XEP-0203: Delayed Delivery	XMPP XEP-0203:2009	FMN1, FMN2, FMN3,	FMN CPWG
XEP-0220: Server Dialback	XMPP XEP-0220:2013	FMN1, FMN2,	FMN CPWG
XEP-0220: Server Dialback	XMPP XEP-0220:2014	FMN3	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
XEP-0258: Security Labels in XMPP	XMPP XEP-0258:2013	BINDING- XMPP-V2, FMN2, FMN3,	NCIA
XEP-0313: Message Archive Management	XMPP XEP-0313:2017	FMN2,	FMN CPWG
Presence Services			
Extensible Messaging and Presence Protocol (XMPP): Core	IETF RFC 3920:2004	FMN1	FMN CPWG
Extensible Messaging and Presence Protocol (XMPP): Instant Messaging and Presence	1	FMN1	FMN CPWG
Extensible Messaging and Presence Protocol (XMPP): Core	IETF RFC 6120:2011	FMN2, FMN3,	NCIA
Extensible Messaging and Presence Protocol (XMPP): Instant Messaging and Presence		FMN2, FMN3,	NCIA
Extensible Messaging and Presence Protocol (XMPP): Address Format	IETF RFC 6122:2011	FMN2, FMN3,	NCIA
XEP-0004: Data Forms	XMPP XEP-0004:2007	FMN1, FMN2, FMN3,	FMN CPWG
XEP-0012: Last Activity	XMPP XEP-0012:2008	FMN2, FMN3,	FMN CPWG
XEP-0030: Service Discovery	XMPP XEP-0030:2008	FMN1, FMN2, FMN3,	FMN CPWG
XEP-0045: Multi-User Chat	XMPP XEP-0045:2012	FMN1, FMN2, FMN3,	FMN CPWG
XEP-0047: In-Band Bytestreams	XMPP XEP-0047:2012	FMN2, FMN3,	FMN CPWG
XEP-0049: Private XML Storage	XMPP XEP-0049:2004	FMN1, FMN2, FMN3,	FMN CPWG
XEP-0050: Ad-Hoc Commands	XMPP XEP-0050:2005	FMN1	FMN CPWG
XEP-0054: vcard-temp	XMPP XEP-0054:2008	FMN1, FMN2, FMN3,	FMN CPWG
XEP-0055: Jabber Search	XMPP XEP-0055:2009	FMN2, FMN3,	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
XEP-0059: Result Set Management	XMPP XEP-0059:2006	FMN2,	NCIA
XEP-0060: Publish-Subscribe	XMPP XEP-0060:2010	FMN2, FMN3	NCIA
XEP-0065: SOCKS5 Bytestreams	XMPP XEP-0065:2011	FMN2, FMN3,	FMN CPWG
XEP-0082: XMPP Date and Time Profiles	XMPP XEP-0082:2013	FMN2,	FMN CPWG
XEP-0092: Software Version	XMPP XEP-0092:2007	FMN1, FMN2, FMN3,	FMN CPWG
XEP-0096: SI File Transfer	XMPP XEP-0096:2004	FMN1	FMN CPWG
XEP-0114: Jabber Component Protocol	XMPP XEP-0114:2012	FMN1, FMN2, FMN3,	FMN CPWG
XEP-0115: Entity Capabilities	XMPP XEP-0115:2008	FMN1, FMN2, FMN3	FMN CPWG
XEP-0160: Best Practices for Handling Offline Messages	XMPP XEP-0160:2016	FMN2, FMN3,	FMN CPWG
XEP-0198: Stream Management	XMPP XEP-0198:2011	FMN2, FMN3,	NCIA
XEP-0199: XMPP Ping	XMPP XEP-0199:2009	FMN2, FMN3,	NCIA
XEP-0202: Entity Time	XMPP XEP-0202:2009	FMN2, FMN3,	NCIA
XEP-0203: Delayed Delivery	XMPP XEP-0203:2009	FMN1, FMN2, FMN3,	FMN CPWG
XEP-0220: Server Dialback	XMPP XEP-0220:2013	FMN1, FMN2,	FMN CPWG
XEP-0220: Server Dialback	XMPP XEP-0220:2014	FMN3	FMN CPWG
XEP-0258: Security Labels in XMPP	XMPP XEP-0258:2013	FMN2, FMN3,	NCIA
XEP-0313: Message Archive Management	XMPP XEP-0313:2017	FMN2,	FMN CPWG
Application Sharing Services		1	

Title	Pubnum	Profiles	Responsible Party
Data Protocols for Multimedia Conferencing	ITU-T T.120:2007	BSP	NCIA/NSII
Geospatial Services			
World Geodetic System 84 (WGS-84)	NGA TR 8350.2:2004	BSP	NCIA/JISR
NATO Geospatial Metadata Profile	NATO AGeoP-08 Ed B Ver 1:2019 / STANAG 2586 Ed 2	BSP	MC, MCJSB, JGS
Additional Military Layers (AML) - Digital Geospatial Data Products	NATO AGeoP-19 Ed A Ver 1:2015 / STANAG 7170 Ed 3	BSP	MC, MCJSB, JGS
Geodetic Datums, Projections, Grids and Grid References	NATO AGeoP-21 Ed A Ver 1:2016 / STANAG 2211 Ed 7	BSP	MC, MCJSB, JGS
Standard on warship Electronic Chart Display and Information Systems (WECDIS)		BSP	C3B CaP2
Digital Terrain Elevation Data (DTED) Exchange Format	NATO STANAG 3809 Ed 4:2004	BSP	MC, MCJSB, JGS
Compressed ARC Digitized Raster Graphics (CADRG)	NATO STANAG 7098 Ed 2:2004	BSP	JGSWG
Controlled Imagery Base (CIB)	NATO STANAG 7099 Ed 2:2004	BSP	MC, MCJSB, JGS
GML in JPEG 2000 for Geographic Imagery (GMLJP2)	OGC 05-047r3:2006	FMN2, FMN3,	FMN CPWG
Open GIS Web Map Service Implementation Specification	OGC 06-042:2006	BSP	FMN CPWG
OpenGIS Web Map Tile Service Implementation Standard	OGC 07-057r7:2010	BSP	NCIA/AWG
OGC KML	OGC 07-147r2:2008	FMN2, FMN3,	FMN CPWG
GML Simple Features Profile v2.0	OGC 10-100r2:2010	BSP	NCIA/AWG
Geographical Tagged Image Format (GeoTIFF)	OSGEO 1.8.2:2000	FMN2, FMN3,	FMN CPWG
Geospatial Web Map Services			
Geographic information - Web map server interface	ISO 19128:2005	FMN2,	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
Open GIS Web Map Service Implementation Specification	OGC 06-042:2006	FMN2, FMN3,	FMN CPWG
Geospatial Web Feature Services			
Geographic information - Web Feature Service	ISO 19142:2010	FMN2,	FMN CPWG
OpenGIS Web Feature Service 2.0 Interface Standard	OGC 09-025r2:2006	FMN2, FMN3,	FMN CPWG
Geospatial Web Map Tile Services			
Geography Markup Language (GML) simple features profile Technical Note v 2.0		FMN3	FMN CPWG
Content Management Services			
XMP Specification Part 3, Storage in Files	ADOBE XMP-part3-2016:2016	BINDING- EXTENSIBLE- V2, BINDING- METADATA	NCIA
HMAC: Keyed-Hashing for Message Authentication	IETF RFC 2104:1997	BINDING- CRYPTO-V2	NCIA
Key words for use in RFCs to Indicate Requirement Levels	IETF RFC 2119:1997	BINDING- COMMON-XML	NCIA
MIME Parameter Value and Encoded Word Extensions: Character Sets, Languages, and Continuations	IETF RFC 2231:1997	BINDING- REST-V2, BINDING- SMTP-V2	NCIA
Content-ID and Message-ID Uniform Resource Locators	IETF RFC 2392:1998	BINDING- SMTP-V2	NCIA/CES
Enhanced Security Services for S/MIME	IETF RFC 2634:1999	BINDING- XMPP-V2	NCIA
UTF-8, a transformation format of ISO/IEC 10646	IETF RFC 3629:2003	FMN2, FMN3,	FMN CPWG
Internet X.509 Public Key Infrastructure Certificate and CRL Profile	IETF RFC 5280:2008	BINDING- CRYPTO-V2	FMN CPWG
Internet Message Format	IETF RFC 5322:2008	BINDING- SMTP-V2	NCIA
Extensible Provisioning Protocol (EPP) Domain Name Mapping	IETF RFC 5731:2009	BINDING- SMTP-V2	NCIA

Title	Pubnum	Profiles	Responsible Party
Secure/Multipurpose Internet Mail Extensions (S/MIME) Version 3.2 Message Specification	I .	BINDING- CRYPTO-V2	NCIA
Extensible Messaging and Presence Protocol (XMPP): Core	IETF RFC 6120:2011	BINDING- XMPP-V2	NCIA
Extensible Messaging and Presence Protocol (XMPP): Instant Messaging and Presence		BINDING- XMPP-V2	NCIA
Extensible Messaging and Presence Protocol (XMPP): Address Format	IETF RFC 6122:2011	BINDING- XMPP-V2	NCIA
Additional XML Security Uniform Resource Identifiers (URIs)	IETF RFC 6931:2013	BINDING- CRYPTO-V2	NCIA
Hypertext Transfer Protocol (HTTP/1.1): Message Syntax and Routing	IETF RFC 7230:2014	BINDING- REST-V2	NCIA/CES
Security Labels in Internet Email	IETF RFC 7444:2015	BINDING- REST-V2, BINDING- SMTP-V2	NCIA
JSON Web Signature (JWS)	IETF RFC 7515:2015	BINDING- CRYPTO-V2	NCIA
Graphic Technology - Extensible metadata platform (XMP) specification - Part 1: Data model, serialization and core propertie		BINDING- EXTENSIBLE- V2, BINDING- METADATA	NCIA
Information Technology - Document Schema Definition Languages (DSDL) - Part 3: Rules-based validation - Schematron Second Edition		BINDING- COMMON-XML	NCIA
Office Open XML File Formats Part 2: Open Packaging Conventions	1	BINDING- GENERIC-V2, BINDING- OOXML-V2	NCIA
Information Technology - Security Techniques - Security information objects for access control		BINDING- REST-V2	NCIA

Title	Pubnum	Profiles	Responsible Party
Confidentiality Metadata Label Syntax - ADatP-4774 Edition A	NATO STANAG 4774 Ed 1:2017	BINDING-COMMON-XML, BINDING-CRYPTO-V2, BINDING-EXTENSIBLE-V2, BINDING-GENERIC-V2, BINDING-METADATA, BINDING-OOXML-V2, BINDING-REST-V2, BINDING-SIDECAR-V2, BINDING-SIDECAR-V2, BINDING-SMTP-V2, BINDING-SMTP-V2, BINDING-SOAP, BINDING-WSMP-V2, BINDING-WSMP-V2, BINDING-XMP-V2	C3B CaP1 DM CaT
Metadata Binding - ADatP-4778 Edition A	NATO STANAG 4778 Ed 1:2018	BINDING-COMMON-XML, BINDING-CRYPTO-V2, BINDING-EXTENSIBLE-V2, BINDING-GENERIC-V2, BINDING-METADATA, BINDING-OOXML-V2, BINDING-REST-V2, BINDING-SIDECAR-V2,	C3B CaP1 DM CaT

Title	Pubnum	Profiles	Responsible Party
		BINDING- SMTP-V2, BINDING- SOAP, BINDING- WSMP-V2, BINDING- XMPP-V2	
Context/value Association using genericode 1.0	OASIS context-value-association-1.0:2010	BINDING- COMMON-XML	NCIA
Code List Representation (Genericode)	OASIS cs- genericode-1.0:2007	BINDING- COMMON-XML	NCIA
Web Services Security: SOAP Message Security 1.1	OASIS wss-v1.1- spec-os- SOAPMessageSecurity	BINDING- CRYPTO-V2 ::2006	NCIA/CES
Simple Object Access Protocol (SOAP)	W3C NOTE- SOAP-20000508:2000	BINDING-SOAP	NCIA
XML Security Algorithm Cross- Reference	W3C NOTE-xmlsec-algorithms-20130411:2		NCIA
RDF 1.1 Concepts and Abstract Syntax	W3C REC-rdf11- concepts-20140225:20		NCIA/CES
RDF Primer	W3C REC-rdf- primer-20040210:2004	BINDING- EXTENSIBLE- V2, BINDING- METADATA	NCIA
SOAP Version 1.2 Part 1: Messaging Framework	W3C REC-soap12- part1-20030624:2003	BINDING-SOAP	NCIA
Associating Style Sheets with XML documents, Version 1.0	W3C REC-xml- stylesheet-19990629:19	BINDING- 990MMON-XML	NCIA/CES
eXtensible Markup Language (XML) version 1.0 (Fifth Edition)	W3C REC- xml-20081126:2008	BINDING- EXTENSIBLE- V2	FMN CPWG
XML-Signature Syntax and Processing (Second Edition)	W3C REC-xmldsig- core-20080610:2008	BINDING- CRYPTO-V2, BINDING-SOAP	NCIA
Errata for XML Signature 2nd Edition	W3C REC-xmldsig- core-20080610:2014	BINDING- CRYPTO-V2	NCIA

Title	Pubnum	Profiles	Responsible Party
XML Signature Syntax and Processing Version 1.1	W3C REC-xmldsig- core1-20130411:2013	BINDING- CRYPTO-V2	NCIA
XML Encryption Syntax and Processing	W3C REC-xmlenc-core-20021210:2002	BINDING- CRYPTO-V2	NCIA
XML Encryption Syntax and Processing Version 1.1	W3C REC-xmlenc-core1-20130411:2013	BINDING- CRYPTO-V2	NCIA
XML Schema Definition Language (XSD) 1.1 Part 1: Structures	W3C REC- xmlschema11-1-20120	BINDING- 406:121M120N-XML	NATO Archive Committee
XML Path Language 1.0	W3C REC- xpath-19991119:1999	BINDING- CRYPTO-V2	NCIA
XML Pointer Language (Xpointer)	W3C wd- xptr-20020816:2002	BINDING- CRYPTO-V2	NCIA
Open XML SPIF	XML SPIF xmlspif:2010	BINDING- COMMON-XML	NCIA
XEP-0060: Publish-Subscribe	XMPP XEP-0060:2010	BINDING- XMPP-V2	NCIA
XEP-0258: Security Labels in XMPP	XMPP XEP-0258:2013	BINDING- XMPP-V2	NCIA
Formal Messaging Services			
Concept of NATO Message Text Formatting System (CONFORMETS)	NATO ADatP-03 Ed A Ver 3:2019 / STANAG 5500 Ed 8	BSP	C3B CaP1 MTF CaT
NATO Secondary Imagery Format (NSIF)	NATO AEDP-04 Ed A Ver 1:2013 / STANAG 4545 Ed 2	BSP	CNAD, AC/224 NAFAG, JCGISR
NATO Message Catalogue	NATO APP-11 Ed D:2015 / STANAG 7149 Ed 6	BSP	MC, MCJSB, IERHWG
Tactical Data Exchange - Link 1 (Point-to-Point)	NATO ATDLP-5.01 Ed A Ver 1:2015 / STANAG 5501 Ed 7	BSP	C3B CaP1 TDL CaT
Interoperability of Low-level Ground-based Air Defence Surveillance, Command and Control Systems	4312 Ed 2:2012	BSP	CNAD, AC/225 NAAG, JCGGBAD

Title	Pubnum	Profiles	Responsible Party
Military Message Handling System (MMHS)	NATO STANAG 4406 Ed 2:2006	BSP	C3B CaP1
Tactical Data Exchange - Link 11/11B	NATO STANAG 5511 Ed 6:2008	BSP	C3B CaP1 TDL CaT
Tactical Data Exchange - Link 16	NATO STANAG 5516 Ed 4:2008	BSP	C3B CaP1 TDL CaT
NATO Improved Link Eleven (NILE) - Link 22	NATO STANAG 5522 Ed 2:2008	BSP	C3B CaP1 TDL CaT
Search Services			
The Dublin Core Metadata Element Set	ISO 15836:2010	BSP	NCIA/Sstrat/ Sea
TIDE Information Discovery (Request-Response) Protocol v2.3	NATO TIDE/TIDE- ID-RR:2009	BSP	NCIA/CES
Data Science Services			
Predictive Model Markup Language (PPML)	DMG ppml-4.2.1:2015	BSP	NCIA
Cross.Industry Standard Process for Data Mining	TMA crisp-dm-1.0:2000	BSP	NCIA
SPARQL 1.1 Query Language	W3C PR-sparql11- query-20121108:2012	BSP	NCIA
Platform Services			
Representational State Transfer (REST)	ACM 2002-REST- TOIT:2000	BSP	FMN CPWG
Atom Publishing Protocol	IETF RFC 5023:2007	BSP	FMN CPWG
ebXML Registry Information Model Version 3.0	OASIS regrep- rim-3.0-os:2005	BSP	NCIA/CES
Simple Object Access Protocol (SOAP)	W3C NOTE- SOAP-20000508:2000		NCIA
Web Services Addressing 1.0 - Metadata	W3C REC-ws-addr-metadata-20070904:20		NCIA/CES
Web Services Addressing 1.0 - SOAP Binding	W3C REC-ws-addr-soap-20060509:2006	BSP	NCIA/CES
Platform CIS Security Services			
Digital Signature Algorithm RSA 2048	RSA PKCS#1 v2.1:2002	BSP	NCIA/CS

Title	Pubnum	Profiles	Responsible Party
Processing (2nd ed.):2008	W3C xmldsig- core:2008	BSP	NCIA/CES
Platform Guard Services			
Secure Shell (SSH)	IETF RFC 4250:2006	BSP	C3B CaP4
Transport Layer Security (TLS)	IETF RFC 5246:2008	BSP	C3B CaP4
Security Token Services			
The Kerberos v5 Simple Authentication and Security Layer (SASL) Mechanism	IETF RFC 4752:2006	BSP	FMN CPWG
Internet X.509 Public Key Infrastructure Certificate and CRL Profile	IETF RFC 5280:2008	BSP	FMN CPWG
Web Services Federation Language (WS-Federation) Version 1.2	OASIS wsfed:2009	BSP	NCIA/CES
Web Services Policy 1.5 - Guidelines for Policy Assertion Authors	W3C NOTE-ws-policy-guidelines-20071112:2		NCIA/CS
Web Services Policy 1.5 - Primer	W3C NOTE-ws-policy-primer-20071112:2007		NCIA/CS
Web Services Policy 1.5 - Framework	W3C REC-ws-policy-20070904:2007	BSP	NCIA/CS
Policy Decision Point Services			
Biometrics Data, Interchange, Watchlisting and Reporting	NATO AEDP-15 Ed A Ver 1:2013 / STANAG 4715 Ed 1	BSP	CNAD, AC/224 NAFAG, JCGISR
Information Labeling Services			
XMP Specification Part 3, Storage in Files	ADOBE XMP-part3-2016:2016	BINDING- EXTENSIBLE- V2, BINDING- METADATA	NCIA
HMAC: Keyed-Hashing for Message Authentication	IETF RFC 2104:1997	BINDING- CRYPTO-V2	NCIA
Key words for use in RFCs to Indicate Requirement Levels	IETF RFC 2119:1997	BINDING- COMMON-XML	NCIA

Title	Pubnum	Profiles	Responsible Party
MIME Parameter Value and Encoded Word Extensions: Character Sets, Languages, and Continuations	IETF RFC 2231:1997	BINDING- REST-V2, BINDING- SMTP-V2	NCIA
Content-ID and Message-ID Uniform Resource Locators	IETF RFC 2392:1998	BINDING- SMTP-V2	NCIA/CES
Enhanced Security Services for S/MIME	IETF RFC 2634:1999	BINDING- XMPP-V2	NCIA
Internet X.509 Public Key Infrastructure Certificate and CRL Profile	IETF RFC 5280:2008	BINDING- CRYPTO-V2	FMN CPWG
Internet Message Format	IETF RFC 5322:2008	BINDING- SMTP-V2	NCIA
Extensible Provisioning Protocol (EPP) Domain Name Mapping	IETF RFC 5731:2009	BINDING- SMTP-V2	NCIA
Secure/Multipurpose Internet Mail Extensions (S/MIME) Version 3.2 Message Specification	IETF RFC 5751:2010	BINDING- CRYPTO-V2	NCIA
Extensible Messaging and Presence Protocol (XMPP): Core	IETF RFC 6120:2011	BINDING- XMPP-V2	NCIA
Extensible Messaging and Presence Protocol (XMPP): Instant Messaging and Presence	IETF RFC 6121:2011	BINDING- XMPP-V2	NCIA
Extensible Messaging and Presence Protocol (XMPP): Address Format	IETF RFC 6122:2011	BINDING- XMPP-V2	NCIA
Additional XML Security Uniform Resource Identifiers (URIs)	IETF RFC 6931:2013	BINDING- CRYPTO-V2	NCIA
Hypertext Transfer Protocol (HTTP/1.1): Message Syntax and Routing	IETF RFC 7230:2014	BINDING- REST-V2	NCIA/CES
Security Labels in Internet Email	IETF RFC 7444:2015	BINDING- REST-V2, BINDING- SMTP-V2	NCIA
JSON Web Signature (JWS)	IETF RFC 7515:2015	BINDING- CRYPTO-V2	NCIA
Graphic Technology - Extensible metadata platform (XMP)	I .	BINDING- EXTENSIBLE-	NCIA

Title	Pubnum	Profiles	Responsible Party
specification - Part 1: Data model, serialization and core propertie		V2, BINDING- METADATA	
Information Technology - Document Schema Definition Languages (DSDL) - Part 3: Rules-based validation - Schematron Second Edition		BINDING- COMMON-XML	NCIA
Office Open XML File Formats Part 2: Open Packaging Conventions	I .	BINDING- GENERIC-V2, BINDING- OOXML-V2	NCIA
Information Technology - Security Techniques - Security information objects for access control		BINDING- REST-V2	NCIA
Syntax - ADatP-4774 Edition A	4774 Ed 1:2017	BINDING-COMMON-XML, BINDING-CRYPTO-V2, BINDING-EXTENSIBLE-V2, BINDING-GENERIC-V2, BINDING-METADATA, BINDING-OOXML-V2, BINDING-REST-V2, BINDING-SIDECAR-V2, BINDING-SIDECAR-V2, BINDING-SMTP-V2, BINDING-SOAP, BINDING-WSMP-V2, BINDING-XMP-V2	C3B CaP1 DM CaT
Metadata Binding - ADatP-4778	NATO STANAG	BINDING-	C3B CaP1
Edition A	4778 Ed 1:2018	COMMON-	DM CaT

Title	Pubnum	Profiles	Responsible Party
		XML, BINDING- CRYPTO-V2, BINDING- EXTENSIBLE- V2, BINDING- GENERIC-V2, BINDING- METADATA, BINDING- OOXML-V2, BINDING- REST-V2, BINDING- SIDECAR-V2, BINDING- SMTP-V2, BINDING- SOAP, BINDING- WSMP-V2, BINDING- XMP-V2	
Context/value Association using genericode 1.0	OASIS context-value-association-1.0:2010	BINDING- COMMON-XML	NCIA
Code List Representation (Genericode)	genericode-1.0:2007	BINDING- COMMON-XML	NCIA
Web Services Security: SOAP Message Security 1.1	OASIS wss-v1.1- spec-os- SOAPMessageSecurity	CRYPTO-V2	NCIA/CES
Simple Object Access Protocol (SOAP)	W3C NOTE- SOAP-20000508:2000	BINDING-SOAP	NCIA
XML Security Algorithm Cross- Reference	W3C NOTE-xmlsec-algorithms-20130411:2		NCIA
RDF 1.1 Concepts and Abstract Syntax	W3C REC-rdf11- concepts-20140225:20		NCIA/CES
RDF Primer	W3C REC-rdf- primer-20040210:2004	BINDING- EXTENSIBLE-	NCIA

Title	Pubnum	Profiles	Responsible Party	
		V2, BINDING- METADATA		
SOAP Version 1.2 Part 1: Messaging Framework	W3C REC-soap12- part1-20030624:2003	BINDING-SOAP	NCIA	
Associating Style Sheets with XML documents, Version 1.0	W3C REC-xml- stylesheet-19990629:19	BINDING- 990MMON-XML	NCIA/CES	
eXtensible Markup Language (XML) version 1.0 (Fifth Edition)	W3C REC- xml-20081126:2008	BINDING- EXTENSIBLE- V2	FMN CPWG	
XML-Signature Syntax and Processing (Second Edition)	W3C REC-xmldsig-core-20080610:2008	BINDING- CRYPTO-V2, BINDING-SOAP	NCIA	
Errata for XML Signature 2nd Edition	W3C REC-xmldsig- core-20080610:2014	BINDING- CRYPTO-V2	NCIA	
XML Signature Syntax and Processing Version 1.1	W3C REC-xmldsig- core1-20130411:2013	BINDING- CRYPTO-V2	NCIA	
XML Encryption Syntax and Processing	W3C REC-xmlenc-core-20021210:2002	BINDING- CRYPTO-V2	NCIA	
XML Encryption Syntax and Processing Version 1.1	W3C REC-xmlenc-core1-20130411:2013	BINDING- CRYPTO-V2	NCIA	
XML Schema Definition Language (XSD) 1.1 Part 1: Structures	W3C REC- xmlschema11-1-20120	BINDING- 406:1211NION-XML	NATO Archive Committee	
XML Path Language 1.0	W3C REC- xpath-19991119:1999	BINDING- CRYPTO-V2	NCIA	
XML Pointer Language (Xpointer)	W3C wd- xptr-20020816:2002	BINDING- CRYPTO-V2	NCIA	
Open XML SPIF	XML SPIF xmlspif:2010	BINDING- COMMON-XML	NCIA	
XEP-0060: Publish-Subscribe	XMPP XEP-0060:2010	BINDING- XMPP-V2	NCIA	
XEP-0258: Security Labels in XMPP	XMPP XEP-0258:2013	BINDING- XMPP-V2	NCIA	
Platform SMC Services				
CIM Schema: Version 2.30.0	DMTF cim_schema_v2300:20	BSP 11	C3B CaP1 SMC CaT	

Title	Pubnum	Profiles	Responsible Party
Configuration Management Database (CMDB) Federation Specification	DMTF DSP0252:2010	BSP	C3B CaP1 SMC CaT
IEEE QoS	IEEE 802.1p:2004	BSP	NCIA/NSII
Structure of Management Information	IETF RFC 1212:1991	BSP	NCIA/CES
Management Information Base v2 (MIB II)	IETF RFC 1213:1991	BSP	NCIA/SMC
Definitions of Managed Objects for the Ethernet-like Interface Types	IETF RFC 1643:1994	BSP	NCIA/NSII
RIP Version 2 MIB Extensions	IETF RFC 1724:1994	BSP	NCIA/SMC
Host Resources Management Information Base (MIB)	IETF RFC 2790:2000	BSP	NCIA/SMC
Remote Network Monitoring Management Information Base, RMON-MIB version 1	IETF RFC 2819:2000	BSP	NCIA/SMC
OSPF version 2 Management Information Base:2006	IETF RFC 4750:2006	BSP	NCIA/SMC
COBIT 5: A Business Framework for the Governance and Management of Enterprise IT	ISACA Cobit 5:2012	BSP	NCIA/Sstrat/ Sea
Performance objectives and procedures for provisioning and maintenance of IP-based networks	ITU-T M.2301:2002	BSP	FMN CPWG
API REST Conformance Guidelines R15.5.1 Standard	TM-FORUM TR250:2016	FMN2	FMN CPWG
Service Discovery Services			
electronic business eXtensible Markup Language (ebXML) Technical Architecture Specification v1.0.4		BSP	NCIA/CES
TIDE Service Discovery	NATO TIDE/TIDE- ID-SP:2008	BSP	NCIA/CES
ebXML Registry Services and Protocols Version 3.0	OASIS regrep-rs-3.0-os:2005	BSP	NCIA/CES
Universal Description Discovery & Integration (UDDI)	OASIS uddi-v3.00-published-20020719:20		NCIA/C2

Title	Pubnum	Profiles	Responsible Party
Web Service Description Language (WSDL) 1.1	W3C NOTE- wsdl-20010315:2001	BSP	FMN CPWG
Message-Oriented Middleware Ser	vices		
Web Services Reliable Messaging (WS-ReliableMessaging)	OASIS relmes:2009	BSP	FMN CPWG
Web Services Security: SOAP Message Security 1.1	OASIS wss-v1.1- spec-os- SOAPMessageSecurity		NCIA/CES
Web Platform Services			
FTP Security Extensions	IETF RFC 2228:1997	BSP	NCIA/CES
HyperText Transfer Protocol (HTTP), version 1.1	IETF RFC 2616:1999	BSP	FMN CPWG
Internationalization of the File Transfer Protocol	IETF RFC 2640:1999	BSP	NCIA/CES
Extensions to FTP	IETF RFC 3659:2007	BSP	NCIA/CES
Extended MKCOL for Web Distributed Authoring and Versioning (WebDAV)	IETF RFC 5689:2009	BSP	NCIA/CES
FTP Command and Extension Registry	IETF RFC 5797:2010	BSP	NCIA/CES
File Transfer Protocol HOST Command for Virtual Hosts	IETF RFC 7151:2014	BSP	NCIA/CES
Hypertext Transfer Protocol (HTTP/1.1): Message Syntax and Routing	IETF RFC 7230:2014	BSP	NCIA/CES
Geolocation API Specification 2nd Edition	W3C geolocation- API:2016	SIP-FOR-WEB- APPS	FMN CPWG
HTML5 Differences from HTML4	W3C NOTE-html5-diff:2014	SIP-FOR-WEB- APPS	FMN CPWG
Cascading Style Sheets, level 2 revision 1	W3C REC- CSS2-2011067:2011	BSP	FMN CPWG
Hypertext Markup Language revision 5.2 (HTML5)	W3C REC- html52:2017	SIP-FOR-WEB- APPS	FMN CPWG
Hypertext Markup Language revision 5.3 Editor's Draft (4.7)	W3C REC-html53- Draft:2018	SIP-FOR-WEB- APPS	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
Media Source Extensions	W3C REC-media-source:2016	SIP-FOR-WEB- APPS	FMN CPWG
Mobile Web Application Best Practices	W3C REC- mwabp:2010	SIP-FOR-WEB- APPS	FMN CPWG
XML Information Set	W3C REC-xml-infoset-20011024:2001		NCIA/CES
Associating Style Sheets with XML documents, Version 1.0	W3C REC-xml- stylesheet-19990629:19		NCIA/CES
eXtensible Markup Language (XML) version 1.0 (Fifth Edition)	W3C REC- xml-20081126:2008	BSP	FMN CPWG
XML Base	W3C REC- xmlbase-20010627:200		NCIA/CES
Web Speech API	W3C speech-API:2018	SIP-FOR-WEB- APPS	FMN CPWG
DOM Parsing and Serialization	W3C WD-DOM- Parsing:2016	SIP-FOR-WEB- APPS	FMN CPWG
Wireless Markup Language (WML) version 2	WAPFORUM WAP-238- WML-20010911- a:2001	BSP	NCIA/CES
Web Hosting Services			
Uniform Resource Locators (URL)	IETF RFC 1738:1994	FMN1, FMN2, FMN3,	FMN CPWG
The TLS Protocol Version 1.0	IETF RFC 2246:1999	SIP-FOR-TLS	FMN CPWG
HyperText Transfer Protocol (HTTP), version 1.1	IETF RFC 2616:1999	FMN1, FMN2	FMN CPWG
Upgrading to TLS Within HTTP/1.1	IETF RFC 2817:2000	FMN1, FMN2, FMN3,	FMN CPWG
The 'text/html' Media Type	IETF RFC 2854:2000	FMN1, FMN2, FMN3,	FMN CPWG
UTF-8, a transformation format of ISO/IEC 10646	IETF RFC 3629:2003	FMN1, FMN2, FMN3,	FMN CPWG
Transport Layer Security Protocol Compression Methods	IETF RFC 3749:2004	SIP-FOR-TLS	FMN CPWG
Uniform Resource Identifiers (URI): Generic Syntax	IETF RFC 3986:2005	FMN1, FMN2, FMN3,	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
Atom Syndication Format, v1.0	IETF RFC 4287:2005	FMN1, FMN2, FMN3,	FMN CPWG
Scripting Media Types	IETF RFC 4329:2006	FMN1, FMN2, FMN3,	FMN CPWG
The Transport Layer Security (TLS) Protocol Version 1.1	IETF RFC 4346:2006	SIP-FOR-TLS	FMN CPWG
Elliptic Curve Cryptography (ECC) Cipher Suites for Transport Layer Security (TLS)		SIP-FOR-TLS	FMN CPWG
The application/json Media Type for JavaScript Object Notation (JSON)	IETF RFC 4627:2006	FMN1, FMN2, FMN3,	FMN CPWG
Atom Publishing Protocol	IETF RFC 5023:2007	FMN1, FMN2, FMN3,	FMN CPWG
Transport Layer Security (TLS)	IETF RFC 5246:2008	SIP-FOR-TLS	C3B CaP4
Internet X.509 Public Key Infrastructure Certificate and CRL Profile	IETF RFC 5280:2008	SIP-FOR-TLS	FMN CPWG
Transport Layer Security (TLS) Renegotiation Indication Extension	IETF RFC 5746:2010	SIP-FOR-TLS	FMN CPWG
Transport Layer Security (TLS) Extensions: Extension Definitions	IETF RFC 6066:2011	SIP-FOR-TLS	FMN CPWG
The Secure Sockets Layer (SSL) Protocol Version 3.0	IETF RFC 6101:2011	SIP-FOR-TLS	FMN CPWG
Representation and Verification of Domain-Based Application Service Identity within Internet Public Key Infrastructure Using X.509 (PKIX) Certificates in the Context of Transport Layer Security (TLS)		SIP-FOR-TLS	FMN CPWG
Prohibiting Secure Sockets Layer (SSL) Version 2.0	IETF RFC 6176:2011	SIP-FOR-TLS	FMN CPWG
Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS) Heartbeat Extension		SIP-FOR-TLS	FMN CPWG
X.509 Internet Public Key Infrastructure Online Certificate Status Protocol - OCSP	IETF RFC 6960:2013	SIP-FOR-TLS	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
The Transport Layer Security (TLS) Multiple Certificate Status Request Extension	IETF RFC 6961:2013	SIP-FOR-TLS	FMN CPWG
Hypertext Transfer Protocol (HTTP/1.1): Message Syntax and Routing	IETF RFC 7230:2014	FMN3,	NCIA/CES
Hypertext Transfer Protocol (HTTP/1.1): Semantics and Content	IETF RFC 7231:2014	FMN3,	FMN CPWG
Hypertext Transfer Protocol (HTTP/1.1): Conditional Requests	IETF RFC 7232:2014	FMN3,	FMN CPWG
Hypertext Transfer Protocol (HTTP/1.1): Range Requests	IETF RFC 7233:2014	FMN3,	FMN CPWG
Hypertext Transfer Protocol (HTTP/1.1): Caching	IETF RFC 7234:2014	FMN3,	FMN CPWG
Hypertext Transfer Protocol (HTTP/1.1): Authentication	IETF RFC 7235:2014	FMN3,	FMN CPWG
Encrypt-then-MAC for Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS)	IETF RFC 7366:2014	SIP-FOR-TLS	FMN CPWG
Recommendations for Secure Use of Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS)	IETF RFC 7525:2015	SIP-FOR-TLS	FMN CPWG
Deprecating Secure Sockets Layer Version 3.0	IETF RFC 7568:2015	SIP-FOR-TLS	FMN CPWG
Transport Layer Security (TLS) Session Hash and Extended Master Secret Extension	I .	SIP-FOR-TLS	FMN CPWG
Negotiated Finite Field Diffie- Hellman Ephemeral Parameters for Transport Layer Security (TLS)	IETF RFC 7919:2016	SIP-FOR-TLS	FMN CPWG
Transmission Control Protocol	IETF RFC 793:1981	SIP-FOR-TLS	FMN CPWG
The SSL Protocol	IETF RFC SSL2:1995	SIP-FOR-TLS	FMN CPWG
Electronic document file format for long-term preservation Part 1: Use of PDF 1.4 (PDF/A-1)	ISO 19005-1:2005	FMN1, FMN2, FMN3,	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
Electronic document file format for long-term preservation Part 2: Use of ISO 32000-1 (PDF/A-2)	ISO 19005-2:2011	FMN1, FMN2, FMN3,	FMN CPWG
Document management Portable document format Part 1: PDF 1.7	ISO 32000-1:2008	FMN1, FMN2, FMN3,	FMN CPWG
Digital compression and coding of continuous-tone still images: Requirements and guidelines	1	FMN1, FMN2, FMN3,	FMN CPWG
Digital compression and coding of continuous-tone still images: Extensions		FMN1, FMN2, FMN3,	FMN CPWG
HyperText Markup Language (HTML)	ISO/IEC 15445:2000	FMN1	FMN CPWG
Office Open XML File Formats Part 1: Fundamentals and Markup Language Reference		FMN1, FMN2, FMN3,	FMN CPWG
The Directory: Public-key and attribute certificate frameworks	ISO/IEC 9594-8:2008	BSP	NCIA/CS
NATO Message Catalogue - APP-11 Edition D v2 ²	NATO-Expected STANAG 7149 Ed 6:2017	FMN3	MC, MCJSB, IERHWG
NATO Message Catalogue - APP-11 Edition D v2 ²	NATO-Expected STANAG 7149 Ed 6:2017	FMN3	MC, MCJSB, IERHWG
Captured Persons, Materiel And Documents - AJP-2.5(A)	NATO STANAG 2195 Ed 2:2007	FMN3	MC, MCJSB, JINT
Air Reconnaissance Intelligence Report Forms	NATO STANAG 3377:2002	FMN3,	FMN CPWG
NATO Secondary Imagery Format (NSIF) - AEDP-04 Edition 2	NATO STANAG 4545 Ed 2:2013	FMN3	CNAD, AC/224 NAFAG, JCGISR
NATO Ground Moving Target Indicator(GMTI) Format - AEDP-07 Edition 2	I .	FMN3	FMN CPWG
NATO Digital Motion Imagery Standard - MISP-2015.1	NATO STANAG 4609 Ed 4:2016	FMN3	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
NATO Intelligence, Surveillance And Reconnaissance Tracking Standard – AEDP-12 Edition A	I .	FMN3	FMN CPWG
NATO standardization of measurement and signature intelligence (MASINT) Reporting - AEDP-16 Edition A	NATO STANAG (Study) 4716 Ed 1	FMN3	CNAD, AC/224 NAFAG, JCGISR
WS-SecurityPolicy 1.3	OASIS wsspol-1.3:2009	BSP	NCIA/CS
Geography Markup Language (GML) simple features profile Technical Note v 2.0	OGC 11-044:2011	FMN1, FMN2, FMN3	FMN CPWG
RSS 2.0 Specification	RSS 2.0:2009	FMN1, FMN2, FMN3,	FMN CPWG
Trouble Ticket REST API Specification R14.5.1 Interface	TM-FORUM TMF621:2015	FMN2,	FMN CPWG
API REST Conformance Guidelines R15.5.1 Standard	TM-FORUM TR250:2016	FMN2,	FMN CPWG
Web Services Addressing 1.0 - Core	W3C REC-ws-addr-core-20060509:2006	FMN1, FMN2, FMN3,	FMN CPWG
Cross-Origin Resource Sharing	W3C CR- cors-20130129:2013	FMN1, FMN2, FMN3,	FMN CPWG
CSS Style Attributes	W3C CR-css-style- attr-20101012:2010	FMN1	FMN CPWG
Simple Object Access Protocol (SOAP)	W3C NOTE- SOAP-20000508:2000	FMN1, FMN2, FMN3,	NCIA
Web Service Description Language (WSDL) 1.1	W3C NOTE- wsdl-20010315:2001	FMN1, FMN2, FMN3,	FMN CPWG
Web Services Description Language (WSDL) Version 2.0 SOAP 1.1 Binding	W3C NOTE-wsdl20- soap11- binding-20070626:200	FMN3,	FMN CPWG
XHTML™ 1.0 in XML Schema	W3C note-xhtml1- schema-20020902:2002	, ,	FMN CPWG
CSS Namespaces Module Level 3	W3C REC-css-namespaces-3-2014032		FMN CPWG
CSS Style Attributes	W3C REC-css-style-attr-20131107:2013	FMN2, FMN3,	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
Cascading Style Sheets, level 2 revision 1	W3C REC- CSS2-2011067:2011	FMN1, FMN2, FMN3,	FMN CPWG
CSS Color Module Level 3	W3C REC-css3- color-20110607:2011	FMN1, FMN2, FMN3,	FMN CPWG
Media Queries	W3C REC-css3- mediaqueries-2012061	· · · · · · · · · · · · · · · · · · ·	FMN CPWG
Selectors Level 3	W3C REC-css3-selectors-20110929:20		FMN CPWG
Hypertext Markup Language revision 5 (HTML5)	W3C REC- html5-20141028:2014		FMN CPWG
eXtensible Markup Language (XML) version 1.0 (Fifth Edition)	W3C REC- xml-20081126:2008	FMN1, FMN2, FMN3,	FMN CPWG
XML Schema Part 1: Structures Second Edition	W3C REC- xmlschema-1-2004102		FMN CPWG
XML Schema Part 2: Datatypes Second Edition	W3C REC- xmlschema-2-2004102	, ,	FMN CPWG
XML Key Management Specification:2005	W3C xkms2:2005	BSP	NCIA/CES
Web Presentation Services			
Web Services for Remote Portlets Specification	OASIS wsrp-specification-1.0:2003	BSP	NCIA/CES
Information Access Services			
MIME Parameter Value and Encoded Word Extensions: Character Sets, Languages, and Continuations	IETF RFC 2231:1997	BINDING- REST-V2	NCIA
Atom Syndication Format, v1.0	IETF RFC 4287:2005	BSP	FMN CPWG
Hypertext Transfer Protocol (HTTP/1.1): Message Syntax and Routing	IETF RFC 7230:2014	BINDING- REST-V2	NCIA/CES
Security Labels in Internet Email	IETF RFC 7444:2015	BINDING- REST-V2	NCIA
Information Technology - Security Techniques - Security information objects for access control		BINDING- REST-V2	NCIA

Title	Pubnum	Profiles	Responsible Party
Confidentiality Metadata Label Syntax - ADatP-4774 Edition A	NATO STANAG 4774 Ed 1:2017	BINDING- REST-V2, BINDING-SOAP	C3B CaP1 DM CaT
Metadata Binding - ADatP-4778 Edition A	NATO STANAG 4778 Ed 1:2018	BINDING- REST-V2, BINDING-SOAP	C3B CaP1 DM CaT
RSS 2.0 Specification	RSS 2.0:2009	BSP	FMN CPWG
Simple Object Access Protocol (SOAP)	W3C NOTE- SOAP-20000508:2000	BINDING-SOAP	NCIA
SOAP Version 1.2 Part 1: Messaging Framework	W3C REC-soap12- part1-20030624:2003	BINDING-SOAP	NCIA
Extensible HyperText Markup Language, version 1	W3C REC- xhtml1-20020801:2002		NCIA/CES
XML-Signature Syntax and Processing (Second Edition)	W3C REC-xmldsig- core-20080610:2008	BINDING-SOAP	NCIA
Metadata Repository Services			
XML Signature Syntax and Processing (2nd ed.):2008	W3C xmldsig- core:2008	BSP	NCIA/CES
Information Annotation Services			
XMP Specification Part 3, Storage in Files	ADOBE XMP- part3-2016:2016	BINDING- EXTENSIBLE- V2, BINDING- METADATA	NCIA
HMAC: Keyed-Hashing for Message Authentication	IETF RFC 2104:1997	BINDING- CRYPTO-V2	NCIA
Key words for use in RFCs to Indicate Requirement Levels	IETF RFC 2119:1997	BINDING- COMMON-XML	NCIA
MIME Parameter Value and Encoded Word Extensions: Character Sets, Languages, and Continuations	IETF RFC 2231:1997	BINDING- REST-V2, BINDING- SMTP-V2	NCIA
Content-ID and Message-ID Uniform Resource Locators	IETF RFC 2392:1998	BINDING- SMTP-V2	NCIA/CES
Enhanced Security Services for S/MIME	IETF RFC 2634:1999	BINDING- XMPP-V2	NCIA

Title	Pubnum	Profiles	Responsible Party
Internet X.509 Public Key Infrastructure Certificate and CRL Profile	IETF RFC 5280:2008	BINDING- CRYPTO-V2	FMN CPWG
Internet Message Format	IETF RFC 5322:2008	BINDING- SMTP-V2	NCIA
Extensible Provisioning Protocol (EPP) Domain Name Mapping	IETF RFC 5731:2009	BINDING- SMTP-V2	NCIA
Secure/Multipurpose Internet Mail Extensions (S/MIME) Version 3.2 Message Specification	IETF RFC 5751:2010	BINDING- CRYPTO-V2	NCIA
Extensible Messaging and Presence Protocol (XMPP): Core	IETF RFC 6120:2011	BINDING- XMPP-V2	NCIA
Extensible Messaging and Presence Protocol (XMPP): Instant Messaging and Presence	IETF RFC 6121:2011	BINDING- XMPP-V2	NCIA
Extensible Messaging and Presence Protocol (XMPP): Address Format	IETF RFC 6122:2011	BINDING- XMPP-V2	NCIA
Additional XML Security Uniform Resource Identifiers (URIs)	IETF RFC 6931:2013	BINDING- CRYPTO-V2	NCIA
Hypertext Transfer Protocol (HTTP/1.1): Message Syntax and Routing	IETF RFC 7230:2014	BINDING- REST-V2	NCIA/CES
Security Labels in Internet Email	IETF RFC 7444:2015	BINDING- REST-V2, BINDING- SMTP-V2	NCIA
JSON Web Signature (JWS)	IETF RFC 7515:2015	BINDING- CRYPTO-V2	NCIA
Graphic Technology - Extensible metadata platform (XMP) specification - Part 1: Data model, serialization and core propertie	ISO 16684-1:2012	BINDING- EXTENSIBLE- V2, BINDING- METADATA	NCIA
Information Technology - Document Schema Definition Languages (DSDL) - Part 3: Rules-based validation - Schematron Second Edition	ISO 19757-3:2016	BINDING- COMMON-XML	NCIA

Title	Pubnum	Profiles	Responsible Party
Office Open XML File Formats Part 2: Open Packaging Conventions		BINDING- GENERIC-V2, BINDING- OOXML-V2	NCIA
Information Technology - Security Techniques - Security information objects for access control		BINDING- REST-V2	NCIA
Confidentiality Metadata Label Syntax - ADatP-4774 Edition A	NATO STANAG 4774 Ed 1:2017	BINDING-COMMON-XML, BINDING-CRYPTO-V2, BINDING-EXTENSIBLE-V2, BINDING-GENERIC-V2, BINDING-METADATA, BINDING-OOXML-V2, BINDING-REST-V2, BINDING-SIDECAR-V2, BINDING-SIDECAR-V2, BINDING-SMTP-V2, BINDING-SOAP, BINDING-WSMP-V2, BINDING-WSMP-V2, BINDING-XMP-V2	C3B CaP1 DM CaT
Metadata Binding - ADatP-4778 Edition A	NATO STANAG 4778 Ed 1:2018	BINDING- COMMON- XML, BINDING- CRYPTO-V2, BINDING- EXTENSIBLE- V2, BINDING- GENERIC-V2,	C3B CaP1 DM CaT

Title	Pubnum	Profiles	Responsible Party
		BINDING- METADATA, BINDING- OOXML-V2, BINDING- REST-V2, BINDING- SIDECAR-V2, BINDING- SMTP-V2, BINDING- SOAP, BINDING- WSMP-V2, BINDING- WSMP-V2, BINDING- XMP-V2	
Context/value Association using genericode 1.0	OASIS context-value-association-1.0:2010	BINDING- COMMON-XML	NCIA
Code List Representation (Genericode)	OASIS cs- genericode-1.0:2007	BINDING- COMMON-XML	NCIA
Web Services Security: SOAP Message Security 1.1	OASIS wss-v1.1- spec-os- SOAPMessageSecurity	BINDING- CRYPTO-V2 ::2006	NCIA/CES
Simple Object Access Protocol (SOAP)	W3C NOTE- SOAP-20000508:2000	BINDING-SOAP	NCIA
XML Security Algorithm Cross- Reference	W3C NOTE-xmlsec- algorithms-20130411:2		NCIA
RDF 1.1 Concepts and Abstract Syntax	W3C REC-rdf11- concepts-20140225:20		NCIA/CES
RDF Primer	W3C REC-rdf- primer-20040210:2004	BINDING- EXTENSIBLE- V2, BINDING- METADATA	NCIA
SOAP Version 1.2 Part 1: Messaging Framework	W3C REC-soap12- part1-20030624:2003	BINDING-SOAP	NCIA
Associating Style Sheets with XML documents, Version 1.0	W3C REC-xml- stylesheet-19990629:19	BINDING- 990MMON-XML	NCIA/CES

Title	Pubnum	Profiles	Responsible Party
eXtensible Markup Language (XML) version 1.0 (Fifth Edition)	W3C REC- xml-20081126:2008	BINDING- EXTENSIBLE- V2	FMN CPWG
XML-Signature Syntax and Processing (Second Edition)	W3C REC-xmldsig- core-20080610:2008	BINDING- CRYPTO-V2, BINDING-SOAP	NCIA
Errata for XML Signature 2nd Edition	W3C REC-xmldsig- core-20080610:2014	BINDING- CRYPTO-V2	NCIA
XML Signature Syntax and Processing Version 1.1	W3C REC-xmldsig- core1-20130411:2013	BINDING- CRYPTO-V2	NCIA
XML Encryption Syntax and Processing	W3C REC-xmlenc-core-20021210:2002	BINDING- CRYPTO-V2	NCIA
XML Encryption Syntax and Processing Version 1.1	W3C REC-xmlenc-core1-20130411:2013	BINDING- CRYPTO-V2	NCIA
XML Schema Definition Language (XSD) 1.1 Part 1: Structures	W3C REC- xmlschema11-1-20120	BINDING- 406:121MION-XML	NATO Archive Committee
XML Path Language 1.0	W3C REC- xpath-19991119:1999	BINDING- CRYPTO-V2	NCIA
XML Pointer Language (Xpointer)	W3C wd- xptr-20020816:2002	BINDING- CRYPTO-V2	NCIA
Open XML SPIF	XML SPIF xmlspif:2010	BINDING- COMMON-XML	NCIA
XEP-0060: Publish-Subscribe	XMPP XEP-0060:2010	BINDING- XMPP-V2	NCIA
XEP-0258: Security Labels in XMPP	XMPP XEP-0258:2013	BINDING- XMPP-V2	NCIA
Directory Services			
Common Directory Services and Procedures	CCEB ACP 133(D):2009	BSP	C3B NACP CaT
Common Directory Services and Procedures Supplement	CCEB ACP 133 Supplement 1(A):2009	BSP	C3B NACP CaT
Definition of the inetOrgPerson LDAP Object Class	IETF RFC 2798:2000	FMN1, FMN2, FMN3,	FMN CPWG
LDAP Data Interchange Format (LDIF)	IETF RFC 2849:2000	FMN1, FMN2,	FMN CPWG

Title	Pubnum	Profiles	Responsible Party	
LDAP: Technical Specification Road Map	IETF RFC 4510:2006	FMN1, FMN2,	FMN CPWG	
LDAP: The Protocol	IETF RFC 4511:2006	FMN1, FMN2,	FMN CPWG	
LDAP: Directory Information Models	IETF RFC 4512:2006	FMN1, FMN2,	FMN CPWG	
LDAP: Authentication Methods and Security Mechanisms	IETF RFC 4513:2006	FMN1, FMN2,	FMN CPWG	
LDAP: String Representation of Distinguished Names	IETF RFC 4514:2006	FMN1, FMN2,	FMN CPWG	
LDAP: String Representation of Search Filters	IETF RFC 4515:2006	FMN1, FMN2,	FMN CPWG	
LDAP: Uniform Resource Locator	IETF RFC 4516:2006	FMN1, FMN2,	FMN CPWG	
LDAP: Syntaxes and Matching Rules	IETF RFC 4517:2006	FMN1, FMN2,	FMN CPWG	
LDAP: Internationalized String Preparation	IETF RFC 4518:2006	FMN1, FMN2,	FMN CPWG	
LDAP: Schema for User Applications	IETF RFC 4519:2006	FMN1, FMN2, FMN3,	FMN CPWG	
Relational Database Services				
Open Database Connectivity (ODBC) 3.8	Microsoft MSDN- ODBCPR:1996	BSP	NCIA/CES	
Joint C3 Information Exchange Data Model (JC3IEDM) 3.1.4:2015	MIP MIP JC3IEDM:2012	BSP	C3B CaP1 DM CaT	
Mediation Services				
Profile for the Use of S/MIME protocols Cryptographic Message Syntax (CMS) and Enhanced Security Services (ESS) for S/MIME	4631 Ed 1:2008	BSP	C3B CaP1	
Data Format Transformation Services				
Key words for use in RFCs to Indicate Requirement Levels	IETF RFC 2119:1997	BINDING- COMMON-XML	NCIA	
Information Technology - Document Schema Definition Languages (DSDL) - Part 3: Rules-based validation - Schematron Second Edition	ISO 19757-3:2016	BINDING- COMMON-XML	NCIA	

Title	Pubnum	Profiles	Responsible Party
Confidentiality Metadata Label Syntax - ADatP-4774 Edition A	NATO STANAG 4774 Ed 1:2017	BINDING- COMMON-XML	C3B CaP1 DM CaT
Metadata Binding - ADatP-4778 Edition A	NATO STANAG 4778 Ed 1:2018	BINDING- COMMON-XML	C3B CaP1 DM CaT
Context/value Association using genericode 1.0	OASIS context-value-association-1.0:2010	BINDING- COMMON-XML	NCIA
Code List Representation (Genericode)	OASIS cs- genericode-1.0:2007	BINDING- COMMON-XML	NCIA
Associating Style Sheets with XML documents, Version 1.0	W3C REC-xml- stylesheet-19990629:19	BINDING- 990MMON-XML	NCIA/CES
XML Schema Definition Language (XSD) 1.1 Part 1: Structures	W3C REC- xmlschema11-1-20120	BINDING- 4005121M120N-XML	NATO Archive Committee
Open XML SPIF	XML SPIF xmlspif:2010	BINDING- COMMON-XML	NCIA
Infrastructure Services			
RTP: A Transport Protocol for Real- Time Applications	IETF RFC 3550:2003	BSP	FMN CPWG
Network News Transfer Protocol (NNTP)	IETF RFC 3977:2006	BSP	NCIA/CES
Digital compression and coding of continuous-tone still images: Registration of JPEG profiles, SPIFF profiles, SPIFF tags, SPIFF colour spaces, APPn markers, SPIFF compression types and Registration		BSP	NCIA/CES
Authorities (REGAUT) Coding of moving pictures and	ISO/IFC	BSP	NCIA/NSII
associated audio for digital storage media at up to about 1,5 Mbit/s; PCM Part 3: audio		DOI	INCIA/INSII
Generic Coding of Moving Pictures and Associated Audio (MPEG-2)	ISO/IEC 13818:2000	BSP	NCIA/CES
Coding of Moving Pictures and Audio (MPEG-4)	ISO/IEC 14496:1999	BSP	NCIA/CES
7 kHz Audio-Coding within 64 kbit/s	ITU-T G.722:2012	BSP	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
Coding of speech at 8 kbit/s using conjugate-structure algebraic-code-excited linear prediction (CS-ACELP)	ITU-T G.729:2012	BSP	FMN CPWG
Video coding for low bit rate communication	ITU-T H.263:2005	BSP	FMN CPWG
Advanced video coding for generic audiovisual services	ITU-T H.264:2017	BSP	FMN CPWG
US Motion Imagery Standards Board (MISB) - Motion Imagimary Standards Profile-2015.1		BSP	FMN CPWG
NATO Advanced Data Storage Interface (NADSI)	NATO AEDP-06 Ed B Ver 3:2014 / STANAG 4575 Ed 4	BSP	CNAD, AC/224 NAFAG, JCGISR
NATO Ground Moving Target Indicator(GMTI) Format	NATO AEDP-07 Ed 2 Ver 1:2010 / STANAG 4607 Ed 3	BSP	FMN CPWG
Air Reconnaissance Primary Imagery Data Standard	NATO AEDP-09 Ed 1:2009 / STANAG 7023 Ed 4	BSP	CNAD, AC/224 NAFAG, JCGISR
Imagery Air Reconnaissance Tape Recorder Interface	NATO AEDP-11 Ed 1:2001 / STANAG 7024 Ed 2	BSP	CNAD, AC/224 NAFAG, JCGISR
Exchange of Imagery	NATO STANAG 3764 Ed 6:2015	BSP	MC, MCJSB, JINT JISRP
Parameters and Coding Standards for 800 bps Digital Speach Encoder/Decoder	1	BSP	C3B CaP1 Blos Comms
NATO Standard ISR Library Interface (NSILI)	NATO STANAG 4559 Ed 3:2010	BSP	FMN CPWG
NATO Imagery Interpretability Rating Scale (NIIRS)	NATO STANAG 7194 Ed 1:2009	BSP	MC, MCJSB, JINT JISRP

Title	Pubnum	Profiles	Responsible Party
X Window System, Version 11, release 7.5:2009	X-CONSORTIUM X11R7.5:2009	BSP	NCIA/CES
Authentication Services			
A summary of the X.500(96) User Schema for Use with LDAPv3	IETF RFC 2256:1997	FMN2, FMN3,	FMN CPWG
Definition of the inetOrgPerson LDAP Object Class	IETF RFC 2798:2000	FMN2, FMN3,	FMN CPWG
Uniform Resource Identifiers (URI): Generic Syntax	IETF RFC 3986:2005	FMN2, FMN3,	FMN CPWG
The Kerberos Network Authentication Service (V5)	IETF RFC 4120:2005	FMN1	FMN CPWG
The Kerberos Version 5 Generic Security Service Application Program Interface (GSS-API) Mechanism: Version 2		FMN1	FMN CPWG
Simple Authentication and Security Layer (SASL)	IETF RFC 4422:2006	FMN1	FMN CPWG
Anonymous Simple Authentication and Security Layer (SASL) Mechanism	IETF RFC 4505:2006	FMN1	FMN CPWG
LDAP: Schema for User Applications	IETF RFC 4519:2006	FMN2, FMN3,	FMN CPWG
The PLAIN Simple Authentication and Security Layer (SASL) Mechanism	IETF RFC 4616:2006	FMN1	FMN CPWG
The Kerberos v5 Simple Authentication and Security Layer (SASL) Mechanism	IETF RFC 4752:2006	FMN1	FMN CPWG
Internet Message Format	IETF RFC 5322:2008	FMN2, FMN3,	NCIA
OASIS Security Services (SAML)	OASIS saml:2009	FMN2, FMN3,	NCIA
Digital Certificate Services			,
More Modular Exponential (MODP) Diffie-Hellman groups for Internet Key Exchange (IKE)		FMN2, FMN3,	FMN CPWG
LDAP: X.509 Certificate Schema	IETF RFC 4523:2006	FMN1, FMN2, FMN3	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
Internet X.509 Public Key Infrastructure Certificate and CRL Profile	IETF RFC 5280:2008	FMN1, FMN2, FMN3,	FMN CPWG
Information technology - Open Systems Interconnection - The Directory: Public-key and attribute certificate frameworks	ITU-T X.509:2016	FMN1, FMN2, FMN3,	FMN CPWG
Secure Hash Standard (SHS)	NIST FIPS PUB 180-4:2015	FMN2, FMN3,	C3B CaP4
Digital Signature Standard (DSS)	NIST FIPS PUB 186-4:2013	FMN2, FMN3,	FMN CPWG
Advanced Encryption Standard (AES)	NIST FIPS PUB 197:2001	FMN2, FMN3,	FMN CPWG
Recommendation for Pair-Wise Key Establishment Schemes Using Discrete Logarithm Cryptography	NIST SP 800-56A Rev 2:2013	FMN2	FMN CPWG
Recommendation for Pair-Wise Key-Establishment Schemes Using Discrete Logarithm Cryptography	NIST SP 800-56A Rev 3:2018	FMN3,	FMN CPWG
Recommendation for Pair-Wise KeyEstablishment Schemes Using Integer Factorization Cryptography		FMN2, FMN3,	FMN CPWG
Infrastructure Cryptography Serv	ices		
HMAC: Keyed-Hashing for Message Authentication	IETF RFC 2104:1997	BINDING- CRYPTO-V2	NCIA
Internet X.509 Public Key Infrastructure Certificate and CRL Profile	IETF RFC 5280:2008	BINDING- CRYPTO-V2	FMN CPWG
Secure/Multipurpose Internet Mail Extensions (S/MIME) Version 3.2 Message Specification	I .	BINDING- CRYPTO-V2	NCIA
Additional XML Security Uniform Resource Identifiers (URIs)	IETF RFC 6931:2013	BINDING- CRYPTO-V2	NCIA
JSON Web Signature (JWS)	IETF RFC 7515:2015	BINDING- CRYPTO-V2	NCIA
Confidentiality Metadata Label Syntax - ADatP-4774 Edition A	NATO STANAG 4774 Ed 1:2017	BINDING- CRYPTO-V2	C3B CaP1 DM CaT

Title	Pubnum	Profiles	Responsible Party
Metadata Binding - ADatP-4778 Edition A	NATO STANAG 4778 Ed 1:2018	BINDING- CRYPTO-V2	C3B CaP1 DM CaT
Web Services Security: SOAP Message Security 1.1	OASIS wss-v1.1- spec-os- SOAPMessageSecurity	CRYPTO-V2	NCIA/CES
XML Security Algorithm Cross- Reference	W3C NOTE-xmlsec-algorithms-20130411:2		NCIA
XML-Signature Syntax and Processing (Second Edition)	W3C REC-xmldsig- core-20080610:2008	BINDING- CRYPTO-V2	NCIA
Errata for XML Signature 2nd Edition	W3C REC-xmldsig- core-20080610:2014	BINDING- CRYPTO-V2	NCIA
XML Signature Syntax and Processing Version 1.1	W3C REC-xmldsig- core1-20130411:2013	BINDING- CRYPTO-V2	NCIA
XML Encryption Syntax and Processing	W3C REC-xmlenc-core-20021210:2002	BINDING- CRYPTO-V2	NCIA
XML Encryption Syntax and Processing Version 1.1	W3C REC-xmlenc-core1-20130411:2013	BINDING- CRYPTO-V2	NCIA
XML Path Language 1.0	W3C REC- xpath-19991119:1999	BINDING- CRYPTO-V2	NCIA
XML Pointer Language (Xpointer)	W3C wd- xptr-20020816:2002	BINDING- CRYPTO-V2	NCIA
Infrastructure Processing Services			
Open Virtualization Format Specification, v.2.0.1	DMTF DSP0243:2013	BSP	C3B CaP1
X Window System, Version 11, release 7.5:2009	X-CONSORTIUM X11R7.5:2009	BSP	NCIA/CES
File System Storage Services			
Data Protocols for Multimedia Conferencing	ITU-T T.120:2007	BSP	NCIA/NSII
Domain Name Services			ı
Domain names - concepts and facilities	IETF RFC 1034:1987	FMN1, FMN2, FMN3,	FMN CPWG
Domain names - implementation and specification	IETF RFC 1035:1987	FMN1, FMN2, FMN3,	FMN CPWG
Clarifications to the DNS Specification	IETF RFC 2181:1997	FMN1, FMN2, FMN3,	FMN CPWG

revision: v12.2-82-g3770c9f

Title	Pubnum	Profiles	Responsible Party
A DNS RR for specifying the location of services (DNS SRV)	IETF RFC 2782:2000	FMN1, FMN2, FMN3,	FMN CPWG
Distributing Authoritative Name Servers via Shared Unicast Addresses		FMN2, FMN3,	FMN CPWG
Operation of Anycast Services	IETF RFC 4786:2006	FMN2, FMN3,	FMN CPWG
DNS Zone Transfer Protocol (AXFR)	IETF RFC 5936:2010	FMN2, FMN3,	FMN CPWG
DNS Transport over TCP - Implementation Requirements	IETF RFC 5966:2010	FMN2, FMN3,	FMN CPWG
Unique Origin Autonomous System Numbers (ASNs) per Node for Globally Anycasted Services		FMN2, FMN3,	FMN CPWG
Extension Mechanisms for DNS (EDNS(0))	IETF RFC 6891:2013	FMN2, FMN3,	FMN CPWG
Architectural Considerations of IP Anycast	IETF RFC 7094:2014	FMN2, FMN3,	FMN CPWG
Distributed Time Services			
Precision Time Protocol (PTP)	IEEE 1588:2008	BSP	NCIA/NSII
Network Time Protocol (NTP)	IETF RFC 5905:2010	FMN1, FMN2, FMN3,	FMN CPWG
Standard-frequency and time-signal emissions. Annex 1: Coordinated universal time (UTC)	ITU-R TF 460-6:2002	FMN1, FMN2, FMN3,	FMN CPWG
Working with Time Zones	W3C timezone:2005	BSP	NCIA/Sstrat/ Sea

3.3.3. Communications Services

Title	Pubnum	Profiles	Responsible Party
Communications Services			
Interface standard for LC connectors with protective housings related to IEC 61076-3-106		BSP	FMN CPWG
Station and Media Access Control Connectivity Discovery	IEEE 802.1AB:2009	BSP	NCIA/NSII

Title	Pubnum	Profiles	Responsible Party
Media Access Control (MAC) Bridges	IEEE 802.1D:2004	BSP	NCIA/NSII
Virtual Bridged Local Area Networks	IEEE 802.1Q:2005	BSP	NCIA/NSII
Rapid Reconfiguration of Spanning Tree	IEEE 802.1W:2002	BSP	NCIA/NSII
Single-mode fiber using 1,310 nm wavelength	IEEE 802.3-2012:2012	BSP	FMN CPWG
An Aplication of the BGP Community Attribute in Multi-Home Routing	IETF RFC 1998:1996	BSP	NCIA
A Flexible Method for Managing the Assignment of Bits of an IPv6 Address Block		BSP	NCIA
Considerations for Internet group Management protocols (IGMP) and Multicast listener Discovery Snooping Switches	IETF RFC 4541:2006	BSP	NCIA
IPv6 Stateless Address Autoconfiguration	IETF RFC 4862:2007	BSP	NCIA
Generic cabling for customer premises	ISO/IEC 11801:2002	BSP	FMN CPWG
Characteristics of a single-mode optical fibre and cable	ITU-T G.652:2016	BSP	FMN CPWG
Characteristics of a Robust, Non- Hopping Serial Tone Modulator/ Demodulator For Severely Degraded HF Radio Links	Ed A Ver 1:2015 /		C3B CaP1 Blos Comms
Multi-hop IP Networking with legacy UHF Radios: Mobile ad hoc relay Line of Sight Networking (MARLIN)	Ed A Ver 1:2016 /	BSP	C3B CaP1 LOS Comms CaT
Have Quick	NATO STANAG 4246 Ed 3:2009	BSP	C3B CaP1 LOS Comms CaT
Characteristics of 1200/2400/ 3600 bps single tone modulators for HF Radio links		BSP	C3B CaP1 Blos Comms

Title	Pubnum	Profiles	Responsible Party
Standards to Achieve Communication Between Single Channel Tactical Combat Net Radio Equipment and Frequency Hopping Radios Operating in the same VHF (30-108 MHz) Band	NATO STANAG 4292 Ed 2:1987	BSP	C3B CaP1 LOS Comms CaT
Saturn	NATO STANAG 4372 Ed 3:2008	BSP	C3B CaP1 LOS Comms CaT
Minimum Technical Equipment Standards For Naval HF Shore-to- Ship Broadcast Systems		BSP	C3B CaP1 Blos Comms
Characteristics of single tone modulators/demodulators for maritime HF radio links with 1240 Hz bandwidth	NATO STANAG 4529 Ed 1:1998	BSP	C3B CaP1 Blos Comms
Technical Standards for an Automatic Radio Control System (ARCS) for HF Communication Links	NATO STANAG 4538 Ed 1:2009	BSP	C3B CaP1 Blos Comms
Digital Interoperability between UHF communications terminals - Integrated Waveform (IWF)		BSP	C3B CaP1 SATCOM CaT
Minimum Standards for Naval low Frequency (LF) Shore-to-Ship Surface Broadcast Systems		BSP	C3B CaP1 Blos Comms
communications	NATO STANAG 5066 Ed 3:2015	BSP	C3B CaP1 Blos Comms
Communications Access Services			
System Segment Specification for the Multifunctional Information Distribution System (MIDS) Low- Volume Terminal and Ancillary Equipment, Rev. EG	1	BSP	NCIA/NSII
Physical/electrical characteristics of hierarchical digital interfaces	ITU-T G.703:2001	BSP	NCIA/NSII
Interoperable Data Links for Imaging Systems	NATO AEDP-7085 Ed A Ver 1:2011 / STANAG 7085 Ed 3	BSP	CNAD, AC/224

Title	Pubnum	Profiles	Responsible Party
			NAFAG, JCGISR
Tactical Data Exchange - Link 1 (Point-to-Point)	NATO ATDLP-5.01 Ed A Ver 1:2015 / STANAG 5501 Ed 7	BSP	C3B CaP1 TDL CaT
Technical Characteristics of the Multifunctional Information Distribution System (MIDS) - VOL I & II	NATO STANAG 4175 Ed 5:2014	BSP	C3B CaP1 TDL CaT
Standard Interfaces of UAV Control System (UCS) for NATO UAV Interoperability		BSP	CNAD, AC/141 NNAG, JCGUAS
Tactical Data Exchange - Link 11/11B	NATO STANAG 5511 Ed 6:2008	BSP	C3B CaP1 TDL CaT
NATO Improved Link Eleven (NILE) - Link 22	NATO STANAG 5522 Ed 2:2008	BSP	C3B CaP1 TDL CaT
Tactical Messaging Access Services			
Call Sign Book for Ships	CCEB ACP 113(AJ)	BSP	C3B NACP CaT
Information Assurance for Allied Communications and Information Systems	CCEB ACP 122(G)	BSP	C3B NACP CaT
Instructions for the Preparation of ACPs	CCEB ACP 198(O)	BSP	C3B NACP CaT
Maritime Tactical Wide Area Networking (Volume 1)	CCEB ACP 200(D):2013	BSP	C3B NACP CaT
Communications Instructions Internet Protocol (IP) Services	CCEB ACP 201(A)	BSP	C3B NACP CaT
Handling of ATOMAL Information Within Classified Communications Centres, NATO Supplement-2		BSP	C3B NACP CaT
Allied Naval and Maritime Air Communications Instructions, NATO Supplement-1		BSP	C3B NACP CaT
	NATO ACP 198 NS-1(G)	BSP	C3B NACP CaT

Title	Pubnum	Profiles	Responsible Party
Communications Publications (ACPs) - General & NATO Supps			
Tactical Data Exchange - Link 1 (Point-to-Point)	NATO ATDLP-5.01 Ed A Ver 1:2015 / STANAG 5501 Ed 7	BSP	C3B CaP1 TDL CaT
Standards for Interface of Data Links 1, 11, and 11B Through a Buffer	NATO ATDLP-6.01 Ed A Ver 1:2016 / STANAG 5601 Ed 7	BSP	C3B CaP1 TDL CaT
Technical Characteristics of the Multifunctional Information Distribution System (MIDS) - VOL I & II	4175 Ed 5:2014	BSP	C3B CaP1 TDL CaT
NATO Multi-channel Tactical Digital Gateway - System Standards		BSP	C3B CaP1 N&S CaT
NATO Multi-channel Digital Gateway-Multiplex Group Framing Standards		BSP	C3B CaP1 N&S CaT
International Routing and Directory for Tactical Communications Systems		BSP	C3B CaP1 N&S CaT
	NATO STANAG 5046 Ed 4:2015	BSP	C3B CaP1 N&S CaT
Tactical Data Exchange - Link 11/11B	NATO STANAG 5511 Ed 6:2008	BSP	C3B CaP1 TDL CaT
Standard for Joint Range Extension Application Protocol (JREAP)		BSP	C3B CaP1 TDL CaT
NATO Improved Link Eleven (NILE) - Link 22	NATO STANAG 5522 Ed 2:2008	BSP	C3B CaP1 TDL CaT
Standards for Data Forwarding between Tactical Data Systems employing Link 11/11B, Link 16 and Link 22	5616 Ed 5:2011	BSP	C3B CaP1 TDL CaT
Packet-based Access Services			,
Quality of service ranking and measurement methods for digital video services delivered over broadband IP networks		BSP	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
IP packet transfer and availability performance parameters	ITU-T Y.1540:2016	BSP	FMN CPWG
Network performance objectives for IP-based services	ITU-T Y.1541:2011	BSP	FMN CPWG
Framework for achieving end-to-end IP performance objectives	ITU-T Y.1542:2010	BSP	FMN CPWG
IPv4 Routed Access Services			
Host Extensions for IP Multicasting	IETF RFC 1112:1989	FMN1, FMN2, FMN3,	FMN CPWG
BGP Communities Attribute	IETF RFC 1997:1996	FMN1, FMN2, FMN3,	FMN CPWG
Administratively Scoped IP Multicast	IETF RFC 2365:1998	FMN1, FMN2, FMN3,	FMN CPWG
Definition of the Differentiated Services Field (DS Field) in the IPv4 and IPv6 Headers	IETF RFC 2474:1998	FMN1, FMN2, FMN3,	FMN CPWG
The Internet Multicast Address Allocation Architecture	IETF RFC 2908:2000	FMN1	FMN CPWG
IANA Guidelines for IPv4 Multicast Address Assignments	IETF RFC 3171:2001	FMN1	FMN CPWG
Internet Group Management Protocol, Version 3	IETF RFC 3376:2002	FMN1, FMN2, FMN3,	FMN CPWG
Capabilities Advertisement with BGP-4	IETF RFC 3392:2002	FMN1	FMN CPWG
Multicast Source Discovery Protocol (MSDP)	IETF RFC 3618:2003	FMN1, FMN2, FMN3,	FMN CPWG
Border Gateway Protocol 4 (BGP-4)	IETF RFC 4271:2006	FMN1, FMN2, FMN3,	FMN CPWG
BGP Extended Communities Attribute	IETF RFC 4360:2006	FMN1, FMN2, FMN3,	FMN CPWG
Configuration Guidelines for DiffServ Service Classes	IETF RFC 4594:2006	FMN1, FMN2, FMN3,	FMN CPWG
Protocol Independent Multicast - Sparse Mode (PIM-SM): Protocol Specification (Revised)		FMN1	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
Classless Inter-domain Routing (CIDR): The Internet Address Assignment and Aggregation Plan		FMN1, FMN2, FMN3,	FMN CPWG
Multiprotocol Extensions for BGP-4	IETF RFC 4760:2007	FMN1, FMN2, FMN3,	FMN CPWG
Operation of Anycast Services	IETF RFC 4786:2006	FMN2	FMN CPWG
The Generalized TTL Security Mechanism (GTSM)	IETF RFC 5082:2007	FMN2, FMN3,	FMN CPWG
Capabilities Advertisement with BGP-4	IETF RFC 5492:2009	FMN2, FMN3,	FMN CPWG
IANA Guidelines for IPv4 Multicast Address Assignments	IETF RFC 5771:2010	FMN2, FMN3,	FMN CPWG
Autonomous-System-Wide Unique BGP Identifier for BGP-4	IETF RFC 6286:2011	FMN2, FMN3,	FMN CPWG
Overview of the Internet Multicast Addressing Architecture	IETF RFC 6308:2011	FMN2, FMN3,	FMN CPWG
Unique Origin Autonomous System Numbers (ASNs) per Node for Globally Anycasted Services		FMN2	FMN CPWG
BGP Support for Four-Octet Autonomous System (AS) Number Space		FMN2, FMN3,	FMN CPWG
Architectural Considerations of IP Anycast	IETF RFC 7094:2014	FMN2	FMN CPWG
IANA Registries for BGP Extended Communities	IETF RFC 7153:2014	FMN2, FMN3,	FMN CPWG
Revised Error Handling for BGP UPDATE Messages	IETF RFC 7606:2015	FMN2, FMN3,	FMN CPWG
Protocol Independent Multicast - Sparse Mode (PIM-SM): Protocol Specification (Revised)		FMN2, FMN3,	FMN CPWG
Quality of service ranking and measurement methods for digital video services delivered over broadband IP networks		FMN1, FMN2, FMN3,	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
Performance objectives and procedures for provisioning and maintenance of IP-based networks	ITU-T M.2301:2002	FMN1, FMN2, FMN3,	FMN CPWG
IP packet transfer and availability performance parameters	ITU-T Y.1540:2016	FMN1, FMN2, FMN3,	FMN CPWG
Network performance objectives for IP-based services	ITU-T Y.1541:2011	FMN1, FMN2, FMN3,	FMN CPWG
Framework for achieving end-to-end IP performance objectives	ITU-T Y.1542:2010	FMN1, FMN2, FMN3,	FMN CPWG
Interoperability Point Quality of Service (IP QoS) - AComP-4711 Edition A		FMN3,	C3B CaP1 N&S CaT
Native Circuit-based Access Services			
Enhanced Digital Strategic Tactical Gateway (EDSTG)	NATO STANAG 4578 Ed 2:2009	BSP	C3B CaP1 N&S CaT
The NATO Military Communications Directory System	NATO STANAG 5046 Ed 4:2015	BSP	C3B CaP1 N&S CaT
Voice Access Services			
The 600 Bit/S, 1200 Bit/S AND 2400 Bit/S NATO Interoperable Narrow Band Voice Coder		BSP	C3B CaP1 N&S CaT
Transport Services			
PPP LCP Extensions	IETF RFC 1570:1994	BSP	NCIA/NSII
The Point-to-Point Protocol (PPP)	IETF RFC 1661:1994	BSP	NCIA/NSII
RIP Version 2 MIB Extensions	IETF RFC 1724:1994	BSP	NCIA/SMC
Application of the Border Gateway Protocol in the Internet	IETF RFC 1772:1995	BSP	FMN CPWG
Requirements for IP Version 4 Routers	IETF RFC 1812:1995	BSP	FMN CPWG
The PPP Multilink Protocol (MP)	IETF RFC 1990:1996	BSP	NCIA/NSII
BGP Communities Attribute	IETF RFC 1997:1996	BSP	FMN CPWG
ISO Transport Service on top of TCP (ITOT)	IETF RFC 2126:1997	BSP	NCIA/NSII
Resource ReSerVation Protocol (RSVP) Version 1 Functional Specification	IETF RFC 2205:1997	BSP	NCIA/NSII

Title	Pubnum	Profiles	Responsible Party
OSPF Version 2 (STD-54)	IETF RFC 2328:1998	BSP	NCIA/NSII
RIP Version 2	IETF RFC 2453:1998	BSP	FMN CPWG
Definition of the Differentiated Services Field (DS Field) in the IPv4 and IPv6 Headers		BSP	FMN CPWG
Traditional IP Network Address Translation (NAT)	IETF RFC 3022:2001	BSP	NCIA/NSII
Layer Two Tunnelling Protocol (L2TP) Differentiated Services Extension	IETF RFC 3308:2002	BSP	NCIA/NSII
IP Mobility Support for IPv4	IETF RFC 3344:2002	BSP	NCIA/NSII
Multicast Source Discovery Protocol (MSDP)	IETF RFC 3618:2003	BSP	FMN CPWG
Virtual Router Redundancy Protocol	IETF RFC 3768:2004	BSP	NCIA/NSII
Encapsulating MPLS in IP or Generic Routing Encapsulation (GRE)	IETF RFC 4023:2005	BSP	NCIA/NSII
Border Gateway Protocol 4 (BGP-4)	IETF RFC 4271:2006	BSP	FMN CPWG
BGP Extended Communities Attribute	IETF RFC 4360:2006	BSP	FMN CPWG
Configuration Guidelines for DiffServ Service Classes	IETF RFC 4594:2006	BSP	FMN CPWG
Protocol Independent Multicast - Sparse Mode (PIM-SM): Protocol Specification (Revised)		BSP	FMN CPWG
Multiprotocol Extensions for BGP-4	IETF RFC 4760:2007	BSP	FMN CPWG
Capabilities Advertisement with BGP-4	IETF RFC 5492:2009	BSP	FMN CPWG
4-Octet AS Specific BGP Extended Community	IETF RFC 5668:2009	BSP	FMN CPWG
User Datagram Protocol (UDP)	IETF RFC 768:1980	BSP	NCIA/NSII
Intermediate System to Intermediate System intra-domain routeing information exchange protocol for use in conjunction with the protocol		BSP	NCIA/NSII

Title	Pubnum	Profiles	Responsible Party
for providing the connectionless-mode network service (ISO 8473)			
Microsoft Windows Sockets (Winsock) Version 2.0	Microsoft	BSP	NCIA/CES
Networking Framework for All-IP Transport Services (NETIP)	NATO AComP-4731 Ed A Ver 1:2017 / STANAG 4731 Ed 1	BSP	C3B CaP1 N&S CaT
Packet-based Transport Services			
Interface standard for LC connectors with protective housings related to IEC 61076-3-106		FMN1, FMN2, FMN3,	FMN CPWG
Single-mode fiber using 1,310 nm wavelength	IEEE 802.3-2012:2012	FMN1, FMN2	FMN CPWG
IEEE Standard for Ethernet	IEEE 802.3:2018	FMN3,	FMN CPWG
IP Encapsulation within IP	IETF RFC 2003:1996	BSP	NCIA/NSII
Routing Information Protocol next generation for IPv6 (RIPng)	IETF RFC 2080:1997	FMN3,	NCIA/NSII
Internet Group Management Protocol, Version 2	IETF RFC 2236:1997	BSP	NCIA/NSII
RIP Version 2	IETF RFC 2453:1998	FMN3,	FMN CPWG
Definition of the Differentiated Services Field (DS Field) in the IPv4 and IPv6 Headers	IETF RFC 2474:1998	FMN1, FMN2, FMN3,	FMN CPWG
Generic Routing Encapsulation (GRE)	IETF RFC 2784:2000	FMN1, FMN2, FMN3,	FMN CPWG
Key and Sequence Number Extensions to GRE	IETF RFC 2890:2000	FMN1, FMN2	FMN CPWG
IANA Assigned Numbers	IETF RFC 3232:2002	BSP	NCIA/NSII
IP Encapsulating Security Payload (ESP)	IETF RFC 4303:2005	FMN1, FMN2, FMN3,	FMN CPWG
Configuration Guidelines for DiffServ Service Classes	IETF RFC 4594:2006	FMN1, FMN2, FMN3,	FMN CPWG
IKE and IKEv2 Authentication Using the Elliptic Curve Digital Signature Algorithm (ECDSA)	IETF RFC 4754:2007	FMN2, FMN3,	C3B CaP4

Title	Pubnum	Profiles	Responsible Party
Elliptic Curve Groups modulo a Prime (ECP Groups) for IKE and IKEv2	IETF RFC 5903:2010	FMN2, FMN3,	FMN CPWG
Internet Key Exchange Protocol Version 2 (IKEv2)	IETF RFC 7296:2014	FMN3,	FMN CPWG
Signature Authentication in the Internet Key Exchange Version 2 (IKEv2)	IETF RFC 7427:2015	FMN3,	FMN CPWG
Generic Raw Public-Key Support for IKEv2	IETF RFC 7670:2016	FMN2, FMN3,	FMN CPWG
Internet Protocol, version 4	IETF RFC 791:1981	BSP	NCIA/NSII
Ethernet Address Resolution Protocol	IETF RFC 826:1982	FMN1, FMN2, FMN3,	NCIA/NSII
Requirements for Internet Hosts - Communication Layers	IETF STD 89:1989	BSP	NCIA/NSII
Generic cabling for customer premises	ISO/IEC 11801:2002	FMN1, FMN2	FMN CPWG
Information technology Generic cabling for customer premises Part 1: General requirements		FMN3,	FMN CPWG
Characteristics of a single-mode optical fibre and cable	ITU-T G.652:2016	FMN1, FMN2, FMN3,	FMN CPWG
Quality of service ranking and measurement methods for digital video services delivered over broadband IP networks		FMN1, FMN2, FMN3,	FMN CPWG
Performance objectives and procedures for provisioning and maintenance of IP-based networks	ITU-T M.2301:2002	FMN1, FMN2, FMN3,	FMN CPWG
IP packet transfer and availability performance parameters	ITU-T Y.1540:2016	FMN1, FMN2, FMN3,	FMN CPWG
Network performance objectives for IP-based services	ITU-T Y.1541:2011	FMN1, FMN2, FMN3,	FMN CPWG
Framework for achieving end-to-end IP performance objectives	ITU-T Y.1542:2010	FMN1, FMN2, FMN3,	FMN CPWG
Standard for Gateway Multichannel Cable Link (Optical)	NATO STANAG 4290 Ed 1:2015	FMN1	C3B CaP1 N&S CaT

Title	Pubnum	Profiles	Responsible Party
Interoperability Point Quality of Service (IP QoS) - AComP-4711 Edition A	1	FMN3,	C3B CaP1 N&S CaT
Circuit-based Transport Services			
Enhanced Digital Strategic Tactical Gateway (EDSTG)	NATO STANAG 4578 Ed 2:2009	BSP	C3B CaP1 N&S CaT
The NATO Military Communications Directory System	NATO STANAG 5046 Ed 4:2015	BSP	C3B CaP1 N&S CaT
Packet Routing Services			
Host Extensions for IP Multicasting	IETF RFC 1112:1989	FMN1, FMN2, FMN3,	FMN CPWG
BGP Communities Attribute	IETF RFC 1997:1996	FMN1, FMN2, FMN3,	FMN CPWG
Administratively Scoped IP Multicast	IETF RFC 2365:1998	FMN1, FMN2, FMN3,	FMN CPWG
The Internet Multicast Address Allocation Architecture	IETF RFC 2908:2000	FMN1	FMN CPWG
IANA Guidelines for IPv4 Multicast Address Assignments	IETF RFC 3171:2001	FMN1	FMN CPWG
Internet Group Management Protocol, Version 3	IETF RFC 3376:2002	FMN1, FMN2, FMN3,	FMN CPWG
Capabilities Advertisement with BGP-4	IETF RFC 3392:2002	FMN1	FMN CPWG
Multicast Source Discovery Protocol (MSDP)	IETF RFC 3618:2003	FMN1, FMN2, FMN3,	FMN CPWG
Border Gateway Protocol 4 (BGP-4)	IETF RFC 4271:2006	FMN1, FMN2, FMN3,	FMN CPWG
BGP Extended Communities Attribute	IETF RFC 4360:2006	FMN1, FMN2, FMN3,	FMN CPWG
Protocol Independent Multicast - Sparse Mode (PIM-SM): Protocol Specification (Revised)	IETF RFC 4601:2006	FMN1	FMN CPWG
Classless Inter-domain Routing (CIDR): The Internet Address Assignment and Aggregation Plan	IETF RFC 4632:2006	FMN1, FMN2, FMN3,	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
Multiprotocol Extensions for BGP-4	IETF RFC 4760:2007	FMN1, FMN2, FMN3,	FMN CPWG
Operation of Anycast Services	IETF RFC 4786:2006	FMN2	FMN CPWG
The Generalized TTL Security Mechanism (GTSM)	IETF RFC 5082:2007	FMN2, FMN3,	FMN CPWG
Capabilities Advertisement with BGP-4	IETF RFC 5492:2009	FMN2, FMN3,	FMN CPWG
IANA Guidelines for IPv4 Multicast Address Assignments	IETF RFC 5771:2010	FMN2, FMN3,	FMN CPWG
Autonomous-System-Wide Unique BGP Identifier for BGP-4	IETF RFC 6286:2011	FMN2, FMN3,	FMN CPWG
Overview of the Internet Multicast Addressing Architecture	IETF RFC 6308:2011	FMN2, FMN3,	FMN CPWG
Unique Origin Autonomous System Numbers (ASNs) per Node for Globally Anycasted Services	IETF RFC 6382:2011	FMN2	FMN CPWG
BGP Support for Four-Octet Autonomous System (AS) Number Space	IETF RFC 6793:2012	FMN2, FMN3,	FMN CPWG
Architectural Considerations of IP Anycast	IETF RFC 7094:2014	FMN2	FMN CPWG
IANA Registries for BGP Extended Communities	IETF RFC 7153:2014	FMN2, FMN3,	FMN CPWG
Revised Error Handling for BGP UPDATE Messages	IETF RFC 7606:2015	FMN2, FMN3,	FMN CPWG
Protocol Independent Multicast - Sparse Mode (PIM-SM): Protocol Specification (Revised)	I .	FMN2, FMN3,	FMN CPWG
Standard for Interconnection of IPv4 Networks at Mission Secret and Unclassified Security Levels		BSP	C3B CaP1 N&S CaT
Transmission Services			
Generic Specification for Optical Waveguide Fibers	EIA TIA/ EIA-492000-A:1997	BSP	NCIA/NSII
VLF / LF MSK Multi Channel Broadcast	NATO AComP-4724 Ed A Ver 1:2015 / STANAG 4724 Ed 1	BSP	C3B CaP1 Blos Comms

Title	Pubnum	Profiles	Responsible Party
Single and Multichannel VLF and LF On-Line Broadcast and Off-Line OOK Systems		BSP	C3B CaP1 Blos Comms
Wired Transmission Services			
Standard for optical connector medium-rate and high-rate military tactical link	1	BSP	C3B CaP1 N&S CaT
Wired Local Area Transmission Se	ervices		
Standard for optical connector medium-rate and high-rate military tactical link		BSP	C3B CaP1 N&S CaT
Wired Metropolitan Area Transmi	ssion Services		
Standard for optical connector medium-rate and high-rate military tactical link		BSP	C3B CaP1 N&S CaT
Wired Wide Area Transmission Se	rvices		
Standard for optical connector medium-rate and high-rate military tactical link			C3B CaP1 N&S CaT
Wireless LOS Mobile Transmission	n Services		
Bluetooth 4.2	Bluetooth SIG bluetooth42:2014	BSP	NCIA/NSII
Wireless LOS Mobile Narrowband	Transmission Service	S	,
Technical standards for single channel UHF radio equipment		BSP	C3B CaP1 LOS Comms CaT
Technical standards for single channel HF radio equipment	NATO STANAG 4203 Ed 3:2007	BSP	C3B CaP1 Blos Comms
Technical standards for single channel VHF radio equipment	NATO STANAG 4204 Ed 3:2008	BSP	C3B CaP1 LOS Comms CaT
Voice Coding Algorithm	NATO STANAG 4444 Ed 1:2015	BSP	C3B CaP1 Blos Comms
Overall Super High Frequency (SHF) Military Satellite Communications (MILSATCOM) Interoperability Standards	4484 Ed 3:2015	BSP	C3B CaP1 SATCOM CaT

revision: v12.2-82-g3770c9f

Title	Pubnum	Profiles	Responsible Party
Wireless LOS Mobile Wideband T	ransmission Services		
Technical Characteristics of the Multifunctional Information Distribution System (MIDS) - VOL I & II		BSP	C3B CaP1 TDL CaT
Wireless BLOS Static Wideband T	ransmission Services		
Interoperability standard for Satellite Broadcast Services (SBS))	NATO STANAG 4622 Ed 1:2018	BSP	C3B CaP1 SATCOM CaT
Wireless BLOS Mobile Transmissi	on Services		
Super High Frequency (SHF) Military Satellite Communications (MILSATCOM) Frequency Division Multiple Access (FDMA) Non-EPM Modem for Services Conforming to Class-B Of STANAG 4484	Ed A Ver 1:2016 / STANAG 4486 Ed 4	BSP	C3B CaP1 SATCOM CaT
Digital interoperability between EHF Tactical Satellite Communications Terminals		BSP	C3B CaP1 SATCOM CaT
SHF Milsatcom Non-EPM Modem for Services Conforming to Class-A Of STANAG 4484		BSP	C3B CaP1 SATCOM CaT
Extremely High Frequency(EHF) Military Satellite Communications(MILSATCOM) Interoperability Standards for Medium Data Rate Services	4522 Ed 1:2006	BSP	C3B CaP1 SATCOM CaT
Wireless BLOS Mobile Narrowband Transmission Services			
Technical standards for single channel HF radio equipment	NATO STANAG 4203 Ed 3:2007	BSP	C3B CaP1 Blos Comms

3.3.4. Cloud Services

Title	Pubnum		Responsible Party
Virtualisation			
Open Virtualization Format (OVF) specification	ISO/IEC 17203:2011	BSP	NCIA/CES

Title	Pubnum	Profiles	Responsible Party
Cloud Computing		,	
Information technology - Cloud computing - Overview and vocabulary		BSP	NCIA/CES
Information technology - Cloud computing - Reference architecture	ISO/IEC 17789:2014	BSP	NCIA/CES
Information technology - Cloud Data Management Interface (CDMI)	ISO/IEC 17826:2012	BSP	NCIA/CES
Information Technology - Cloud Computing - Interoperability and Portability	1	BSP	NCIA/CES
Information technology - Cloud Data Management Interface (CDMI)	ISO/IEC CD 17826	BSP	NCIA/CES
Information technology - Distributed Application Platforms and Services (DAPS) - General technical principles of Service Oriented Architecture		BSP	NCIA/Sstrat/ Sea
Information Technology Cloud Computing Data and their Flow across Devices and Cloud Services	ISO/IEC WD 19944	BSP	NCIA/CES
IT Infrastructure Management			
Web Services for Management (WS-Management) Specification	ISO/IEC 17963:2013	BSP	NCIA/SMC

3.3.5. Directory Data Synchronization Services

Title	Pubnum	Profiles	Responsible Party
Directory Data Synchronization Se	ervices		
The TLS Protocol Version 1.0	IETF RFC 2246:1999	SIP-FOR-TLS	FMN CPWG
Transport Layer Security Protocol Compression Methods	IETF RFC 3749:2004	SIP-FOR-TLS	FMN CPWG
The Transport Layer Security (TLS) Protocol Version 1.1	IETF RFC 4346:2006	SIP-FOR-TLS	FMN CPWG
Elliptic Curve Cryptography (ECC) Cipher Suites for Transport Layer Security (TLS)		SIP-FOR-TLS	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
Transport Layer Security (TLS)	IETF RFC 5246:2008	SIP-FOR-TLS	C3B CaP4
Internet X.509 Public Key Infrastructure Certificate and CRL Profile	IETF RFC 5280:2008	SIP-FOR-TLS	FMN CPWG
Transport Layer Security (TLS) Renegotiation Indication Extension	IETF RFC 5746:2010	SIP-FOR-TLS	FMN CPWG
Transport Layer Security (TLS) Extensions: Extension Definitions	IETF RFC 6066:2011	SIP-FOR-TLS	FMN CPWG
The Secure Sockets Layer (SSL) Protocol Version 3.0	IETF RFC 6101:2011	SIP-FOR-TLS	FMN CPWG
Representation and Verification of Domain-Based Application Service Identity within Internet Public Key Infrastructure Using X.509 (PKIX) Certificates in the Context of Transport Layer Security (TLS)		SIP-FOR-TLS	FMN CPWG
Prohibiting Secure Sockets Layer (SSL) Version 2.0	IETF RFC 6176:2011	SIP-FOR-TLS	FMN CPWG
Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS) Heartbeat Extension		SIP-FOR-TLS	FMN CPWG
X.509 Internet Public Key Infrastructure Online Certificate Status Protocol - OCSP	IETF RFC 6960:2013	SIP-FOR-TLS	FMN CPWG
The Transport Layer Security (TLS) Multiple Certificate Status Request Extension		SIP-FOR-TLS	FMN CPWG
Encrypt-then-MAC for Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS)		SIP-FOR-TLS	FMN CPWG
Recommendations for Secure Use of Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS)		SIP-FOR-TLS	FMN CPWG
Deprecating Secure Sockets Layer Version 3.0	IETF RFC 7568:2015	SIP-FOR-TLS	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
Transport Layer Security (TLS) Session Hash and Extended Master Secret Extension		SIP-FOR-TLS	FMN CPWG
Negotiated Finite Field Diffie- Hellman Ephemeral Parameters for Transport Layer Security (TLS)		SIP-FOR-TLS	FMN CPWG
Transmission Control Protocol	IETF RFC 793:1981	SIP-FOR-TLS	FMN CPWG
The SSL Protocol	IETF RFC SSL2:1995	SIP-FOR-TLS	FMN CPWG

3.3.6. Archive Profile

Title	Pubnum	Profiles	Responsible Party
Data sets (e.g. scientific data) and types	any structured inform	nation not fitting	other content
Common Format and MIME Type for Comma-Separated Values (CSV) Files		ARCHIVE- ARCHIVE	NCIA/CES
Extensible Markup Language (XML) version 1.1 (Second Edition)	W3C REC- xml11-20060816:2006	ARCHIVE- ARCHIVE	NCIA/CES
XML Schema Definition Language (XSD) 1.1 Part 1: Structures	W3C REC- xmlschema11-1-20120	ARCHIVE- 40R.COUZ/E	NATO Archive Committee
XML Schema Definition Language (XSD) 1.1 Part 2: Datatypes	W3C REC- xmlschema11-2-20120	ARCHIVE- 40R.COUZVE	NATO Archive Committee
Database content			
Database languages - SQL - Part 1: Framework	ISO/IEC 9075-1:2011	ARCHIVE- ARCHIVE	NCIA/Sstrat/ Sea
Geospatial information (e.g. GIS d	ata)		
OGC KML	OGC 07-147r2:2008	ARCHIVE- ARCHIVE	FMN CPWG
OGC GeoPackage Encoding Standard V1.0.	OGC 12-128r10:2004	ARCHIVE- ARCHIVE	NCIA/AWG
Video files	1		

revision: v12.2-82-g3770c9f	revision:	v12.	.2-82-	·q37	70c9f
-----------------------------	-----------	------	--------	------	-------

Pubnum	Profiles	Responsible Party
ISO/IEC 13818-2:2000	ARCHIVE- ARCHIVE	NCIA/CES
ISO/IEC 14496-10:2012	ARCHIVE- ARCHIVE	NCIA/CES
ISO/IEC 14496-2:2004	ARCHIVE- ARCHIVE	NCIA/CES
EBU Tech 3285:2011	ARCHIVE- ARCHIVE	NATO Archive Committee
ISO/IEC 11172-3:1993	ARCHIVE- ARCHIVE	NCIA/NSII
ISO/IEC 13818-3:1998	ARCHIVE- ARCHIVE	NCIA/CES
		·
ADOBE tiff:1992	ARCHIVE- ARCHIVE	NATO Archive Committee
ISO/IEC 10918-1:1994	ARCHIVE- ARCHIVE	FMN CPWG
ISO/IEC 15444-1:2004	ARCHIVE- ARCHIVE	NCIA/JISR
		·
		NATO Archive Committee
n MS Office document	formats (docx,	xlsx, pptx)
ISO 32000-1:2008	ARCHIVE- ARCHIVE	FMN CPWG
1	1	1
IETF RFC 4155:2005	ARCHIVE- ARCHIVE	NCIA/CES
	ISO/IEC 13818-2:2000 ISO/IEC 14496-10:2012 ISO/IEC 14496-2:2004 EBU Tech 3285:2011 ISO/IEC 11172-3:1993 ISO/IEC 13818-3:1998 ADOBE tiff:1992 ISO/IEC 10918-1:1994 ISO/IEC 15444-1:2004 W3C SVG11-20110816:201 m MS Office document ISO 32000-1:2008	ISO/IEC

Title	Pubnum	Profiles	Responsible Party
Chat (e.g. JChat conversations)			
The application/mbox Media Type	IETF RFC 4155:2005	ARCHIVE- ARCHIVE	NCIA/CES
Document management Portable document format Part 1: PDF 1.7	ISO 32000-1:2008	ARCHIVE- ARCHIVE	FMN CPWG
Web sites and portals			
MIME Encapsulation of Aggregate Documents, such as HTML (MHTML)	IETF RFC 2557:2006	ARCHIVE- ARCHIVE	NCIA/CES
Information and documentation	ISO 28500:2009	ARCHIVE- ARCHIVE	NATO Archive Committee

3.3.7. Extended C3 Taxonomy

018. The following table list taxonomy nodes, which will be part of a future version of the C3 taxonomy. They are part of this document, because stakesholders have decided to using an unofficial classification scheme for a specific purpose.

3.4. UN-ASSIGNED STANDARDS

019. The following standards have been declared mandatory standards for NATO common funded system. However, no information of how to map the standards to the C3 Taxonomy have been provided.

Title	Pubnum	Profiles	Responsible Party
Undefined Taxonomy Node			
Common Directory Services and Procedures	CCEB ACP 133(C):2008		C3B NACP CaT
WS-Federation: Passive Requestor Profile	IBM passive- request:2003	SIP-TOKEN	NCIA
MIME - Part 2: Media Types	IETF RFC 2046:1996	FMN2, SIP- REST-MSG	FMN CPWG
HyperText Transfer Protocol (HTTP), version 1.1	IETF RFC 2616:1999	FMN2, SIP- REST, SIP- REST-MSG	FMN CPWG
HTTP Authentication: Basic and Digest Access Authentication	IETF RFC 2617:1999	FMN2, SIP- REST	NCIA

Title	Pubnum	Profiles	Responsible Party
Definition of the inetOrgPerson LDAP Object Class	IETF RFC 2798:2000	SIP-ENTR-DIR	FMN CPWG
XML Media Types	IETF RFC 3023:2001	FMN2, SIP- REST-MSG	NCIA
Uniform Resource Identifiers (URI): Generic Syntax	IETF RFC 3986:2005	FMN2, SIP- REST-MSG	FMN CPWG
The Kerberos Network Authentication Service (V5)	IETF RFC 4120:2005	FMN2, SIP- REST	FMN CPWG
The Kerberos Version 5 Generic Security Service Application Program Interface (GSS-API) Mechanism: Version 2	IETF RFC 4121:2005	SIP-BCS	FMN CPWG
Simple Authentication and Security Layer (SASL)	IETF RFC 4422:2006	SIP-BCS	FMN CPWG
Anonymous Simple Authentication and Security Layer (SASL) Mechanism		SIP-BCS	FMN CPWG
LDAP: Technical Specification Road Map	IETF RFC 4510:2006	SIP-ENTR-DIR	FMN CPWG
LDAP: The Protocol	IETF RFC 4511:2006	SIP-ENTR-DIR	FMN CPWG
LDAP: Directory Information Models	IETF RFC 4512:2006	SIP-ENTR-DIR	FMN CPWG
LDAP: Authentication Methods and Security Mechanisms	IETF RFC 4513:2006	SIP-ENTR-DIR	FMN CPWG
LDAP: String Representation of Distinguished Names	IETF RFC 4514:2006	SIP-ENTR-DIR	FMN CPWG
LDAP: String Representation of Search Filters	IETF RFC 4515:2006	SIP-ENTR-DIR	FMN CPWG
LDAP: Uniform Resource Locator	IETF RFC 4516:2006	SIP-ENTR-DIR	FMN CPWG
LDAP: Syntaxes and Matching Rules	IETF RFC 4517:2006	SIP-ENTR-DIR	FMN CPWG
LDAP: Internationalized String Preparation	IETF RFC 4518:2006	SIP-ENTR-DIR	FMN CPWG
LDAP: Schema for User Applications	IETF RFC 4519:2006	SIP-ENTR-DIR	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
SPNEGO-based Kerberos and NTLM HTTP Authentication in Microsoft Windows	IETF RFC 4559:2006	FMN2, SIP- REST	NCIA
The PLAIN Simple Authentication and Security Layer (SASL) Mechanism	IETF RFC 4616:2006	SIP-BCS	FMN CPWG
The application/json Media Type for JavaScript Object Notation (JSON)	IETF RFC 4627:2006	FMN2, SIP- REST-MSG	FMN CPWG
The Kerberos v5 Simple Authentication and Security Layer (SASL) Mechanism	IETF RFC 4752:2006	SIP-BCS	FMN CPWG
Transport Layer Security (TLS)	IETF RFC 5246:2008	FMN2, SIP-BCS, SIP-REST	C3B CaP4
Secure/Multipurpose Internet Mail Extensions (S/MIME) Version 3.2 Message Specification	IETF RFC 5751:2010	FMN2, SIP- REST	NCIA
Extensible Messaging and Presence Protocol (XMPP): Core	IETF RFC 6120:2011	SIP-BCS, SIP- MESG-COL- SERV	NCIA
Extensible Messaging and Presence Protocol (XMPP): Instant Messaging and Presence	IETF RFC 6121:2011	SIP-BCS, SIP- MESG-COL- SERV	NCIA
Extensible Messaging and Presence Protocol (XMPP): Address Format	IETF RFC 6122:2011	SIP-BCS, SIP- MESG-COL- SERV	NCIA
The OAuth 2.0 Authorization Framework	IETF RFC 6749:2012	FMN2, SIP- REST	NCIA
The OAuth 2.0 Authorization Framework: Bearer Token Usage	IETF RFC 6750:2012	FMN2, SIP- REST	NCIA
Assertion Framework for OAuth 2.0 Client Authentication and Authorization Grants	IETF RFC 7521:2015	FMN2, SIP- REST	NCIA
Security Assertion Markup Language (SAML) 2.0 Profile for OAuth 2.0 Client Authentication and Authorization Grants	IETF RFC 7522:2015	FMN2, SIP- REST	NCIA

Title	Pubnum	Profiles	Responsible Party
WS-BrokeredNotification 1.3	OASIS wsn-ws_brokered_notificati spec-os:2006	SIP-NOTIF- ©ACHE, SIP- PUBSUB, SIP- PUBSUB- NOTIF- BROOKER	NCIA/CES
OASIS Security Services (SAML)	OASIS saml:2009	FMN2, SIP- POLICY- ENFORCE, SIP- REST, SIP-SEC	NCIA
WS-BaseNotification	OASIS ws-notif:2006	SIP-NOTIF- CACHE, SIP- PUBSUB, SIP- PUBSUB- NOTIF- BROOKER, SIP- PUBSUB- NOTIF- CONSUMER	NCIA/CES
WS-Topics 1.3	OASIS wsn- ws_topics-1.3-spec- os:2006	SIP-PUBSUB, SIP-PUBSUB- NOTIF- BROOKER	NCIA/CES
Web Services Federation Language (WS-Federation) Version 1.1	OASIS wsfed-1.1:2006	SIP-TOKEN	NCIA/CES
Web Services Base Faults 1.2	OASIS wsrf- ws_base_faults-1.2- spec-os :2006	SIP-NOTIF- CACHE	NCIA
SAML Token Profile 1.1	OASIS wss-v1.1- errata-os- SAMLTokenProfile:20	SIP-POLICY- ENFORCE, SIP- SÆC	C3B CaP4
Web Services Security X.509 Certificate Token Profile 1.1 OASIS Standard incorporating Approved Errata	spec-errata-os-	ENFORCE	NCIA
Web Services Security: SOAP Message Security 1.1	OASIS wss-v1.1- spec-os- SOAPMessageSecurity	ENFORCE, SIP-	NCIA/CES

Title	Pubnum	Profiles	Responsible Party
WS-Trust 1.4	OASIS wstrust-1.4:2012	SIP-TOKEN	NCIA/CS
OpenGIS Styled Layer Descriptor (SLD) Profile of the Web Map Service Implementation Specification	I .	SIP-GEO-MRS	NCIA
Open GIS Web Map Service Implementation Specification	OGC 06-042:2006	SIP-GEO-MRS	FMN CPWG
Web Services Common Implementation Specification v2.0.0	OGC 06-121r9:2010	SIP-GEO-MRS	NCIA
OpenGIS Web Map Tile Service Implementation Standard	OGC 07-057r7:2010	SIP-GEO-MRS	NCIA/AWG
Web Services Addressing 1.0 - Core	W3C REC-ws-addr-core-20060509:2006	SIP-MESG, SIP-NOTIF-CACHE, SIP-PUBSUB, SIP-PUBSUB-NOTIF-CONSUMER	FMN CPWG
Simple Object Access Protocol (SOAP)	W3C NOTE- SOAP-20000508:2000	SIP-MESG	NCIA
SOAP Version 1.2 Part 1: Messaging Framework	W3C REC-soap12- part1-20030624:2003	SIP-MESG	NCIA
Web Services Description Language (WSDL) Version 2.0 Part 1: Core Language		·	NCIA/Sstrat/ Sea
XML-Signature Syntax and Processing (Second Edition)	W3C REC-xmldsig-core-20080610:2008	FMN2, SIP- POLICY- ENFORCE, SIP- REST, SIP-SEC	NCIA
XML Encryption Syntax and Processing	W3C REC-xmlenc-core-20021210:2002	FMN2, SIP- POLICY- ENFORCE, SIP- REST, SIP-SEC	NCIA
XML Path Language 1.0	W3C REC- xpath-19991119:1999	SIP-PUBSUB, SIP-PUBSUB- NOTIF- BROOKER	NCIA

Title	Pubnum	Profiles	Responsible Party
Basic Security Profile Version 1.1	WS-I BasicSecurityProfile-1	SIP-POLICY- EXIDIOROE24SHPa SEC	C3B CaP4 :2010
WS-I Basic Profile 1.2	WS-I BP12:2010	SIP-MESG	NCIA/CES
WS-I Basic Profile 2.0	WS-I wsbp:2010	SIP-MESG	NCIA/CES
XEP-0004: Data Forms	XMPP XEP-0004:2007	SIP-MESG- COL-SERV	FMN CPWG
XEP-0030: Service Discovery	XMPP XEP-0030:2008	SIP-MESG- COL-SERV	FMN CPWG
XEP-0033: Extended Stanza Addressing	XMPP XEP-0033:2004	SIP-MESG- COL-SERV	NCIA
XEP-0045: Multi-User Chat	XMPP XEP-0045:2012	SIP-MESG- COL-SERV	FMN CPWG
XEP-0048: Bookmarks	XMPP XEP-0048:2007	SIP-MESG- COL-SERV	NCIA
XEP-0053: XMPP Registrar Function	XMPP XEP-0053:2008	SIP-MESG- COL-SERV	NCIA
XEP-0054: vcard-temp	XMPP XEP-0054:2008	SIP-MESG- COL-SERV	FMN CPWG
XEP-0055: Jabber Search	XMPP XEP-0055:2009	SIP-MESG- COL-SERV	FMN CPWG
XEP-0060: Publish-Subscribe	XMPP XEP-0060:2010	SIP-MESG- COL-SERV	NCIA
XEP-0068: Field Standardization for Data Forms	XMPP XEP-0068:2012	SIP-MESG- COL-SERV	NCIA
XEP-0079: Advanced Message Processing	XMPP XEP-0079:2005	SIP-MESG- COL-SERV	NCIA
XEP-0080: User Location	XMPP XEP-0080:2014	SIP-MESG- COL-SERV	NCIA
XEP-0082: XMPP Date and Time Profiles	XMPP XEP-0082:2013	SIP-MESG- COL-SERV	FMN CPWG
XEP-0122: Data Forms Validation	XMPP XEP-0122:2004	SIP-MESG- COL-SERV	NCIA
XEP-0127: Common Alerting Protocol (CAP) Over XMPP	XMPP XEP-0127:2004	SIP-MESG- COL-SERV	NCIA

Title	Pubnum	Profiles	Responsible Party
XEP-0138: Stream Compression	XMPP XEP-0138:2009	SIP-BCS, SIP- MESG-COL- SERV	NCIA
XEP-0141: Data Forms Layout	XMPP XEP-0141:2005	SIP-MESG- COL-SERV	NCIA
XEP-0198: Stream Management	XMPP XEP-0198:2011	SIP-BCS, SIP- MESG-COL- SERV	NCIA
XEP-0199: XMPP Ping	XMPP XEP-0199:2009	SIP-BCS, SIP- MESG-COL- SERV	NCIA
XEP-0202: Entity Time	XMPP XEP-0202:2009	SIP-MESG- COL-SERV	NCIA
XEP-0203: Delayed Delivery	XMPP XEP-0203:2009	SIP-MESG- COL-SERV	FMN CPWG
XEP-0220: Server Dialback	XMPP XEP-0220:2013	SIP-BCS, SIP- MESG-COL- SERV	FMN CPWG
XEP-0256: Last Activity in Presence	XMPP XEP-0256:2009	SIP-MESG- COL-SERV	NCIA
XEP-0258: Security Labels in XMPP	XMPP XEP-0258:2013	SIP-MESG- COL-SERV	NCIA
XEP-0228: Bidirectional Server-to- Server Connections	XMPP XEP-0288:2010	SIP-BCS, SIP- MESG-COL- SERV	FMN CPWG

revision: v12.2-82-g3770c9f

CHAPTER 4. AGREED PROFILES

4.1. INTRODUCTION

020. The NATO Interoperability Standards and Profiles include the set of Agreed Profiles listed below.

Table 4.1. Agreed Profiles

Service Area	Title
Abstract	
URI	ID
Federated Mission Networking	FMN Spiral 1.1 Profile
Defines the Standards Profile for Federated M Standards Profiles provide a suite of interopera profiles for interoperability of selected commu and communications services in a federation of interoperability requirements, standards and sp	ability standards and other standardized unity of interest services, core services f mission networks. It places the required
NISP-V2-FMN-spiral-1.pdf FMN1	
Federated Mission Networking	FMN Spiral 2 Profile
other standardized profiles for interoperability core services and communications services in a the required interoperability requirements, star Affiliates. FMN Spiral 2 Profile	a federation of mission networks. It places
Federated Mission Networking	FMN Spiral 3 Profile
This document defines the Standards Profile for Spiral 3. The FMN Standards Profiles provides other standardized profiles for interoperability	s a suite of interoperability standards and of selected community of interest services,
the required interoperability requirements, star Affiliates.	a federation of mission networks. It places adards and specifications in context for FMN
the required interoperability requirements, star	<u>*</u>

Service Area	Title		
Abstract	Abstract		
URI	ID		
	Outlines the file formats and package structures approved by the Archives Committee for the long-term preservation of NATO digital information of permanent value.		
NISP-V2-archive-profile.pdf	ARCHIVE-ARCHIVE		
SECURITY SERVICES	SERVICE INTERFACE PROFILE SECURITY SERVICES		
This Service Interface Profile (SIP) describes the Enterprise Services (CES) Security Services.	the key elements that make up the NNEC Core		
AI_TECH_2016.06.02.01_SIP.pdf	SIP-SEC		
REST SECURITY SERVICES	SERVICE INTERFACE PROFILE FOR REST SECURITY SERVICES		
This specification provides the profile for securing representational state transfer (REST) web services (known as RESTful web services) that are deployed within the NNEC web service infrastructure. It specifies security requirements that need to be accounted for depending on the environment in which the services are being deployed, and the level of assurance required for protecting those services. This profile covers the required security protection profile for a Client to access protected resources on a Resource Server using REST.			
AI_TECH_2016.06.02.02_SIP.pdf	SIP-REST		
SECURITY TOKEN SERVICES	SERVICE INTERFACE PROFILE FOR SECURITY TOKEN SERVICES		
The purpose of this Service Interface Profile (SIP) is to specify how the security token service component of the Core Enterprise Services (CES) Security Services may be called.			
AI_TECH_2016.06.02.03_SIP.pdf	SIP-TOKEN		
POLICY ENFORCEMENT POINTS	SERVICE INTERFACE PROFILE FOR POLICY ENFORCEMENT POINTS		
The purpose of this Service Interface Profile (SIP), which should be read along with the Agency Directive 06.05.04.02.H 2, "Service Interface Profile for Security Services" [NCIA AD 06.05.04.02.H], is to specify how services may be called that are protected by the Core Enterprise Services (CES) Security Services.			
AI_TECH_2016.06.02.04_SIP.pdf	SIP-POLICY-ENFORCE		
ENTERPRISE DIRECTORY SERVICES	SERVICE INTERFACE PROFILE FOR ENTERPRISE DIRECTORY SERVICES		
The purpose of this Service Interface Profile (SIP) is to specify the interface of the directory service itself.			

Service Area	Title
Abstract	
URI	ID
AI_TECH_2016.06.02.05_SIP.pdf	SIP-ENTR-DIR
MESSAGING	SERVICE INTERFACE PROFILE FOR MESSAGING
This specification provides the interface control web services that are deployed within the NNE	
AI_TECH_2016.06.02.06_SIP.pdf	SIP-MESG
REST MESSAGING	SERVICE INTERFACE PROFILE FOR REST MESSAGING
This specification provides the profile for securing representational state transfer (REST) web services (known as RESTful web services) that are deployed within the NNEC web service infrastructure. This covers only the call from a Web Service Consumer to a Web Service Provider using REST, and the response from the service provider. It includes how the message must be structured and the elements that must be contained within the call.	
AI_TECH_2016.06.02.07_SIP.pdf	SIP-REST-MSG
PUBLISH-SUBSCRIBE SERVICES	SERVICE INTERFACE PROFILE FOR PUBLISH-SUBSCRIBE SERVICES
This document gives directives along with clarifications and amendments to the [OASIS WS-BaseNotification, 2006] and [OASIS WS-BrokeredNotification, 2006] specification on how to implement a notification broker/subscription manager to promote interoperability between the publish/subscribe engines and generic message subscribers. Some extensions to the protocol have been introduced in order to meet NATO requirements.	
AI_TECH_2016.06.02.08_SIP.pdf	SIP-PUBSUB
PUBLISH-SUBSCRIBE NOTIFICATION BROKER WITH SUBSCRIPTION MANAGER	SERVICE INTERFACE PROFILE FOR PUBLISH-SUBSCRIBE NOTIFICATION BROKER WITH SUBSCRIPTION MANAGER
This document is part of a Service Interface Profile (SIP) for Publish/Subscribe Core Enterprise Services (CES) and should be read together with the main document [NCIA AD 06.05.04.02.E]. It gives guidance on implementation of a WS-Notification compliant notification broker. It is REQUIRED that each notification broker implementation also includes the subscription manager functionality.	
AI_TECH_2016.06.02.09_SIP.pdf	SIP-PUBSUB-NOTIF-BROOKER
PUBLISH-SUBSCRIBE NOTIFICATION CONSUMER	SERVICE INTERFACE PROFILE FOR PUBLISH-SUBSCRIBE NOTIFICATION CONSUMER

Service Area	Title	
Abstract		
URI	ID	
This document is part of a Service Interface Profile (SIP) for publish/subscribe Core Enterprise Services (CES) and should be read together with the main document "Service Interface Profile for Publish/Subscribe Services" [NCIA AD 06.05.04.02.E]. It gives guidance on implementation of a WS-Notification-compliant notification consumer.		
AI_TECH_2016.06.02.10_SIP.pdf	SIP-PUBSUB-NOTIF-CONSUMER	
A NOTIFICATION CACHE SERVICE	SERVICE INTERFACE PROFILE FOR A NOTIFICATION CACHE SERVICE	
This Service Interface Profile (SIP) describes the key eleme nts that make up the NNEC Core Enterprise Services (CES) Notification Cache service. It describes and profiles the operations which a Notification Cache service offers together with the associated message formats, and serves as a template and guideline for implementations.		
AI_TECH_2016.06.02.11_SIP.pdf	SIP-NOTIF-CACHE	
BASIC COLLABORATION SERVICES	SERVICE INTERFACE PROFILE FOR BASIC COLLABORATION SERVICES	
This Collaboration Service Interface Profile (SIP) is focused on instant messaging and is based on the extensible messaging and presence protocol (XMPP).		
AI_TECH_2016.06.02.12_SIP.pdf	SIP-BCS	
CORE AND ADVANCED INSTANT MESSAGING COLLABORATION SERVICES	SERVICE INTERFACE PROFILE FOR CORE AND ADVANCED INSTANT MESSAGING COLLABORATION SERVICES	
This document specifies the Service Interface Profile (SIP) for a number of instant messaging services that can be implemented and used by any XMPP entity (XMPP Client or XMPP Server) on the XMPP network.		
AI_TECH_2016.06.02.13_SIP.pdf	SIP-MESG-COL-SERV	
GEOSPATIAL SERVICES – MAP RENDERING SERVICE	SERVICE INTERFACE PROFILE FOR GEOSPATIAL SERVICES – MAP RENDERING SERVICE	
This document gives guidance on the implementation of a Map Rendering Service, being a special kind of a Geospatial Service.		
AI_TECH_2016.06.02.14_SIP.pdf	SIP-GEO-MRS	
Recognized Air Picture Data Services	Service Interface Profile for Recognized Air Picture Data	

Service Area	Title	
Abstract		
URI	ID	
This Service Interface Profile provides detailed information, guidance, instructions, standards and criteria to define the minimum set of data elements that are required to be available for operational or technical reasons so that correctly formatted technical message can be generated to establish a Recognized Air Picture in a federated environment.		
FMN Spiral 3 Profile including SIP for RAPD	SIP-RECOGNIZED-AIR-PICTURE-DATA	
Service Management Services	Service Interface Profile for Service Management and Control	
This Service Interface Profile provides guidance and technical details to the procedures, supporting services, infrastructure and data attributes required to implement Service Management and Control (SMC) services in Mission Networks. As such, this document contributes to the establishment of capabilities in support of Federated Mission Networking (FMN) as an affordable, effective and efficient means to enable sharing of information in a coalition environment.		
FMN Spiral 3 Profile including SIP for SMC	SIP-FOR-SMC	
Transport Layer Security	Service Interface Profile for Transport Layer Security	
This Service Interface Profile (SIP) provides detailed information, guidance, instructions, standards and criteria to be used as a for the usage of Transport Layer Security (TLS) protocol to provide authentication, confidentiality and integrity services for protecting the communication between a consumer and a provider. This publication is a living document and will be periodically reviewed and updated to reflect technology developments, emerging best practices, evolving standards and new or deprecated cryptographic schemes and algorithms.		
FMN Spiral 3 Profile including SIP for TLS	SIP-FOR-TLS	
Web Applications	Service Interface Profile for Web Applications	
This Service Interface Profile (SIP) provides detailed information, guidance, instructions, standards and criteria to be used for development, delivery and consumption of Web applications and dynamic Web sites. This publication is a living document and will be periodically reviewed and updated to reflect technology developments and emerging best practices.		
FMN Spiral 3 Profile including SIP for Web Apps	SIP-FOR-WEB-APPS	
Cryptographic Services	Cryptographic Artefact Binding Profiles	

Service Area	Title	
Abstract		
URI	ID	
Profile the use of cryptographic protocols, which can be used to implement support for different cryptographic techniques and mechanisms, for generating cryptographic artefacts to be stored in a cryptographic binding.		
TN-1491_Edition2-Binding_Profiles_v1.0-Signed.pdf - Annex A	BINDING-CRYPTO-V2	
Informal Messaging Services	Simple Mail Transfer Protocol (SMTP) Binding Profile	
This profile specifies the mechanism for binding metadata to Internet Email (both formal and informal) including MIME entities.		
TN-1491_Edition2-Binding_Profiles_v1.0-Signed.pdf - Annex B	BINDING-SMTP-V2	
XMPP Services	Extensible Message and Presence Protocol (XMPP) Binding Profile	
whereby a mechanism for carrying Enhanced Security Services (ESS) Security labels is standardized. This profile extends the XEP-0258 specification to support carrying an Embedded or Detached BDO for Message stanzas. This profile supports the XMPP use cases for one-to-one instant messaging and multi-user chat. TN-1491_Edition2-Binding_Profiles_v1.0- BINDING-XMPP-V2		
Signed.pdf - Annex C		
Metadata Services	Office Open XML (OOXML) Formats Binding Profile	
This profile for the OOXML describes how metadata can be maintained.		
TN-1491_Edition2-Binding_Profiles_v1.0-Signed.pdf - Annex D	BINDING-OOXML-V2	
SOAP Services	Simple Object Access Protocol (SOAP) Profile	
This profilesupports for both SOAP 1.1 and SOAP 1.2. To support information sharing between partners it may be necessary to locate a Binding Data Object (BDO) in the SOAP protocol layer. Metadata may be bound to the whole data object (SOAP message) or may be bound to subsets of the SOAP message (data object(s) in the SOAP body). In an environment where data objects must have bound metadata, the resource identified in the URI will already contain a BDO (detached, encapsulating or embedded). TN-1491_Edition2-Binding_Profiles_v1.0- Signed.pdf - Annex E		
_	BINDING-SOAP	

Service Area	Title	
Abstract		
URI	ID	
REST Services	Representational State Transfer (REST) Profile	
In an environment where data objects must have bound metadata, the resource identified in the URI will already contain a BDO (detached, encapsulating or embedded). As such, there is no requirement for metadata binding that is specific for REST. However, to support information sharing between partners it may be necessary to locate a Binding Data Object (BDO) in the HTTP protocol layer.		
TN-1491_Edition2-Binding_Profiles_v1.0- Signed.pdf - Annex F	BINDING-REST-V2	
Generic Packaging Services	Generic Open Packaging Convention (OPC) Binding Profile	
This profile defines a generic packaging mechanism, based upon the Open Packaging Container (OPC) defined in ISO/IEC 29500-2:2008, to associate any arbitrary file that do not use the Office Open XML (OOXML) format or have no specific profile for supporting the Binding Information with their own file format.		
TN-1491_Edition2-Binding_Profiles_v1.0- Signed.pdf - Annex G	BINDING-GENERIC-V2	
Sidecar Services	Sidecar Files Binding Profile	
Sidecar files allow the association of metadata with a data object for which there is no profile.		
Sidecar_Files_Binding_Profilev1.0.pdf - Annex H	BINDING-SIDECAR-V2	
XMP Services	Extensible Metadata Platform (XMP) Binding Profile	
This Binding Profile for XMP describes how metadata should be incorporated within an XMP packet as a structured value.		
TN-1491_Edition2-Binding_Profiles_v1.0-Signed.pdf - Annex I	BINDING-EXTENSIBLE-V2	
WSMP Services	Web Service Messaging Profile (WSMP) Profile	
The Web Service Messaging Profile (WSMP) defines a set of service profiles to exchange arbitrary XML-based messages. WSMP is extensible and may be used by any Community of Interest (COI). This profile supports the requirement to explicitly bind metadata to data (or subsets thereof) whereby the data is XML-based and exchanged between service consumers and service providers using the WSMP message wrapper mechanism.		

Service Area	Title	
Abstract		
URI	ID	
TN-1491_Edition2-Binding_Profiles_v1.0-Signed.pdf - Annex J	BINDING-WSMP	
XML Artifacts Profile	Common XML artefacts 2.0	
This profile supports the requirement to bind metadata to data (or subsets thereof) whereby the data is XML-encoded in one of the following schemas: XML Schema, ISO Schematron, XML Stylesheet, Generic Codelist, Context/Value Assosiation or Security Policy Information File.		
TN-1491_Edition2-Binding_Profiles_v1.0- Signed.pdf - Annex K	BINDING-COMMON-XML	

Index	Consultation, Commmand and Control Board (C3B) AC/322-D(2006)0066, 14 ac322-n2018-0002, 6
Adobe Systems Incorporated tiff, 83 XMP-part3-2016, 8, 35, 41, 54 Association for Computing Machinery 2002-REST-TOIT, 40 B Bluetooth Special Interest Group (SIG) bluetooth42, 78	D Data Mining Group ppml-4.2.1, 40 Distributed Management Task Force, Inc. cim_schema_v2300, 45 DSP0243, 64 DSP0252, 46 E
Chairman of the Joint Chiefs of Staff SSS-M-10001, 67 Combined Communications and Electronic Board ACP 113(AJ), 68 ACP 122(G), 68 ACP 133 Supplement 1(A), 58 ACP 133(C), 84 ACP 133(D), 58 ACP 145(A), 16 ACP 160(E), 7, 10 ACP 190(D), 14 ACP 198(O), 68	ECMA ECMA-262, 12 ECMA-357, 12 Electronic Business using eXtensible Markup Language ebTA, 46 Electronic Industries Association TIA/EIA-492000-A, 77 European Broadcasting Coorporation Tech 3285, 83 I Information Systems Audit and Control Association Cobit 5, 46
ACP 200(D), 68 ACP 201(A), 68 Communications and Information System Security Standard Communication and Information Partnership SCIP-210, 25 SCIP-214, 25 SCIP-214.2, 25 SCIP-214.3, 25 SCIP-215, 25 SCIP-220, 25 SCIP-220, 25 SCIP-223, 25 SCIP-233.501, 25 SCIP-233.501, 25 SCIP-233.502, 25	Institute of Electrical and Electronics Engineers 1588, 65 802.1AB, 65 802.1D, 66 802.1p, 46 802.1Q, 66 802.1W, 66 802.3, 74 802.3-2012, 66, 74 P1516, 15 Integrated DEFinition Methods IDEF0, 6 IDEF1X, 6 International Business Machines Corporation passive-request, 84

International Electrotechnical Commission	RFC 2328, 73
61754-20-100, 65, 74	RFC 2365, 70, 76
International Telecommunication Union	RFC 2392, 18, 35, 42, 54
H.245, 23	RFC 2453, 73, 74
Internet Engineering Task Force	RFC 2474, 70, 73, 74
RFC 1034, 64	RFC 2557, 84
RFC 1035, 64	RFC 2616, 47, 48, 84
RFC 1112, 70, 76	RFC 2617, 84
RFC 1212, 46	RFC 2634, 27, 35, 42, 54
RFC 1213, 46	RFC 2640, 47
RFC 1521, 17	RFC 2782, 65
RFC 1570, 72	RFC 2784, 74
RFC 1643, 46	RFC 2790, 46
RFC 1661, 72	RFC 2798, 58, 62, 85
RFC 1724, 46, 72	RFC 2817, 48
RFC 1738, 48	RFC 2819, 46
RFC 1772, 72	RFC 2822, 18
RFC 1812, 72	RFC 2849, 58
RFC 1866, 17	RFC 2854, 48
RFC 1870, 17	RFC 2890, 74
RFC 1896, 17	RFC 2908, 70, 76
RFC 1939, 17	RFC 2920, 18
RFC 1985, 17	RFC 3022, 73
RFC 1990, 72	RFC 3023, 85
RFC 1997, 70, 72, 76	RFC 3030, 18
RFC 1998, 66	RFC 3171, 70, 76
RFC 2003, 74	RFC 3207, 18
RFC 2034, 17	RFC 3232, 74
RFC 2045, 17	RFC 3258, 65
RFC 2046, 17, 84	RFC 3261, 16, 22, 24
RFC 2047, 18	RFC 3262, 22, 24
RFC 2049, 18	RFC 3264, 22, 24
RFC 2080, 74	RFC 3308, 73
RFC 2083, 13	RFC 3311, 22, 24
RFC 2104, 35, 41, 54, 63	RFC 3344, 73
RFC 2119, 35, 41, 54, 59	RFC 3376, 70, 76
RFC 2126, 72	RFC 3392, 70, 76
RFC 2181, 64	RFC 3428, 24
RFC 2205, 72	RFC 3461, 18
RFC 2228, 47	RFC 3501, 18
RFC 2231, 18, 35, 42, 53, 54	RFC 3526, 62
RFC 2236, 74	RFC 3531, 66
RFC 2246, 18, 27, 48, 80	RFC 3550, 22, 24, 60
RFC 2256, 62	RFC 3618, 70, 73, 76

RFC 3629, 18, 27, 35, 48	RFC 4579, 23
RFC 3659, 47	RFC 4594, 70, 73, 74
RFC 3749, 18, 27, 48, 80	RFC 4601, 70, 73, 76
RFC 3768, 73	RFC 4616, 62, 86
RFC 3798, 18	RFC 4627, 49, 86
RFC 3885, 18	RFC 4632, 71, 76
RFC 3920, 27, 32	RFC 4733, 25
RFC 3921, 27, 32	RFC 4750, 46
RFC 3977, 60	RFC 4752, 41, 62, 86
RFC 3986, 48, 62, 85	RFC 4754, 74
RFC 4023, 73	RFC 4760, 71, 73, 77
RFC 4028, 22, 24	RFC 4786, 65, 71, 77
RFC 4120, 62, 85	RFC 4862, 66
RFC 4121, 62, 85	RFC 4954, 19
RFC 4155, 83, 84	RFC 5023, 40, 49
RFC 4180, 82	RFC 5082, 71, 77
RFC 4250, 41	RFC 5246, 19, 28, 41, 49, 81, 86
RFC 4271, 70, 73, 76	RFC 5280, 19, 28, 35, 41, 42, 49, 55, 63, 63,
RFC 4287, 49, 53	81
RFC 4288, 18	RFC 5321, 19
RFC 4303, 74	RFC 5322, 19, 35, 42, 55, 62
RFC 4329, 49	RFC 5366, 23
RFC 4346, 18, 27, 49, 80	RFC 5492, 71, 73, 77
RFC 4353, 23	RFC 5545, 22
RFC 4360, 70, 73, 76	RFC 5546, 22
RFC 4411, 23, 24	RFC 5668, 73
RFC 4412, 23, 24	RFC 5689, 47
RFC 4422, 62, 85	RFC 5731, 19, 35, 42, 55
RFC 4492, 19, 28, 49, 80	RFC 5746, 19, 28, 49, 81
RFC 4505, 62, 85	RFC 5751, 36, 42, 55, 63, 86
RFC 4510, 59, 85	RFC 5771, 71, 77
RFC 4511, 59, 85	RFC 5797, 47
RFC 4512, 59, 85	RFC 5903, 75
RFC 4513, 59, 85	RFC 5905, 65
RFC 4514, 59, 85	RFC 5936, 65
RFC 4515, 59, 85	RFC 5966, 65
RFC 4516, 59, 85	RFC 6047, 22
RFC 4517, 59, 85	RFC 6066, 19, 28, 49, 81
RFC 4518, 59, 85	RFC 6101, 19, 28, 49, 81
RFC 4519, 59, 62, 85	RFC 6120, 28, 32, 36, 42, 55, 86
RFC 4523, 62	RFC 6121, 28, 32, 36, 42, 55, 86
RFC 4541, 66	RFC 6122, 28, 32, 36, 42, 55, 86
RFC 4559, 86	RFC 6125, 19, 28, 49, 81
RFC 4566, 23, 25	RFC 6152, 19

RFC 6176, 19, 28, 49, 81	STD 89, 75
RFC 6184, 23	ISO
RFC 6286, 71, 77	15836, 40
RFC 6308, 71, 77	16684-1, 8, 36, 43, 55
RFC 6382, 65, 71, 77	19005-1, 20, 50
RFC 6520, 19, 28, 49, 81	19005-2, 20, 51
RFC 6665, 23	19128, 34
RFC 6749, 86	19142, 35
RFC 6750, 86	19757-3, 36, 43, 55, 59
RFC 6793, 71, 77	28500, 84
RFC 6854, 19	32000-1, 16, 20, 51, 83, 84
RFC 6891, 65	8601, 12
RFC 6931, 36, 42, 55, 63	ISO/IEC
RFC 6960, 20, 28, 49, 81	10589, 74
RFC 6961, 20, 29, 50, 81	10918-1, 20, 51, 83
RFC 7094, 65, 71, 77	10918-3, 21, 51
RFC 7151, 47	10918-4, 60
RFC 7153, 71, 77	11172-3, 60, 83
RFC 7230, 36, 42, 47, 50, 53, 55	11801, 66, 75
RFC 7231, 50	11801-1, 75
RFC 7232, 50	13818, 60
RFC 7233, 50	13818-2, 83
RFC 7234, 50	13818-3, 83
RFC 7235, 50	14443, 16
RFC 7296, 75	14496, 60
RFC 7366, 20, 29, 50, 81	14496-10, 83
RFC 7427, 75	14496-2, 83
RFC 7444, 20, 36, 42, 53, 55	15408, 16
RFC 7515, 36, 42, 55, 63	15444-1, 83
RFC 7521, 86	15445, 17, 51
RFC 7522, 86	17203, 79
RFC 7525, 20, 29, 50, 81	17788, 80
RFC 7568, 20, 29, 50, 81	17789, 80
RFC 7606, 71, 77	17826, 80
RFC 7627, 20, 29, 50, 82	17963, 80
RFC 7667, 23	26300, 17
RFC 7670, 75	26300-1, 8
RFC 768, 73	26300-2, 8
RFC 7761, 71, 77	26300-3, 8
RFC 791, 75	29500-1, 21, 51
RFC 7919, 20, 29, 50, 82	29500-2, 8, 36, 43, 56
RFC 793, 20, 29, 50, 82	7501-1, 16
RFC 826, 75	8802-3, 14
RFC SSL2, 20, 29, 50, 82	9075-1, 82

9594-8, 51	MIP JC3IEDM, 12, 13, 13, 13, 14, 59
AWI 19941, 80	WIII JC3ILDWI, 12, 13, 13, 13, 14, 37
CD 17826, 80	N
FCD 18023-1, 15	
TR 30102, 80	National Geospatial-Intelligence Agency
WD 19944, 80	TR 8350.2, 34
ISO/IEC/IECC	NATO
42010, 6	AC/322(SC/3)D(2007)0003-Rev5, 14
DIS42020, 6	AC/322-D(2004)0024REV2, 16
FDIS 42030, 6	AC/322-D(2017)0007-U, 6
ITU Radiocommunication	ACP 122 NS-2(A), 68
TF 460-6, 65	ACP 160 NS-1(F), 7, 10
ITU Standardisation	ACP 176 NS-1(F), 68
E.123, 23, 25	ACP 190 NS-1(C), 14
E.123, 23, 23 E.164, 23, 25	ACP 190 NS-2(C), 14
G.652, 66, 75	ACP 198 NS-1(G), 69
G.703, 67	TIDE/NVG, 11, 13
G.703, 07 G.711, 23, 25	TIDE/TIDE-ID-RR, 40
G.711, 23, 23 G.722, 23, 23, 60	TIDE/TIDE-ID-SP, 46
G.722, 23, 23, 60 G.722.1 (2005) Corrigendum 1 (06/08), 23,	NATO Standard
26	AComP-4205 Ed A Ver 1, 78
G.722.1c, 26	AComP-4290 Ed A Ver 2, 78, 78, 78
G.722.1c, 20 G.729, 26, 61	AComP-4415 Ed A Ver 1, 66
H.225.0, 23	AComP-4486 Ed A Ver 1, 79
H.248.1, 17	AComP-4691 Ed A Ver 1, 66
H.263, 24, 61	AComP-4724 Ed A Ver 1, 77
H.264, 24, 26, 61	AComP-4731 Ed A Ver 1, 74
H.320, 17	AComP-5068 Ed A Ver 2, 26
H.323, 24, 26	ADatP-03 Ed A Ver 3, 39
J.241, 69, 71, 75	AEDP-04 Ed A Ver 1, 39
	AEDP-06 Ed B Ver 3, 61
M.2301, 46, 72, 75 T.120, 34, 64	AEDP-07 Ed 2 Ver 1, 61
T.30, 22	AEDP-09 Ed 1, 61
X.509, 63	AEDP-11 Ed 1, 61
X.841, 36, 43, 53, 56	AEDP-15 Ed A Ver 1, 41
Y.1540, 70, 72, 75	AEDP-7085 Ed A Ver 1, 67
Y.1541, 70, 72, 75	AETP-11Bv1, 7, 10
Y.1542, 70, 72, 75 Y.1542, 70, 72, 75	AGeoP-08 Ed B Ver 1, 34
1.1342, 70, 72, 73	AGeoP-11 Ed B Ver 1, 7
M	AGeoP-19 Ed A Ver 1, 34
Microsoft, 74	AGeoP-21 Ed A Ver 1, 34
MSDN-ODBCPR, 59	ANP-4564 Ed A Ver 1, 34
RTF 1.9.1, 8	APP-07 Ed F Ver 2, 10
Multilateral Interoperability Program	APP-11 Ed D, 39
MIM 5.0, 12	APP-44 Ed A, 12

ATDLP-5.01 Ed A Ver 1, 10, 12, 14, 39, 68,	STANAG 4484 Ed 3, 78
69	STANAG 4485 Ed 2, 79
ATDLP-6.01 Ed A Ver 1, 69	STANAG 4522 Ed 1, 79
ATP 32 Ed E Ver 2, 11	STANAG 4529 Ed 1, 67
ATP-45 Ed E Ver 1, 11	STANAG 4538 Ed 1, 67
AWP-4 Ed B, 11	STANAG 4545 Ed 2, 21, 26, 30, 51
NNSTD MISP-2015.1, 61	STANAG 4559 Ed 3, 61
STANAG (Study) 4716 Ed 1, 22, 27, 30, 52	STANAG 4578 Ed 2, 72, 76
STANAG 1116 Ed 10, 11	STANAG 4579 Ed 1, 14
STANAG 2019 Ed 7, 13	STANAG 4586 Ed 3, 68
STANAG 2195 Ed 2, 21, 26, 29, 51	STANAG 4591 Ed 1, 27, 72
STANAG 2546 Ed 2, 21, 26, 29	STANAG 4607 Ed 3, 21, 27, 30, 51
STANAG 2591 Ed 1, 17	STANAG 4609 Ed 4, 21, 27, 30, 51
STANAG 2627 Ed 1, 21, 26, 29	STANAG 4622 Ed 1, 79
STANAG 3377, 21, 24, 26, 29, 51	STANAG 4631 Ed 1, 59
STANAG 3764 Ed 6, 61	STANAG 4676 Ed 1, 21, 27, 30, 52
STANAG 3809 Ed 4, 34	STANAG 4681 Ed 1, 67
STANAG 4061 Ed 4, 11	STANAG 4705 Ed 1, 24, 27
STANAG 4082 Ed 3, 12	STANAG 4711 Ed 1, 72, 76
STANAG 4103 Ed 4, 12	STANAG 4774 Ed 1, 8, 22, 30, 37, 43, 54,
STANAG 4140 Ed 2, 12	56, 60, 63
STANAG 4162 Ed 2, 14	STANAG 4778 Ed 1, 8, 22, 30, 37, 43, 54,
STANAG 4175 Ed 5, 68, 69, 79	56, 60, 64
STANAG 4193 Ed 3 P1, 7, 10	STANAG 5000 Ed 3, 22
STANAG 4193 Ed 3 P2, 7, 10	STANAG 5030 Ed 4, 78
STANAG 4193 Ed 3 P3, 7, 10	STANAG 5042 Ed 1, 13
STANAG 4203 Ed 3, 78, 79	STANAG 5046 Ed 4, 24, 27, 69, 72, 76
STANAG 4204 Ed 3, 78	STANAG 5065 Ed 1, 67
STANAG 4206 Ed 3, 69	STANAG 5066 Ed 3, 67
STANAG 4207 Ed 3, 69	STANAG 5067 Ed 1, 77
STANAG 4214 Ed 2, 69	STANAG 5501 Ed 7, 10
STANAG 4233 Ed 1, 79	STANAG 5511 Ed 6, 10, 11, 12, 14, 40, 68,
STANAG 4246 Ed 3, 66	69
STANAG 4285 Ed 1, 66	STANAG 5516 Ed 4, 10, 11, 12, 14, 40
STANAG 4290 Ed 1, 75	STANAG 5518 Ed 1, 10, 13, 15, 69
STANAG 4292 Ed 2, 67	STANAG 5522 Ed 2, 11, 11, 13, 15, 40, 68,
STANAG 4294 Ed 1 Part 1, 7	69
STANAG 4294 Ed 2 Part 2, 7	STANAG 5527 Ed 1, 15
STANAG 4312 Ed 2, 39	STANAG 5602 Ed 4, 15
STANAG 4372 Ed 3, 67	STANAG 5616 Ed 5, 69
STANAG 4406 Ed 2, 40	STANAG 6022 Ed 2, 12
STANAG 4444 Ed 1, 78	STANAG 7098 Ed 2, 34
STANAG 4479 Ed 1, 61	STANAG 7099 Ed 2, 34
STANAG 4481 Ed 1, 67	STANAG 7149 Ed 6, 15, 22, 24, 30

STANAG 7194 Ed 1, 61	formal/2017-10-01, 6
STANAG FT 5518 Ed 4, 11, 13, 15	formal/2017-12-01, 6
NATO Standard (expected in future)	Open GIS Consortium
STANAG 7149 Ed 6, 14, 21, 21, 26, 26, 29,	02-070, 88
29, 51, 51	04-094, 13
NIST	05-047r3, 34
FIPS PUB 180-4, 63	05-077r4, 13
FIPS PUB 186-4, 63	05-078r4, 13
FIPS PUB 197, 63	06-042, 34, 35, 88
SP 800-56A Rev 2, 63	06-121r9, 88
SP 800-56A Rev 3, 63	07-057r7, 34, 88
SP 800-56B Rev 1, 63	07-147r2, 34, 82
,	09-025r2, 35
0	09-110r4, 13
OASIS	10-100r2, 34
context-value-association-1.0, 38, 44, 57,	11-044, 35, 52
60	12-128r10, 82
cs-genericode-1.0, 38, 44, 57, 60	Open Source Geospatial Foundation
regrep-rim-3.0-os, 40	1.8.2, 34
regrep-rs-3.0-os, 46	
relmes, 47	R
saml, 62, 87	RSA
uddi-v3.00-published-20020719, 46	PKCS#1 v2.1, 40
ws-notif, 87	RSS Advisory Board
wsfed, 41	2.0, 52, 54
wsfed-1.1, 87	2.0, 32, 31
wsn-ws_brokered_notification-1.3-spec-os,	T
87	The Modeline Agency
wsn-ws_topics-1.3-spec-os, 87	The Modeling Agency
wsrf-ws_base_faults-1.2-spec-os, 87	crisp-dm-1.0, 40
wsrp-specification-1.0, 53	The Open Group
wss-v1.1-errata-os-SAMLTokenProfile,	c174, 7
16, 87	c197, 7
wss-v1.1-spec-errata-os-	tm-forum
X509TokenProfile, 87	TMF000, 5
wss-v1.1-spec-os-SOAPMessageSecurity,	TMF621, 5, 16, 52
38, 44, 47, 57, 64, 87	TMF622, 5
wsspol-1.3, 52	TMF638, 5
wssutil, 16	TMF661, 6
wstrust-1.4, 16, 88	TR250, 6, 16, 46, 52
Object Management Group	
formal-17-05-01, 6	U
formal-2012-05-10, 6	United States of America - Department of
formal/2002-12-06, 15	Defense
formal/2011-01-03, 6	OTH-G Rev. C, 11

W	REC-xml-stylesheet-19990629, 38, 45, 48,
W3C	57, 60
CR-cors-20130129, 52	REC-xml11-20060816, 82
CR-css-style-attr-20101012, 52	REC-xmlbase-20010627, 48
geolocation-API, 9, 47	REC-xmldsig-core-20080610, 38, 38, 45,
NOTE-datetime, 12	45, 54, 58, 58, 64, 64, 88
NOTE-html5-diff, 9, 47	REC-xmldsig-core1-20130411, 39, 45, 58,
NOTE-SOAP-20000508, 38, 40, 44, 52, 54,	64
57, 88	REC-xmlenc-core-20021210, 39, 45, 58,
NOTE-ws-policy-guidelines-20071112, 41	64, 88
NOTE-ws-policy-primer-20071112, 41	REC-xmlenc-core1-20130411, 39, 45, 58,
NOTE-wsdl-20010315, 47, 52	64
NOTE-wsdl20-soap11-binding-20070626,	REC-xmlschema-1-20041028, 53
52	REC-xmlschema-2-20041028, 53
note-xhtml1-schema-20020902, 52	REC-xmlschema11-1-20120405, 39, 45,
NOTE-xmlsec-algorithms-20130411, 38,	58, 60, 82
44, 57, 64	REC-xmlschema11-2-20120405, 82
PR-sparq111-query-20121108, 40	REC-xpath-19991119, 39, 45, 58, 64, 88
REC-css-namespaces-3-20140320, 52	speech-API, 9, 48
REC-css-style-attr-20131107, 52	timezone, 65
REC-CSS2-2011067, 47, 53	WD-DOM-Parsing, 9, 48
REC-css3-color-20110607, 53	wd-xptr-20020816, 39, 45, 58, 64
REC-css3-mediaqueries-20120619, 53	xkms2, 53
REC-css3-selectors-20110929, 53	xmldsig-core, 41, 54
REC-html5-20141028, 53	WAP Forum
REC-html52, 9, 47	WAP-238-WML-20010911-a, 48
REC-html53-Draft, 9, 47	Web Services Interoperability Organisation
REC-media-source, 9, 48	BasicSecurityProfile-1.1-2010-01-24.html,
REC-mwabp, 9, 48	16, 89
REC-rdf-primer-20040210, 9, 38, 44, 57	BP12, 89
REC-rdf11-concepts-20140225, 8, 38, 44,	wsbp, 89
57	1,
REC-soap12-part1-20030624, 38, 45, 54,	X
57, 88	X Consortium
REC-SVG11-20110816, 83	X11R7.5, 62, 64
REC-ws-addr-core-20060509, 52, 88	XML SPIF
REC-ws-addr-metadata-20070904, 40	xmlspif, 39, 45, 58, 60
REC-ws-addr-soap-20060509, 40	XMPP Standards Foundation
REC-ws-policy-20070904, 41	XEP-0004, 17, 30, 32, 89
REC-wsd120-20070626, 88	XEP-0012, 30, 32
REC-xhtml1-20020801, 54	XEP-0030, 17, 30, 32, 89
REC-xml-20081126, 9, 38, 45, 48, 53, 58	XEP-0033, 89
REC-xml-infoset-20011024, 48	XEP-0045, 30, 32, 89
Ann moset 20011027, 70	XEP-0047, 30, 32
	XEP-0048, 89

- XEP-0049, 30, 32
- XEP-0050, 30, 32
- XEP-0053, 89
- XEP-0054, 31, 32, 89
- XEP-0055, 31, 32, 89
- XEP-0059, 31, 33
- XEP-0060, 31, 33, 39, 45, 58, 89
- XEP-0065, 31, 33
- XEP-0068, 89
- XEP-0079, 89
- XEP-0080, 89
- XEP-0082, 31, 33, 89
- XEP-0092, 31, 33
- XEP-0096, 31, 33
- XEP-0114, 31, 33
- XEP-0115, 31, 33
- XEP-0122, 89
- XEP-0127, 89
- XEP-0138, 90
- XEP-0141, 90
- XEP-0160, 31, 33
- XEP-0198, 31, 33, 90
- XEP-0199, 31, 33, 90
- XEP-0202, 31, 33, 90
- XEP-0203, 31, 33, 90
- XEP-0220, 31, 31, 33, 33, 90
- XEP-0256, 90
- XEP-0258, 32, 33, 39, 45, 58, 90
- XEP-0288, 90
- XEP-0313, 32, 33

This page is intentionally left blank

NATO STANDARD

ADatP-34

NATO Interoperability Standards and Profiles

Volume 3

Candidate Interoperability Standards and Profiles

Edition M Version 1

7 Jan 2020



NORTH ATLANTIC TREATY ORGANIZATION ALLIED DATA PUBLICATION

Published by the NATO STANDARDIZATION OFFICE (NSO)
© NATO/OTAN

revision: v12.2-82-g3770c9f

NATO LETTER OF PROMULGATION

The enclosed Alied Data Publication ADatP-34, Edition M, Version 1 NATO Interoperability Standards and Profiles, which has been approved by the nations in the C3B, is promulgated herewith. The agreement of nations to use this publication is recorded in STANAG 5524.

ADatP-34, Edition M, Version 1 is effective on receipt.

No part of this publication may be reproduced, stored in a retrieval system, used commercially, adapted, or transmitted in any form or by any means, electronic, mechanical, photo-copying, recording or otherwise, without the prior permission of the publisher. With the exception of commercial sales, this does not apply to member or partner nations, or NATO commands and bodies.

This publication shall be handled in accordance with C-M(2002)60.

Zoltán GULYÁS Brigadier General, HUNAF Director, NATO Standardization Office revision: v12.2-82-g3770c9f

RESERVED FOR NATIONAL LETTER OF PROMULGATION

RECORD OF RESERVATIONS

CHAPTER	RECORD OF RESERVATION BY NATIONS

Note: The reservations listed on this page include only those that were recorded at time of promulgation and may not be complete. Refer to the NATO Standardization Document Database for the complete list of existing reservations.

RECORD OF SPECIFIC RESERVATIONS

[nation]	[detail of reservation]

Note: The reservations listed on this page include only those that were recorded at time of promulgation and may not be complete. Refer to the NATO Standardization Document Database for the complete list of existing reservations.

revision: v12.2-82-g3770c9f

Table of Contents

1. Standards	1
1.1. Introduction	1
1.1.1. Releasability Statement	1
1.2. User Applications	
1.3. Technical Services	1
1.3.1. Community Of Interest (COI) Services	2
1.3.2. Core Services	
1.3.3. Communications Services	33
1.3.4. Extended C3 Taxonomy	42
1.4. Unassigned standards	42
Index	45

CHAPTER 1. STANDARDS

revision: v12.2-82-g3770c9f

1.1. INTRODUCTION

001. The purpose of this chapter is to specify the candidate NISP standards. The document organizes these standards, following baseline 2.0 NATO's C3 Taxonomy, as endorsed by the NATO C3 Board per AC/322-N(2016)0021-AS1 on 11 February 2016. A graphical representation of this taxonomy is included in volume 1.

002. For some standards it was not clear yet which service identified in the C3 Taxonomy should be used. Therefore, as an interim solution, the taxonomy was extended with e.g. user-defined "Cloud Services". In a separate section, all standards are listed for which could not yet be defined how they should be linked to the C3 Taxonomy.

003. The standards are presented in tabular form. Each table represent a subtree from the C3 taxonomy and each table line (marked in bold and spanning all columns in the table) represents a taxonomy node from the subtree. Under each taxonomy node title, all standards which are mapped to the node are listed with the following attributes: title of the standard; where possible, a link to the standard; publication number of the standard; a list of all the capability profiles where the standard is used; and finally the "responsible party" which is the domain expert that advises NATO about the standard. In general, a taxonomy node is only listed if at least one standard is assigned to this taxonomy node.

004. When STANAG X Ed Y is in ratification process, this is indicated by STANAG (RD) X Ed Y, and when it is a study draft, this is indicated by STANAG (Study) X Ed Y.

1.1.1. Releasability Statement

005. In principle, NISP only contains or references standards or related documents, which are generally available for NATO/NATO member nations/CCEB.

1.2. USER APPLICATIONS

Title	Pubnum	Responsible Party

1.3. TECHNICAL SERVICES

006. The "Technical Services" include those services required to enable "User Applications". They are part of the "Back-End Capabilities" while "User Applications" are part of "User-Facing Capabilities".

007. According to the C3 Taxonomy, they consist of "Community Of Interest (COI) Services", "Core Services" and "Communications Services". The complete collection of Technical

Services is sometimes referred to as the "Technical Services Framework" (TSF) or "NNEC Services Framework" (NSF).

008. In addition to the "Technical Services" identified in the C3 Taxonomy, a taxonomy layer "Cloud Computing" has been added. This enables a more useful categorization of cloud-based standards (currently only included as candidate standards).

1.3.1. Community Of Interest (COI) Services

Title	Pubnum	Profiles	Responsible Party
Recognized Air Picture Services			
Standard for Joint Range Extension Application Protocol (JREAP)	NATO ATDLP-5.18 Ed A Ver 1:2015 / STANAG (RD) 5518 Ed 2		C3B CaP1 TDL CaT
Tactical Data Exchange - Link 16 - ATDLP-5.16 Edition B	5516 FT Ed 8	FMN4- PROPOSED-PR	C3B CaP1 TDL CaT
Recognized Maritime Picture Servi	ices		
NATO Vector Graphics (NVG) Protocol version 1.5:2010 (ACT)	NATO TIDE/ NVG:2008	FMN4- PROPOSED-PR	NCIA/C2
Operational Specification for OVER- THE-HORIZON TARGETING GOLD (Revision C) (OTH-G)		FMN4- PROPOSED-PR	FMN CPWG
Over-The-Horizon Targeting Gold baseline 2007	US DoD OTH-T Gold Baseline 2007:2007	FMN4- PROPOSED-PR	C3B CaP1 DM CaT
ISR Collection Services			
NATO STANDARD ISR WORKFLOW ARCHITECTURE	NATO AEDP-19 Ed A Ver 1:2018	FMN4- PROPOSED-PR	CNAD, AC/224 NAFAG, JCGISR
Information Requirements Manage	ement Services		
NATO STANDARD ISR WORKFLOW ARCHITECTURE	NATO AEDP-19 Ed A Ver 1:2018	FMN4- PROPOSED-PR	CNAD, AC/224 NAFAG, JCGISR
Collection Management Services			
NATO STANDARD ISR WORKFLOW ARCHITECTURE	NATO AEDP-19 Ed A Ver 1:2018	FMN4- PROPOSED-PR	CNAD, AC/224 NAFAG, JCGISR

Title	Pubnum	Profiles	Responsible Party
Situational Awareness Services			
Specifications Defining The Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Security	Ed A Ver 2:2017	FMN4- PROPOSED-PR	CNAD, AC/225 NAAG, LCGDSS
Specifications Defining The Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Security		FMN4- PROPOSED-PR	CNAD, AC/225 NAAG, LCGDSS
Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Data Model	Ed A Ver 2:2017	FMN4- PROPOSED-PR	CNAD, AC/225 NAAG, LCGDSS
Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Information Exchange Mechanism	Ed A Ver 2:2017	FMN4- PROPOSED-PR	CNAD, AC/225 NAAG, LCGDSS
Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Network Access	NATO AEP-76 Vol5 Ed A Ver 2:2017	FMN4- PROPOSED-PR	CNAD, AC/225 NAAG, LCGDSS
Standard for Joint Range Extension Application Protocol (JREAP)	NATO ATDLP-5.18 Ed A Ver 1:2015 / STANAG (RD) 5518 Ed 2		C3B CaP1 TDL CaT
Tactical Data Exchange - Link 16 - ATDLP-5.16 Edition B	NATO STANAG 5516 FT Ed 8	FMN4- PROPOSED-PR	C3B CaP1 TDL CaT
Symbology Services			
NATO Vector Graphics (NVG) Protocol version 1.5:2010 (ACT)	NATO TIDE/ NVG:2008	FMN4- PROPOSED-PR	NCIA/C2
NATO Transformational Baseline 3.0:2009 (ACT)	NATO TIDE/ TTB:2009	BSP	NCIA/CES
NATO Vector Graphics Specification 2.0.2	NATO ADatP-4733 Ed A Ver 1:2017 / STANAG (Study) 4733 Ed 1	BSP	C3B CaP1

- 3 -

Title	Pubnum	Profiles	Responsible Party
NATO Joint Military Symbology	NATO APP-06 Ed D Ver 1:2011 / STANAG 2019 Ed 7	FMN4- PROPOSED-PR	MC, MCJSB, IERHWG
GML in JPEG 2000 for Geographic Imagery (GMLJP2)	OGC 05-047r3:2006	BSP	FMN CPWG
Web Coverage Service Implementation Standard v1.1.2	OGC 07-067r5:2007	BSP	NCIA/AWG
Battlespace Event Services			
NATO Message Catalogue	NATO-Expected APP-11 Ed E	FMN4- PROPOSED-PR	MC, MCJSB, IERHWG
Battlespace Object Services			
MIP 4.2 Information Exchange Specification	MIP MIP Ver 4.2:2018	FMN4- PROPOSED-PR	FMN CPWG
Web Service Messaging Profile (WSMP)	NATO ADatP-5644 (Study) Ed A Ver 1	FMN4- PROPOSED-PR	C3B CaP1 DM CaT
Specifications Defining The Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Security	NATO AEP-76 Vol1 Ed A Ver 2:2017	FMN4- PROPOSED-PR	CNAD, AC/225 NAAG, LCGDSS
Specifications Defining The Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Security		FMN4- PROPOSED-PR	CNAD, AC/225 NAAG, LCGDSS
Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Data Model	NATO AEP-76 Vol2 Ed A Ver 2:2017	FMN4- PROPOSED-PR	CNAD, AC/225 NAAG, LCGDSS
Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Information Exchange Mechanism	NATO AEP-76 Vol4 Ed A Ver 2:2017	FMN4- PROPOSED-PR	CNAD, AC/225 NAAG, LCGDSS
Interoperability Network (JDSSIN) - Network Access	Ed A Ver 2:2017	FMN4- PROPOSED-PR	CNAD, AC/225 NAAG, LCGDSS
Track Management Services			

Title	Pubnum	Profiles	Responsible Party
NATO Guide to Spectrum Management in Military Operations, NATO Supplement-2		BSP	C3B NACP CaT
NATO Friendly Force Information (FFI) Standard for Interoperability of Friendly Force Tracking Systems (FFTS)	ADatP-36A:2017	FMN4- PROPOSED-PR	C3B CaP2 FFT CaT
Services to forward Friendly Force Information to Weapon Delivery Assets		FMN4- PROPOSED-PR	C3B CaP2
Technical Characteristics of Reverse IFF using Mode 5 Waveform	NATO AETP-4722 Ed. A Ver. 1 / STANAG 4722 Ed 1	BSP	C3B CaP2
Identification Data Combining Process	NATO AIDPP-01 ed. A version 1 / STANAG 4162 Ed 3	BSP	C3B CaP2
NATO Message Catalogue	NATO-Expected APP-11 Ed E	FMN4- PROPOSED-PR	MC, MCJSB, IERHWG
Tactical Data Exchange - Link 11/11B	NATO ATDLP-5.11 Ed B Ver 1 / STANAG 5511 FT Ed 10	BSP	C3B CaP1 TDL CaT
Tactical Data Exchange - Link 16	NATO ATDLP-5.16 Ed B Ver 1 / STANAG 5516 FT Ed 8	BSP	C3B CaP1 TDL CaT
Standard for Joint Range Extension Application Protocol (JREAP)	NATO ATDLP-5.18 Ed A Ver 1:2015 / STANAG (RD) 5518 Ed 2		C3B CaP1 TDL CaT
Tactical Data Exchange - Link 16 - ATDLP-5.16 Edition B	NATO STANAG 5516 FT Ed 8	FMN4- PROPOSED-PR	C3B CaP1 TDL CaT
Link-22 - ATDLP-5.22 Edition B ¹	NATO-Expected STANAG 5522 Ed 6 / ATDLP-5.22(B)	BSP	C3B CaP1 TDL CaT
Track Distribution Services			
NATO Friendly Force Information (FFI) Standard for Interoperability		FMN4- PROPOSED-PR	C3B CaP2 FFT CaT

Title	Pubnum	Profiles	Responsible Party
of Friendly Force Tracking Systems (FFTS)			
Services to forward Friendly Force Information to Weapon Delivery Assets		FMN4- PROPOSED-PR	C3B CaP2
Specifications Defining The Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Security	NATO AEP-76 Vol1 Ed A Ver 2:2017	FMN4- PROPOSED-PR	CNAD, AC/225 NAAG, LCGDSS
Specifications Defining The Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Security		FMN4- PROPOSED-PR	CNAD, AC/225 NAAG, LCGDSS
Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Data Model	NATO AEP-76 Vol2 Ed A Ver 2:2017	FMN4- PROPOSED-PR	CNAD, AC/225 NAAG, LCGDSS
Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Information Exchange Mechanism	NATO AEP-76 Vol4 Ed A Ver 2:2017	FMN4- PROPOSED-PR	CNAD, AC/225 NAAG, LCGDSS
Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Network Access	Ed A Ver 2:2017	FMN4- PROPOSED-PR	CNAD, AC/225 NAAG, LCGDSS
NATO Message Catalogue	NATO-Expected APP-11 Ed E	FMN4- PROPOSED-PR	MC, MCJSB, IERHWG
Tactical Data Exchange - Link 16 - ATDLP-5.16 Edition B	NATO STANAG 5516 FT Ed 8	FMN4- PROPOSED-PR	C3B CaP1 TDL CaT
Standard for Joint Range Extension Application Protocol (JREAP)	NATO STANAG 5518 Ed 1:2014	FMN4- PROPOSED-PR	C3B CaP1 TDL CaT

¹STANAG 5522 Ed 6 / ATDLP-5.22(B) - The extant edition is Ed 2 and Ed 3 is still in ratification. Ed 6 will be out for promulgation using Fast Track procedure during 2Q2019.

1.3.2. Core Services

Title	Pubnum	Profiles	Responsible Party
Business Support CIS Security Ser	vices	,	
Common Biometric Exchange Formats Framework (CBEFF)	ANSI incits-398:2008	BSP	NCIA/JISR
Electronic Biometric Transmission Specification (EBTS)	FBI IAFIS- DOC-01078-8.1:2008	BSP	JCGISR
Business Support SMC Services			
Trouble Ticket REST API Specification R14.5.1 Interface	TM-FORUM TMF621:2015	FMN4- PROPOSED-PR	FMN CPWG
API REST Conformance Guidelines R15.5.1 Standard	TM-FORUM TR250:2016	FMN4- PROPOSED-PR	FMN CPWG
Communication and Collaboration	Services		
HyperText Markup Language (HTML), Version 5.0, Reference Specification		BSP	NCIA/CES
Informal Messaging Services			
SMTP Service Extension for Message Size Declaration	IETF RFC 1870:1995	FMN4- PROPOSED-PR	FMN CPWG
The text/enriched MIME Content-type	IETF RFC 1896:1996	FMN4- PROPOSED-PR	FMN CPWG
SMTP Service Extension for Returning Enhanced Error Codes	IETF RFC 2034:1996	FMN4- PROPOSED-PR	FMN CPWG
MIME - Part 1: Format of Internet Message Bodies	IETF RFC 2045:1996	FMN4- PROPOSED-PR	FMN CPWG
MIME - Part 2: Media Types	IETF RFC 2046:1996	FMN4- PROPOSED-PR	FMN CPWG
MIME - Part 2: Media Types	IETF RFC 2046:1996	FMN4- PROPOSED-PR	FMN CPWG
MIME - Part 3: Message Header Extensions for Non-ASCII Text	IETF RFC 2047:1996	FMN4- PROPOSED-PR	FMN CPWG
MIME - Part 5: Conformance Criteria and Examples	IETF RFC 2049:1996	FMN4- PROPOSED-PR	FMN CPWG
SMTP Service Extension for Command Pipelining	IETF RFC 2920:2000	FMN4- PROPOSED-PR	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
SMTP Service Extension for Secure SMTP over TLS	IETF RFC 3207:2002	FMN4- PROPOSED-PR	FMN CPWG
SMTP Service Extension for Delivery Status Notifications	IETF RFC 3461:2003	FMN4- PROPOSED-PR	FMN CPWG
UTF-8, a transformation format of ISO/IEC 10646	IETF RFC 3629:2003	FMN4- PROPOSED-PR	FMN CPWG
The Text/Plain Format and DelSp Parameters	IETF RFC 3676:2004	FMN4- PROPOSED-PR	FMN CPWG
SMTP Service Extension for Authentication	IETF RFC 4954:2007	FMN4- PROPOSED-PR	FMN CPWG
URI Fragment Identifiers for the text/plain Media Type	IETF RFC 5147:2008	FMN4- PROPOSED-PR	FMN CPWG
Simple Mail Transfer Protocol	IETF RFC 5321:2008	FMN4- PROPOSED-PR	FMN CPWG
Internet Message Format	IETF RFC 5322:2008	FMN4- PROPOSED-PR	NCIA
Internet Calendaring and Scheduling Core Object Specification (iCalendar)	IETF RFC 5545:2009	FMN4- PROPOSED-PR	FMN CPWG
SMTP Service Extension for 8-bit MIME Transport	IETF RFC 6152:2011	FMN4- PROPOSED-PR	FMN CPWG
Electronic document file format for long-term preservation Part 1: Use of PDF 1.4 (PDF/A-1)		FMN4- PROPOSED-PR	FMN CPWG
Electronic document file format for long-term preservation Part 2: Use of ISO 32000-1 (PDF/A-2)		FMN4- PROPOSED-PR	FMN CPWG
Document management Portable document format Part 1: PDF 1.7	ISO 32000-1:2008	FMN4- PROPOSED-PR	FMN CPWG
Digital compression and coding of continuous-tone still images: Requirements and guidelines		FMN4- PROPOSED-PR	FMN CPWG
Digital compression and coding of continuous-tone still images: Extensions		FMN4- PROPOSED-PR	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
Office Open XML File Formats Part 1: Fundamentals and Markup Language Reference		FMN4- PROPOSED-PR	FMN CPWG
Profiles for Binding Metadata to a Data Object		FMN4- PROPOSED-PR	NCIA/CES
NATO SECONDARY IMAGERY FORMAT (NSIF) STANAG 4545 IMPLEMENTATION GUIDE		FMN4- PROPOSED-PR	CNAD, AC/224 NAFAG, JCGISR
NATO Ground Moving Target Indicator(GMTI) Format	NATO AEDP-07 Ed 2 Ver 1:2010 / STANAG 4607 Ed 3		FMN CPWG
NATO Motion Imagery STANAG 4609 Implementation Guide	NATO AEDP-08 Ed 3 Ver 1:2009	FMN4- PROPOSED-PR	CNAD, AC/224 NAFAG, JCGISR
NATO Intelligence, Surveillance And Reconnaissance Tracking Standard			FMN CPWG
NATO standardization of measurement and signature intelligence (MASINT) Reporting		FMN4- PROPOSED-PR	CNAD, AC/224 NAFAG, JCGISR
Allied Joint Medical Doctrine For Medical Evacuation	NATO AJMedP-2 Ed A Ver 1:2018 / STANAG 2546 Ed 2	FMN4- PROPOSED-PR	COMEDS, MCMedSB, MedStd EM
Captured Persons, Materiel And Documents		FMN4- PROPOSED-PR	MC, MCJSB, JINT
NATO Message Catalogue	NATO-Expected APP-11 Ed E	FMN4- PROPOSED-PR	MC, MCJSB, IERHWG
NATO Land Urgent Voice Messages (LUVM) Pocket Book	NATO ATP-97 Ed A Ver 1:2016 / STANAG 2627 Ed 1	FMN4- PROPOSED-PR	MC, MCLSB, LO
Air Reconnaissance Intelligence Report Forms	NATO STANAG 3377:2002	FMN4- PROPOSED-PR	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
Confidentiality Metadata Label Syntax - ADatP-4774 Edition A	NATO STANAG 4774 Ed 1:2017	FMN4- PROPOSED-PR	C3B CaP1 DM CaT
Metadata Binding - ADatP-4778 Edition A	NATO STANAG 4778 Ed 1:2018	FMN4- PROPOSED-PR	C3B CaP1 DM CaT
NATO Core Metadata Specification - ADatP-39 Edition A	NATO STANAG 5636 (Study) Ed 1	FMN4- PROPOSED-PR	C3B CaP1 DM CaT
XHTML™ 1.0 in XML Schema	W3C note-xhtml1-schema-20020902:200		FMN CPWG
Hypertext Markup Language revision 5 (HTML5)	W3C REC- html5-20141028:2014	FMN4- PROPOSED-PR	FMN CPWG
Fax Services			
Procedures for real-time Group 3 facsimile communication over IP networks	ITU-T T.38:2010	BSP	NCIA/NSII
Calendaring and Scheduling Service	ces		
Internet Calendaring and Scheduling Core Object Specification (iCalendar)	IETF RFC 5545:2009	FMN4- PROPOSED-PR	FMN CPWG
iCalendar Transport-Independent Interoperability Protocol (iTIP)	IETF RFC 5546:2009	FMN4- PROPOSED-PR	FMN CPWG
iCalendar Message-Based Interoperability Protocol (iMIP)	IETF RFC 6047:2010	FMN4- PROPOSED-PR	FMN CPWG
Video-based Communication Servi	ces		
Session Initiation Protocol	IETF RFC 3261:2002	FMN4- PROPOSED-PR	FMN CPWG
Reliability of Provisional Responses in the Session Initiation Protocol (SIP)	IETF RFC 3262:2002	FMN4- PROPOSED-PR	FMN CPWG
An Offer/Answer Model with the Session Description Protocol (SDP)	IETF RFC 3264:2002	FMN4- PROPOSED-PR	FMN CPWG
The Session Initiation Protocol (SIP) UPDATE Method	IETF RFC 3311:2002	FMN4- PROPOSED-PR	FMN CPWG
Session Timers in the Session Initiation Protocol (SIP)	IETF RFC 4028:2005	FMN4- PROPOSED-PR	FMN CPWG
A Framework for Conferencing with the Session Initiation Protocol (SIP)	IETF RFC 4353:2006	FMN4- PROPOSED-PR	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
Extending the Session Initiation Protocol (SIP) Reason Header for Preemption Events	IETF RFC 4411:2006	FMN4- PROPOSED-PR	FMN CPWG
Communications Resource Priority for the Session Initiation Protocol (SIP)	IETF RFC 4412:2006	FMN4- PROPOSED-PR	FMN CPWG
SDP: Session Description Protocol	IETF RFC 4566:2006	FMN4- PROPOSED-PR	FMN CPWG
Session Initiation Protocol (SIP) Call Control - Conferencing for User Agents		FMN4- PROPOSED-PR	FMN CPWG
Conference Establishment Using Request-Contained Lists in the Session Initiation Protocol (SIP)	IETF RFC 5366:2008	FMN4- PROPOSED-PR	FMN CPWG
RTP Payload Format for H.264 Video	IETF RFC 6184:2011	FMN4- PROPOSED-PR	FMN CPWG
SIP-Specific Event Notification	IETF RFC 6665:2012	FMN4- PROPOSED-PR	FMN CPWG
RTP Topologies	IETF RFC 7667:2015	FMN4- PROPOSED-PR	FMN CPWG
Notation for national and international telephone numbers, e-mail addresses and web addresses	ITU-T E.123:2001	FMN4- PROPOSED-PR	FMN CPWG
The international public telecommunication numbering plan	ITU-T E.164:2010	FMN4- PROPOSED-PR	FMN CPWG
Pulse code modulation (PCM) of voice frequencies	ITU-T G.711:1988	FMN4- PROPOSED-PR	FMN CPWG
Low-complexity coding at 24 and 32 kbit/s for hands-free operation in systems with low frame loss	` ′	FMN4- PROPOSED-PR	FMN CPWG
Advanced video coding for generic audiovisual services	ITU-T H.264:2017	FMN4- PROPOSED-PR	FMN CPWG
International Network Numbering for Communications Systems in use in NATO	1	FMN4- PROPOSED-PR	C3B CaP1 N&S CaT
Audio-based Communication Servi	ices		*

Title	Pubnum	Profiles	Responsible Party
RTP: A Transport Protocol for Real- Time Applications	IETF RFC 3550:2003	FMN4- PROPOSED-PR	FMN CPWG
Extending the Session Initiation Protocol (SIP) Reason Header for Preemption Events	IETF RFC 4411:2006	FMN4- PROPOSED-PR	FMN CPWG
Communications Resource Priority for the Session Initiation Protocol (SIP)	IETF RFC 4412:2006	FMN4- PROPOSED-PR	FMN CPWG
RTP Payload for DTMF Digits, Telephony Tones, and Telephony Signals	IETF RFC 4733:2006	FMN4- PROPOSED-PR	FMN CPWG
SCIP Signalling Plan rev.3.3	CIS3 C&IP SCIP-210:2010	FMN4- PROPOSED-PR	C3B CaP1 N&S CaT
SCIP over RTP rev.1.0	CIS3 C&IP SCIP-214.2:2010	FMN4- PROPOSED-PR	C3B CaP1 N&S CaT
Securing SIP Signaling - Use of TLS with SCIP	CIS3 C&IP SCIP-214.3:2014	FMN4- PROPOSED-PR	C3B CaP1 N&S CaT
Interoperable Terminal Priority (TP) Community of Interest (COI) Specification rev.1.0	CIS3 C&IP SCIP-233.350:2012	FMN4- PROPOSED-PR	C3B CaP1 N&S CaT
Secure MELP(e) Voice rev.1.1	CIS3 C&IP SCIP-233.501:2012	FMN4- PROPOSED-PR	C3B CaP1 N&S CaT
Secure G.729D Voice Specification Rev. 1.1.	CIS3 C&IP SCIP-233.502:2011	FMN4- PROPOSED-PR	C3B CaP1 N&S CaT
Notation for national and international telephone numbers, e-mail addresses and web addresses	ITU-T E.123:2001	FMN4- PROPOSED-PR	FMN CPWG
The international public telecommunication numbering plan	ITU-T E.164:2010	FMN4- PROPOSED-PR	FMN CPWG
Pulse code modulation (PCM) of voice frequencies	ITU-T G.711:1988	FMN4- PROPOSED-PR	FMN CPWG
Low-complexity coding at 24 and 32 kbit/s for hands-free operation in systems with low frame loss	1	FMN4- PROPOSED-PR	FMN CPWG
Coding of speech at 8 kbit/s using conjugate-structure algebraic-		FMN4- PROPOSED-PR	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
code-excited linear prediction (CS-ACELP)			
Advanced video coding for generic audiovisual services	ITU-T H.264:2017	FMN4- PROPOSED-PR	FMN CPWG
NATO SECONDARY IMAGERY FORMAT (NSIF) STANAG 4545 IMPLEMENTATION GUIDE		FMN4- PROPOSED-PR	CNAD, AC/224 NAFAG, JCGISR
NATO Ground Moving Target Indicator(GMTI) Format		FMN4- PROPOSED-PR	FMN CPWG
NATO Motion Imagery STANAG 4609 Implementation Guide	NATO AEDP-08 Ed 3 Ver 1:2009	FMN4- PROPOSED-PR	CNAD, AC/224 NAFAG, JCGISR
NATO Intelligence, Surveillance And Reconnaissance Tracking Standard	NATO AEDP-12 Ed A Ver 1:2014 / STANAG 4676 Ed 1	FMN4- PROPOSED-PR	FMN CPWG
	` '	FMN4- PROPOSED-PR	CNAD, AC/224 NAFAG, JCGISR
Allied Joint Medical Doctrine For Medical Evacuation		FMN4- PROPOSED-PR	COMEDS, MCMedSB, MedStd EM
Captured Persons, Materiel And Documents	NATO AJP-2.5 Ed A:2007 / STANAG 2195 Ed 2		MC, MCJSB, JINT
NATO Message Catalogue	NATO-Expected APP-11 Ed E	FMN4- PROPOSED-PR	MC, MCJSB, IERHWG
NATO Land Urgent Voice Messages (LUVM) Pocket Book	NATO ATP-97 Ed A Ver 1:2016 / STANAG 2627 Ed 1	FMN4- PROPOSED-PR	MC, MCLSB, LO
Air Reconnaissance Intelligence Report Forms	NATO STANAG 3377:2002	FMN4- PROPOSED-PR	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
International Network Numbering for Communications Systems in use in NATO		FMN4- PROPOSED-PR	C3B CaP1 N&S CaT
Text-based Communication Service	es	1	
UTF-8, a transformation format of ISO/IEC 10646	IETF RFC 3629:2003	FMN4- PROPOSED-PR	FMN CPWG
Extensible Messaging and Presence Protocol (XMPP): Core	IETF RFC 6120:2011	FMN4- PROPOSED-PR	NCIA
Extensible Messaging and Presence Protocol (XMPP): Instant Messaging and Presence		FMN4- PROPOSED-PR	NCIA
Extensible Messaging and Presence Protocol (XMPP): Address Format	IETF RFC 6122:2011	FMN4- PROPOSED-PR	NCIA
Profiles for Binding Metadata to a Data Object	NCIA TN-1491 Edition 2:2017	FMN4- PROPOSED-PR	NCIA/CES
NATO SECONDARY IMAGERY FORMAT (NSIF) STANAG 4545 IMPLEMENTATION GUIDE		FMN4- PROPOSED-PR	CNAD, AC/224 NAFAG, JCGISR
NATO Ground Moving Target Indicator(GMTI) Format	NATO AEDP-07 Ed 2 Ver 1:2010 / STANAG 4607 Ed 3	FMN4- PROPOSED-PR	FMN CPWG
NATO Motion Imagery STANAG 4609 Implementation Guide	NATO AEDP-08 Ed 3 Ver 1:2009	FMN4- PROPOSED-PR	CNAD, AC/224 NAFAG, JCGISR
NATO Intelligence, Surveillance And Reconnaissance Tracking Standard		FMN4- PROPOSED-PR	FMN CPWG
		FMN4- PROPOSED-PR	CNAD, AC/224 NAFAG, JCGISR
Allied Joint Medical Doctrine For Medical Evacuation		FMN4- PROPOSED-PR	COMEDS, MCMedSB, MedStd EM

Title	Pubnum	Profiles	Responsible Party
Captured Persons, Materiel And Documents	I .	FMN4- PROPOSED-PR	MC, MCJSB, JINT
NATO Message Catalogue	NATO-Expected APP-11 Ed E	FMN4- PROPOSED-PR	MC, MCJSB, IERHWG
NATO Land Urgent Voice Messages (LUVM) Pocket Book	NATO ATP-97 Ed A Ver 1:2016 / STANAG 2627 Ed 1	FMN4- PROPOSED-PR	MC, MCLSB, LO
Air Reconnaissance Intelligence Report Forms	NATO STANAG 3377:2002	FMN4- PROPOSED-PR	FMN CPWG
Confidentiality Metadata Label Syntax - ADatP-4774 Edition A	NATO STANAG 4774 Ed 1:2017	FMN4- PROPOSED-PR	C3B CaP1 DM CaT
Metadata Binding - ADatP-4778 Edition A	NATO STANAG 4778 Ed 1:2018	FMN4- PROPOSED-PR	C3B CaP1 DM CaT
NATO Core Metadata Specification - ADatP-39 Edition A	NATO STANAG 5636 (Study) Ed 1	FMN4- PROPOSED-PR	C3B CaP1 DM CaT
XEP-0004: Data Forms	XMPP XEP-0004:2007	FMN4- PROPOSED-PR	FMN CPWG
XEP-0012: Last Activity	XMPP XEP-0012:2008	FMN4- PROPOSED-PR	FMN CPWG
XEP-0030: Service Discovery	XMPP XEP-0030:2008	FMN4- PROPOSED-PR	FMN CPWG
XEP-0045: Multi-User Chat	XMPP XEP-0045:2012	FMN4- PROPOSED-PR	FMN CPWG
XEP-0047: In-Band Bytestreams	XMPP XEP-0047:2012	FMN4- PROPOSED-PR	FMN CPWG
XEP-0049: Private XML Storage	XMPP XEP-0049:2004	FMN4- PROPOSED-PR	FMN CPWG
XEP-0049: Private XML Storage	XMPP XEP-0049:2004	FMN4- PROPOSED-PR	FMN CPWG
XEP-0054: vcard-temp	XMPP XEP-0054:2008	FMN4- PROPOSED-PR	FMN CPWG
XEP-0055: Jabber Search	XMPP XEP-0055:2009	FMN4- PROPOSED-PR	FMN CPWG
XEP-0059: Result Set Management	XMPP XEP-0059:2006	FMN4- PROPOSED-PR	NCIA

Title	Pubnum	Profiles	Responsible Party
XEP-0065: SOCKS5 Bytestreams	XMPP XEP-0065:2011	FMN4- PROPOSED-PR	FMN CPWG
XEP-0082: XMPP Date and Time Profiles	XMPP XEP-0082:2013	FMN4- PROPOSED-PR	FMN CPWG
XEP-0092: Software Version	XMPP XEP-0092:2007	FMN4- PROPOSED-PR	FMN CPWG
XEP-0114: Jabber Component Protocol	XMPP XEP-0114:2012	FMN4- PROPOSED-PR	FMN CPWG
XEP-0114: Jabber Component Protocol	XMPP XEP-0114:2012	FMN4- PROPOSED-PR	FMN CPWG
XEP-0160: Best Practices for Handling Offline Messages	XMPP XEP-0160:2016	FMN4- PROPOSED-PR	FMN CPWG
XEP-0198: Stream Management	XMPP XEP-0198:2011	FMN4- PROPOSED-PR	NCIA
XEP-0199: XMPP Ping	XMPP XEP-0199:2009	FMN4- PROPOSED-PR	NCIA
XEP-0202: Entity Time	XMPP XEP-0202:2009	FMN4- PROPOSED-PR	NCIA
XEP-0203: Delayed Delivery	XMPP XEP-0203:2009	FMN4- PROPOSED-PR	FMN CPWG
XEP-0220: Server Dialback	XMPP XEP-0220:2013	FMN4- PROPOSED-PR	FMN CPWG
XEP-0258: Security Labels in XMPP	XMPP XEP-0258:2013	FMN4- PROPOSED-PR	NCIA
XEP-0313: Message Archive Management	XMPP XEP-0313:2017	FMN4- PROPOSED-PR	FMN CPWG
Presence Services		1	
Extensible Messaging and Presence Protocol (XMPP): Core	IETF RFC 6120:2011	FMN4- PROPOSED-PR	NCIA
Extensible Messaging and Presence Protocol (XMPP): Instant Messaging and Presence	IETF RFC 6121:2011	FMN4- PROPOSED-PR	NCIA
Extensible Messaging and Presence Protocol (XMPP): Address Format	IETF RFC 6122:2011	FMN4- PROPOSED-PR	NCIA
XEP-0004: Data Forms	XMPP XEP-0004:2007	FMN4- PROPOSED-PR	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
XEP-0012: Last Activity	XMPP XEP-0012:2008	FMN4- PROPOSED-PR	FMN CPWG
XEP-0030: Service Discovery	XMPP XEP-0030:2008	FMN4- PROPOSED-PR	FMN CPWG
XEP-0045: Multi-User Chat	XMPP XEP-0045:2012	FMN4- PROPOSED-PR	FMN CPWG
XEP-0047: In-Band Bytestreams	XMPP XEP-0047:2012	FMN4- PROPOSED-PR	FMN CPWG
XEP-0049: Private XML Storage	XMPP XEP-0049:2004	FMN4- PROPOSED-PR	FMN CPWG
XEP-0049: Private XML Storage	XMPP XEP-0049:2004	FMN4- PROPOSED-PR	FMN CPWG
XEP-0054: vcard-temp	XMPP XEP-0054:2008	FMN4- PROPOSED-PR	FMN CPWG
XEP-0055: Jabber Search	XMPP XEP-0055:2009	FMN4- PROPOSED-PR	FMN CPWG
XEP-0059: Result Set Management	XMPP XEP-0059:2006	FMN4- PROPOSED-PR	NCIA
XEP-0065: SOCKS5 Bytestreams	XMPP XEP-0065:2011	FMN4- PROPOSED-PR	FMN CPWG
XEP-0082: XMPP Date and Time Profiles	XMPP XEP-0082:2013	FMN4- PROPOSED-PR	FMN CPWG
XEP-0092: Software Version	XMPP XEP-0092:2007	FMN4- PROPOSED-PR	FMN CPWG
XEP-0114: Jabber Component Protocol	XMPP XEP-0114:2012	FMN4- PROPOSED-PR	FMN CPWG
XEP-0114: Jabber Component Protocol	XMPP XEP-0114:2012	FMN4- PROPOSED-PR	FMN CPWG
XEP-0160: Best Practices for Handling Offline Messages	XMPP XEP-0160:2016	FMN4- PROPOSED-PR	FMN CPWG
XEP-0198: Stream Management	XMPP XEP-0198:2011	FMN4- PROPOSED-PR	NCIA
XEP-0199: XMPP Ping	XMPP XEP-0199:2009	FMN4- PROPOSED-PR	NCIA
XEP-0202: Entity Time	XMPP XEP-0202:2009	FMN4- PROPOSED-PR	NCIA

Title	Pubnum	Profiles	Responsible Party
XEP-0203: Delayed Delivery	XMPP XEP-0203:2009	FMN4- PROPOSED-PR	FMN CPWG
XEP-0220: Server Dialback	XMPP XEP-0220:2013	FMN4- PROPOSED-PR	FMN CPWG
XEP-0258: Security Labels in XMPP	XMPP XEP-0258:2013	FMN4- PROPOSED-PR	NCIA
XEP-0313: Message Archive Management	XMPP XEP-0313:2017	FMN4- PROPOSED-PR	FMN CPWG
Geospatial Services			
Geospatial Web Services	NATO-Expected AGeoP-26 Ed A Ver 1 / STANAG 6523 Ed 1 (RD)	BSP	JGSWG
OpenGIS Web Processing Service	OGC 05-007r7:2007	BSP	NCIA/AWG
GML in JPEG 2000 for Geographic Imagery (GMLJP2)	OGC 05-047r3:2006	FMN4- PROPOSED-PR	FMN CPWG
OGC KML	OGC 07-147r2:2008	FMN4- PROPOSED-PR	FMN CPWG
Geographical Tagged Image Format (GeoTIFF)	OSGEO 1.8.2:2000	FMN4- PROPOSED-PR	FMN CPWG
Geospatial Web Map Services			
Geographic information - Web map server interface	ISO 19128:2005	FMN4- PROPOSED-PR	FMN CPWG
Open GIS Web Map Service Implementation Specification	OGC 06-042:2006	FMN4- PROPOSED-PR	FMN CPWG
Geospatial Web Feature Services			
Geographic information - Web Feature Service	ISO 19142:2010	FMN4- PROPOSED-PR	FMN CPWG
OpenGIS Web Feature Service 2.0 Interface Standard	OGC 09-025r2:2006	FMN4- PROPOSED-PR	FMN CPWG
Geospatial Coordinate Services	t.		1
OpenGIS Coordinate Transformation Services	OGC 01-009:2001	BSP	NCIA/AWG
Information Management Services			

Title	Pubnum	Profiles	Responsible Party
Application Vulnerability Description Language (AVDL) version 1.0		BSP	NCIA/CS
Content Management Services			
UTF-8, a transformation format of ISO/IEC 10646	IETF RFC 3629:2003	FMN4- PROPOSED-PR	FMN CPWG
Formal Messaging Services			
Registration of Military Message Handling System (MMHS) Header Fields for Use in Internet Mail		BSP	NCIA/CES
Tactical Data Exchange - Link 11/11B	NATO ATDLP-5.11 Ed B Ver 1 / STANAG 5511 FT Ed 10	BSP	C3B CaP1 TDL CaT
Tactical Data Exchange - Link 16	NATO ATDLP-5.16 Ed B Ver 1 / STANAG 5516 FT Ed 8	BSP	C3B CaP1 TDL CaT
Joint Range Extension Application Protocol (JREAP) ¹	NATO ATDLP-5.18 Ed B Ver 2:2019 / STANAG FT 5518 Ed 4	BSP	C3B CaP1 TDL CaT
Link-22 - ATDLP-5.22 Edition B ¹	NATO-Expected STANAG 5522 Ed 6 / ATDLP-5.22(B)	BSP	C3B CaP1 TDL CaT
SOAP Messages with Attachments (SwA) Profile 1.1	OASIS wss-v1.1- spec-os- SwAProfile:2006	BSP	NCIA/CES
Variable Message Format (VMF) ²	US DoD MIL- STD-6017 D:2017	BSP	C3B CaP1
Workflow Services			
NATO STANDARD ISR WORKFLOW ARCHITECTURE	NATO AEDP-19 Ed A Ver 1:2018	FMN4- PROPOSED-PR	CNAD, AC/224 NAFAG, JCGISR
Search Services			
Atom Syndication Format, v1.0	IETF RFC 4287:2005	FMN4- PROPOSED-PR	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
XML Media Types	IETF RFC 7303:2014	FMN4- PROPOSED-PR	FMN CPWG
OpenSearch 1.1 Draft 6	Opensearch opensearch11d6	FMN4- PROPOSED-PR	FMN CPWG
RSS 2.0 Specification	RSS 2.0:2009	FMN4- PROPOSED-PR	FMN CPWG
eXtensible Markup Language (XML) version 1.0 (Fifth Edition)	W3C REC- xml-20081126:2008	FMN4- PROPOSED-PR	FMN CPWG
Reporting Services			
Representation of Names of Languages Part 2: Alpha-3	ISO 639-2:1998	FMN4- PROPOSED-PR	NCIA/Sstrat/ Sea
Information technology Metadata registries (MDR) Part 3: Registry metamodel and basic attributes		FMN4- PROPOSED-PR	FMN CPWG
Image Processing and Interchange (IPI) - Functional Specification - Part 5: Basic Image Interchange Format (BIIF)	12087-5:1998	FMN4- PROPOSED-PR	FMN CPWG
Technical Corrigendum 1 to International Standard ISO/IEC 12087-5:1998	ISO/IEC 12087-5- cor1:2001	FMN4- PROPOSED-PR	FMN CPWG
	ISO/IEC 12087-5- cor2:2002	FMN4- PROPOSED-PR	FMN CPWG
Information technology Open Distributed Processing Interface Definition Language		FMN4- PROPOSED-PR	FMN CPWG
US Motion Imagery Standards Board (MISB) - Motion Imagimary Standards Profile-2015.1	NATO NNSTD MISP-2015.1:2016 / STANAG 4609 Ed 4	FMN4- PROPOSED-PR	FMN CPWG
NATO SECONDARY IMAGERY FORMAT (NSIF) STANAG 4545 IMPLEMENTATION GUIDE		FMN4- PROPOSED-PR	CNAD, AC/224 NAFAG, JCGISR
NATO Ground Moving Target Indicator(GMTI) Format	NATO AEDP-07 Ed 2 Ver 1:2010 / STANAG 4607 Ed 3	FMN4- PROPOSED-PR	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
NATO Motion Imagery STANAG 4609 Implementation Guide	NATO AEDP-08 Ed 3 Ver 1:2009	FMN4- PROPOSED-PR	CNAD, AC/224 NAFAG, JCGISR
NATO Intelligence, Surveillance And Reconnaissance Tracking Standard	NATO AEDP-12 Ed A Ver 1:2014 / STANAG 4676 Ed 1	FMN4- PROPOSED-PR	FMN CPWG
	NATO AEDP-16 / STANAG (Study) 4716 Ed 1	FMN4- PROPOSED-PR	CNAD, AC/224 NAFAG, JCGISR
NATO STANDARD ISR LIBRARY INTERFACE	NATO AEDP-17 Ed A Ver 1:2018	FMN4- PROPOSED-PR	CNAD, AC/224 NAFAG, JCGISR
NATO Message Catalogue	NATO-Expected APP-11 Ed E	FMN4- PROPOSED-PR	MC, MCJSB, IERHWG
NATO Message Catalogue	NATO-Expected APP-11 Ed E	FMN4- PROPOSED-PR	MC, MCJSB, IERHWG
Air Reconnaissance Intelligence Report Forms	NATO STANAG 3377:2002	FMN4- PROPOSED-PR	FMN CPWG
Joint Consultation, Command and Control Information Exchange Data Model (JC3IEDM)		FMN4- PROPOSED-PR	FMN CPWG
Platform Services			-
WS-BrokeredNotification 1.3	OASIS wsn- ws_brokered_notificati spec-os:2006	· =	NCIA/CES
Web Services Business Process Execution Language (WSBPEL) version 2.0	OASIS ws-bpel:2007	BSP	NCIA/CES
WS-BaseNotification	OASIS ws-notif:2006	BSP	NCIA/CES
WS-Topics 1.3	OASIS wsn- ws_topics-1.3-spec- os:2006	BSP	NCIA/CES

Title	Pubnum	Profiles	Responsible Party
Web Services Addressing 1.0 - Core	W3C REC-ws-addr-core-20060509:2006	BSP	FMN CPWG
Attachments Profile Version 1.0	WS-I AttachmentsProfile-1.0	BSP -2006-04-20:2004	NCIA/CES
WS-I Basic Profile 1.2	WS-I BP12:2010	BSP	NCIA/CES
WS-I Basic Profile 2.0	WS-I wsbp:2010	BSP	NCIA/CES
Simple SOAP Binding Profile Version 1.0	WS-I SimpleSoapBindingPro	BSP ofile-1.0-2004-08-2	NCIA/CES 4:2004
Security Token Services			
RADIUS and IPv6	IETF RFC 3162:2001	BSP	NCIA/NSII
Single Sign On	Open Group P702:1997	BSP	C3B CaP4
Policy Decision Point Services			
Data Format for the Interchange of Fingerprint Facial, and Scar Mark and Tattoo (SMT) Information		BSP	NCIA/JISR
Biometric data interchange formats Part 2:	ISO/IEC 19794-2:2007	BSP	NCIA/JISR
Biometric data interchange formats Part 5: Face image data	ISO/IEC 19794-5:2007	BSP	NCIA/JISR
Biometric data interchange formats Part 6: Iris image data	ISO/IEC 19794-6:2007	BSP	NCIA/JISR
NATO Public Key Infrastructure (NPKI) Certificate Policy (CertP) Rev2.			C3B NPMA
eXtensible Access Control Markup Language core specification	OASIS xacml-3.0-core-spec-os:2013	BSP	NCIA/CS
DOD EBTS	US DoD DIN: DOD_BTF_TS_EBTS_Nov06_01.02.00:2006		JCGISR
DOD EBTS	US DoD DIN: DOD_BTF_TS_EBTS_ Mar09_02.00.00:2009		JCGISR
Platform SMC Services			
Common Information Model (CIM) v2.2	DMTF DSP0004:1999	BSP	C3B CaP1 SMC CaT

Title	Pubnum	Profiles	Responsible Party		
Web Services for Management (WS-Management) Specification	DMTF DSP0226:2010	BSP	C3B CaP1 SMC CaT		
WS-Management CIM Binding Specification	DMTF DSP0227:2010	BSP	C3B CaP1 SMC CaT		
Remote Network Monitoring Management Information Base, RMON-MIB version 2 using SMIv2	IETF RFC 2021:1997	BSP	NCIA/SMC		
IP Version 6 Management Information Base for the Transmission Control Protocol	IETF RFC 2452:1998	BSP	NCIA/NSII		
IP Version 6 Management Information Base for the User Datagram Protocol	IETF RFC 2454:1998	BSP	NCIA/NSII		
IPv6 MIB	IETF RFC 2465:1998	BSP	NCIA/SMC		
ICMPv6 MIB	IETF RFC 2466:1998	BSP	NCIA/SMC		
Multicast Group Membership Discovery MIB	IETF RFC 5519:2009	BSP	NCIA/NSII		
Enhanced Telecom Operations Map	TM-FORUM eTOM Rel.13:2012	BSP	NCIA/SMC		
Service Discovery Services					
DNS-Based Service Discovery	IETF RFC 6763:2013	BSP	NCIA/CES		
TIDE Service Discovery	NATO TIDE/TIDE-ID-SP:2008	BSP	NCIA/CES		
OASIS ebXML Messaging Services Specification	OASIS ebms2:2002	BSP	NCIA/CES		
Web Services Dynamic Discovery Version 1.1	OASIS wsdd-discovery-1.1-spec:2009	BSP	NCIA/CES		
Web Services Description Language (WSDL) Version 2.0 Part 1: Core Language			NCIA/Sstrat/ Sea		
Message-Oriented Middleware Services					
Web Service Messaging Profile (WSMP)	NATO ADatP-5644 (Study) Ed A Ver 1	FMN4- PROPOSED-PR	C3B CaP1 DM CaT		
Web Service Messaging Profile (WSMP)	NATO ADatP-5644 (Study) Ed A Ver 1	FMN4- PROPOSED-PR	C3B CaP1 DM CaT		

Title	Pubnum	Profiles	Responsible Party
SOAP Version 1.2	W3C SOAP Version 1.2:2001	BSP	NCIA/CES
Direct Messaging Services			
Specifications Defining The Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Security	NATO AEP-76 Vol1 Ed A Ver 2:2017	FMN4- PROPOSED-PR	CNAD, AC/225 NAAG, LCGDSS
Specifications Defining The Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Security	NATO AEP-76 Vol1 Ed A Ver 2:2017	FMN4- PROPOSED-PR	CNAD, AC/225 NAAG, LCGDSS
Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Data Model	NATO AEP-76 Vol2 Ed A Ver 2:2017	FMN4- PROPOSED-PR	CNAD, AC/225 NAAG, LCGDSS
Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Information Exchange Mechanism	NATO AEP-76 Vol4 Ed A Ver 2:2017	FMN4- PROPOSED-PR	CNAD, AC/225 NAAG, LCGDSS
Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Network Access		FMN4- PROPOSED-PR	CNAD, AC/225 NAAG, LCGDSS
Web Platform Services			
Content-ID and Message-ID Uniform Resource Locators	IETF RFC 2392:1998	BSP	NCIA/CES
XML Linking Language (XLink) Version 1.1	W3C REC- xlink11-20100506:201		NCIA/CES
Extensible Markup Language (XML) version 1.1 (Second Edition)	W3C REC- xml11-20060816:2006	BSP	NCIA/CES
Web Hosting Services			
Uniform Resource Locators (URL)	IETF RFC 1738:1994	FMN4- PROPOSED-PR	FMN CPWG
Upgrading to TLS Within HTTP/1.1	IETF RFC 2817:2000	FMN4- PROPOSED-PR	FMN CPWG
The 'text/html' Media Type	IETF RFC 2854:2000	FMN4- PROPOSED-PR	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
UTF-8, a transformation format of ISO/IEC 10646	IETF RFC 3629:2003	FMN4- PROPOSED-PR	FMN CPWG
Uniform Resource Identifiers (URI): Generic Syntax	IETF RFC 3986:2005	FMN4- PROPOSED-PR	FMN CPWG
Atom Syndication Format, v1.0	IETF RFC 4287:2005	FMN4- PROPOSED-PR	FMN CPWG
Atom Syndication Format, v1.0	IETF RFC 4287:2005	FMN4- PROPOSED-PR	FMN CPWG
Scripting Media Types	IETF RFC 4329:2006	FMN4- PROPOSED-PR	FMN CPWG
The application/json Media Type for JavaScript Object Notation (JSON)	IETF RFC 4627:2006	FMN4- PROPOSED-PR	FMN CPWG
Atom Publishing Protocol	IETF RFC 5023:2007	FMN4- PROPOSED-PR	FMN CPWG
Atom Publishing Protocol	IETF RFC 5023:2007	FMN4- PROPOSED-PR	FMN CPWG
Internet Calendaring and Scheduling Core Object Specification (iCalendar)	IETF RFC 5545:2009	FMN4- PROPOSED-PR	FMN CPWG
Hypertext Transfer Protocol (HTTP/1.1): Message Syntax and Routing	IETF RFC 7230:2014	FMN4- PROPOSED-PR	NCIA/CES
Hypertext Transfer Protocol (HTTP/1.1): Semantics and Content	IETF RFC 7231:2014	FMN4- PROPOSED-PR	FMN CPWG
Hypertext Transfer Protocol (HTTP/1.1): Conditional Requests	IETF RFC 7232:2014	FMN4- PROPOSED-PR	FMN CPWG
Hypertext Transfer Protocol (HTTP/1.1): Range Requests	IETF RFC 7233:2014	FMN4- PROPOSED-PR	FMN CPWG
Hypertext Transfer Protocol (HTTP/1.1): Caching	IETF RFC 7234:2014	FMN4- PROPOSED-PR	FMN CPWG
Hypertext Transfer Protocol (HTTP/1.1): Authentication	IETF RFC 7235:2014	FMN4- PROPOSED-PR	FMN CPWG
Electronic document file format for long-term preservation Part 1: Use of PDF 1.4 (PDF/A-1)		FMN4- PROPOSED-PR	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
Electronic document file format for long-term preservation Part 2: Use of ISO 32000-1 (PDF/A-2)		FMN4- PROPOSED-PR	FMN CPWG
Document management Portable document format Part 1: PDF 1.7	ISO 32000-1:2008	FMN4- PROPOSED-PR	FMN CPWG
Digital compression and coding of continuous-tone still images: Requirements and guidelines	I .	FMN4- PROPOSED-PR	FMN CPWG
Digital compression and coding of continuous-tone still images: Extensions	I .	FMN4- PROPOSED-PR	FMN CPWG
Office Open XML File Formats Part 1: Fundamentals and Markup Language Reference		FMN4- PROPOSED-PR	FMN CPWG
Profiles for Binding Metadata to a Data Object	NCIA TN-1491 Edition 2:2017	FMN4- PROPOSED-PR	NCIA/CES
NATO SECONDARY IMAGERY FORMAT (NSIF) STANAG 4545 IMPLEMENTATION GUIDE		FMN4- PROPOSED-PR	CNAD, AC/224 NAFAG, JCGISR
NATO Ground Moving Target Indicator(GMTI) Format	NATO AEDP-07 Ed 2 Ver 1:2010 / STANAG 4607 Ed 3	FMN4- PROPOSED-PR	FMN CPWG
NATO Motion Imagery STANAG 4609 Implementation Guide	NATO AEDP-08 Ed 3 Ver 1:2009	FMN4- PROPOSED-PR	CNAD, AC/224 NAFAG, JCGISR
NATO Intelligence, Surveillance And Reconnaissance Tracking Standard	NATO AEDP-12 Ed A Ver 1:2014 / STANAG 4676 Ed 1		FMN CPWG
measurement and signature	NATO AEDP-16 / STANAG (Study) 4716 Ed 1	FMN4- PROPOSED-PR	CNAD, AC/224 NAFAG, JCGISR
Captured Persons, Materiel And Documents	NATO AJP-2.5 Ed A:2007 / STANAG 2195 Ed 2		MC, MCJSB, JINT

Title	Pubnum	Profiles	Responsible Party
NATO Message Catalogue	NATO-Expected APP-11 Ed E	FMN4- PROPOSED-PR	MC, MCJSB, IERHWG
NATO Message Catalogue	NATO-Expected APP-11 Ed E	FMN4- PROPOSED-PR	MC, MCJSB, IERHWG
Air Reconnaissance Intelligence Report Forms	NATO STANAG 3377:2002	FMN4- PROPOSED-PR	FMN CPWG
Confidentiality Metadata Label Syntax - ADatP-4774 Edition A	NATO STANAG 4774 Ed 1:2017	FMN4- PROPOSED-PR	C3B CaP1 DM CaT
Metadata Binding - ADatP-4778 Edition A	NATO STANAG 4778 Ed 1:2018	FMN4- PROPOSED-PR	C3B CaP1 DM CaT
NATO Core Metadata Specification - ADatP-39 Edition A	NATO STANAG 5636 (Study) Ed 1	FMN4- PROPOSED-PR	C3B CaP1 DM CaT
GML application schema for the Simple and GML serializations of GeoRSS		FMN4- PROPOSED-PR	FMN CPWG
RSS 2.0 Specification	RSS 2.0:2009	FMN4- PROPOSED-PR	FMN CPWG
RSS 2.0 Specification	RSS 2.0:2009	FMN4- PROPOSED-PR	FMN CPWG
Trouble Ticket REST API Specification R14.5.1 Interface	TM-FORUM TMF621:2015	FMN4- PROPOSED-PR	FMN CPWG
Product Ordering API REST Specification R14.5.1 Interface	TM-FORUM TMF622:2015	FMN4- PROPOSED-PR	FMN CPWG
API REST Conformance Guidelines R15.5.1 Standard	TM-FORUM TR250:2016	FMN4- PROPOSED-PR	FMN CPWG
Web Services Addressing 1.0 - Core	W3C REC-ws-addr-core-20060509:2006	FMN4- PROPOSED-PR	FMN CPWG
Cross-Origin Resource Sharing	W3C CR-cors-20130129:2013	FMN4- PROPOSED-PR	FMN CPWG
Simple Object Access Protocol (SOAP)	W3C NOTE- SOAP-20000508:2000		NCIA
Web Service Description Language (WSDL) 1.1	W3C NOTE- wsdl-20010315:2001	FMN4- PROPOSED-PR	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
Web Services Description Language (WSDL) Version 2.0 SOAP 1.1 Binding	W3C NOTE-wsdl20- soap11- binding-20070626:200	PROPOSED-PR	FMN CPWG
XHTML™ 1.0 in XML Schema	W3C note-xhtml1- schema-20020902:2002		FMN CPWG
CSS Namespaces Module Level 3	W3C REC-css-namespaces-3-2014032		FMN CPWG
CSS Style Attributes	W3C REC-css-style-attr-20131107:2013	FMN4- PROPOSED-PR	FMN CPWG
Cascading Style Sheets, level 2 revision 1	W3C REC- CSS2-2011067:2011	FMN4- PROPOSED-PR	FMN CPWG
CSS Color Module Level 3	W3C REC-css3- color-20110607:2011		FMN CPWG
Media Queries	W3C REC-css3- mediaqueries-2012061		FMN CPWG
Selectors Level 3	W3C REC-css3- selectors-20110929:20		FMN CPWG
Hypertext Markup Language revision 5 (HTML5)	W3C REC- html5-20141028:2014		FMN CPWG
eXtensible Markup Language (XML) version 1.0 (Fifth Edition)	W3C REC- xml-20081126:2008	FMN4- PROPOSED-PR	FMN CPWG
XML Schema Part 1: Structures Second Edition	W3C REC- xmlschema-1-2004102		FMN CPWG
XML Schema Part 2: Datatypes Second Edition	W3C REC- xmlschema-2-2004102	FMN4- 8P.ROOMPOSED-PR	FMN CPWG
Web Presentation Services			
Web Services for Remote Portlets Specification	OASIS wsrp-specification-2.0:2008	BSP	NCIA/CES
Information Discovery Services	`		
OpenSearch 1.1	Opensearch OpenSearch 1.1 Draft 4	BSP	NCIA/CES
Information Access Services			
MIME Encapsulation of Aggregate Documents, such as HTML (MHTML)	IETF RFC 2557:2006	BSP	NCIA/CES

Title	Pubnum	Profiles	Responsible Party
A Standards Based Approach for Geo-enabling RSS feeds, v1.0	OGC 06-050r3:2006	BSP	NCIA/AWG
XForms 1.0	W3C REC- xforms-20031014:2003		NCIA/CES
Metadata Repository Services			
Web Services Metadata Exchange (WS-MetadataExchange)	W3C REC-ws- metadata- exchange-20111213:20		NCIA/CES
Directory Services			
Definition of the inetOrgPerson LDAP Object Class	IETF RFC 2798:2000	FMN4- PROPOSED-PR	FMN CPWG
LDAP Data Interchange Format (LDIF)	IETF RFC 2849:2000	FMN4- PROPOSED-PR	FMN CPWG
LDAP: Technical Specification Road Map	IETF RFC 4510:2006	FMN4- PROPOSED-PR	FMN CPWG
LDAP: The Protocol	IETF RFC 4511:2006	FMN4- PROPOSED-PR	FMN CPWG
LDAP: Directory Information Models	IETF RFC 4512:2006	FMN4- PROPOSED-PR	FMN CPWG
LDAP: Authentication Methods and Security Mechanisms	IETF RFC 4513:2006	FMN4- PROPOSED-PR	FMN CPWG
LDAP: String Representation of Distinguished Names	IETF RFC 4514:2006	FMN4- PROPOSED-PR	FMN CPWG
LDAP: String Representation of Search Filters	IETF RFC 4515:2006	FMN4- PROPOSED-PR	FMN CPWG
LDAP: Uniform Resource Locator	IETF RFC 4516:2006	FMN4- PROPOSED-PR	FMN CPWG
LDAP: Syntaxes and Matching Rules	IETF RFC 4517:2006	FMN4- PROPOSED-PR	FMN CPWG
LDAP: Internationalized String Preparation	IETF RFC 4518:2006	FMN4- PROPOSED-PR	FMN CPWG
LDAP: Schema for User Applications	IETF RFC 4519:2006	FMN4- PROPOSED-PR	FMN CPWG
Choreography Services	•		
W3C Web Service Choreography Interface version 1.0	W3C NOTE- wsci-20020808:2002	BSP	NCIA/CES

Title	Pubnum	Profiles	Responsible Party
Mediation Services			
Services to forward Friendly Force Information to Weapon Delivery Assets	1	BSP	C3B CaP2
Data Format Transformation Serv	ices		
XML Query Language (XQuery)	W3C WD- xquery-20030502:2003		NCIA/CES
Infrastructure Services			
Real Time Control Protocol (RTCP) attribute in Session Description Protocol (SDP)	IETF RFC 3605:2003	BSP	NCIA/NSII
The Secure Real-time Transport Protocol (SRTP)	IETF RFC 3711:2004	BSP	FMN CPWG
NATO Imagery Interpretability Rating Scale (NIIRS)	NATO AIntP-07 Ed A Ver 1:2018 / STANAG 7194 Ed 2	BSP	MC, MCJSB, JINT JISRP
Distributed File System (DFS) DCE DFS	Open Group F209a:1997	BSP	NCIA/CES
Authentication Services			
A summary of the X.500(96) User Schema for Use with LDAPv3	IETF RFC 2256:1997	FMN4- PROPOSED-PR	FMN CPWG
Definition of the inetOrgPerson LDAP Object Class	IETF RFC 2798:2000	FMN4- PROPOSED-PR	FMN CPWG
Uniform Resource Identifiers (URI): Generic Syntax	IETF RFC 3986:2005	FMN4- PROPOSED-PR	FMN CPWG
LDAP: Schema for User Applications	IETF RFC 4519:2006	FMN4- PROPOSED-PR	FMN CPWG
Internet Message Format	IETF RFC 5322:2008	FMN4- PROPOSED-PR	NCIA
OASIS Security Services (SAML)	OASIS saml:2009	FMN4- PROPOSED-PR	NCIA
Digital Certificate Services			,
More Modular Exponential (MODP) Diffie-Hellman groups for Internet Key Exchange (IKE)	1	FMN4- PROPOSED-PR	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
Internet X.509 Public Key Infrastructure Certificate and CRL Profile	IETF RFC 5280:2008	FMN4- PROPOSED-PR	FMN CPWG
Information technology - Open Systems Interconnection - The Directory: Public-key and attribute certificate frameworks	ITU-T X.509:2016	FMN4- PROPOSED-PR	FMN CPWG
Secure Hash Standard (SHS)	NIST FIPS PUB 180-4:2015	FMN4- PROPOSED-PR	C3B CaP4
Digital Signature Standard (DSS)	NIST FIPS PUB 186-4:2013	FMN4- PROPOSED-PR	FMN CPWG
Advanced Encryption Standard (AES)	NIST FIPS PUB 197:2001	FMN4- PROPOSED-PR	FMN CPWG
Recommendation for Pair-Wise Key-Establishment Schemes Using Discrete Logarithm Cryptography	NIST SP 800-56A Rev 3:2018	FMN4- PROPOSED-PR	FMN CPWG
Recommendation for Pair-Wise KeyEstablishment Schemes Using Integer Factorization Cryptography		FMN4- PROPOSED-PR	FMN CPWG
Virtualized Processing Services			1
Open Virtualization Format Specification, v.1.1	DMTF DSP0243 1.1:2013	FMN4- PROPOSED-PR	C3B CaP1
Infrastructure Networking Service	S		
Default Address Selection for Internet Protocol version 6 (IPv6)	IETF RFC 6724:2012	BSP	NCIA
Very high speed digital subscriber line transceivers 2 (VDSL2)	ITU-T G. 993-2:2011	BSP	NCIA/NSII
Server Message Block (SMB)	Microsoft MS-SMB - 20130118:2013	BSP	NCIA/CES
X/Open Network File System (C702 Protocols for Inter-working: XNFS, Version 3W)	•	BSP	NCIA/CES
DCE 1.1: Remote Procedure Call	Open Group C706:1997	BSP	NCIA/CES
Host Configuration Services			
Dynamic Host Configuration Protocol for IPv6 (DHCPv6)	IETF RFC 3315:2003	BSP	NCIA/NSII

Title	Pubnum	Profiles	Responsible Party
IPv6 Prefix Options for Dynamic Host Configuration Protocol (DHCP) version 6		BSP	NCIA/NSII
Data Transfer Services			<u>'</u>
FTP Extensions for IPv6 and NATs	IETF RFC 2428:1998	BSP	NCIA/NSII
Domain Name Services			
Domain names - concepts and facilities	IETF RFC 1034:1987	FMN4- PROPOSED-PR	FMN CPWG
Domain names - implementation and specification	IETF RFC 1035:1987	FMN4- PROPOSED-PR	FMN CPWG
Clarifications to the DNS Specification	IETF RFC 2181:1997	FMN4- PROPOSED-PR	FMN CPWG
A DNS RR for specifying the location of services (DNS SRV)	IETF RFC 2782:2000	FMN4- PROPOSED-PR	FMN CPWG
Distributing Authoritative Name Servers via Shared Unicast Addresses	IETF RFC 3258:2002	FMN4- PROPOSED-PR	FMN CPWG
DNS Configuration options for Dynamic Host Configuration Protocol for IPv6 (DHCPv6)	IETF RFC 3646:2003	BSP	NCIA/NSII
Network Information Service (NIS) Configuration Options for DHCPv6	IETF RFC 3898:2004	BSP	NCIA/NSII
A Method for Storing IPsec Keying Material in DNS	IETF RFC 4025:2005	BSP	NCIA/CS
Operation of Anycast Services	IETF RFC 4786:2006	FMN4- PROPOSED-PR	FMN CPWG
DNS Zone Transfer Protocol (AXFR)	IETF RFC 5936:2010	FMN4- PROPOSED-PR	FMN CPWG
DNS Transport over TCP - Implementation Requirements	IETF RFC 5966:2010	FMN4- PROPOSED-PR	FMN CPWG
Unique Origin Autonomous System Numbers (ASNs) per Node for Globally Anycasted Services		FMN4- PROPOSED-PR	FMN CPWG
Multicast DNS	IETF RFC 6762:2013	BSP	NCIA/NSII
Extension Mechanisms for DNS (EDNS(0))	IETF RFC 6891:2013	FMN4- PROPOSED-PR	FMN CPWG

revision: v12.2-82-g3770c9f

Title	Pubnum	Profiles	Responsible Party
Architectural Considerations of IP Anycast	IETF RFC 7094:2014	FMN4- PROPOSED-PR	FMN CPWG
Distributed Time Services			
Network Time Protocol (NTP)	IETF RFC 5905:2010	FMN4- PROPOSED-PR	FMN CPWG
Standard-frequency and time-signal emissions. Annex 1: Coordinated universal time (UTC)		FMN4- PROPOSED-PR	FMN CPWG
DCE 1.1: Time Services	Open Group C310:1994	BSP	NCIA/CES

¹ATDLP-5.18 Ed B Ver 2 - The SIP for Recognized Air Picture Data refers to ATDLP-5.18 Ed B Version 1 instead of ATDLP-5.18 Ed B Version 2

1.3.3. Communications Services

Title	Pubnum	Profiles	Responsible
			Party
Communications Services			·
Ultra-Wide Band	ECMA 368:2008	BSP	NCIA/NSII
Broadband Radio Access Networks (BRAN) HiperMAN	ETSI TS 102 624-1:2009	BSP	NCIA/NSII
ZigBee	IEEE 802.15.4:2005	BSP	NCIA/NSII
Mobile WiMax	IEEE 802.16e:2005	BSP	NCIA/NSII
Wireless Broadband	IEEE 802.16e:2004	BSP	NCIA/NSII
Multiple Spanning Trees	IEEE 802.1S:2002	BSP	NCIA/NSII
Mobile Broadband Wireless Access (Draft)	IEEE 802.20:2006	BSP	NCIA/NSII
Dynamic Source Routing (DSR) Draft- version 1.0	IETF draft-ietf-manet-dsr-09:2003	BSP	NCIA/NSII
Ad-hoc On-Demand Distance Vector Routing (AODV)	IETF RFC 3561:2003	BSP	NCIA/NSII
IPv6 over Low Power Wireless Personal Area Networks	IETF RFC 4919:2007	BSP	NCIA/NSII
Technical Standards for an Automatic Radio Control System	NATO-Expected STANAG 4538 Ed 2	BSP	C3B CaP1 Blos Comms

²MIL-STD-6017 D - Except Appendix B, List of Geographical Data Field Identifiers (DFIs)

Title	Pubnum	Profiles	Responsible Party
(ARCS) for HF Communication Links ¹			
Interoperability Standard for Satellite SHF Deployable Terminals Control and Command Services		BSP	C3B CaP1 SATCOM CaT
Common Alerting Protocol Version 1.2	OASIS CAP 1.2:2010	BSP	NCIA/Sstrat/ Sea
The Open Grid Services Architecture (OGSA) version 1.5	OGF draft-ogf-ogsa- spec-1.5-011:2006	BSP	NCIA/CES
Wireless USB Specification	USB.ORG wusb:2005	BSP	NCIA/CES
Communications Access Services			
Tactical Data Exchange - Link 11/11B	NATO ATDLP-5.11 Ed B Ver 1 / STANAG 5511 FT Ed 10	BSP	C3B CaP1 TDL CaT
Joint Range Extension Application Protocol (JREAP) ¹	NATO ATDLP-5.18 Ed B Ver 2:2019 / STANAG FT 5518 Ed 4	BSP	C3B CaP1 TDL CaT
	NATO-Expected STANAG 4175 Ed 6	BSP	C3B CaP1 TDL CaT
Standard Interfaces of UAV Control System (UCS) for NATO UAV Interoperability - AEP-84 Edition A		BSP	CNAD, AC/141 NNAG, JCGUAS
3GPP UMTS Series	3GPP	BSP	NCIA/NSII
Network Access Control Services			
Tactical Messaging Access Services	5		
NATO Routing Indicator Book, NATO Supplement-1	NATO ACP 117 NS-1(T)	BSP	C3B NACP CaT
Handling of ATOMAL Information Within Classified Communications Centres, NATO Supplement-2		BSP	C3B NACP CaT
	NATO ACP 198 NS-1(H)	BSP	C3B NACP CaT

Title	Pubnum	Profiles	Responsible Party
Communications Publications (ACPs), NATO Supplement-1			
Tactical Data Exchange - Link 11/11B	NATO ATDLP-5.11 Ed B Ver 1 / STANAG 5511 FT Ed 10	BSP	C3B CaP1 TDL CaT
Tactical Data Exchange - Link 16	NATO ATDLP-5.16 Ed B Ver 1 / STANAG 5516 FT Ed 8	BSP	C3B CaP1 TDL CaT
Joint Range Extension Application Protocol (JREAP) ¹	NATO ATDLP-5.18 Ed B Ver 2:2019 / STANAG FT 5518 Ed 4	BSP	C3B CaP1 TDL CaT
Technical Characteristics of the Multifunctional Information Distribution System (MIDS) - VOL I & VOL II - ATDLP-1.75 Edition A ²	NATO-Expected STANAG 4175 Ed 6	BSP	C3B CaP1 TDL CaT
Standards for Data Forwarding between Tactical Data Systems	NATO-Expected STANAG 5616 Ed 7	BSP	C3B CaP1 TDL CaT
IPv4 Routed Access Services			
Host Extensions for IP Multicasting	IETF RFC 1112:1989	FMN4- PROPOSED-PR	FMN CPWG
Path MTU Discovery	IETF RFC 1191:1990	FMN4- PROPOSED-PR	FMN CPWG
Address Allocation for Private Internets	IETF RFC 1918:1996	FMN4- PROPOSED-PR	FMN CPWG
BGP Communities Attribute	IETF RFC 1997:1996	FMN4- PROPOSED-PR	FMN CPWG
Administratively Scoped IP Multicast	IETF RFC 2365:1998	FMN4- PROPOSED-PR	FMN CPWG
Definition of the Differentiated Services Field (DS Field) in the IPv4 and IPv6 Headers	IETF RFC 2474:1998	FMN4- PROPOSED-PR	FMN CPWG
Internet Group Management Protocol, Version 3	IETF RFC 3376:2002	FMN4- PROPOSED-PR	FMN CPWG
Multicast Source Discovery Protocol (MSDP)	IETF RFC 3618:2003	FMN4- PROPOSED-PR	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
Border Gateway Protocol 4 (BGP-4)	IETF RFC 4271:2006	FMN4- PROPOSED-PR	FMN CPWG
BGP Extended Communities Attribute	IETF RFC 4360:2006	FMN4- PROPOSED-PR	FMN CPWG
Configuration Guidelines for DiffServ Service Classes	IETF RFC 4594:2006	FMN4- PROPOSED-PR	FMN CPWG
Classless Inter-domain Routing (CIDR): The Internet Address Assignment and Aggregation Plan	IETF RFC 4632:2006	FMN4- PROPOSED-PR	FMN CPWG
Multiprotocol Extensions for BGP-4	IETF RFC 4760:2007	FMN4- PROPOSED-PR	FMN CPWG
The Generalized TTL Security Mechanism (GTSM)	IETF RFC 5082:2007	FMN4- PROPOSED-PR	FMN CPWG
Capabilities Advertisement with BGP-4	IETF RFC 5492:2009	FMN4- PROPOSED-PR	FMN CPWG
IANA Guidelines for IPv4 Multicast Address Assignments	IETF RFC 5771:2010	FMN4- PROPOSED-PR	FMN CPWG
Autonomous-System-Wide Unique BGP Identifier for BGP-4	IETF RFC 6286:2011	FMN4- PROPOSED-PR	FMN CPWG
Overview of the Internet Multicast Addressing Architecture	IETF RFC 6308:2011	FMN4- PROPOSED-PR	FMN CPWG
BGP Support for Four-Octet Autonomous System (AS) Number Space		FMN4- PROPOSED-PR	FMN CPWG
IANA Registries for BGP Extended Communities	IETF RFC 7153:2014	FMN4- PROPOSED-PR	FMN CPWG
Revised Error Handling for BGP UPDATE Messages	IETF RFC 7606:2015	FMN4- PROPOSED-PR	FMN CPWG
Protocol Independent Multicast - Sparse Mode (PIM-SM): Protocol Specification (Revised)		FMN4- PROPOSED-PR	FMN CPWG
Transmission of IP Packets over Ethernet Networks	IETF RFC 894:1984	FMN4- PROPOSED-PR	NCIA/NSII
Internet Standard Subnetting Procedure	IETF RFC 950:1985	FMN4- PROPOSED-PR	NCIA/NSII
Quality of service ranking and measurement methods for digital		FMN4- PROPOSED-PR	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
video services delivered over broadband IP networks			
Performance objectives and procedures for provisioning and maintenance of IP-based networks	ITU-T M.2301:2002	FMN4- PROPOSED-PR	FMN CPWG
IP packet transfer and availability performance parameters	ITU-T Y.1540:2016	FMN4- PROPOSED-PR	FMN CPWG
Network performance objectives for IP-based services	ITU-T Y.1541:2011	FMN4- PROPOSED-PR	FMN CPWG
Framework for achieving end-to-end IP performance objectives	ITU-T Y.1542:2010	FMN4- PROPOSED-PR	FMN CPWG
IP QoS for the NII	NATO TN-1417	BSP	C3B CaP1 N&S CaT
Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Network Access	NATO AEP-76 Vol5 Ed A Ver 2:2017	FMN4- PROPOSED-PR	CNAD, AC/225 NAAG, LCGDSS
Interoperability Point Quality of Service (IP QoS) - AComP-4711 Edition A		FMN4- PROPOSED-PR	C3B CaP1 N&S CaT
IPv6 Routed Access Services			,
Interoperability Point Quality of Service (IP QoS)	NATO AComP-4711 Ed A Ver 1:2018 / STANAG 4711 Ed 1	BSP	C3B CaP1 N&S CaT
Transport Services			
Routing Information Protocol next generation for IPv6 (RIPng)	IETF RFC 2080:1997	BSP	NCIA/NSII
IP Version 6 over PPP	IETF RFC 2472:1998	BSP	NCIA/NSII
Generic Packet Tunneling in IPv6	IETF RFC 2473:1998	BSP	NCIA/NSII
Use of BGP-4 Multiprotocol Extensions for IPv6 Inter-Domain Routing	IETF RFC 2545:1999	BSP	FMN CPWG
Stateless IP/ICMP Translation Algorithm (SIIT)	IETF RFC 2765:2000	BSP	NCIA/NSII
Mobility Support in IPv6	IETF RFC 3775:2004	BSP	NCIA/NSII

Title	Pubnum	Profiles	Responsible Party
Using IPsec to Protect Mobile IPv6 Signaling Between Mobile Nodes and Home Agents		BSP	NCIA/CS
Border Gateway Multicast Protocol (BGMP)	IETF RFC 3913:2004	BSP	NCIA/NSII
Protocol Independent Multicasting Dense Mode (PIM-DM)	IETF RFC 3973:2005	BSP	NCIA/NSII
Mobile IPv6 Fast Handovers	IETF RFC 5568:2009	BSP	NCIA/NSII
Simplified Multicast Forwarding (SMF)	IETF RFC 6621:2012	BSP	NCIA/NSII
BGP Support for Four-Octet Autonomous System (AS) Number Space	IETF RFC 6793:2012	BSP	FMN CPWG
IP QoS for the NII	NATO TN-1417	BSP	C3B CaP1 N&S CaT
Transport CIS Security Services			_
Packet-based Transport Services			
Interface standard for LC connectors with protective housings related to IEC 61076-3-106		FMN4- PROPOSED-PR	FMN CPWG
IEEE Standard for Ethernet	IEEE 802.3:2018	FMN4- PROPOSED-PR	FMN CPWG
Host Extensions for IP Multicasting	IETF RFC 1112:1989	FMN4- PROPOSED-PR	FMN CPWG
Path MTU Discovery	IETF RFC 1191:1990	FMN4- PROPOSED-PR	FMN CPWG
Address Allocation for Private Internets	IETF RFC 1918:1996	FMN4- PROPOSED-PR	FMN CPWG
Routing Information Protocol next generation for IPv6 (RIPng)	IETF RFC 2080:1997	FMN4- PROPOSED-PR	NCIA/NSII
RIP Version 2	IETF RFC 2453:1998	FMN4- PROPOSED-PR	FMN CPWG
Definition of the Differentiated Services Field (DS Field) in the IPv4 and IPv6 Headers		FMN4- PROPOSED-PR	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
Generic Routing Encapsulation (GRE)	IETF RFC 2784:2000	FMN4- PROPOSED-PR	FMN CPWG
IP Encapsulating Security Payload (ESP)	IETF RFC 4303:2005	FMN4- PROPOSED-PR	FMN CPWG
Configuration Guidelines for DiffServ Service Classes	IETF RFC 4594:2006	FMN4- PROPOSED-PR	FMN CPWG
Classless Inter-domain Routing (CIDR): The Internet Address Assignment and Aggregation Plan	1	FMN4- PROPOSED-PR	FMN CPWG
IKE and IKEv2 Authentication Using the Elliptic Curve Digital Signature Algorithm (ECDSA)		FMN4- PROPOSED-PR	C3B CaP4
Mobile IPv6 Support for Dual Stack Hosts and Routers	IETF RFC 5555:2009	BSP	NCIA/NSII
IANA Guidelines for IPv4 Multicast Address Assignments	IETF RFC 5771:2010	FMN4- PROPOSED-PR	FMN CPWG
Elliptic Curve Groups modulo a Prime (ECP Groups) for IKE and IKEv2		FMN4- PROPOSED-PR	FMN CPWG
Internet Key Exchange Protocol Version 2 (IKEv2)	IETF RFC 7296:2014	FMN4- PROPOSED-PR	FMN CPWG
Signature Authentication in the Internet Key Exchange Version 2 (IKEv2)	IETF RFC 7427:2015	FMN4- PROPOSED-PR	FMN CPWG
Generic Raw Public-Key Support for IKEv2	IETF RFC 7670:2016	FMN4- PROPOSED-PR	FMN CPWG
Ethernet Address Resolution Protocol	IETF RFC 826:1982	FMN4- PROPOSED-PR	NCIA/NSII
Transmission of IP Packets over Ethernet Networks	IETF RFC 894:1984	FMN4- PROPOSED-PR	NCIA/NSII
Internet Standard Subnetting Procedure	IETF RFC 950:1985	FMN4- PROPOSED-PR	NCIA/NSII
Information technology Generic cabling for customer premises Part 1: General requirements	1	FMN4- PROPOSED-PR	FMN CPWG
Characteristics of a single-mode optical fibre and cable	ITU-T G.652:2016	FMN4- PROPOSED-PR	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
Quality of service ranking and measurement methods for digital video services delivered over broadband IP networks	ITU-T J.241:2005	FMN4- PROPOSED-PR	FMN CPWG
Performance objectives and procedures for provisioning and maintenance of IP-based networks	ITU-T M.2301:2002	FMN4- PROPOSED-PR	FMN CPWG
IP packet transfer and availability performance parameters	ITU-T Y.1540:2016	FMN4- PROPOSED-PR	FMN CPWG
Network performance objectives for IP-based services	ITU-T Y.1541:2011	FMN4- PROPOSED-PR	FMN CPWG
Framework for achieving end-to-end IP performance objectives	ITU-T Y.1542:2010	FMN4- PROPOSED-PR	FMN CPWG
IP QoS for the NII	NATO TN-1417	BSP	C3B CaP1 N&S CaT
Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Network Access	NATO AEP-76 Vol5 Ed A Ver 2:2017	FMN4- PROPOSED-PR	CNAD, AC/225 NAAG, LCGDSS
Interoperability Point Quality of Service (IP QoS) - AComP-4711 Edition A		FMN4- PROPOSED-PR	C3B CaP1 N&S CaT
Packet Routing Services			J
Host Extensions for IP Multicasting	IETF RFC 1112:1989	FMN4- PROPOSED-PR	FMN CPWG
BGP Communities Attribute	IETF RFC 1997:1996	FMN4- PROPOSED-PR	FMN CPWG
Administratively Scoped IP Multicast	IETF RFC 2365:1998	FMN4- PROPOSED-PR	FMN CPWG
Internet Group Management Protocol, Version 3	IETF RFC 3376:2002	FMN4- PROPOSED-PR	FMN CPWG
Multicast Source Discovery Protocol (MSDP)	IETF RFC 3618:2003	FMN4- PROPOSED-PR	FMN CPWG
Border Gateway Protocol 4 (BGP-4)	IETF RFC 4271:2006	FMN4- PROPOSED-PR	FMN CPWG
BGP Extended Communities Attribute	IETF RFC 4360:2006	FMN4- PROPOSED-PR	FMN CPWG

Title	Pubnum	Profiles	Responsible Party
Classless Inter-domain Routing (CIDR): The Internet Address Assignment and Aggregation Plan		FMN4- PROPOSED-PR	FMN CPWG
Multiprotocol Extensions for BGP-4	IETF RFC 4760:2007	FMN4- PROPOSED-PR	FMN CPWG
The Generalized TTL Security Mechanism (GTSM)	IETF RFC 5082:2007	FMN4- PROPOSED-PR	FMN CPWG
Capabilities Advertisement with BGP-4	IETF RFC 5492:2009	FMN4- PROPOSED-PR	FMN CPWG
IANA Guidelines for IPv4 Multicast Address Assignments	IETF RFC 5771:2010	FMN4- PROPOSED-PR	FMN CPWG
Autonomous-System-Wide Unique BGP Identifier for BGP-4	IETF RFC 6286:2011	FMN4- PROPOSED-PR	FMN CPWG
Overview of the Internet Multicast Addressing Architecture	IETF RFC 6308:2011	FMN4- PROPOSED-PR	FMN CPWG
BGP Support for Four-Octet Autonomous System (AS) Number Space		FMN4- PROPOSED-PR	FMN CPWG
IANA Registries for BGP Extended Communities	IETF RFC 7153:2014	FMN4- PROPOSED-PR	FMN CPWG
Revised Error Handling for BGP UPDATE Messages	IETF RFC 7606:2015	FMN4- PROPOSED-PR	FMN CPWG
Protocol Independent Multicast - Sparse Mode (PIM-SM): Protocol Specification (Revised)		FMN4- PROPOSED-PR	FMN CPWG
Interoperability Point Quality of Service (IP QoS)	NATO AComP-4711 Ed A Ver 1:2018 / STANAG 4711 Ed 1	BSP	C3B CaP1 N&S CaT
Standard for Interconnection of IPv4 and IPv6 Networks at Mission Secret and Unclassified Security Levels		BSP	C3B CaP1 N&S CaT
Packet-based Aggregation Services	5	,	
Interoperability Point Quality of Service (IP QoS)	NATO AComP-4711 Ed A Ver 1:2018 / STANAG 4711 Ed 1		C3B CaP1 N&S CaT
Packet-based Broadcast Services			

Title	Pubnum	Profiles	Responsible Party
Interoperability Point Quality of		BSP	C3B CaP1
Service (IP QoS)	Ed A Ver 1:2018 / STANAG 4711 Ed 1		N&S CaT
Wireless LOS Mobile Transmission	n Services		
Bluetooth Core Specification v5.0	Bluetooth SIG Core Version 5.0:2016	BSP	NCIA/NSII
Wireless LOS Mobile Narrowband	Transmission Service	s	
Voice Coding Algorithm	NATO STANAG 4444 Ed 2:2015	BSP	C3B CaP1 Blos Comms
Wireless LOS Mobile Wideband T	ransmission Services		
Technical Characteristics of the Multifunctional Information Distribution System (MIDS) - VOL I & VOL II - ATDLP-1.75 Edition A ²	STANAG 4175 Ed 6	BSP	C3B CaP1 TDL CaT

¹STANAG 4538 Ed 2 - The extant edition is Ed 1

1.3.4. Extended C3 Taxonomy

009. The following table list taxonomy nodes, which will be part of a future version of the C3 taxonomy. They are part of this document, because stakesholders have decided to using an unofficial classification scheme for a specific purpose.

1.4. UNASSIGNED STANDARDS

010. The following standards have been declared candidate standards for NATO common funded systems. However, no information of how to map the standards to the C3 Taxonomy have been provided.

Title	Pubnum	Profiles	Responsible Party
Undefined Taxonomy Node			
NATO Pre Placed Key (PPK) Key Material Format and Fill Checks Specification Rev.1.0		FMN4- PROPOSED-PR	C3B CaP1 N&S CaT
NATO Point-to-Point and Multipoint PPK-Processing Specification Rev.1.0	CIS3 C&IP SCIP-233.304	FMN4- PROPOSED-PR	C3B CaP1 N&S CaT

²STANAG 4175 Ed 6 - The extant edition is Ed 5

Title	Pubnum	Profiles	Responsible Party
Interoperable Terminal Priority (TP) Community of Interest (COI) Specification rev.1.0		FMN4- PROPOSED-PR	C3B CaP1 N&S CaT
Application State Vector Processing Specification rev.1.2	CIS3 C&IP SCIP-233.401:2012	FMN4- PROPOSED-PR	C3B CaP1 N&S CaT
NATO Fixed Filler Generation Specification Rev. 1.0.	CIS3 C&IP SCIP-233.422	FMN4- PROPOSED-PR	C3B CaP1 N&S CaT
Point-to-Point Cryptographic Verification Specification Rev. 1.1.	CIS3 C&IP SCIP-233.441	FMN4- PROPOSED-PR	C3B CaP1 N&S CaT
AES-256 Encryption Algorithm Specification Rev. 1.0.	CIS3 C&IP SCIP-233.601:2011	FMN4- PROPOSED-PR	C3B CaP1 N&S CaT
Profiles for Binding Metadata to a Data Object	NCIA TN-1491 Edition 2:2017	FMN4- PROPOSED-PR	NCIA/CES
Confidentiality Metadata Label Syntax - ADatP-4774 Edition A	NATO STANAG 4774 Ed 1:2017	FMN4- PROPOSED-PR	C3B CaP1 DM CaT
Metadata Binding - ADatP-4778 Edition A	NATO STANAG 4778 Ed 1:2018	FMN4- PROPOSED-PR	C3B CaP1 DM CaT
NATO Core Metadata Specification - ADatP-39 Edition A	NATO STANAG 5636 (Study) Ed 1	FMN4- PROPOSED-PR	C3B CaP1 DM CaT
STIX Core Concepts	OASIS STIX Version 2.0 Part 1:2017	FMN4- PROPOSED-PR	FMN CPWG
STIX Core Concepts	OASIS STIX Version 2.0 Part 2:2017	FMN4- PROPOSED-PR	FMN CPWG
Cyber Observable Core Concepts	OASIS STIX Version 2.0 Part 3:2017	FMN4- PROPOSED-PR	FMN CPWG
Cyber Observable Objects	OASIS STIX Version 2.0 Part 4:2017	FMN4- PROPOSED-PR	FMN CPWG
STIX Patterning	OASIS STIX Version 2.0 Part 5:2017	FMN4- PROPOSED-PR	FMN CPWG

This page is intentionally left blank

Index	TS 102 624-1, 33
	F
Symbols 3rd Generation Partnership Project, 34	Federal Bureau of Investigation IAFIS-DOC-01078-8.1, 7
A	1
American National Standards Institute incits-398, 7 ANSI/NIST ITL 1-2000, 22	Institute of Electrical and Electronics Engineers 802.15.4, 33 802.16e, 33, 33 802.1S, 33
В	802.20, 33
Bluetooth Special Interest Group (SIG)	802.3, 38
Core Version 5.0, 42	International Electrotechnical Commission 61754-20-100, 38
C	Internet Engineering Task Force
Communications and Information System	draft-ietf-manet-dsr-09, 33
Security Standard Communication and	RFC 1034, 32
Information Partnership	RFC 1035, 32
SCIP-210, 12	RFC 1112, 35, 38, 40
SCIP-214.2, 12	RFC 1191, 35, 38
SCIP-214.3, 12	RFC 1738, 24
SCIP-233.104, 42	RFC 1870, 7
SCIP-233.304, 42	RFC 1896, 7
SCIP-233.350, 12, 43	RFC 1918, 35, 38
SCIP-233.401, 43 SCIP-233.422, 43	RFC 1997, 35, 40 RFC 2021, 23
SCIP-233.441, 43	RFC 2021, 23 RFC 2034, 7
SCIP-233.501, 12	RFC 2034, 7 RFC 2045, 7
SCIP-233.501, 12 SCIP-233.502, 12	RFC 2046, 7, 7
SCIP-233.601, 43	RFC 2047, 7
Sen 233.001, 43	RFC 2049, 7
D	RFC 2080, 37, 38
Distributed Management Task Force, Inc.	RFC 2181, 32
DSP0004, 22	RFC 2256, 30
DSP0226, 23	RFC 2365, 35, 40
DSP0227, 23	RFC 2392, 24
DSP0243 1.1, 31	RFC 2428, 32
	RFC 2452, 23
E	RFC 2453, 38
ECMA	RFC 2454, 23
368, 33	RFC 2465, 23
European Telecommunication Standardisation	RFC 2466, 23
Institute	RFC 2472, 37

RFC 2473, 37	RFC 4353, 10
RFC 2474, 35, 38	RFC 4360, 36, 40
RFC 2545, 37	RFC 4411, 11, 12
RFC 2557, 28	RFC 4412, 11, 12
RFC 2765, 37	RFC 4510, 29
RFC 2782, 32	RFC 4511, 29
RFC 2784, 39	RFC 4512, 29
RFC 2798, 29, 30	RFC 4513, 29
RFC 2817, 24	RFC 4514, 29
RFC 2849, 29	RFC 4515, 29
RFC 2854, 24	RFC 4516, 29
RFC 2920, 7	RFC 4517, 29
RFC 3162, 22	RFC 4518, 29
RFC 3207, 8	RFC 4519, 29, 30
*	RFC 4566, 11
RFC 3258, 32	
RFC 3261, 10	RFC 4579, 11
RFC 3262, 10	RFC 4594, 36, 39
RFC 3264, 10	RFC 4627, 25
RFC 3311, 10	RFC 4632, 36, 39, 41
RFC 3315, 31	RFC 4733, 12
RFC 3376, 35, 40	RFC 4754, 39
RFC 3461, 8	RFC 4760, 36, 41
RFC 3526, 30	RFC 4786, 32
RFC 3550, 12	RFC 4919, 33
RFC 3561, 33	RFC 4954, 8
RFC 3605, 30	RFC 5023, 25, 25
RFC 3618, 35, 40	RFC 5082, 36, 41
RFC 3629, 8, 14, 19, 25	RFC 5147, 8
RFC 3633, 32	RFC 5280, 31
RFC 3646, 32	RFC 5321, 8
RFC 3676, 8	RFC 5322, 8, 30
RFC 3711, 30	RFC 5366, 11
RFC 3775, 37	RFC 5492, 36, 41
RFC 3776, 38	RFC 5519, 23
RFC 3898, 32	RFC 5545, 8, 10, 25
RFC 3913, 38	RFC 5546, 10
RFC 3973, 38	RFC 5555, 39
RFC 3986, 25, 30	RFC 5568, 38
RFC 4025, 32	RFC 5771, 36, 39, 41
RFC 4028, 10	RFC 5903, 39
RFC 4271, 36, 40	RFC 5905, 33
RFC 4287, 19, 25, 25	RFC 5936, 32
RFC 4267, 19, 23, 23 RFC 4303, 39	RFC 5950, 32 RFC 5966, 32
*	· ·
RFC 4329, 25	RFC 6047, 10

DEC 6120 14 16	11170 2 20
RFC 6120, 14, 16	11179-3, 20
RFC 6121, 14, 16	11801-1, 39
RFC 6122, 14, 16	12087-5, 20
RFC 6152, 8	12087-5-cor1, 20
RFC 6184, 11	12087-5-cor2, 20
RFC 6286, 36, 41	14750, 20
RFC 6308, 36, 41	19794-2, 22
RFC 6382, 32	19794-5, 22
RFC 6477, 19	19794-6, 22
RFC 6621, 38	29500-1, 9, 26
RFC 6665, 11	ITU Radiocommunication
RFC 6724, 31	TF 460-6, 33
RFC 6762, 32	ITU Standardisation
RFC 6763, 23	E.123, 11, 12
RFC 6793, 36, 38, 41	E.164, 11, 12
RFC 6891, 32	G. 993-2, 31
RFC 7094, 33	G.652, 39
RFC 7153, 36, 41	G.711, 11, 12
RFC 7230, 25	G.722.1 (2005) Corrigendum 1 (06/08), 11,
RFC 7231, 25	12
RFC 7232, 25	G.729, 13
RFC 7233, 25	H.264, 11, 13
RFC 7234, 25	J.241, 37, 40
RFC 7235, 25	M.2301, 37, 40
RFC 7296, 39	T.38, 10
RFC 7303, 20	X.509, 31
RFC 7427, 39	Y.1540, 37, 40
RFC 7606, 36, 41	Y.1541, 37, 40
RFC 7667, 11	Y.1542, 37, 40
RFC 7670, 39	
RFC 7761, 36, 41	M
RFC 826, 39	Microsoft
RFC 894, 36, 39	MS-SMB - 20130118, 31
RFC 950, 36, 39	Multilateral Interoperability Program
ISO	MIP Ver 4.2, 4
19005-1, 8, 25	
19005-2, 8, 26	N
19128, 18	NATO
19142, 18	AC/322-D(2004)0024REV2, 22
32000-1, 8, 26	ACP 117 NS-1(T), 34
639-2, 20	ACP 122 NS-2(B), 34
ISO/IEC	ACP 190 NS-2(D), 5
10918-1, 8, 26	ACP 198 NS-1(H), 35
10918-3, 8, 26	TIDE/NVG, 2, 3
•	TIDE/TIDE-ID-SP, 23

TIDE/TTB, 3	STANAG 5636 (Study) Ed 1, 10, 15, 27, 43
TN-1417, 37, 38, 40	NATO Standard (expected in future)
NATO Standard	AGeoP-26 Ed A Ver 1, 18
AComP-4711 Ed A Ver 1, 37, 41, 41, 42	APP-11 Ed E, 4, 5, 6, 9, 13, 15, 21, 21, 27,
AComP-5067 Ed A Ver 1, 41	27
ADatP-36A, 5, 6	STANAG 4175 Ed 6, 34, 35, 42
ADatP-37 Ed A ver 1, 5, 6, 30	STANAG 4538 Ed 2, 34
ADatP-4733 Ed A Ver 1, 3	STANAG 5522 Ed 6 / ATDLP-5.22(B), 5,
ADatP-5644 (Study) Ed A Ver 1, 4, 23, 23	19
AEDP-04 Ed 2 Ver 1, 9, 13, 14, 20, 26	STANAG 5616 Ed 7, 35
AEDP-07 Ed 2 Ver 1, 9, 13, 14, 20, 26	NCI Agency
AEDP-08 Ed 3 Ver 1, 9, 13, 14, 21, 26	TN-1491 Edition 2, 9, 14, 26, 43
AEDP-12 Ed A Ver 1, 9, 13, 14, 21, 26	NIST
AEDP-16, 9, 13, 14, 21, 26	FIPS PUB 180-4, 31
AEDP-17 Ed A Ver 1, 21	FIPS PUB 186-4, 31
AEDP-19 Ed A Ver 1, 2, 2, 2, 19	FIPS PUB 197, 31
AEP-76 Vol1 Ed A Ver 2, 3, 3, 4, 4, 6, 6,	SP 800-56A Rev 3, 31
24, 24	SP 800-56B Rev 1, 31
AEP-76 Vol2 Ed A Ver 2, 3, 4, 6, 24	
AEP-76 Vol4 Ed A Ver 2, 3, 4, 6, 24	0
AEP-76 Vol5 Ed A Ver 2, 3, 4, 6, 24, 37, 40	OASIS
AETP-4722 Ed. A Ver. 1, 5	AVDL Specification - 01, 19
AIDPP-01 ed. A version 1, 5	CAP 1.2, 34
AIntP-07 Ed A Ver 1, 30	ebms2, 23
AJMedP-2 Ed A Ver 1, 9, 13, 14	saml, 30
AJP-2.5 Ed A, 9, 13, 15, 26	STIX Version 2.0 Part 1, 43
APP-06 Ed D Ver 1, 4	STIX Version 2.0 Part 2, 43
ATDLP-5.11 Ed B Ver 1, 5, 19, 34, 35	STIX Version 2.0 Part 3, 43
ATDLP-5.16 Ed B Ver 1, 5, 19, 35	STIX Version 2.0 Part 4, 43
ATDLP-5.18 Ed A Ver 1, 2, 3, 5	STIX Version 2.0 Part 5, 43
ATDLP-5.18 Ed B Ver 2, 19, 34, 35	ws-bpel, 21
ATP-97 Ed A Ver 1, 9, 13, 15	ws-notif, 21
NNSTD MISP-2015.1, 20	wsdd-discovery-1.1-spec, 23
STANAG 3377, 9, 13, 15, 21, 27	wsn-ws_brokered_notification-1.3-spec-os,
STANAG 4444 Ed 2, 42	21
STANAG 4586 Ed 4, 34	wsn-ws_topics-1.3-spec-os, 21
STANAG 4705 Ed 1, 11, 14	wsrp-specification-2.0, 28
STANAG 4706 Ed 1, 34	wss-v1.1-spec-os-SwAProfile, 19
STANAG 4711 Ed 1, 37, 40	xacml-3.0-core-spec-os, 22
STANAG 4774 Ed 1, 10, 15, 27, 43	Open GIS Consortium
STANAG 4778 Ed 1, 10, 15, 27, 43	01-009, 18
STANAG 5516 FT Ed 8, 2, 3, 5, 6	05-007r7, 18
STANAG 5518 Ed 1, 6	05-047r3, 4, 18
STANAG 5525 Ed 1, 21	06-042, 18
	06-050r3, 29

revision: v12.2-82-g3770c9f

07-067r5, 4	NOTE-SOAP-20000508, 27
07-147r2, 18	NOTE-wsci-20020808, 27
09-025r2, 18	NOTE-wsdl-20010315, 27
1.1, 27	NOTE-wsdl-20010313, 27 NOTE-wsdl20-soap11-binding-20070626,
	28
Open Grid Forum	
draft-ogf-ogsa-spec-1.5-011, 34	note-xhtml1-schema-20020902, 10, 28
Open Source Geospatial Foundation	REC-css-namespaces-3-20140320, 28
1.8.2, 18	REC-css-style-attr-20131107, 28
OpenSearch.org	REC-CSS2-2011067, 28
OpenSearch 1.1 Draft 4, 28	REC-css3-color-20110607, 28
opensearch11d6, 20	REC-css3-mediaqueries-20120619, 28
D	REC-css3-selectors-20110929, 28
R	REC-html5-20141028, 10, 28
RSS Advisory Board	REC-ws-addr-core-20060509, 22, 27
2.0, 20, 27, 27	REC-ws-metadata-exchange-20111213, 29
_	REC-wsdl20-20070626, 23
Т	REC-xforms-20031014, 29
The Open Group	REC-xlink11-20100506, 24
C310, 33	REC-xml-20081126, 20, 28
C702, 31	REC-xml11-20060816, 24
C706, 31	REC-xmlschema-1-20041028, 28
F209a, 30	REC-xmlschema-2-20041028, 28
P702, 22	SOAP Version 1.2, 24
tm-forum	WD-html5-20121025, 7
eTOM Rel.13, 23	WD-xquery-20030502, 30
TMF621, 7, 27	Web Services Interoperability Organisation
TMF622, 27	AttachmentsProfile-1.0-2006-04-20, 22
TR250, 7, 27	BP12, 22
	SimpleSoapBindingProfile-1.0-2004-08-24,
U	22
United States of America - Department of	wsbp, 22
Defense	
DIN: DOD_BTF_TS_EBTS_	X
Mar09_02.00.00, 22	XMPP Standards Foundation
DIN: DOD_BTF_TS_EBTS_	XEP-0004, 15, 16
Nov06_01.02.00, 22	XEP-0012, 15, 17
MIL-STD-6017 D, 19	XEP-0030, 15, 17
OTH-G Rev. C, 2	XEP-0045, 15, 17
OTH-T Gold Baseline 2007, 2	XEP-0047, 15, 17
USB.org	XEP-0049, 15, 15, 17, 17
wusb, 34	XEP-0054, 15, 17
	XEP-0055, 15, 17
W	XEP-0059, 15, 17
W3C	XEP-0065, 16, 17
CR-cors-20130129, 27	XEP-0082, 16, 17

XEP-0092, 16, 17

XEP-0114, 16, 16, 17, 17

XEP-0160, 16, 17

XEP-0198, 16, 17

XEP-0199, 16, 17

XEP-0202, 16, 17

XEP-0203, 16, 18

XEP-0220, 16, 18

XEP-0258, 16, 18

XEP-0313, 16, 18