NATO STANDARD

ADatP-34

NATO Interoperability Standards and Profiles

Volume 1

Introduction

Edition N Version 2

18 Aug 2023



NORTH ATLANTIC TREATY ORGANIZATION ALLIED DATA PUBLICATION

Published by the NATO STANDARDIZATION OFFICE (NSO)
© NATO/OTAN

revision: v15.0-final-77-g702f531 ADatP-34 Volume 1

NATO LETTER OF PROMULGATION

The enclosed Allied Data Publication ADatP-34, Edition N, Version 2 NATO Interoperability Standards and Profiles, which has been approved by the nations in the C3B, is promulgated herewith. The agreement of nations to use this publication is recorded in STANAG 5524.

ADatP-34, Edition N, Version 2 is effective on receipt and supersedes ADatP-34, Edition N, Version 1 which shall be destroyed in accordance with the local procedure for the destruction of documents.

No part of this publication may be reproduced, stored in a retrieval system, used commercially, adapted, or transmitted in any form or by any means, electronic, mechanical, photo-copying, recording or otherwise, without the prior permission of the publisher. With the exception of commercial sales, this does not apply to member or partner nations, or NATO commands and bodies.

This publication shall be handled in accordance with C-M(2002)60.

Dimitrios SIGOULAKIS Lieutenant General, GRC (A) Director, NATO Standardization Office

RESERVED FOR NATIONAL LETTER OF PROMULGATION

RECORD OF RESERVATIONS

revision: v15.0-final-77-g702f531

| CHAPTER | RECORD OF RESERVATION BY NATIONS |
|---------|----------------------------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

Note: The reservations listed on this page include only those that were recorded at time of promulgation and may not be complete. Refer to the NATO Standardization Document Database for the complete list of existing reservations.

RECORD OF SPECIFIC RESERVATIONS

| [nation] | [detail of reservation] |
|----------|-------------------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

Note: The reservations listed on this page include only those that were recorded at time of promulgation and may not be complete. Refer to the NATO Standardization Document Database for the complete list of existing reservations.

Table of Contents

| 1. Introduction | . 1 |
|--|-----|
| 1.1. Purpose of the NISP | . 2 |
| 1.2. Intended Audience | 3 |
| 2. Basic Concepts | . 5 |
| 2.1. Standards | . 5 |
| 2.2. Interoperability Profiles | 5 |
| 2.3. Basic Standards Profile | . 6 |
| 2.4. Creating relationships to other concepts and planning objects within NATO | . 7 |
| 2.4.1. Architecture Building Block | . 7 |
| 2.4.2. FMN Spiral Specifications | 8 |
| 2.4.3. Capability Packages | . 8 |
| 2.5. Criteria for selecting standards | . 8 |
| 2.6. Criteria for selecting Non-NATO standards | . 9 |
| 3. Organization of the NISP Information | 11 |
| 3.1. NISP Structure | 11 |
| 4. Interoperability in Support of Capability Planning | 13 |
| 5. Configuration Management | 15 |
| 5.1. NISP Update Process | 16 |
| 5.1.1. Criteria for listing Standards and Profiles | 17 |
| 5.1.2. Updating listed Standards and Profiles | 18 |
| 5.2. NISP Products | 19 |
| 6. National Systems Interoperability Coordination | 21 |
| 7. Interoperability Standards Guidance | 23 |
| 8. Applicability | 27 |
| A. Profile Guidance | 29 |
| A.1. Profile Conceptual Background | 29 |
| A.2. Purpose of Interoperability Profiles | 29 |
| A.3. Applicability | |
| A.4. Guidelines for Interoperability Profile Development | 30 |
| A.5. Structure of Interoperability Profile Documentation | |
| A.5.1. Identification | |
| A.5.2. Profile Elements | |
| A.6. Verification and Conformance | |
| A.6.1. Approach to Validating Service Interoperability Points | 32 |
| A.6.2. Relevant Maturity Level Criteria | |
| A.6.3. Key Performance Indicators (KPIs) | |
| A.6.4. Experimentation | |
| A.6.5. Demonstration | |
| A.7. Configuration Management and Governance | |
| A.7.1. Configuration Management | |
| A.7.2. Governance | |
| B. Interoperability in the context of NATO Defence Planning | |
| B.1. NATO Defence Planning | 35 |

| C. Changes | 37 |
|-------------------------------|----|
| D. Detailed Changes | 39 |
| D.1. Added Standards | 39 |
| D.1.1. ASCA | 39 |
| D.1.2. CCEB | 39 |
| D.1.3. CIS3 C&IP | 39 |
| D.1.4. DIGWG | 39 |
| D.1.5. DMTF | 39 |
| D.1.6. IETF | 39 |
| D.1.7. ISO/IEC | 40 |
| D.1.8. ITU-T | 40 |
| D.1.9. MIL-STD | 41 |
| D.1.10. MIP | 41 |
| D.1.11. NATO | 41 |
| D.1.12. NATO Study (expected) | 43 |
| D.1.13. NIST | 43 |
| D.1.14. OASIS | 43 |
| D.1.15. OGC | 43 |
| D.1.16. OPENAPI Initiative | 43 |
| D.1.17. Opensearch | 43 |
| D.1.18. TM-FORUM | 44 |
| D.1.19. US DoN | 44 |
| D.1.20. XMPP | 44 |
| D.2. Deleted standards | |
| D.2.1. C3B | 44 |
| D.2.2. DMTF | 45 |
| D.2.3. IEEE | 45 |
| D.2.4. IETF | 45 |
| D.2.5. ISACA | 49 |
| D.2.6. ISO/IEC | 49 |
| D.2.7. ITU-T | 50 |
| D.2.8. MIL-STD | 50 |
| D.2.9. MIP | 50 |
| D.2.10. Microsoft | 50 |
| D.2.11. NATO | 50 |
| D.2.12. NATO Study (expected) | 51 |
| D.2.13. OGC | |
| D.2.14. US DoN | 51 |
| D.2.15. USB.ORG | |
| E. Processed RFCs | |
| F. ArchiMate Exchange Format | |

CHAPTER 1. INTRODUCTION

001. The NATO Interoperability Standards and Profiles (NISP) is developed by the NATO Consultation, Command and Control (C3) Board Interoperability Profiles Capability Team (IP CaT).

002. The NISP will be made available to the general public as ADatP-34(N)(2) when approved by the C3 Board.

003. The included interoperability standards and profiles (Volume 2) are **mandatory** for use in NATO common funded Communications and Information Systems (CIS). Volume 3 contains **candidate** standards and profiles.

004. In case of conflict between any adopted non-NATO¹ standard and relevant NATO standard, the definition of the latter prevails.

005. In the NISP the keywords "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" are to be interpreted as described in [IETF RFC 2119].

Table 1.1. Abbreviations

| Abbreviation | Full Text |
|--------------|---|
| ABB | Architecture Building Block |
| ACaT | Architecture Capability Team |
| ACP | Allied Communications Publication |
| AdatP-34 | Allied Data Publication - Cover publication for the NISP |
| BSP | Basic Standards Profile |
| C3 | Consultation, Command and Control |
| CCEB | Combined Communications Electronic Board (military communications-electronics organization established among five nations: Australia, Canada, New Zealand, United Kingdom, and the United States) |
| CESF | Core Enterprise Services Framework |
| COI | Community of Interest |
| CIAV (WG) | Coalition Interoperability Assurance and Validation (Working Group) |

¹ISO or other recognized non-NATO standards organization

| Abbreviation | Full Text |
|--------------|---|
| CIS | Communication and Information Systems |
| CWIX | Coalition Warrior Interoperability eXploration, eXperimentation, eXamination eXercise |
| DOTMLPFI | Doctrine, Organization, Training, Materiel, Leadership, Personnel, Facilities and Interoperability |
| EAPC | Euro-Atlantic Partnership Council |
| FMN | Federated Mission Networking |
| IOP | Interoperability Point |
| IP CaT | Interoperability Profiles Capability Team |
| MIP | Multilateral Interoperability Programme |
| NAF | NATO Architecture Framework |
| NDPP | NATO Defence Planning Process |
| NISP | NATO Interoperability Standards and Profiles |
| NIST | National Institute of Standards and Technology |
| NGO | Non governmental organization |
| RFC | Request for Change |
| SDS | Service Data Sheet |
| SIOP | Service Interoperability Point |
| SIP | Service Interface Profile |
| SME | Subject Matter Expert |
| SOA | Service Oriented Architecture |
| STANAG | A NATO standardization document that specifies the agreement of member nations to implement a standard, in whole or in part, with or without reservation, in order to meet an interoperability requirement. Notes: A NATO standardization agreement is distinct from the standard(s) it covers. |
| TACOMS | Tactical Communication Programme |

1.1. PURPOSE OF THE NISP

006. NISP gives guidelines to capability planners, programme managers and test managers for NATO common funded systems in the short or mid-term timeframes.

007. The NISP prescribes the necessary technical standards and profiles to achieve interoperability of Communications and Information Systems in support of NATO's missions and operations. In accordance with the Alliance C3 Strategy (ref. C-M(2018)0037) all NATO Enterprise (ref. C-M(2014)0061) entities shall adhere to the NISP mandatory standards and profiles in volume 2.

1.2. INTENDED AUDIENCE

008. The intended audience of the NISP are all stakeholders in the NATO Enterprise, and Allied and Partner nations involved in development, implementation, lifecycle management, and transformation to a federated environment.

009. There are specific viewpoints that are mapped to the NISP structure. NISP gives guidelines to:

- capability planners involved in NDPP and NATO led initiatives
- programme managers for building NATO common funded systems
- test managers for their respective test events (such as CWIX, CIAV, etc.)
- national planning and programme managers for their national initiatives

010. Specific NATO or national views to the NISP based on data export to external planning and management systems will be possible upon delivery of an updated version of the NISP Exchange Specification.

011. This chapter gives an overview to understand the data in volume 2 and volume 3. NISP does not differentiate between the usage of NATO and non- NATO standards but always strives to select the most appropriate and up to date. The classification (Mandatory or Candidate) of any standard depends on its location in the NISP, Volume 2 or Volume 3, respectively.

CHAPTER 2. BASIC CONCEPTS

revision: v15.0-final-77-g702f531

2.1. STANDARDS

- 012. The NISP is composed of non-NATO and NATO Standards. While the first ones are adopted by NATO through the NISP. The second ones are to be considered as normative references.
- 013. Standards (NATO and non-NATO) are defined and managed in their life cycle by the developing standardization bodies with their own timetable. NATO standards can be in the life cycle status of study/in ratification (no yet NATO approved/expected), promulgated (valid) and superseded/obsolete. A non-NATO standard may have different life cycle status such as emerging, mature, fading, or obsolete. Different standardization bodies may use their own lifecycle status definitions. NISP takes lifecyle status of standards into account, but does not copy them into the NISP database. To inquire about the current status of NATO standards, please visit the NATO Standardization Document Database (NSDD) hosted on the NATO Standardization Organization (NSO) Website. Superseded/obsolete NATO and non-NATO standards may be included in the NISP for maintenance purpose.
- 014. NISP allow references to either a NATO Standard or the covering document if it exists. However, it is recommended that NATO organizations and nations reference a NATO Standard and NOT the covering document for inclusion in the NISP. IP CaT will subsequently add the covering document as well, but only for reference purposes.

2.2. INTEROPERABILITY PROFILES

015. Profiles define the specific use of standards at a service interoperability point (SIOP) in a given context. A SIOP is a reference point within an architecture where one or more service interfaces are physically or logically instantiated to allow systems delivering the same service using different protocols to interoperate. A SIOP serves as the focal point for service interoperability between interconnected systems, and may be logically located at any level within the components, and its detailed technical specification is contained within a service interface profile (SIP). Profiles support prerequisites for programmes or projects and enable interoperability implementation and testing.

016. Interoperability Profiles provide combinations of standards and (sub)profiles for different CIS and identify essential profile elements including:

• Capability Requirements and other NAF architectural views

ADatP-34 revision: v15.0-final-77-g702f531 Volume 1

- Characteristic protocols
- Implementation options
- · Technical standards
- Service Interoperability Points, and
- The relationship with other profiles such as the system profile to which an application belongs.
- 017. The NISP now defines the **obligation status** of profiles and standards as "mandatory" or "candidate".
- Mandatory: The application of standards or profiles is enforced for NATO common funded systems in planning, implementing and testing. Nations are required to use the NISP for developing capabilities that support NATO's missions (ie. NATO led operations, projects, programs, contracts and other related tasks). Nations are invited to do the same nationally to promote interoperability for federated systems and services.
- Candidate: The application of a standard or profile shall only be used for the purpose of testing and programme / project planning. The standard or profile must have progressed to a stage in its life-cycle and is sufficiently mature and is expected to be approved by the standardization body in the foreseeable future. This implies, that from a planning perspective, the respective standard or profile is expected to become mandatory during execution of the programme. A candidate standard or profile should not stay in volume 3 for more than 3 years.
- 018. Profiles shall be updated if referenced standards change. Profiles are dynamic entities by nature. NATO captures this dynamic situation by updating profiles once a year in the NISP. Profile owners are responsible for the versioning of their profiles. Profile reviews are required every 2 years by their owners to ensure their accuracy and continued relevance.
- 019. Proposed profiles (and standards) can be accepted as candidates in order to follow their developments and to decide if they can be promoted to mandatory standards and profiles. In some cases proposed standards and profiles can be readily accepted directly as mandatory.
- 020. Interoperability Profiles can reference other Interoperability Profiles to allow for maximal reuse.
- 021. Further information and guidance on creation of profiles is available in Appendix A.

2.3. BASIC STANDARDS PROFILE

022. Within the NISP, the "Basic Standards Profile" specifies the technical, operational, and business standards that are generally applicable in the context of the Alliance and the NATO Enterprise. For a specific context, such as Federated Mission Networking, separate profiles may

be defined that apply specifically to that context or related architectures. The standards that are cited may be NATO standards, or other agreed international and open standards.

023. As there is no overarching alliance architecture, each standard is associated with elements of the C3 Taxonomy. A distinction must be made between applicability of a standard, and conformance to the standard. If a standard is applicable to a given C3 Taxonomy element, any architecture that implements such an element need not be fully conformant with the standard. The degree of conformance may be judged based on the specific context of the project. For example, to facilitate information exchange between C2 and logistics systems it may be sufficient to implement only a subset of concepts as defined in JC3IEDM (STANAG 5525).

024. The "Basic Standards Profile" contains "agreed" as well as "candidate" standards.

2.4. CREATING RELATIONSHIPS TO OTHER CONCEPTS AND PLANNING OBJECTS WITHIN NATO

025. Different initiatives and organizations have developed new concepts to govern developments in the interoperability domain. These concepts have logical relationship to the NISP.

2.4.1. Architecture Building Block

026. An Architecture Building Block (ABB) is a constituent of the architecture model that describes a single aspect of the overall model ¹.

2.4.1.1. Characteristics

027. ABBs:

- Capture architecture requirements; e.g., business, data, application, and technology requirements
- Direct and guide the development of Solution Building Blocks

2.4.1.2. Specification Content

028. ABB specifications include the following as a minimum:

- Fundamental functionality and attributes: semantic, unambiguous, including security capability and manageability
- Interfaces: chosen set, supplied
- Interoperability and relationship with other building blocks

¹TOGAF 9.1 Specification

- Dependent building blocks with required functionality and named user interfaces
- Map to business/organizational entities and policies

2.4.2. FMN Spiral Specifications

029. Federated Mission Networking (FMN) Spiral² Specifications encompass "an evolutionary cycle that will raise the level of maturity of federated mission networking capabilities over time".

030. The FMN spiral specification contain the following sections

- architecture
- instructions
- profiles, and
- requirements specifications.

The Mandatory and Candidate FMN Spiral Profiles, in context for FMN Affiliates, are listed in the NISP Volumes 2 and 3.

2.4.3. Capability Packages

031. Profiles will be referenced in the NISP for specified NATO Common Funded Systems or Capability Packages and may include descriptions of interfaces to National Systems where appropriate.

2.5. CRITERIA FOR SELECTING STANDARDS

032. Any standard(s) listed in Volume 2 of the NISP shall:

- Be already approved by a NATO Standardization Tasking Authority or another non- NATO standards development organization (e.g. ISO, ANSI, ETSI, IEEE, IETF, W3C);
- Have an assigned responsible party within NATO that can provide relevant subject matter expertise;
- Be available in one of the NATO official languages;
- Support C3 Interoperability (including, people, processes and technology) and related NATO common funded Communication and Information Systems (CIS), including their development and operations;

²Annex B TO Volume I - Implementation Overview, NATO FMN Implementation Plan v4.0 dated: 23 September 2014, Terms and Definitions

- Enable the NATO Enterprise, NATO Nations and Partner Nations to develop interoperable C3 capabilities that support NATO's missions (i.e. NATO led operations, projects, programs, contracts and other related tasks).
- Any standard deviating from the criteria listed in this paragraph, can be recommended by the IP CaT for inclusion in the NISP and can be implemented after the approval of the C3B.

2.6. CRITERIA FOR SELECTING NON-NATO STANDARDS

033. Any Non-NATO standard(s) listed in Volume 2 of NISP should:

- Have implementations from a cross-section of vendors available;
- Be utilized by the broader user community;
- Be developed in a consensus-based way;
- Be free from any legal issues (i.e. intellectual property rights);
- Meet NATO requirements;
- Be easily accessible to vendors;
- Have an open architecture, e.g. extensible for new technological developments,
- Be compatible with other NATO-agreed standards;
- Be stable (mostly recognized by related community/industry) and mature enough in terms of technology;
- Be measurable in terms of its compliance.

CHAPTER 3. ORGANIZATION OF THE NISP INFORMATION

034. This chapter gives an overview of the new structure of all three volumes.

3.1. NISP STRUCTURE

035. The structure of the NISP is organized to list and categorize the standards and profiles according to their usage in NATO. It contains three volumes:

- **Volume 1** Introduction: This volume introduces basic concepts, provides the management framework for the configuration control of the NISP and the process for handling Request for Change (RFC). It includes also guidance on development of interoperability profiles.
- Volume 2 Agreed Interoperability Standards and Profiles: This volume lists agreed interoperability standards and profiles, mandatory for NATO common funded systems. These should support NATO and National systems today and new systems actually under procurement or specification.
- Volume 3 Candidate Interoperability Standards and Profiles: This Volume lists informative references to Standards and Interoperability Profiles, such as drafts of NATO specifications, that may be used as guidance for future programmes.

036. Volume 2 is normative for NATO common funded systems and Volume 3 is informative.

CHAPTER 4. INTEROPERABILITY IN SUPPORT OF CAPABILITY PLANNING

revision: v15.0-final-77-g702f531

037. The following documents form the foundation to understand the embedding of NISP into NDPP and architecture work:

Table 4.1. NDPP References

| Document | Document Reference |
|---|------------------------------------|
| Alliance C3 Strategy Information and Communication Technology to prepare NATO 2020 (20 July 2018) | Alliance C3 Strategy C-M(2018)0037 |
| Alliance C3 Policy (14 December 2018) | C-M(2015)0041-REV2 |
| NATO Defence Planning Process (NDPP) | PO(2016)0655 (INV) |

038. The NATO Defence Planning Process (NDPP) is the primary means to identify the required capabilities and promote their timely and coherent development and acquisition by Allies and Partners. It is operationally driven and delivers various products which could support the development and evolution of more detailed C3 architecture and interoperability requirements. The development of NDPP products also benefits from input by the architecture and interoperability communities, especially the NISP, leading to a more coherent development of CIS capabilities for the Alliance.

039. The work on Enterprise, Capability, and programme level architecture will benefit from the NISP by selecting coherent sets of standards for profiles.

040. More information on how the NISP supports the NDPP can be found in Annex B.

- 13 -

CHAPTER 5. CONFIGURATION MANAGEMENT

- 041. The NISP is updated once a year to account for the evolution of standards and profiles.
- 042. Request for Change (RFC) to the NISP will be processed by the IP CaT, following the process in the graphic below:



Figure 5.1. RFC Handling Process

043. The RFC contains all information required for the NISP management by IP CaT; The detailed information about standard or profile is handed over as attachments to this form. A notional RFC form with example information is presented below:



Figure 5.2. RFC Notional Form

- 044. The primary point of contact for RFC submission is the IP CaT. RFCs may be submitted to the IP CaT via the Change web site or via email to herve.radiguet@act.nato.int with attachments.
- 045. Review of RFCs will be coordinated with the responsible C3 Board substructure organizations where appropriate.

046. The IP CaT reviews the submissions in dialog with national and international bodies. Based on that review, the RFC will be formally processed into the next version of the NISP; or returned to the originator for further details; or rejected. The IP CaT will attempt to address all RFCs submitted by 1 September into the next NISP release. RFCs submitted after this date may be considered for inclusion at the discretion of the IP CaT, or will be processed for the following NISP release.

5.1. NISP UPDATE PROCESS

- 047. The new NISP version is submitted to the C3 Board by end of the year after internal review by the IP CaT. The version under review is a snapshot in time of the status of standards and profiles.
- 048. The database of standards and profiles maintained by the IP CaT is the definitive source of the current status of standards and profiles.

5.1.1. Criteria for listing Standards and Profiles

049. Standards and profiles listed in Volume 2 of the NISP shall:

- 1. have an assigned responsible party that can provide relevant subject matter expertise, if no responsible party exists the IP CaT will create a temporary assignment,
- 2. be available in one of the NATO official languages,
- 3. support C3 Interoperability (incl. people, processes and technology) and related NATO common funded Communication and Information Systems (CIS) including their development and operations, and
- 4. enable the NATO Enterprise, NATO Nations and partner nations to develop interoperable capabilities that support NATO's missions (ie. NATO led operations, projects, programs, contracts and other related tasks).
- 050. In addition standards shall be approved already by a NATO Standardization Tasking Authority or another non-NATO standards development organization (e.g. ISO, ANSI, ETSI, IEEE, IETF, W3C).
- 051. Deviations from the rules listed above can be recommended by the IP CaT and approved by the C3B.
- 052. Given the rate of innovation in Information and Communication Technology (ICT), it is unsurprising that, NATO standards must be reviewed and updated regularly to keep pace with the state of the art and other international standards. The following criteria should be considered by responsible parties during their annual review of NATO Standards:
- Are all stakeholders' views are reflected in the Standardization Working Group?
 - End Users/ Operational Users
 - Implementers/Vendors
 - Technical Solutions Experts/Testers
 - Standards Experts
- Are all referenced basic standards and documents still valid?
- Are key terms consistent with agreed NATO Terminology?
- Does the standard contain conformance criteria?
- Were any issues with the standard identified during test events (e.g. CWIX, CIAV)?

- 17 -

• Are reference implementations¹ of the Standard available to vendors?

053. Some key criteria for inclusion of non-NATO standards into Volume 2 are

- Availability of implementations from a cross-section of vendors;
- Compatibility with other standards;
- Completeness. Does the standard meet the functional requirements?
- Extensibility. Can the standard easily add new technologies when they become available?;
- Stability/maturity. Is the standard based on well understood technology, and has it matured enough to ensure no major changes will occur through further refinements?
- Non-discriminatory. Was the standard developed in a consensus-based way?
- Testability. Conformance metrics. Can the standard be tested to prove compliance?
- Legitimacy. Freedom from legal issues.

054. Similar criteria are also applied for inclusion of Profiles into Volume 2. Profiles should follow the Profile Guidance in Volume 1, Appendix A, and the IPCaT reserves the right to adjust the data structure of a profile to align with the data model of the NISP.

055. Standards and profiles listed in Volume 3 are not subject to the above criteria as they are not (yet) mandatory.

5.1.2. Updating listed Standards and Profiles

- process RFCs together with related responsible parties,
- check if newer versions of
 - listed standards are published by the NATO Standardization Tasking Authority or another non-NATO standards development organization,
 - listed profiles are published by the respective development organization,
 - contact all responsible parties to assess if there is a continued need to keep standards and profiles within Volume 2.

¹To facilitate interoperability and adoption in general the production of reference implementations and similar tools that vendors can use to bootstrap and test development efforts is critical. These reference tools help clarify the expected behavior described by the standard. If these tools are released under appropriate licenses, the tools themselves or components thereof can be directly integrated into vendor products, reducing the investment cost, and therefore the risk, of adoption and accelerating adoption efforts. For standards that rely on multiple parties, such as communications protocols between two different roles, having a reference implementation for both communicants can be a big help to implementers by giving them a correspondent against which to test their own implementation. As such, simple implementation efforts can have a significant role in encouraging interoperability and adoption.

5.2. NISP PRODUCTS

056. The NISP is published in several formats:

- Documentation in HTML and PDF Formats
- Website and searchable online Database
- Data export in ArchiMate Exchange File Format

CHAPTER 6. NATIONAL SYSTEMS INTEROPERABILITY COORDINATION

057. Coordination of standards and profiles between Nations and NATO are critical for interoperability. As a result of the C3 Board substructure reorganization, participants in IP CaT are subject matter experts (SME) and are no longer national representatives. SME's should therefore coordinate with national and C3 Board representatives to ensure national perspectives are presented to IP CaT. As such, each of the IP CaT SMEs is responsible for:

- Appropriate and timely coordination of standards and profiles with respect to interoperability with national systems;
- Coordination of the SME input including coordination with national SMEs of other C3 Board substructure groups; and
- Providing appropriate technical information and insight based on national market assessment.

058. National level coordination of interoperability technical standards and profiles is the responsibility of the C3 Board. When the latest version of NISP is approved by the C3 Board, it will become the NATO Standard covered by STANAG 5524. This STANAG contains the agreement of the participating nations regarding usage of the mandatory standards and profiles in the NISP.

CHAPTER 7. INTEROPERABILITY

STANDARDS GUIDANCE

059. The NISP references Standards from different standardization bodies¹. In the case of a ratified STANAG, NATO standardization procedures apply. The NISP only references these STANAG's without displaying the country-specific reservations. The country-specific reservations can be found in the NATO Standardization Office's NATO Standardization

Document Database.

060. The Combined Communications Electronics Board (CCEB) nations will use NISP Volume 2 to publish the interoperability standards for the CCEB under the provisions of the NATO-CCEB List of Understandings (LoU)².

061. The NISP organizes the standards using the structure of baseline 5.0 of NATO's C3 Taxonomy, as endorsed by the NATO C3 Board per AC/322-D(2021)0021 on "C3 Taxonomy Baseline 5.0" dated 23 September 2021. A graphical representation of this taxonomy is given in the following figure and a description of it can be obtained at: https://tide.act.nato.int/mediawiki/tidepedia/index.php/C3_Taxonomy_Baseline_5. Currently, the standards only address a subset of the services in the taxonomy, mainly services in the group Technical Services. For some standards it is indicated that an appropriate mapping to the C3 Taxonomy could not yet be made.

¹In case of conflict between any adopted non-NATO standard and relevant NATO standard, the definition of the latter prevails.

²References: NATO Letter AC/322(SC/5)L/144 of 18 October 2000, CCEB Letter D/CCEB/WS/1/16 of 9 November 2000, NATO Letter AC/322(SC/5)L/157 of 13 February 2001



Figure 7.1. C3 Taxonomy

062. In principle, NISP only contains or references standards or related documents, which are generally available for NATO/NATO member nations/CCEB.

063. However, a subset of documents may only be available for those nations or organizations, which are joining a specific mission or are members of a special working group. The membership in these activities is outside the scope of NISP.

This page is intentionally left blank

CHAPTER 8. APPLICABILITY

revision: v15.0-final-77-g702f531

064. The mandatory standards and profiles documented in Volume 2 will be used in the implementation of NATO Common Funded Systems. Participating nations agree to use the mandatory standards and profiles included in the NISP at the Service Interoperability Points and to use Service Interface Profiles among NATO and Nations to support the exchange of information and the use of information services in the NATO realm.

This page is intentionally left blank

APPENDIX A. PROFILE GUIDANCE

A.1. PROFILE CONCEPTUAL BACKGROUND

065. ISO/IEC TR 10000 [2] defines the concept of profiles as a set of one or more base standards and/or International Standardized Profiles, and, where applicable, the identification of chosen classes, conforming subsets, options and parameters of those base standards, or International Standardized Profiles necessary to accomplish a particular function.

066. The C3 Board (C3B) Interoperability Profiles Capability Team (IP CaT) has extended the profile concept to encompass references to NAF architectural views [1], characteristic protocols, implementation options, technical standards, Service Interoperability Points (SIOP), and related profiles.

067. Nothing in this guidance precludes the referencing of National profiles or profiles developed by non-NATO organizations in the NATO Interoperability Standards and Profiles (NISP).

A.2. PURPOSE OF INTEROPERABILITY PROFILES

068. Interoperability Profiles aggregate references to the characteristics of other profiles types to provide a consolidated perspective.

069. Interoperability Profiles identify essential profile elements including Capability Requirements and other NAF architectural views [1], characteristic protocols, implementation options, technical standards, Service Interoperability Points, and the relationship with other profiles such as the system profile to which an application belongs.

070. NATO and Nations use profiles to ensure that all organizations will architect, invest, and implement capabilities in a coordinated way that will ensure interoperability for NATO and the Nations. Interoperability Profiles will provide context and assist or guide information technologists with an approach for building interoperable systems and services to meet required capabilities.

A.3. APPLICABILITY

071. NISP stakeholders include engineers, designers, technical project managers, procurement staff, architects and other planners. Architectures, which identify the components of system operation, are most applicable during the development and test and evaluation phase of a project. The NISP is particularly applicable to a federated environment, where interoperability of mature National systems requires an agile approach to architectures.

072. The IP CaT has undertaken the development of interoperability profiles in order to meet the need for specific guidance at interoperability points between NATO and Nations systems

and services required for specific capabilities. As a component of the NISP, profiles have great utility in providing context and interoperability specifications for using mature and evolving systems during exercises, pre-deployment or operations. Application of these profiles also provides benefit to Nations and promotes maximum opportunities for interoperability with NATO common funded systems as well as national to national systems. Profiles for system or service development and operational use within a mission area enable Nations enhanced readiness and availability in support of NATO operations.

A.4. GUIDELINES FOR INTEROPERABILITY PROFILE DEVELOPMENT

073. Due to the dynamic nature of NATO operations, the complex Command and Control structure, and the diversity of Nations and Communities of Interest (COI), interoperability must be anchored at critical points where information and data exchange between entities exists. The key drivers for defining a baseline set of interoperability profiles include:

- Identify the Service Interoperability Points and define the Service Interface Profiles
- Develop modular Architecture Building Blocks
- Use standards consistent with common architectures
- Develop specifications that are service oriented and independent of the technology implemented in National systems where practical
- Develop modular profiles that are reusable in future missions or capability areas
- Use an open system approach to embrace emerging technologies

074. The starting point for development of a profile is to clearly define the Service Interoperability Point where two entities will interface and the standards in use by the relevant systems.

075. The NISP is the governing authoritative reference for NATO interoperability profiles. Doctrine, Organization, Training, Materiel, Leadership and education, Personnel, Facilities and Interoperability (DOTMLPFI) capability analysis may result in a profile developer determining that some of the capability elements may not be relevant for a particular profile. In such cases, the "not applicable" sections may either be marked "not applicable" or omitted at the author's discretion.

A.5. STRUCTURE OF INTEROPERABILITY PROFILE DOCUMENTATION

076. This section identifies typical elements of Interoperability Profile Documentation.

A.5.1. Identification

077. Each NATO or candidate NATO Interoperability Profile **shall** have a unique identifier assigned to it when accepted for inclusion in the NISP. This **shall** be an alpha-numeric string appended to the root mnemonic from the NISP profile taxonomy.

A.5.2. Profile Elements

078. Profile elements provide a coherent set of descriptive inter-related information to NATO, national, Non-Governmental Organization (NGO), commercial and other entities ('actors') desiring to establish interoperability.

079. Profiles are not concepts, policies, requirements, architectures, patterns, design rules, or standards. Profiles provide context for a specific set of conditions related to the aforementioned documents in order to provide guidance on development of systems, services, or even applications that must consider all of these capability related products. Interoperability Profiles provide the contextual relationship for the correlation of these products in order to ensure interoperability is 'built-in' rather than considered as an 'after-thought'.

A.5.2.1. Applicable Standards

080. Each profile **should** document the standards required to support this or other associated profiles and any implementation specific options. The intention of this section is to provide an archive that shows the linkage between evolving sets of standards and specific profile revisions.

| ID | Purpose/Service | Standards | Guidance |
|-----------------------------|---|---|--|
| A unique profile identifier | A description of the purpose or service | A set of relevant Standard Identifier from the NISP | Implementation specific guidance associated with this profile (may be a reference to a separate annex or document) |

Table A.1. Applicable Standards

A.5.2.2. Related Profiles

081. Each profile should document other key related system or service profiles in a cross reference table. The intention of this section is to promote smart configuration management by including elements from other profiles rather than duplicating them in part or in whole within this profile. Related profiles would likely be referenced in another section of the profile.

- 31 -

Table A.2. Related Profiles

| Profile ID | Profile Description | Community of Interest | Associated SIOPs |
|-----------------------------|------------------------------------|--------------------------|-------------------------|
| A unique profile identifier | A short description of the profile | | Unique SIOP identifiers |

A.6. VERIFICATION AND CONFORMANCE

082. Each profile **should** identify authoritative measures to determine verification and conformance with agreed quality assurance, Key Performance Indicators (KPIs), and Quality of Service standards such that actors are satisfied they achieve adequate performance. All performance requirements must be quantifiable and measurable; each requirement must include a performance (what), a metric (how measured), and a criterion (minimum acceptable value).

083. Stakeholders are invited to provide feedback to improve a profile's verification and conformance criteria.

084. Verification and Conformance is considered in terms of the following five aspects:

- 1. Approach to Validating Service Interoperability Points
- 2. Relevant Maturity Level Criteria
- 3. Key Performance Indicators (KPIs)
- 4. Experimentation
- 5. Demonstration

A.6.1. Approach to Validating Service Interoperability Points

085. Each profile should describe the validation approach used to demonstrate the supporting service interoperability points. The intention of this section is to describe a high-level approach or methodology by which stakeholders may validate interoperability across the SIOP(s).

A.6.2. Relevant Maturity Level Criteria

086. Each profile should describe the Maturity criteria applicable to the profile. The intention of this section is to describe how this profile supports the achievement of improved interoperability.

A.6.3. Key Performance Indicators (KPIs)

087. Each profile should describe the associated Key Performance Indicators (KPIs) to establish a baseline set of critical core capability components required to achieve the enhanced

interoperability supported by this profile. The intention of this section is to assist all stakeholders and authorities to focus on the most critical performance-related items throughout the capability development process.

Table A.3. Key Performance Indicators (KPIs)¹

| Key Performance Indicators (KPI) | Description |
|---|-------------|
| KPI #1: Single (named) Architecture | |
| KPI #2: Shared Situational Awareness | |
| KPI #3: Enhanced C2 | |
| KPI #4: Information Assurance | |
| KPI #5: Interoperability | |
| KPI #6: Quality of Service | |
| KPI #7: TBD | |

¹'notional' KPIs shown in the table are for illustrative purposes only.

A.6.4. Experimentation

088. Each profile should document experimentation venues and schedules that will be used to determine conformance. The intention of this section is to describe how experimentation will be used to validate conformance.

A.6.5. Demonstration

089. Each profile should document demonstration venues and schedules that demonstrate conformance. The intention of this section is to describe how demonstration will be used to validate conformance.

A.7. CONFIGURATION MANAGEMENT AND GOVERNANCE

A.7.1. Configuration Management

090. Each profile **shall** identify the current approach or approaches toward configuration management (CM) of core documentation used to specify interoperability at the Service Interoperability Point. The intention of this section is to provide a short description of how often documents associated with this profile may be expected to change, and related governance measures that are in place to monitor such changes [e.g., the IP CaT].

A.7.2. Governance

091. Each profile **shall** identify **one or more authorities** to provide feedback and when necessary, Request for Change (RFC) for the Profile in order to ensure inclusion of the most

up-to-date details in the NISP. The intention of this section is to provide a clear standardized methodology by which stakeholders may submit recommended changes to this profile.

References

[1] NATO Architecture Framework Version 4. 25 January 2018. AC/322-D(2018)0002.

[2] Information Technology - Framework and Taxonomy of International Standardized Profiles - Part 3: Principals and Taxonomy for Open System Environment Profiles. Copyright # 1998. ISO. ISO/IEC TR 10000-3.

APPENDIX B. INTEROPERABILITY IN THE

B.1. NATO DEFENCE PLANNING

092. The NATO Defence Planning Process (NDPP) is the primary means to identify required capabilities and promote their timely, coherent development and acquisition by Allies and the NATO Enterprise. It is operationally driven and delivers various products which could support the development and evolution of more detailed C3 architecture and interoperability requirements. The development of NDPP products also benefits from input by the architecture and interoperability communities, especially the NISP, leading to a more coherent development of CIS capabilities for the Alliance.

revision: v15.0-final-77-g702f531

CONTEXT OF NATO DEFENCE PLANNING

093. Ideally technical interoperability requirements align with the NDPP to ensure coherence in the development of capabilities within the Alliance. NDPP Mission Types and Planning Situations provide the essential foundation for the development of the Minimum Capability Requirements (MCR) and the derivation of high level information exchange and interoperability requirements. MCRs are expressed via a common set of definitions for capabilities (including CIS) called Capability Codes and Statements (CC&S), including explicit reference to STANAGs in some cases¹. Interoperability aspects are primarily captured in free text form within the Capability Statements and in the subsequent NDPP Targets². The NDPP products could be leveraged by the architecture and interoperability community, to define the operational context for required Architecture Building Blocks and interoperability profiles.

094. The Defence Planning Capability Survey (DPCS) is the tool to collect information on national capabilities, the architecture and interoperability communities should provide input on questions related to C3 related capabilities. The architecture and interoperability communities could also bring valuable insight and expertise to the formulation and tailoring of C3 capabilities-related targets to nations, groups of nations or the NATO enterprise.

095. In practice, there is not always an opportunity (time or money) for such a "clean" approach and compromises must be made - from requirements identification to implementation. In recognition of this fact, NATO has developed a parallel track approach, which allows some degree of freedom in the systems development. Although variations in sequence and speed of the different steps are possible, some elements need to be present. Architecture, including the selection of appropriate standards and technologies, is a mandatory step.

096. In a top-down execution of the systems development approach, architecture will provide guidance and overview to the required functionality and the solution patterns, based on longstanding and visionary operational requirements. In a bottom-up execution of the approach, which may be required when addressing urgent requirements and operational imperatives,

¹Bi-SC Agreed Capability Codes and Capability Statements, 29 July 2016 and SH/SDP/SDF/CFR/DPF/20-006166 and ACT/SPP/DP/TT-2897/Ser:NU0074 issued on 29 July 2020.

²C-M(2017)0021, NATO Capability Targets, 26 June 2017

architecture will be used to assess and validate chosen solution in order to align with the longer term vision.

097. The NISP is a major tool supporting NATO architecture work and must be suitable for use in the different variations of the systems development approach. The NISP will be aligned with the Architectural efforts of the C3 Board led by the ACaT.

098. The relationship of the NISP, the Architecture Building Blocks activities of the ACaT, and Allied Command Transformation Architecture efforts is of a mutual and reciprocal nature. Architecture products provide inputs to the NISP by identifying the technology areas that in the future will require standards. These architecture products also provide guidance on the coherence of standards by indicating in which timeframe certain standards and profiles are required. NATO Architectures benefit from the NISP by selecting coherent sets of standards from profiles.

APPENDIX C. CHANGES

099. Major content changes from NISP Version 14 / ADatP-34(N)(1) to NISP Version 15 / ADatP-34(N)(2) include:

- Draft FMN Spiral 5 Profile added as candidate (Vol 3).
- 55 RFCs processed. Details of the RFC changes are captured in Appendix E.
- Removed C3 Taxonomy v4
- Added C3 Taxonomy v5
- Major cleanup of the NISP database

- 37 -

This page is intentionally left blank

APPENDIX D. DETAILED CHANGES

100. Detailed content changes from NISP Version 14 / ADatP-34(N)(1) to NISP Version 15 / ADatP-34(N)(2) includes:

D.1. Added Standards

D.1.1. ASCA

• Common Technical Interface Design Plan (CTIDP) (ASCA ASCA-012:2021)

D.1.2. CCEB

• Communications Instructions Tape Relay Procedures (CCEB ACP 127(G):1988)

D.1.3. CIS3 C&IP

• SCIP Signalling Plan rev.3.10 (CIS3 C&IP SCIP-210 3.10:2017)

D.1.4. DIGWG

- Defence Profile of OGC Web Coverage Service 2.0 (DIGWG DGIWG-119:2017)
- Defence Profile of OGC Web Feature Service 2.0 (DIGWG DGIWG-122:2019)
- Defense Gridded Elevation Data (DGED) Product Implementation Profile (DIGWG DGIWG-250:2020)

D.1.5. DMTF

• Open Virtualization Format Specification Ver 2.1.1 (DMTF DMTF OVF 2.1.1 (DSP0243):2015)

D.1.6. IETF

- DNS Extensions to Support IP Version 6 (IETF RFC 3596:2003)
- Unique Local IPv6 Unicast Addresses (IETF RFC 4193:2005)
- An Extensible Markup Language (XML) Patch Operations Framework Utilizing XML Path Language (XPath) Selectors (IETF RFC 5261:2008)
- PATCH Method for HTTP (IETF RFC 5789:2010)
- Using 127-Bit IPv6 Prefixes on Inter-Router Links (IETF RFC 6164:2011)
- Web Host Metadata (IETF RFC 6415:2011)
- JSON Merge Patch (IETF RFC 7396:2014)
- JSON Web Token (JWT) (IETF RFC 7519:2015)
- JSON Web Token (JWT) Profile for OAuth 2.0 Client Authentication and Authorization Grants (IETF RFC 7523:2015)

- revision: v15.0-final-77-g702f531
- IPv6 Support for Generic Routing Encapsulation (GRE) (IETF RFC 7676:2015)
- Security and Privacy Considerations for IPv6 Address Generation Mechanisms (IETF RFC 7721:2016)
- Proof-of-Possession Key Semantics for JSON Web Tokens (JWTs) (IETF RFC 7800:2016)
- RESTCONF Protocol (IETF RFC 8040:2017)
- Internet Protocol, Version 6 (IPv6) Specification (IETF RFC 8200:2017)
- Path MTU Discovery for IP version 6 (IETF RFC 8201:2017)
- Default External BGP (EBGP) Route Propagation Behavior without Policies (IETF RFC 8212:2017)
- The JavaScript Object Notation (JSON) Data Interchange Format (IETF RFC 8259:2017)
- OAuth 2.0 Authorization Server Metadata (IETF RFC 8414:2018)
- Elliptic Curve Cryptography (ECC) Cipher Suites for Transport Layer Security (TLS) Versions 1.2 and Earlier (IETF RFC 8422:2018)
- The Transport Layer Security (TLS) Protocol Version 1.3 (IETF RFC 8446:2018)
- Policy Behavior for Well-Known BGP Communities (IETF RFC 8642:2019)
- OAuth 2.0 Token Exchange (IETF RFC 8693:2020)
- Resource Indicators for OAuth 2.0 (IETF RFC 8707:2020)
- Secret Key Transaction Authentication for DNS (TSIG) (IETF RFC 8945:2020)
- JSON Web Token (JWT) Profile for OAuth 2.0 Access Tokens (IETF RFC 9068:2021)

D.1.7. ISO/IEC

- Technical Corrigendum 1 to International Standard ISO/IEC 12087-5:1998 (ISO/IEC 12087-5 Cor 1:2001)
- Technical Corrigendum 2 to International Standard ISO/IEC 12087-5:1998 (ISO/IEC 12087-5 Cor 2:2002)
- JPEG 2000 image coding system Part 1: Core coding system (ISO/IEC 15444-1:2019)
- The Directory: Public-key and attribute certificate frameworks (ISO/IEC 9594-8:2020)
- Computer graphics and image processing Portable Network Graphics (PNG): Functional specification (ISO/IEC 15948:2004)
- Generic coding of moving pictures and associated audio information Part 7: Advanced Audio Coding (AAC) — Amendment 1: Transport of MPEG Surround in AAC (ISO/IEC 13818-7:2006/Amd 1:2007)
- Generic coding of moving pictures and associated audio information Part 7: Advanced Audio Coding (AAC) — Technical Corrigendum 1 (ISO/IEC 3818-7:2006/Cor 1:2009)
- Generic coding of moving pictures and associated audio information Part 7: Advanced Audio Coding (AAC) Technical Corrigendum 2 (ISO/IEC 3818-7:2006/Cor 2:2010)
- Coding of audio-visual objects Part 10: Advanced video coding (ISO/IEC 14496-10:2022)

D.1.8. ITU-T

• Internet protocol data communication service - IP packet transfer and availability performance parameters (ITU-T Y.1540 (12/19):2019)

D.1.9. MIL-STD

 Connector, Fibre Optic, Circular Hermaphroditic, Bulkhead, Low Profile Without Strain Relief, Jam-Nut Mount, 2 and 4 Positions, Expanded Beam (MIL-STD MIL-DTL-83526C:2006)

D.1.10. MIP

• MIP Information Model 5.1 (MIP MIM 5.1:2020)

D.1.11. NATO

- VLF / LF MSK Multi Channel Broadcast (NATO AComP-4724 Ed B Ver 1:2021)
- IP access to half-duplex radio networks (NATO AComP-5634 Ed A Ver 1:2022)
- NATO High Capacity Data Rate Waveform (NHCDRWF) Head Specification (NATO AComP-5649 (Study) I Ed A Ver 1)
- NATO High Capacity Data Rate Waveform (NHCDRWF) Link/Network Layer Specification (NATO AComP-5649 (Study) II Ed A Ver 1)
- NATO High Capacity Data Rate Waveform (NHCDRWF) Modem Specification (NATO AComP-5649 (Study) III Ed A Ver 1)
- NATO HDRWF (ESSOR) Introductory Document (NATO AComP-5651 (Study) Ed A Ver 1 - Vol 1)
- HDR WF (ESSOR) LLC Layer Specification and Rationale (SSS) / Interface Control Document (ICD) (NATO AComP-5651 (Study) Ed A Ver 1 Vol 10)
- HDR WF (ESSOR) NET Layer Specification and Rationale (SSS) / Interface Control Document (ICD) (NATO AComP-5651 (Study) Ed A Ver 1 Vol 11)
- HDR WF (ESSOR) NET Layer Specification and Rationale (SSS) / Interface Control Document (ICD) Restricted Volume (NATO AComP-5651 (Study) Ed A Ver 1 Vol 12)
- HDR WF (ESSOR) MGT Layer Specification (NATO AComP-5651 (Study) Ed A Ver 1 -Vol 13)
- HDR WF (ESSOR) MGT Layer Specification Restricted volume (NATO AComP-5651 (Study) Ed A Ver 1 Vol 14)
- NATO HDRWF (ESSOR) System Specification (NATO AComP-5651 (Study) Ed A Ver 1

 Vol 2)
- NATO HDRWF (ESSOR) System Specification Restricted Volume (NATO AComP-5651 (Study) Ed A Ver 1 - Vol 3)
- NATO HDRWF (ESSOR) System Specification Confidential Volume (NATO AComP-5651 (Study) Ed A Ver 1 Vol 4)
- NATO HDRWF (ESSOR) System Specification Security Target (Restricted) (NATO AComP-5651 (Study) Ed A Ver 1 Vol 5)
- NATO HDRWF (ESSOR) System Design Document (NATO AComP-5651 (Study) Ed A Ver 1 - Vol 6)

- HDR WF (ESSOR) PHY Layer Specification and Rationale (SSS) / Interface Control Document (ICD) Restricted (NATO AComP-5651 (Study) Ed A Ver 1 Vol 7)
- HDR WF (ESSOR) MAC Layer Specification and Rationale (SSS) / Interface Control Document (ICD) (NATO AComP-5651 (Study) Ed A Ver 1 Vol 8)
- HDR WF (ESSOR) MAC Layer Specification and Rationale (SSS) / Interface Control Document (ICD) Restricted Volume (NATO AComP-5651 (Study) Ed A Ver 1 Vol 9)
- Networking and Information Infrastructure (NII) Internet Protocol (IP) Network Encryptor Interoperability Specification (NINE ISPEC) (NATO AComp-4787 Ed A Ver 1:2018)
- Narrowband Waveform for VHF/UHF Radios Head Specification (NATO AComP-5630 Ed A Ver 1:2019)
- Narrowband Waveform for VHF/UHF Radios Physical Layer and Propagation Models (NATO AComP-5631 Ed A Ver 1:2019)
- Narrowband Waveform for VHF/UHF Radios Link Layer (NATO AComP-5632 Ed A Ver 1:2019)
- Narrowband Waveform for VHF/UHF Radios Network Layer (NATO AComP-5633 Ed A Ver 1:2019)
- Concept of NATO Message Text Formatting System (CONFORMETS) (NATO ADatP-03 Ed A Ver 4:2021)
- Friendly Force Tracking Systems (FFTS) Interoperability (NATO ADatP-36 Ed A Ver 2:2021)
- Profiles for Binding Metadata to a Data Object (NATO ADatP-4778.2 Ed A Ver 1:2020)
- NATO Core Metadata Specification (NATO ADatP-5636 Ed A Ver 1:2022)
- NATO Core Data Framework (NCDF) (NATO ADatP-5653 (Study) Ed A Ver 1)
- IFF MARK XIIA Interoperability Test Guidance (NATO AEtP-12 Ed A Ver 1:2019)
- NATO Geospatial Web Services (NATO AGeoP-26 (Study) Ed B Ver 1)
- Tactical Data Exchange Link 1 (Point-to-Point) (NATO ATDLP-5.01 Ed A Ver 2:2020)
- Tactical Data Link Link 22 (NATO ATDLP-5.22 Ed B Ver 1:2021)
- Standards For Data Forwarding Between Tactical Data Systems Employing Link 11/11b And Tactical Data Systems Employing Link 16 (NATO ATDLP-6.16 I Ed B Ver 1:2021)
- Standards For Data Forwarding Between Tactical Data Systems Employing Link 22 And Tactical Data Systems Employing Link 16 (NATO ATDLP-6.16 II Ed B Ver 1:2021)
- Standards For Data Forwarding Between Tactical Data Systems Employing Link 22 And Tactical Data Systems Employing Link 11/11B (NATO ATDLP-6.16 III Ed B Ver 1:2021)
- Standards For Data Forwarding Between Tactical Data Systems Employing Link 16 And Tactical Data Systems Employing JREAP (NATO ATDLP-6.16 IV Ed B Ver 1:2021)
- Land Operational Reports (NATO ATP-105 Ed A Ver 1:2021)
- NATO Land Urgent Voice Messages (LUVM) Pocket Book (NATO ATP-97 Ed B Ver 1:2020)
- Tactical Data Exchange Link 16 (NATO ATDLP-5.16 Ed C Ver 1:2019)
- Joint C3 Information Exchange Data Model Baseline 3.1.4 (NATO JC3IEDM Baseline 3.1.4:2012)
- Navstar Global Positioning System (GPS)(PART I) Summary Of Performance Requirements (NATO STANAG 4294 Ed 3 Part 1:2016)

- GeoTIFF Raster Format Specification in a NATO Environment (NATO AGeoP-11.3 Ed A Ver 1:2018)
- SATURN A Fast Frequency Hopping ECCM Mode for UHF Radio (NATO AComP-4372 Ed A Ver 1:2019)
- Interoperability between Ultra High Frequency Satellite Communications (UHF SATCOM) Terminals Integrated Waveform (IW) (NATO AComP-4681 Ed A Ver 1:2022)
- Allied Maritime Tactical Instructions and Procedures (NATO MTP-01 Ed H:2021)
- NATO Message Text Formatting System (FORMETS) (NATO ADatP-03 Baseline-11 (Current):1999)
- NATO Message Text Formatting System (FORMETS) (NATO ADatP-03 Baseline-11 (Future):1999)

D.1.12. NATO Study (expected)

 Joint Range Extension Application Protocol (JREAP) (NATO Study (expected) ATDLP-5.18 (Study) Ed C Ver 1)

D.1.13. NIST

• Recommendation for Pair-Wise Key Establishment Schemes Using Discrete Logarithm Cryptography (NIST SP 800-56A Rev 2:2013)

D.1.14. OASIS

- Web Services Resource Properties (OASIS WS-ResourceProperties Ver 1.2:2006)
- Web Services Security SAML Token Profile Ver 1.1.1 (OASIS WSS SAML Token Profile Ver 1.1.1:2012)

D.1.15. OGC

- Web Services Common Implementation Specification v1.1.0 with Corrigium 1 (OGC 06-121r3:2007)
- Corrigendum for OpenGIS Implementation Standard Web Processing Service (WPS) 1.0.0 (OGC 08-091r6:2009)
- OGC GeoPackage Encoding Standard (OGC 12-128r17:2021)
- GML in JPEG 2000 for Geographic Imagery Encoding (OGC 08-085r8:2018)

D.1.16. OPENAPI Initiative

• OpenAPI Specification Ver 3.1.0 (OPENAPI Initiative OpenAPI Ver 3.1.0:2021)

D.1.17. Opensearch

• OpenSearch 1.1.0 (Opensearch OpenSearch 1.1.0:2021)

D.1.18. TM-FORUM

- Trouble Ticket Management API REST Specification R19.0.1 (TM-FORUM TMF621 (2019/11):2019)
- Trouble Ticket Management API Conformance Profile R19.0.1 (TM-FORUM TMF621B (2019/11):2019)
- TMF630 API Design Guidelines 3.0 R17.5.0 (TM-FORUM TMF630 (2021/05):2021)
- Party Management API REST Specification R19.0.1 (TM-FORUM TMF632 (2019/11):2019)
- Service Inventory API User Guide (TM-FORUM TMF638 (2020/07):2020)
- Resource Inventory API User Guide (TM-FORUM TMF639 (2020/07):2020)
- Service Ordering API User Guide (TM-FORUM TMF641 (2021/03):2021)
- Alarm Management API User Guide (TM-FORUM TMF642 (2020/05):2020)
- Change Management API REST Specification R18.0.1 (TM-FORUM TMF655 (2018/09):2018)
- Service Problem Management API User Guide (TM-FORUM TMF656 (2021/07):2021)
- Service Quality Management API User Guide (TM-FORUM TMF657 (2020/05):2020)
- Geographic Address Management API User Guide (TM-FORUM TMF673 (2020/07):2020)
- Geographic Site Management API User Guide R17.5.0 (TM-FORUM TMF674 (2020/05):2020)
- Geographic Location API REST Specification R17.5.1 (TM-FORUM TMF675 (2018/05):2018)
- Process Flow Management API REST Specification R19.0.1 (TM-FORUM TMF701 (2019/11):2019)
- Service Catalog API User Guide (TM-FORUM TMF633 (2021/01):2021)

D.1.19. US DoN

 Operational Specification for Over-The-Horizon Targeting Gold Revision D, OS-OTG (Rev. D) (US DoN OTH-T Gold Baseline 2000:2000)

D.1.20. XMPP

- XEP-0160: Best Practices for Handling Offline Messages (2016/10) (XMPP XEP-0160 (2016/10):2016)
- XEP-0199: XMPP Ping (2019/03) (XMPP XEP-0199 (2019/03):2019)
- XEP-0313: Message Archive Management (2020/08) (XMPP XEP-0313 (2020/08):2020)
- XEP-0297: Stanza Forwarding (XMPP XEP-0297:2013)

D.2. Deleted standards

D.2.1. C3B

• NII Communications Reference Architecture Edition 1, Version 1.2 (C3B AC/322-D(2010)0035:2010)

D.2.2. DMTF

- CIM Schema: Version 2.30.0 (DMTF CIM V2300:2011)
- Common Information Model (CIM) v2.2 (DMTF DSP0004:1999)
- Web Services for Management (WS-Management) Specification (DMTF DSP0226:2010)
- WS-Management CIM Binding Specification (DMTF DSP0227:2010)
- Configuration Management Database (CMDB) Federation Specification (DMTF DSP0252:2010)

D.2.3. IEEE

• Distributed Interactive Simulation (DIS) - Exercise Management and Feedback (IEEE P1278.3:1996)

D.2.4. IETF

- Open Network Computing (ONC) Remote Procedure Call (RPC) Specification version 2 (IETF RFC 1057:1988)
- PPP LCP Extensions (IETF RFC 1570:1994)
- Extensions to OSPF to support demand circuits (IETF RFC 1793:1995)
- The LDAP Application Program Interface (IETF RFC 1823:1995)
- An Aplication of the BGP Community Attribute in Multi-Home Routing (IETF RFC 1998:1996)
- IP Encapsulation within IP (IETF RFC 2003:1996)
- Portable Network Graphics (PNG) Specification, v. 1.0 (IETF RFC 2083:1997)
- ISO Transport Service on top of TCP (ITOT) (IETF RFC 2126:1997)
- Resource ReSerVation Protocol (RSVP) -- Version 1 Functional Specification (IETF RFC 2205:1997)
- RSVP Management Information Base using SMIv2 (IETF RFC 2206:1997)
- RSVP Extensions for IPSEC Data Flows (IETF RFC 2207:1997)
- Resource ReSerVation Protocol (RSVP) -- Version 1 Applicability Statement Some Guidelines on Deployment (IETF RFC 2208:1997)
- Resource ReSerVation Protocol (RSVP) -- Version 1 Message Processing Rules (IETF RFC 2209:1997)
- The Use of RSVP with IETF Integrated Services (IETF RFC 2210:1997)
- FTP Security Extensions (IETF RFC 2228:1997)
- Using LDAP as a Network Information Service (IETF RFC 2307:1998)
- IPv6 Multicast Address Assignments (IETF RFC 2375:1998)
- FTP Extensions for IPv6 and NATs (IETF RFC 2428:1998)
- A Provider Architecture for Differentiated Services and Traffic Engineering (PASTE) (IETF RFC 2430:1998)
- Transmission of IPv6 Packets over Ethernet Networks (IETF RFC 2464:1998)
- Transmission of IPv6 Packets over FDDI Networks (IETF RFC 2467:1998)
- Generic Packet Tunneling in IPv6 (IETF RFC 2473:1998)

- A Simulation Model for IP Multicast with RSVP (IETF RFC 2490:1999)
- IPv6 over Non-Broadcast Multiple Access (NBMA) networks (IETF RFC 2491:1999)
- IP Header Compression (IETF RFC 2507:1999)
- Compressing IP/UDP/RTP Headers for Low-Speed Serial Links (IETF RFC 2508:1999)
- Lightweight Directory Access Protocol (LDAP) v3 Extensions for Dynamic Directory Services (IETF RFC 2589:1999)
- Internationalization of the File Transfer Protocol (IETF RFC 2640:1999)
- An LDAP Control and Schema for Holding Operation Signatures (IETF RFC 2649:1999)
- LDAP Control Extension for Simple Paged Results Manipulation (IETF RFC 2696:1999)
- Multicast Listener Discovery (MLD) for IPv6 (IETF RFC 2710:1999)
- IPv6 Router Alert Option (IETF RFC 2711:1999)
- RSVP Diagnostic Messages (IETF RFC 2745:2000)
- RSVP Operation Over IP Tunnels (IETF RFC 2746:2000)
- RSVP Cryptographic Authentication (IETF RFC 2747:2000)
- COPS usage for RSVP (IETF RFC 2749:2000)
- RSVP Extensions for Policy Control (IETF RFC 2750:2000)
- A Framework for Policy-based Admission Control (IETF RFC 2753:2000)
- Encryption using KEA and SKIPJACK (IETF RFC 2773:2000)
- SBM (Subnet Bandwidth Manager): A Protocol for RSVP-based Admission Control over IEEE 802-style networks (IETF RFC 2814:2000)
- LDAP Control Extension for Server Side Sorting of Search Results (IETF RFC 2891:2000)
- Router Renumbering for IPv6 (IETF RFC 2894:2000)
- RSVP Refresh Overhead Reduction Extensions (IETF RFC 2961:2001)
- Format of the RSVP DCLASS Object (IETF RFC 2996:2000)
- Framework for Integrated Services Operation over Diffserv Networks (IETF RFC 2998:2000)
- Traditional IP Network Address Translation (NAT) (IETF RFC 3022:2001)
- Multiprotocol Label Switching Architecture (IETF RFC 3031:2001)
- MPLS Label Stack Encoding (IETF RFC 3032:2001)
- Storing Vendor Information in the LDAP root DSE (IETF RFC 3045:2001)
- Connection of IPv6 Domains via IPv4 Clouds (IETF RFC 3056:2001)
- LDAP Password Modify Extended Operation (IETF RFC 3062:2001)
- Differentiated Services Per Domain Behaviours and Rules for their Specification (IETF RFC 3086:2001)
- Service Location Protocol Modifications for IPv6 (IETF RFC 3111:2001)
- Extensions to IPv6 Neighbor Discovery for Inverse Discovery Specification (IETF RFC 3122:2001)
- Transmission of IPv6 Packets over IEEE 1394 Networks (IETF RFC 3146:2001)
- RADIUS and IPv6 (IETF RFC 3162:2001)
- Aggregation of RSVP for IPv4 and IPv6 Reservations (IETF RFC 3175:2001)
- Signalled Preemption Priority Policy Element (IETF RFC 3181:2001)
- Identity Representation for RSVP (IETF RFC 3182:2001)
- RSVP-TE: Extensions to RSVP for LSP Tunnels (IETF RFC 3209:2001)
- Applicability Statement for Extensions to RSVP for LSP-Tunnels (IETF RFC 3210:2001)

- revision: v15.0-final-77-g702f531
- IANA Assigned Numbers (IETF RFC 3232:2002)
- Stream Control Transmission Protocol Applicability Statement (IETF RFC 3257:2002)
- New Terminology and Clarifications for Diffserv (IETF RFC 3260:2002)
- Stream Control Transmission Protocol Introduction (IETF RFC 3286:2002)
- Remote Monitoring MIB Extensions for Differentiated Services (IETF RFC 3287:2002)
- Management Information Base for the Differentiated Services Architecture (IETF RFC 3289:2002)
- Informal Management Model for Diffserv Routers (IETF RFC 3290:2002)
- Named Subordinate References in LDAP Directories (IETF RFC 3296:2002)
- Unicast-Prefix-based IPv6 Multicast Addresses (IETF RFC 3306:2002)
- Allocation Guidelines for IPv6 Multicast Addresses (IETF RFC 3307:2002)
- Layer Two Tunnelling Protocol (L2TP) Differentiated Services Extension (IETF RFC 3308:2002)
- Transport Layer Security over Stream Control Transmission Protocol (IETF RFC 3436:2002)
- The Multiprotocol Label Switching (MPLS) Working Group decision on MPLS signalling protocols (IETF RFC 3468:2003)
- Generalized Multi-Protocol Label Switching (GMPLS) Signalling Resource ReserVation Protocol-Traffic Engineering (RSVP-TE) Extensions (IETF RFC 3473:2003)
- IANA assignments for GMPLS and RSVP-TE Extensions for ASON (IETF RFC 3474:2003)
- IANA assignments for LDP, RSVP, and RSVP-TE Extensions for Optical UNI Signaling (IETF RFC 3476:2003)
- Signalling Unnumbered Links in Resource ReSerVation Protocol Traffic Engineering (RSVP-TE) (IETF RFC 3477:2003)
- A Flexible Method for Managing the Assignment of Bits of an IPv6 Address Block (IETF RFC 3531:2003)
- IP Header Compression over PPP (IETF RFC 3544:2003)
- On the Use of Stream Control Transmission Protocol (SCTP) with IPsec (IETF RFC 3554:2003)
- Ad-hoc On-Demand Distance Vector Routing (AODV) (IETF RFC 3561:2003)
- Textual Conventions for IPv6 Flow Label (IETF RFC 3595:2003)
- Real Time Control Protocol (RTCP) attribute in Session Description Protocol (SDP) (IETF RFC 3605:2003)
- DNS Configuration options for Dynamic Host Configuration Protocol for IPv6 (DHCPv6) (IETF RFC 3646:2003)
- Extensions to FTP (IETF RFC 3659:2007)
- Collective Attributes in LDAP (IETF RFC 3671:2003)
- Subentries in LDAP (IETF RFC 3672:2003)
- LDAPv3: All Operational Attributes (IETF RFC 3673:2003)
- LDAP Component Matching Rules (IETF RFC 3687:2004)
- LDAP: Additional Matching Rules (IETF RFC 3698:2004)
- Stream Control Transmission Protocol (SCTP) Partial Reliability Extension (IETF RFC 3758:2004)
- Using IPsec to Protect Mobile IPv6 Signaling Between Mobile Nodes and Home Agents (IETF RFC 3776:2004)

- Multicast Listener Discovery Version 2 (MLDv2) for IPv6 (IETF RFC 3810:2004)
- Stream Control Transmission Protocol (SCTP) Management Information Base (MIB) (IETF RFC 3873:2004)
- Network Information Service (NIS) Configuration Options for DHCPv6 (IETF RFC 3898:2004)
- LDAP Cancel Operation (IETF RFC 3909:2004)
- Border Gateway Multicast Protocol (BGMP) (IETF RFC 3913:2004)
- LDAP Client Update Protocol (IETF RFC 3928:2004)
- Internet Low Bit Rate Codec (iLBC) (IETF RFC 3951:2004)
- Real-time Transport Protocol (RTP) Payload Format for internet Low Bit Rate Codec (iLBC)
 Speech (IETF RFC 3952:2004)
- Embedding the Rendezvous Point (RP) Address in an IPv6 Multicast Address (IETF RFC 3956:2004)
- Protocol Independent Multicasting Dense Mode (PIM-DM) (IETF RFC 3973:2005)
- Network News Transfer Protocol (NNTP) (IETF RFC 3977:2006)
- IPv6 Scoped Address Architecture (IETF RFC 4007:2005)
- Encapsulating MPLS in IP or Generic Routing Encapsulation (GRE) (IETF RFC 4023:2005)
- A Method for Storing IPsec Keying Material in DNS (IETF RFC 4025:2005)
- Provider Provisioned Virtual Private Network (VPN) Terminology (IETF RFC 4026:2005)
- Scenarios and Analysis for Introducing IPv6 into ISP Networks (IETF RFC 4029:2005)
- The Authentication Suboption for the Dynamic Host Configuration Protocol (DHCP) Relay Agent Option (IETF RFC 4030:2005)
- Service Requirements for Layer 3 Provider Provisioned Virtual Private Networks (PPVPNs) (IETF RFC 4031:2005)
- Update to the Session Initiation Protocol (SIP) Preconditions Framework (IETF RFC 4032:2005)
- IP Authentication Header (AH) (IETF RFC 4302:2005)
- LDAP Proxied Authorisation Control (IETF RFC 4370:2006)
- LDAP Bulk Update Replication Protocol (LBURP) (IETF RFC 4373:2006)
- LDAP Schema for UDDI (IETF RFC 4403:2006)
- Lightweight Directory Access Protocol (LDAP) Binary Encoding Option (IETF RFC 4522:2006)
- Lightweight Directory Access Protocol (LDAP) COSINE Schema (IETF RFC 4524:2006)
- Lightweight Directory Access Protocol (LDAP) Modify-Increment Extension (IETF RFC 4525:2006)
- Lightweight Directory Access Protocol (LDAP) Absolute True and False Filters (IETF RFC 4526:2006)
- Lightweight Directory Access Protocol (LDAP) Read Entry Controls (IETF RFC 4527:2006)
- Lightweight Directory Access Protocol (LDAP) Assertion Control (IETF RFC 4528:2006)
- Lightweight Directory Access Protocol (LDAP) Requesting Attributes by Object Class (IETF RFC 4529:2006)
- Lightweight Directory Access Protocol (LDAP) entryUUID (IETF RFC 4530:2006)
- LDAP Turn Operation (IETF RFC 4531:2006)

- revision: v15.0-final-77-g702f531
- Lightweight Directory Access Protocol (LDAP) Who am I? Operation (IETF RFC 4532:2006)
- Lightweight Directory Access Protocol (LDAP) Content Sync Operation (IETF RFC 4533:2006)
- Considerations for Internet group Management protocols (IGMP) and Multicast listener Discovery Snooping Switches (IETF RFC 4541:2006)
- OSPF version 2 Management Information Base: 2006 (IETF RFC 4750:2006)
- IPv6 over Low Power Wireless Personal Area Networks (IETF RFC 4919:2007)
- Multicast Group Membership Discovery MIB (IETF RFC 5519:2009)
- Mobile IPv6 Support for Dual Stack Hosts and Routers (IETF RFC 5555:2009)
- Mobile IPv6 Fast Handovers (IETF RFC 5568:2009)
- Extended MKCOL for Web Distributed Authoring and Versioning (WebDAV) (IETF RFC 5689:2009)
- FTP Command and Extension Registry (IETF RFC 5797:2010)
- Registration of Military Message Handling System (MMHS) Header Fields for Use in Internet Mail (IETF RFC 6477:2012)
- Simplified Multicast Forwarding (SMF) (IETF RFC 6621:2012)
- Multicast DNS (IETF RFC 6762:2013)
- DNS-Based Service Discovery (IETF RFC 6763:2013)
- Update to Internet Message Format to Allow Group Syntax in the From: and Sender: Header Fields (IETF RFC 6854:2013)
- File Transfer Protocol HOST Command for Virtual Hosts (IETF RFC 7151:2014)

D.2.5. ISACA

• COBIT 5: A Business Framework for the Governance and Management of Enterprise IT (ISACA Cobit 5:2012)

D.2.6. ISO/IEC

- Systems and software Quality Requirements and Evaluation (SQuaRE) Evaluation process (ISO/IEC 2540-1:2011)
- HyperText Markup Language (HTML) (ISO/IEC 15445:2000)
- Information technology Document description and processing languages HyperText Markup Language (HTML) (ISO/IEC 15455:2000)
- Information Technology Cloud Computing Interoperability and Portability (ISO/IEC 19941:2017)
- Information technology Distributed Application Platforms and Services (DAPS) General technical principles of Service Oriented Architecture (ISO/IEC 30102:2012)
- Keyboard Layouts Part 1: General principles governing keyboard layouts (ISO/IEC 9995-1:2009)
- Keyboard Layouts Part 2: Alphanumeric section (ISO/IEC 9995-2:2009)
- Keyboard Layouts Part 3: Complementary layouts of the alphanumeric zone of the alphanumeric section (ISO/IEC 9995-3:2010)
- Keyboard Layouts Part 4: Numeric section (ISO/IEC 9995-4:2009)

- revision: v15.0-final-77-g702f531
- Keyboard Layouts Part 5: Editing and function section (ISO/IEC 9995-5:2009)
- Keyboard Layouts Part 6: Function section (ISO/IEC 9995-6:1994)
- Keyboard Layouts Part 7: Symbols used to represent functions (ISO/IEC 9995-7:2009)
- Keyboard Layouts Part 8: Allocation of letters to the keys of a numeric keypad (ISO/IEC 9995-8:2009)
- Volume and file structure of CD-ROM for information interchange (ISO/IEC DIS 9660:1988)
- Generic coding of moving pictures and associated audio information -- Part 5: Software simulation (ISO/IEC TR 13818-5:2005)

D.2.7. ITU-T

• 14 kHz audio codec (ITU-T G.722.1c:2012)

D.2.8. MIL-STD

• Connectors, Fiber Optic, Circular, Environmental Resistant, Hermaphroditic, General Specification for. D (MIL-STD DTL 83526:2006)

D.2.9. MIP

• MIP Information Model 5.0 (MIP MIM 5.0:2019)

D.2.10. Microsoft

• Rich Text Format (RTF) Specification, Version 1.9.1 (Microsoft RTF 1.9.1:2008)

D.2.11. NATO

- VLF / LF MSK Multi Channel Broadcast (NATO AComP-4724 Ed A Ver 1:2015)
- Concept of NATO Message Text Formatting System (CONFORMETS) (NATO ADatP-03 Ed A Ver 3:2019)
- LAND C2 Information Exchange data Model (NATO ADatP-32:2005)
- Imagery Air Reconnaissance Tape Recorder Interface (NATO AEDP-11 Ed 1:2001)
- Tactical Data Exchange Link 1 (Point-to-Point) (NATO ATDLP-5.01 Ed A Ver 1:2015)
- Materiel Configuration Management Policy and Procedures for Multinational Joint Projects, edition 2 (NATO STANAG 4159 Ed 2:1991)
- Standards to Achieve Communication Between Single Channel Tactical Combat Net Radio Equipment and Frequency Hopping Radios Operating in the same VHF (30-108 MHz) Band (NATO STANAG 4292 Ed 2:1987)
- Navstar Global Positioning System (GPS)(PART I) Summary Of Performance Requirements (NATO STANAG 4294 Ed 2 Part 1:1997)
- Interoperability of Low-level Ground-based Air Defence Surveillance, Command and Control Systems (NATO STANAG 4312 Ed 2:2012)
- Standard for Interconnection of IPv4 Networks at Mission Secret and Unclassified Security Levels (NATO STANAG 5067 Ed 1:2015)

- revision: v15.0-final-77-g702f531
- Tactical Data Exchange Link 11/11B (NATO STANAG 5511 Ed 6:2008)
- Tactical Data Exchange Link 16 (NATO STANAG 5516 (RD) Ed 5:2009)
- NATO Improved Link Eleven (NILE) Link 22 (NATO STANAG 5522 Ed 2:2008)
- Tactical Data Link Link 22 (NATO STANAG 5522 (RD) Ed 3:2009)
- Standard Data Elements (SDE) (NATO STANAG 5526 Ed 1)

D.2.12. NATO Study (expected)

- Link-22 (NATO Study (expected) STANAG 5522 Ed 4)
- Link-22 ATDLP-5.22 Edition A (NATO Study (expected) STANAG 5522 Ed 5)

D.2.13. OGC

• Web Coverage Service Implementation Standard v1.1.2 (OGC 07-067r5:2008)

D.2.14. US DoN

• Operational Specification for OVER-THE-HORIZON TARGETING GOLD (Revision C) (OTH-G) (US DoN OTH-G Rev C:1997)

D.2.15. USB.ORG

• Wireless USB Specification (USB.ORG Wireless Specification:2005)

This page is intentionally left blank

APPENDIX E. PROCESSED RFCS

revision: v15.0-final-77-g702f531

101. The following RFC have been processed::

| RFC# | Title | Origin |
|---------|---|------------------|
| 11-004 | Remove STANAG 5067 Ed 1 | NCIA |
| 14-001a | Replace STANAG 5511 Ed 4 with ATDLP 5.11 Ed. B Ver 1 in BSP | TDL |
| 14-001b | Replace STANAG 5516 Ed 4 with ATDLP 5.16 Ed. B Ver 1 in BSP | TDL |
| 14-001c | Replace STANAG 5518 Ed 1 with ATDLP 5.18 Ed. B Ver 2 in BSP | TDL |
| 14-001d | Update ATDLP-5.01 Ed A Ver 1 to ATDLP-5.01 Ed A Ver 2 in the BSP | TDL |
| 14-001e | Remove ATDLP-7.03 Ed B Ver 1 from NISP BSSP for Informal_Messaging_Services | TDL |
| 14-002 | For all AEP-76 standards: change RP to LCGDSS and harmonize all publications numbers. | NHQ/CNAD |
| 14-003 | Remove STANAG 4312 Ed 2 | CNAD |
| 14-004 | Remove STANAG 4292 Ed 2 | LOS Comms CaT |
| 14-005 | Update ADatP-03 Ed A Ver 3 to ADatP-03 Ed A Ver 4 | MTF CaT |
| 14-006 | Remove CIM, DSP 004, DSP 0226, DSP 0227, DSP 0252 & CIM Schema | SMC CaT |
| 14-007a | Add AGeoP-26 Ed B Ver 1 as candidate standard in Geospatial Services | GRWG/JGSWG |
| 14-012 | CaP 2/FFT WG and CaP 2/IFF WG replaced as RP with CaP 2 | CaP 2 |
| 14-013 | Add Joint Domain Service and related standards to the BSP | CaP 2 |
| 14-015 | Move emerging STANAG 4722 from Track Management Services to Air Domain | CaP 4 |
| 14-016 | Add ANP-4564 Ed S Ver 1 / STANAG 4564 Ed 3 Maritime Domain Services | CaP 4 |
| 14-018 | Move AEtP-4579 Ed A Ver 1 / STANAG 4579 Ed 2 from Track Management Systems to Land Domain Services. | CaP 2 |
| 14-019 | Move STANAG 4162 Ed 2 from Track Management Services to Recognized Picture Services | CaP 2 |
| 14-020 | Remove reference to non existing paragraph. | TDL |

| RFC# | Title | Origin |
|---------|--|--------|
| 14-027a | Replace in cryptographic services the profile TN-1491 Ed 2 Annex A with ADatP-4778.2 Edition A Version 1 Chapter 2 | NCIA |
| 14-027b | Replace in informal messaging services the profile TN-1491 Ed 2 Annex B with ADatP-4778.2 Edition A Version 1 Chapter 2 | NCIA |
| 14-027c | Replace in informal messaging services the profile TN-1491 Ed 2 Annex C with ADatP-4778.2 Edition A Version 1 Chapter 4 | NCIA |
| 14-027d | Replace in informal messaging services the profile TN-1491 Ed 2 Annex D with ADatP-4778.2 Edition A Version 1 Chapter 5 | NCIA |
| 14-027e | Replace in informal messaging services the profile TN-1491 Ed 2 Annex E with ADatP-4778.2 Edition A Version 1 Chapter 6 | NCIA |
| 14-027f | Replace in informal messaging services the profile TN-1491 Ed 2 Annex F with ADatP-4778.2 Edition A Version 1 Chapter 7 | NCIA |
| 14-027g | Replace in informal messaging services the profile TN-1491 Ed 2 Annex G with ADatP-4778.2 Edition A Version 1 Chapter 8 | NCIA |
| 14-027h | Replace in informal messaging services the profile TN-1491 Ed 2 Annex H with ADatP-4778.2 Edition A Version 1 Chapter 9 | NCIA |
| 14-027i | Replace in informal messaging services the profile TN-1491 Ed 2 Annex I with ADatP-4778.2 Edition A Version 1 Chapter 10 | NCIA |
| 14-027j | Replace in informal messaging services the profile TN-1491 Ed 2 Annex J with ADatP-4778.2 Edition A Version 1 Chapter 11 | NCIA |
| 14-027k | Replace in informal messaging services the profile TN-1491 Ed 2 Annex K with ADatP-4778.2 Edition A Version 1 Chapter 12 | NCIA |
| 14-028a | Remove ATDLP 5.11 Ed B Ver 1 in volume 3 from Track Management, Formal messaging, Communication Access and Tactical Messages | TDL |
| 14-028d | Replace the standard STANAG 5522 with ATDLP 5.22 Edition B Version 1 | TDL |

| RFC# | Title | Origin |
|---------|--|--------------|
| 14-028e | Replace the standard STANAG 5616ed5 with ATDLP 6.16 (vol I,II,II and IV) Edition B Version 1 | TDL |
| 14-028h | Replace ATDLP 5.16 Ed B / STANAG 5516 Ed 8 with ATDLP 5.16 Ed C / STANAG 5516 Ed 9 in volume 3 | TDL |
| 14-028i | Replace ATDLP 5.18 Ed B Ver 2 / STANAG 5518 Ed 4 with ATDLP 5.18 Ed C Ver 1 / STANAG 5518 Ed 5 in volume 3 | TDL |
| 14-030 | Add ADatP-37 in the BSP Track Distribution Service in volume 2 | CaP 2 |
| 14-031 | Replace STANAG 4294 ed 2 with STANAG 4294 ed 3 | CaP 2 |
| 14-032 | Add FMN Spiral 5 | ACT |
| 14-057 | Replace ATP-97 Ed A with ATP-97 Ed B with SLIERP as responsible party | MCLSB SLIERP |
| 14-058 | Add ATP-105 Ed A with SLIERP as responsible party | MCLSB SLIERP |
| 14-060 | Delete obsolete standards | NCIA |
| 14-061 | Remove obsolete IETF RFCs from the BSP | NCIA |
| 14-062 | Extensive quality review of the NISP database | IP CaT |
| 14-063 | Remove mil-dtc83526, which is a duplicate of mil-dtc-83526c | IP CaT |
| 14-065 | Change publicationnumber for NATO standard AComp-4787 Ed A Ver 1 | IP CaT |
| 14-066 | Add STANAG 1459 ED 3 | IP CaT |
| 14-067 | NISP Scrubbing - Correction | IP CaT |
| 14-068 | Update C3 Taxonomy to version 5 | IP CaT |
| 14-069 | Undelete a bunch of standards, because they are used in FMN Spiral 4 | IP CaT |
| 14-070 | Add Service Interface Profile for Geospatial Services – Geoprocessing Services | NCIA |
| 14-071 | Change responsible party for OTH-Gold to FMN CPWG | DM CaT |
| 14-072 | Update MIM from ver 5.0 to 5.1 | DM CaT |
| 14-073 | Clean-up of data | IP CaT |
| 14-074 | Clean-up OTH-T Gold meta-data | IP CaT |
| 14-075 | Reference Change to MIP4 IES | DM CaT |

This page is intentionally left blank

APPENDIX F. ARCHIMATE EXCHANGE FORMAT

revision: v15.0-final-77-g702f531

102. The C3B have tasked IP CaT to improve the consistency and usability of NISP. IP CaT have therefore in "A standard representation and exchange specification for Interoperability Standards and Profiles" ver 0.8 dated Dec 10, 2020 (AC-322-WP(2020)0036) specified a semantic representation of the data set contained in the NISP as an architecture model in the Open Group ArchiMate Modelling Language so that this model can be exchanged via the ArchiMate Model Exchange File Format Standard between tools and/or systems that can import, and export ArchiMate models. ArchiMate Exchange Files enable exporting content from one ArchiMate modelling tool or repository and importing it into another while retaining information describing the model in the file and how it is structured, such as a list of model elements and relationships. Extensions of ArchiMate are specified in accordance with the Language Customization Mechanisms and where possible re-use metadata elements defined by the NATO Core Metadata Specification (NCMS)to limit the definition of NISP specific metadata requirements.

This page is intentionally left blank

NATO STANDARD

ADatP-34

NATO Interoperability Standards and Profiles Volume 2

Agreed Interoperability Standards and Profiles

Edition N Version 2

18 Aug 2023



NORTH ATLANTIC TREATY ORGANIZATION ALLIED DATA PUBLICATION

Published by the NATO STANDARDIZATION OFFICE (NSO)
© NATO/OTAN

revision: v15.0-final-77-g702f531 ADatP-34 Volume 2

NATO LETTER OF PROMULGATION

The enclosed Allied Data Publication ADatP-34, Edition N, Version 2 NATO Interoperability Standards and Profiles, which has been approved by the nations in the C3B, is promulgated herewith. The agreement of nations to use this publication is recorded in STANAG 5524.

ADatP-34, Edition N, Version 2 is effective on receipt and supersedes ADatP-34, Edition N, Version 1 which shall be destroyed in accordance with the local procedure for the destruction of documents.

No part of this publication may be reproduced, stored in a retrieval system, used commercially, adapted, or transmitted in any form or by any means, electronic, mechanical, photo-copying, recording or otherwise, without the prior permission of the publisher. With the exception of commercial sales, this does not apply to member or partner nations, or NATO commands and bodies.

This publication shall be handled in accordance with C-M(2002)60.

Dimitrios SIGOULAKIS Lieutenant General, GRC (A) Director, NATO Standardization Office

This page is intentionally left blank

RESERVED FOR NATIONAL LETTER OF PROMULGATION

This page is intentionally left blank

RECORD OF RESERVATIONS

revision: v15.0-final-77-g702f531

| CHAPTER | RECORD OF RESERVATION BY NATIONS |
|---------|----------------------------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

Note: The reservations listed on this page include only those that were recorded at time of promulgation and may not be complete. Refer to the NATO Standardization Document Database for the complete list of existing reservations.

This page is intentionally left blank

RECORD OF SPECIFIC RESERVATIONS

| [nation] | [detail of reservation] |
|----------|-------------------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

Note: The reservations listed on this page include only those that were recorded at time of promulgation and may not be complete. Refer to the NATO Standardization Document Database for the complete list of existing reservations.

This page is intentionally left blank

Table of Contents

| 1. Introduction | 1 |
|--|-----|
| 1.1. Scope | 1 |
| 2. Reference Models: Transition from Platform Centric to Service Oriented Models | |
| 3. Standards | 5 |
| 3.1. Introduction | 5 |
| 3.1.1. Releasability Statement | 5 |
| 3.2. User Applications | |
| 3.3. Technical Services | |
| 3.3.1. Community Of Interest (COI) Services | 9 |
| 3.3.2. Core Services | 25 |
| 3.3.3. Communications Services | 100 |
| 4. Agreed Profiles | 121 |
| 4.1. Introduction | 121 |
| Index | 129 |

This page is intentionally left blank

CHAPTER 1. INTRODUCTION

001. Volume 2 of the NISP focuses on agreed interoperability standards and profiles.

002. The NISP references Standards from different standardization bodies¹. In the case of a ratified STANAG, NATO Standardization procedures apply. The NISP only references these STANAG's without displaying the country-specific reservations. The country-specific reservations can be found in the NATO Standardization Office's NATO Standardization Document Database (NSDD).

003. The Combined Communications Electronics Board (CCEB) nations will use NISP Volume 2 Chapter 3 and Section 3.3 tables to publish the interoperability standards for the CCEB under the provisions of the NATO-CCEB List of Understandings (LoU)².

1.1. SCOPE

004. The scope of this volume includes:

- Identifying the standards and technologies that are relevant to a service oriented environment,
- Describing the standards and technologies to support federation.

¹In case of conflict between any recommended non-NATO standard and relevant NATO standard, the definition of the latter prevails.

²References:NATO Letter AC/322(SC/5)L/144 of 18 October 2000, CCEB Letter D/CCEB/WS/1/16 of 9 November 2000, NATO Letter AC/322(SC/5)L/157 of 13 February 2001

This page is intentionally left blank

· ·

revision: v15.0-final-77-g702f531

CHAPTER 2. REFERENCE MODELS: TRANSITION FROM PLATFORM CENTRIC TO SERVICE ORIENTED MODELS

005. Information technology has undergone a fundamental shift from platform-oriented computing to service-oriented computing. Platform-oriented computing emerged with the widespread proliferation of personal computers and the global business environment. These factors and related technologies have created the conditions for the emergence of network-oriented computing. This shift from platform to network is what enables the more flexible and more dynamic network-oriented operation. The shift from viewing NATO and partner Nations as independent to viewing them as part of a continuously adapting network ecosystem fosters a rich information sharing environment.

006. This shift is most obvious in the explosive growth of the Internet, intranets, and extranets. Internet users no doubt will recognize transmission control protocol/internet protocol (TCP/IP), hypertext transfer protocol (HTTP), hypertext markup language (HTML), Web browsers, search engines, and Java¹ Computing. These technologies, combined with high-volume, high-speed data access (enabled by the low-cost laser) and technologies for high-speed data networking (switches and routers) have led to the emergence of network-oriented computing. Information "content" now can be created, distributed, and easily exploited across the extremely heterogeneous global computing environment. The "power" or "payoff" of network-oriented computing comes from information-intensive interactions between very large numbers of heterogeneous computational nodes in the network, where the network becomes the dynamic information grid established by interconnecting participants in a collaborative, coalition environment. At the structural level, network-enabled warfare requires an operational architecture to enable common processes to be shared.

007. One of the major drivers for supporting net-enabled operations is Service-Oriented Architectures (SOA). SOA is an architectural style that leverages heterogeneity, focuses on interfaces between services and as such this approach is inherently platform-neutral. It is focused on the composition of Services into flexible processes and is more concerned with the Service interface and above (including composition metadata, security policy, and dynamic binding information), more so than what sits beneath the abstraction of the Service interface. SOA requires a different kind of platform, because runtime execution has different meanings within SOA. SOA enables users and process architects to compose Services into processes, and then manage and evolve those processes, in a declarative fashion. Runtime execution of such processes is therefore a metadata-centric operation of a different kind of platform -- a Service-oriented composite application platform.

008. Service-enabled operations are characterized by new concepts of speed of command and self-synchronization.

¹Registered Trademark of ORACLE and/or its affiliates. Other names may be the trademarks of their respective owners.

009. The most important SOA within an enterprise is the one that links all its systems. Existing platforms can be wrapped or extended in order to participate in a wider SOA environment. NATO use of the NISP will provide a template for new systems development, as well as assist in defining the path for existing systems to migrate towards net-enabled operations.

CHAPTER 3. STANDARDS

revision: v15.0-final-77-g702f531

3.1. INTRODUCTION

010. The purpose of this chapter is to specify the agreed NISP standards. The document organizes these standards, following baseline 5.0 of NATO's C3 Taxonomy, as endorsed by the NATO C3 Board per AC/322-D(2021)0021 on "C3 Taxonomy Baseline 5.0" dated 23 September 2021. A graphical representation of this taxonomy is included in volume 1.

- 011. For some standards it was not clear yet which service identified in the C3 Taxonomy should be used. Therefore, as an interim solution, the taxonomy was extended with e.g. user-defined "Cloud Services". In a separate section, all standards are listed for which could not yet be defined how they should be linked to the C3 Taxonomy.
- 012. The standards are presented in tabular form. Each table represent a subtree from the C3 taxonomy and each table line (marked in bold and spanning all columns in the table) represents a taxonomy node from the subtree. Under each taxonomy node title, all standards which are mapped to the node are listed with the following attributes: title of the standard; where possible, a link to the standard; publication number of the standard¹; a list of all the capability profiles where the standard is used; and finally the "responsible party" which is the domain expert that advises NATO about the standard. In general, a taxonomy node is only listed if at least one standard is assigned to this taxonomy node.
- 013. When STANAG X Ed Y is in ratification process, this is indicated by STANAG (RD) X Ed Y, and when it is a study draft, this is indicated by STANAG (Study) X Ed Y.

3.1.1. Releasability Statement

014. In principle, NISP only contains or references standards or related documents, which are generally available for NATO/NATO member nations/CCEB.

3.2. USER APPLICATIONS

| Title | Pubnum | Profiles | Responsible Party |
|--|----------------------------------|--------------|----------------------|
| Architecture Management Applica | tion | | |
| NATO Interoperability Standards and Profile eXchange Specification | | BSP | DPC IP iCaT |
| NATO Architecture Framework (NAF) v4 | DPC AC/322- N(2018)-0002:2018 | ARCHITECTURE | DPC ACaT |
| Enterprise, systems and software - Architecture processes | ISO/IEC/IEEE 42020:2019 | ARCHITECTURE | DPC ACaT |

¹If the standard is a NATO standard and has a cover document, the publication number is followed by a slash and the publication number of the cover document.

| Title | Pubnum | Profiles | Responsible Party |
|---|----------------------------|--------------|----------------------|
| Enterprise, systems and software - Architecture Evaluation | ISO/IEC/IEEE 42030:2019 | ARCHITECTURE | EDPC ACaT |
| Unified Architecture Framework (UAF) Ver 1.0 | OMG UAF Ver 1.0:2017 | ARCHITECTURE | EDPC ACaT |
| Unified Architecture Framework 1.0 (UAF) Domain Meta Model (DMM) | | ARCHITECTURE | EDPC ACaT |
| ArchiMate 3.1 Specification | Open Group C197:2019 | ARCHITECTURE | EDPC ACaT |
| ArchiMate Model Exchange File Format for the ArchiMate Modeling Language 3.1 | | ARCHITECTURE | EDPC ACaT |
| Service Management Applications | | | |
| TMF000 Event API REST Specification R17.5 ¹ | TM Forum TMF000:2017 | SIP-FOR-SMC | FMN CPWG |
| Trouble Ticket REST API Specification R14.5.1 Interface | TM Forum TMF621:2015 | SIP-FOR-SMC | FMN CPWG |
| Product Ordering API REST Specification R14.5.1 Interface | TM Forum TMF622:2015 | SIP-FOR-SMC | FMN CPWG |
| TMF638 Service Inventory API REST Specification R16.5 | TM Forum TMF638:2017 | SIP-FOR-SMC | FMN CPWG |
| TMF661 Trouble Ticket API Conformance Profile R16.5.1 | TM Forum TMF661:2017 | SIP-FOR-SMC | FMN CPWG |
| API REST Conformance Guidelines R15.5.1 Standard | TM Forum TR250:2016 | SIP-FOR-SMC | FMN CPWG |
| Joint Applications | | | |
| IFF Operational Procedures | CCEB ACP 160(E):2004 | BSP | DPC NACP CaT |
| Policy and Procedures for the Management of IFF/SSR, NATO Supplement-1 | I . | BSP | DPC NACP CaT |
| Implementation Options and Guidance for integrating IFF Mk XIIA Mode 5 on Military Platforms (IOG) | I . | BSP | DPC CaP2 |
| Technical Characteristics of the IFF Mk XIIA System Part I: | | BSP | DPC CaP2 |

| Title | Pubnum | Profiles | Responsible Party |
|--|--|--|----------------------|
| System Destription and General Characteristics | | | |
| Technical Characteristics of the IFF Mk XIIA System Part II: Classified System Characteristics | | BSP | DPC CaP2 |
| Technical Characteristics of the IFF Mk XIIA System Part III: Installed System Characteristics | | BSP | DPC CaP2 |
| Geospatial Applications | | | |
| NATO Geospatial Information Framework | NATO AGeoP-11 Ed B Ver 1:2018 / STANAG 2592 Ed 2 | BSP | MCJSB/JGS |
| Office Automation Applications | | | |
| XMP Specification Part 3 - Storage in Files Ver 2016 | ADOBE XMP Specification Part 3 Ver 2016:2016 | BINDING- EXTENSIBLE- V2 | NCIA |
| Graphic Technology - Extensible metadata platform (XMP) specification - Part 1: Data model, serialization and core propertie | | BINDING- EXTENSIBLE- V2 | NCIA |
| Open Document Format for Office Applications (OpenDocument) v1.2 Part 1: OpenDocument Schema | | BSP | FMN CPWG |
| Open Document Format for Office Applications (OpenDocument) v1.2 Part 2: Recalculated Formula (OpenFormula) Format | 26300-2:2015 | BSP | FMN CPWG |
| Open Document Format for Office Applications (OpenDocument) v1.2 Part 3: Packages | | BSP | FMN CPWG |
| Office Open XML File Formats Part 2: Open Packaging Conventions | | BINDING- GENERIC-V2, BINDING- OOXML-V2 | NCIA |
| Confidentiality Metadata Label Syntax | NATO ADatP-4774 Ed A Ver 1:2017 / STANAG 4774 Ed 1 | BINDING- EXTENSIBLE- V2, BINDING- GENERIC-V2, | DPC CaP1 DCS CaT |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|-------------------------------|----------------------|
| | | BINDING- OOXML-V2 | |
| Metadata Binding Mechanism | NATO ADatP-4778 Ed A Ver 1:2018 / STANAG 4778 Ed 1 | | DPC CaP1 DCS CaT |
| Resource Description Framework (RDF) 1.1 Concepts and Abstract Syntax | | BINDING- EXTENSIBLE- V2 | NCIA/CES |
| Resource Description Framework (RDF) Primer | W3C RDF Primer:2004 | BINDING- EXTENSIBLE- V2 | NCIA |
| eXtensible Markup Language (XML) 1.0 (Fifth Edition) | W3C XML 1.0 (Fith Edition):2008 | BINDING- EXTENSIBLE- V2 | FMN CPWG |
| Browser Application | | | |
| Geolocation API Specification 2nd Edition | W3C REC- geolocation-API:2016 | SIP-FOR-WEB- APPS | FMN CPWG |
| HTML5 Differences from HTML4 | | SIP-FOR-WEB- APPS | FMN CPWG |
| Hypertext Markup Language revision 5.2 (HTML5) | W3C HTML 5.2:2017 | SIP-FOR-WEB- APPS | FMN CPWG |
| Hypertext Markup Language revision 5.3 Editor's Draft (4.7) | W3C REC-html53- Draft:2018 | SIP-FOR-WEB- APPS | FMN CPWG |
| Media Source Extensions | W3C Media Source Extensions:2016 | SIP-FOR-WEB- APPS | FMN CPWG |
| Mobile Web Application Best Practices | | SIP-FOR-WEB- APPS | FMN CPWG |
| Web Speech API | W3C Web Speech API:2018 | SIP-FOR-WEB- APPS | FMN CPWG |
| | W3C DOM Parsing and Serialization:2016 | APPS | FMN CPWG |

¹TMF000 is included in FMN Spiral 3. An official publication number is not yet available.

3.3. TECHNICAL SERVICES

015. The "Technical Services" include those services required to enable "User Applications". They are part of the "Back-End Capabilities" while "User Applications" are part of "User-Facing Capabilities".

016. According to the C3 Taxonomy, they consist of "Community Of Interest (COI) Services", "Core Services" and "Communications Services". The complete collection of Technical Services is sometimes referred to as the "Technical Services Framework" (TSF) or "NNEC Services Framework" (NSF).

017. In addition to the "Technical Services" identified in the C3 Taxonomy, a taxonomy layer "Cloud Computing" has been added. This enables a more useful categorization of cloud-based standards (currently only included as candidate standards).

3.3.1. Community Of Interest (COI) Services

| Title | Pubnum | Profiles | Responsible Party |
|--|--------------------|---------------------------------|----------------------|
| Community Of Interest (COI) Serv | vices | | |
| Web Services for Management (WS-Management) Specification | ISO/IEC 17963:2013 | BSP | NCIA/SMC |
| Intelligence and ISR Functional Se | rvices | | |
| Representation of Names of Languages Part 2: Alpha-3 | ISO 639-2:1998 | FMN4-20211022, FMN5-20231123 | |
| Information technology Metadata registries (MDR) Part 3: Registry metamodel and basic attributes | | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Image Processing and Interchange (IPI) - Functional Specification - Part 5: Basic Image Interchange Format (BIIF) | | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Technical Corrigendum 1 to International Standard ISO/IEC 12087-5:1998 | | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Technical Corrigendum 2 to International Standard ISO/IEC 12087-5:1998 | | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Information technology Open Distributed Processing Interface Definition Language | ISO/IEC 14750:1999 | FMN4-20211022, FMN5-20231123 | FMN CPWG |

- 9 -

| Title | Pubnum | Profiles | Responsible Party |
|---|--|--|----------------------|
| NATO Secondary Imagery Format (NSIF) STANAG 4545 Implementation Guide | I . | The state of the s | |
| NATO Ground Moving Target Indicator (GMTI) Format STANAG 4607 Implementation Guide | I . | | FMN CPWG |
| NATO Standard ISR Library Interface | NATO AEDP-17 Ed A Ver 1:2018 / STANAG 4559 Ed 4 | | |
| NATO Standard ISR Streaming Services | NATO AEDP-18 Ed A Ver 1:2018 / STANAG 4559 Ed 4 | | |
| Interoperability Standard for Joint Range Extension Application Protocol (JREAP) ^I | | | |
| Joint C3 Information Exchange Data Model Baseline 3.1.4 | NATO JC3IEDM Baseline 3.1.4:2012 | FMN4-20211022, FMN5-20231123 | |
| US Motion Imagery Standards Board (MISB) - Motion Imagimary Standards Profile-2015.1 | | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| ISR Exploitation Services | | | |
| NATO Ground Moving Target Indicator (GMTI) Format STANAG 4607 Implementation Guide | | FMN5-20231123 | FMN CPWG |
| NATO Standard ISR Streaming Services | NATO AEDP-18 Ed A Ver 1:2018 / STANAG 4559 Ed 4 | FMN5-20231123 | NAFAG/ JCGISR |
| Interoperability Standard for Joint Range Extension Application Protocol (JREAP) ¹ | NATO ATDLP-5.18 Ed B Ver 2:2019 / STANAG FT 5518 Ed 4 | FMN5-20231123 | DPC CaP1 TDL CaT |
| US Motion Imagery Standards Board (MISB) - Motion Imagimary Standards Profile-2015.1 | | FMN5-20231123 | FMN CPWG |
| Intelligence Analysis Services | | | |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|---------------|---------------------|
| The NATO Military Data Exchange Standard | NATO AIntP-03 Ed C Ver 1:2013 / STANAG 2433 Ed 4 | FMN5-20231123 | MCJSB/ JINT |
| Land Domain Services | | | |
| MIP4 Information Exchange Specification 4.4 | MIP MIP4-IES 4.4 | FMN5-20231123 | FMN CPWG |
| Battlefield Target Identification Device (BTIDs) | NATO STANAG 4579 Ed 1:2001 | BSP | DPC CaP2 |
| Recognized Ground Picture Servic | es | | |
| Tactical Data Exchange - Link 16 | NATO ATDLP-5.16 Ed B Ver 1:2019 / STANAG FT 5516 Ed 8 | FMN4-20211022 | DPC CaP1 TDL CaT |
| Interoperability Standard for Joint Range Extension Application Protocol (JREAP) ¹ | NATO ATDLP-5.18 Ed B Ver 2:2019 / STANAG FT 5518 Ed 4 | FMN4-20211022 | DPC CaP1 TDL CaT |
| Meteorology Services | | | |
| Manual on the ICAO Meteorological Information Exchange Model | ICAO Doc 10003:2019 | BSP | MCJSB/ METOC |
| File Naming Convention for NATO Metoc data and product exchange | NATO AMETOCP-3.2 Ed A Ver 1:2019 / STANAG 6014 Ed 4 | BSP | MCJSB/ METOC |
| NATO Meteorological and Oceanographic Codes Manual - Vol 1 | NATO AMETOCP-4 I Ed A Ver 1:2019 / STANAG 6015 Ed 5 | | MCJSB/ METOC |
| NATO Meteorological and Oceanographic Codes Manual - Vol 2 | | BSP | MCJSB/ METOC |
| Naval Mine Warfare Information - Data Transfer And Mine Warfare Data Centre Interoperability | | BSP | MCMSB/ NMW |
| Mine Warfare Pilots - Southern North Sea (Belgium) | NATO AMP-11 VOL 01 Ver 2:1971 / STANAG 1116 Ed 10 | BSP | MCMSB/ NMW |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|----------|-------------------|
| Mine Warfare Pilots - Denmark | NATO AMP-11 VOL 03 Ver 2:1980 / STANAG 1116 Ed 10 | BSP | MCMSB/ NMW |
| Mine Warfare Pilots - French Coast (The Channel) | NATO AMP-11 VOL 04 LEVEL 1 PT 1:1996 / STANAG 1116 Ed 10 | BSP | MCMSB/ NMW |
| Mine Warfare Pilots - French Coast(Atlantic) | NATO AMP-11 VOL 04 LEVEL 1 PT 2:1994 / STANAG 1116 Ed 10 | BSP | MCMSB/ NMW |
| Mine Warfare Pilots - French Coast(Mediterranean) | NATO AMP-11 VOL 04 LEVEL 1 PT 3:1998 / STANAG 1116 Ed 10 | BSP | MCMSB/ NMW |
| Mine Warfare Pilots - French Coast | NATO AMP-11 VOL 04 LEVEL 2 Ver 7:1980 / STANAG 1116 Ed 10 | BSP | MCMSB/ NMW |
| Mine Warfare Pilots - German Bight | NATO AMP-11 VOL 05 PART 1:1971 / STANAG 1116 Ed 10 | BSP | MCMSB/ NMW |
| Mine Warfare Pilots - Western Baltic | NATO AMP-11 VOL 05 PART 2:2006 / STANAG 1116 Ed 10 | BSP | MCMSB/ NMW |
| Mine Warfare Pilots - Greece- Aegean Sea Coasts | NATO AMP-11 VOL 06 PART A Ver 3:1999 / STANAG 1116 Ed 10 | BSP | MCMSB/ NMW |
| Mine Warfare Pilots - Maridipart La Spezia | NATO AMP-11 VOL 07 PART A:1994 / STANAG 1116 Ed 10 | BSP | MCMSB/ NMW |
| Mine Warfare Pilots - Southern Tyrrhenian Area | NATO AMP-11 VOL 07 PART B:2003 / STANAG 1116 Ed 10 | BSP | MCMSB/ NMW |
| Mine Warfare Pilot (From Messina Strait To Assi Estuary Comprehensive Of Sicily Island) - Marisicilia Area | 1 | BSP | MCMSB/ NMW |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|----------|----------------------|
| Mine Warfare Pilot - Italy (Taranto Area) | NATO AMP-11 VOL 07 PART D:1999 / STANAG 1116 Ed 10 | BSP | MCMSB/ NMW |
| Mine Warfare Pilots - Italy (Maridipart Ancona) | NATO AMP-11 VOL 07 PART E:1996 / STANAG 1116 Ed 10 | BSP | MCMSB/ NMW |
| Mine Warfare Pilots - Italy (Sardinia) | NATO AMP-11 VOL 07 PART F:2007 / STANAG 1116 Ed 10 | BSP | MCMSB/ NMW |
| Mine Warfare Pilot: North Coast Of Spain - From Bidasoa River To Cape Penas | | BSP | MCMSB/ NMW |
| Mine Warfare Pilot: Northwest Coast Of Spain - From Cape Penas To Mino | | BSP | MCMSB/ NMW |
| Mine Warfare Pilot: South Coast Of Spain - From Guadiana River To Cape Of Gata (Including Ceuta And Melilla) | 08 PART 3 Ver | BSP | MCMSB/ NMW |
| Mine Warfare Pilot: East Coast Of Spain - From Cape Of Gata To Barcelona (Including Baleares Islands) | 08 PART 4 Ver | BSP | MCMSB/ NMW |
| Mine Warfare Pilots - Coasts Of Turkey | NATO AMP-11 VOL 11:1992 / STANAG 1116 Ed 10 | BSP | MCMSB/ NMW |
| Mine Warfare Pilots - South Coast Of England And Thames | NATO AMP-11 VOL 12 PART A Ver 12:2011 / STANAG 1116 Ed 10 | BSP | MCMSB/ NMW |
| Mine Warfare Pilots- West Coast Of England And Wales | NATO AMP-11 VOL 12 PART B Ver 9:2011 / STANAG 1116 Ed 10 | BSP | MCMSB/ NMW |
| Mine Warfare Pilots- Northern Ireland And West Coast Of Scotland | | BSP | MCMSB/ NMW |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|----------|-------------------------|
| | 10:2011 / STANAG 1116 Ed 10 | | |
| Mine Warfare Pilots - North And East Coasts Of Scotland And England | | BSP | MCMSB/ NMW |
| Mine Warfare Pilots - Usa (North Carolina Approaches) | NATO AMP-11 VOL 13 PART 1:1991 / STANAG 1116 Ed 10 | BSP | MCMSB/ NMW |
| Mine Warfare Pilots - Usa (Norfolk Approaches) | NATO AMP-11 VOL 13 PART 2:1994 / STANAG 1116 Ed 10 | BSP | MCMSB/ NMW |
| Mine Warfare Pilots - Usa (Delaware Bay & Approaches) | NATO AMP-11 VOL 13 PART 3:1994 / STANAG 1116 Ed 10 | BSP | MCMSB/ NMW |
| Mine Warfare Pilot; Kings Bay, Ga/ Mayport, Fl and Approaches | NATO AMP-11 VOL 13 PART 4:2000 / STANAG 1116 Ed 10 | BSP | MCMSB/ NMW |
| NATO Military Oceanographic and Rapid Environmental Assessment Support Procedures | | BSP | MCJSB/ METOC |
| Warning and Reporting and Hazard Prediction of Chemical, Biological, Radiological and Nuclear Incidents (Operators Manual) | F Ver 2:2020 / | BSP | MCJSB/ JCBRND CDG |
| Manual on Codes - International Codes, Volume I.1, Annex II to the WMO Technical Regulations: part A- Alphanumeric Codes | Codes - WMO 306 Vol | BSP | MCJSB/ METOC |
| Manual on Codes - International Codes, Volume I.2, Annex II to the WMO Technical Regulations: Part B - Binary Codes, Part C - Common Features to Binary and Alphanumeric Codes | Codes - WMO 306 Vol | BSP | MCJSB/ METOC |
| Manual on Codes - Regional Codes and National Coding Practices, Volume II | | BSP | MCJSB/ METOC |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|---------------|----------------------|
| Air Domain Services | | | |
| IFF Operational Procedures | CCEB ACP 160(E):2004 | BSP | DPC NACP CaT |
| Policy and Procedures for the Management of IFF/SSR, NATO Supplement-1 | | BSP | DPC NACP CaT |
| Confidentiality Metadata Label Syntax | NATO ADatP-4774 Ed A Ver 1:2017 / STANAG 4774 Ed 1 | FMN5-20231123 | DPC CaP1 DCS CaT |
| Metadata Binding Mechanism | NATO ADatP-4778 Ed A Ver 1:2018 / STANAG 4778 Ed 1 | | DPC CaP1 DCS CaT |
| NATO Core Data Framework (NCDF) | NATO ADatP-5653 (Study) Ed A Ver 1 / STANAG (Study) 5653 Ed 1 | | DPC CaP1 DM CaT |
| Implementation Options and Guidance for integrating IFF Mk XIIA Mode 5 on Military Platforms (IOG) | | BSP | DPC CaP2 |
| Technical Characteristics of Reverse IFF using Mode 5 Waveform | NATO AEtP-4722 Ed A Ver 1:2022 / STANAG 4722 Ed 1 | BSP | DPC CaP2 |
| Joint Brevity Words | NATO APP-07 Ed F Ver 2:2017 / STANAG 1401 Ed 15 | BSP | MCJSB/ IERHWG |
| Technical Characteristics of the IFF Mk XIIA System Part I: System Destription and General Characteristics | | BSP | DPC CaP2 |
| Technical Characteristics of the IFF Mk XIIA System Part II: Classified System Characteristics | | BSP | DPC CaP2 |
| Technical Characteristics of the IFF Mk XIIA System Part III: Installed System Characteristics | | BSP | DPC CaP2 |
| Recognized Air Picture Services | | | |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|---------------|----------------------|
| Tactical Data Exchange - Link 1 (Point-to-Point) | NATO ATDLP-5.01 Ed A Ver 2:2020 / STANAG 5501 Ed 7 | BSP | DPC CaP1 TDL CaT |
| Tactical Data Exchange - Link 11/11B | NATO ATDLP-5.11 Ed B Ver 1:2019 / STANAG FT 5511 Ed 10 | BSP | DPC CaP1 TDL CaT |
| Tactical Data Exchange - Link 16 | NATO ATDLP-5.16 Ed B Ver 1:2019 / STANAG FT 5516 Ed 8 | FMN4-20211022 | DPC CaP1 TDL CaT |
| Interoperability Standard for Joint Range Extension Application Protocol (JREAP) ¹ | | | |
| Tactical Data Link - Link 22 | NATO ATDLP-5.22 Ed B Ver 1:2021 / STANAG FT 5522 Ed 6 | BSP | DPC CaP1 TDL CaT |
| Tactical Data Exchange - Link 16 | NATO STANAG 5516 Ed 4:2008 | FMN3 | DPC CaP1 TDL CaT |
| Recognized Maritime Picture Serv | ices | | |
| Confidentiality Metadata Label Syntax | NATO ADatP-4774 Ed A Ver 1:2017 / STANAG 4774 Ed 1 | FMN5-20231123 | DPC CaP1 DCS CaT |
| Metadata Binding Mechanism | NATO ADatP-4778 Ed A Ver 1:2018 / STANAG 4778 Ed 1 | FMN5-20231123 | DPC CaP1 DCS CaT |
| NATO Core Data Framework (NCDF) | NATO ADatP-5653 (Study) Ed A Ver 1 / STANAG (Study) 5653 Ed 1 | FMN5-20231123 | DPC CaP1 DM CaT |
| Tactical Data Exchange - Link 11/11B | NATO ATDLP-5.11 Ed B Ver 1:2019 / STANAG FT 5511 Ed 10 | BSP | DPC CaP1 TDL CaT |
| Tactical Data Exchange - Link 16 | NATO ATDLP-5.16 Ed B Ver 1:2019 / | | DPC CaP1 TDL CaT |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|---------------------------------|---------------------|
| | STANAG FT 5516 Ed 8 | | |
| Interoperability Standard for Joint Range Extension Application Protocol (JREAP) ¹ | NATO ATDLP-5.18 Ed B Ver 2:2019 / STANAG FT 5518 Ed 4 | FMN4-20211022 | DPC CaP1 TDL CaT |
| Tactical Data Link - Link 22 | NATO ATDLP-5.22 Ed B Ver 1:2021 / STANAG FT 5522 Ed 6 | BSP | DPC CaP1 TDL CaT |
| NATO Vector Graphics (NVG) Protocol version 1.5:2010 (ACT) | NATO NVG 1.5:2010 | FMN3 | NCIA/C2 |
| Operational Specification for Over-The-Horizon Targeting Gold Revision D, OS-OTG (Rev. D) | | FMN3 | FMN CPWG |
| Operational Specification for Over- The-Horizon Targeting Gold (OS- OTG), Baseline 2007 | | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| COI-Enabling Services | | | |
| ECMAScript Language Specification ed.5.1:2011 | ECMA ECMA-262 Ed 5.1:2011 | BSP | FMN CPWG |
| ECMAScript for XML (E4X) Specification ed.2:2005 | ECMA ECMA-357:2005 | BSP | NCIA/CES |
| Representation of Dates and Times | ISO 8601:2004 | BSP | NCIA/CTO/ SEA |
| MIP Information Model 5.1 | MIP MIM 5.1:2020 | BSP | DPC CaP1 DM CaT |
| NATO Standard Bar Code Handbook | NATO AAITP-09 Ed A Ver 1:2018 / STANAG 4329 Ed 5 | BSP | MCLSB/ AST |
| Date and Time Formats | W3C Date and Time Formats:1998 | BSP | NCIA/CTO/ SEA |
| Situational Awareness Services | | | , |
| MIP4 Information Exchange Specification (2018) | MIP MIP4-IES:2018 | FMN5-20231123 | FMN CPWG |
| MIP4 Information Exchange Specification 4.4 | MIP MIP4-IES 4.4 | FMN5-20231123 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|--|--|-----------------------|----------------------|
| MIP4 Information Exchange Specification 4.3.1 | MIP MIP IES 4.3.1:2020 | BSP, FMN4-20211022 | FMN CPWG |
| Friendly Force Tracking Systems (FFTS) Interoperability | NATO ADatP-36 Ed A Ver 1:2017 / STANAG 5527 Ed 1 | FMN5-20231123 | DPC CaP2 FFT CaT |
| Web Service Messaging Profile (WSMP) | NATO ADatP-5644 (FD) Ed A Ver 1 / STANAG 5644 Ed 1 | FMN4-20211022 | DPC CaP1 DM CaT |
| Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) | NATO AEP-76 Ed A Ver 1:2014 | FMN5-20231123 | NAAG/ LCGDSS |
| Specifications Defining The Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Security | Ed A Ver 2:2017 / | FMN4-20211022 | NAAG/ LCGDSS |
| Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Security | NATO AEP-76 Vol I Ed A Ver 3:2023 | FMN5-20231123 | NAAG/ LCGDSS |
| Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Data Model | Ed A Ver 2:2017 / | FMN4-20211022 | NAAG/ LCGDSS |
| Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Data Model | Ed A Ver 3:2023 | FMN5-20231123 | NAAG/ LCGDSS |
| Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - LOANED RADIO | Ed A Ver 2:2017 / | FMN4-20211022 | NAAG/ LCGDSS |
| Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Loaned Radio | NATO AEP-76 Vol III Ed A Ver 3:2023 | FMN5-20231123 | NAAG/ LCGDSS |
| Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Information Exchange Mechanism | Ed A Ver 2:2017 / | FMN4-20211022 | NAAG/ LCGDSS |

| Title | Pubnum | Profiles | Responsible Party |
|---|---|---------------|----------------------|
| Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Information Exchange Mechanism | NATO AEP-76 Vol IV Ed A Ver 3:2023 | FMN5-20231123 | NAAG/ LCGDSS |
| Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Network Access | Ed A Ver 2:2017 / | FMN4-20211022 | NAAG/ LCGDSS |
| Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Network Access | NATO AEP-76 Vol V Ed A Ver 3:2023 | FMN5-20231123 | NAAG/ LCGDSS |
| NATO Message Catalogue | NATO APP-11 Ed D Ver 1:2015 / STANAG 7149 Ed 6 | FMN5-20231123 | MCJSB/ IERHWG |
| Tactical Data Exchange - Link 1 (Point-to-Point) | NATO ATDLP-5.01 Ed A Ver 2:2020 / STANAG 5501 Ed 7 | BSP | DPC CaP1 TDL CaT |
| Tactical Data Exchange - Link 11/11B | NATO ATDLP-5.11 Ed B Ver 1:2019 / STANAG FT 5511 Ed 10 | BSP | DPC CaP1 TDL CaT |
| Tactical Data Exchange - Link 16 | NATO ATDLP-5.16 Ed B Ver 1:2019 / STANAG FT 5516 Ed 8 | FMN4-20211022 | DPC CaP1 TDL CaT |
| Interoperability Standard for Joint Range Extension Application Protocol (JREAP) ¹ | NATO ATDLP-5.18 Ed B Ver 2:2019 / STANAG FT 5518 Ed 4 | | |
| Tactical Data Link - Link 22 | NATO ATDLP-5.22 Ed B Ver 1:2021 / STANAG FT 5522 Ed 6 | BSP | DPC CaP1 TDL CaT |
| Tactical Data Exchange - Link 16 | NATO STANAG 5516 Ed 4:2008 | FMN3 | DPC CaP1 TDL CaT |
| Joint C3 Information Exchange Data Model (JC3IEDM) | NATO STANAG 5525 Ed 1:2007 | BSP | DPC CaP1 DM CaT |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|------------------------|----------------------|
| Recognized Picture Services | | | |
| NATO Vector Graphics (NVG) 2.0.2 | NATO NVG 2.0.2:2015 | FMN5-20231123 | FMN CPWG |
| NATO Joint Military Symbology | NATO APP-06 Ed D Ver 1:2017 / STANAG 2019 Ed 7 | FMN5-20231123 | MCJSB/ IERHWG |
| Identification Data Combining Process | NATO STANAG 4162 Ed 2:2009 | BSP | DPC CaP2 |
| Symbology Services | | | J |
| NATO Vector Graphics (NVG) 2.0.2 | NATO NVG 2.0.2:2015 | FMN4-20211022 | FMN CPWG |
| NATO Joint Military Symbology | NATO APP-06 Ed D Ver 1:2017 / STANAG 2019 Ed 7 | FMN3, FMN4-20211022 | MCJSB/ IERHWG |
| Military Telecommunications- Diagram Symbols | NATO STANAG 5042 Ed 1:1978 | BSP | DPC CaP1 |
| NATO Vector Graphics (NVG) Protocol version 1.5:2010 (ACT) | NATO NVG 1.5:2010 | FMN3 | NCIA/C2 |
| Web Feature Service (WFS) Implementation Specification | OGC 04-094:2005 | BSP | NCIA/CTO/ SEA |
| OpenGIS Symbology Encoding Implementation Specification | OGC 05-077r4:2007 | BSP | MCJSB/JGS |
| Overlay Services | | | |
| NATO Vector Graphics (NVG) 2.0.2 | NATO NVG 2.0.2:2015 | FMN5-20231123 | FMN CPWG |
| Service Interface for Recognized Air Picture Data | FMN | FMN5-20231123 | FMN CPWG |
| Confidentiality Metadata Label Syntax | NATO ADatP-4774 Ed A Ver 1:2017 / STANAG 4774 Ed 1 | FMN5-20231123 | DPC CaP1 DCS CaT |
| Metadata Binding Mechanism | NATO ADatP-4778 Ed A Ver 1:2018 / STANAG 4778 Ed 1 | FMN5-20231123 | DPC CaP1 DCS CaT |
| NATO Core Data Framework (NCDF) | NATO ADatP-5653 (Study) Ed A Ver 1 / STANAG (Study) 5653 Ed 1 | FMN5-20231123 | DPC CaP1 DM CaT |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|--|----------------------|
| NATO Joint Military Symbology | NATO APP-06 Ed D Ver 1:2017 / STANAG 2019 Ed 7 | FMN5-20231123 | MCJSB/ IERHWG |
| Tactical Data Exchange - Link 16 | NATO ATDLP-5.16 Ed B Ver 1:2019 / STANAG FT 5516 Ed 8 | FMN5-20231123 | DPC CaP1 TDL CaT |
| Interoperability Standard for Joint Range Extension Application Protocol (JREAP) ¹ | NATO ATDLP-5.18 Ed B Ver 2:2019 / STANAG FT 5518 Ed 4 | FMN5-20231123 | DPC CaP1 TDL CaT |
| Tasking and Order Services | | | |
| Joint C3 Information Exchange Data Model (JC3IEDM) | NATO STANAG 5525 Ed 1:2007 | BSP | DPC CaP1 DM CaT |
| Track Management Services | | | |
| Guide to Electromagnetic Spectrum Management in military Operations | CCEB ACP 190(D):2013 | BSP | DPC NACP CaT |
| Carrier Sense Multiple Access/Collision Detect (CSMA/CD) | ISO/IEC 8802-3:2000 | BSP | NCIA/NSII |
| Friendly Force Tracking Systems (FFTS) Interoperability | NATO ADatP-36 Ed A Ver 1:2017 / STANAG 5527 Ed 1 | FMN3, FMN5-20231123 | DPC CaP2 FFT CaT |
| Friendly Force Tracking Systems (FFTS) Interoperability | NATO ADatP-36 Ed A Ver 2:2021 / STANAG 5527 Ed 1 | FMN4-20211022 | DPC CaP2 FFT CaT |
| Services to forward Friendly Force Information to Weapon Delivery Assets | | | DPC CaP2 |
| Web Service Messaging Profile (WSMP) | NATO ADatP-5644 (FD) Ed A Ver 1 / STANAG 5644 Ed 1 | FMN5-20231123 | DPC CaP1 DM CaT |
| NATO Message Catalogue | | FMN3, FMN4-20211022, FMN5-20231123 | MCJSB/ IERHWG |
| Spectrum Management in Military Operations | NATO ASP-01 Ed A Ver 2:2020 / STANAG 5641 Ed 1 | BSP | DPC CaP3 |

| Title | Pubnum | Profiles | Responsible Party |
|---|---|---|----------------------|
| Spectrum Management Allied Data Exchange Format - Extensible Markup LAanguage (SMADEF- XML) | A Ver 2:2020 / | BSP | DPC CaP3 |
| Tactical Data Exchange - Link 1 (Point-to-Point) | NATO ATDLP-5.01 Ed A Ver 2:2020 / STANAG 5501 Ed 7 | BSP | DPC CaP1 TDL CaT |
| Tactical Data Exchange - Link 11/11B | NATO ATDLP-5.11 Ed B Ver 1:2019 / STANAG FT 5511 Ed 10 | BSP | DPC CaP1 TDL CaT |
| Tactical Data Exchange - Link 16 | NATO ATDLP-5.16 Ed B Ver 1:2019 / STANAG FT 5516 Ed 8 | FMN4-20211022 | DPC CaP1 TDL CaT |
| Interoperability Standard for Joint Range Extension Application Protocol (JREAP) ¹ | | | DPC CaP1 TDL CaT |
| Tactical Data Link - Link 22 | NATO ATDLP-5.22 Ed B Ver 1:2021 / STANAG FT 5522 Ed 6 | BSP | DPC CaP1 TDL CaT |
| Tactical Data Exchange - Link 16 | NATO STANAG 5516 Ed 4:2008 | FMN3, SIP- RECOGNIZED- AIR-PICTURE- DATA | DPC CaP1 TDL CaT |
| Battlespace Object Services | | | |
| MIP4 Information Exchange Specification 4.3.1 | MIP MIP IES 4.3.1:2020 | FMN4-20211022 | FMN CPWG |
| Web Service Messaging Profile (WSMP) | NATO ADatP-5644 (FD) Ed A Ver 1 / STANAG 5644 Ed 1 | FMN4-20211022 | DPC CaP1 DM CaT |
| Specifications Defining The Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Security | 1 | FMN4-20211022 | NAAG/ LCGDSS |

| Title | Pubnum | Profiles | Responsible Party |
|---|---|-----------------------|----------------------|
| Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Data Model | Ed A Ver 2:2017 / | FMN4-20211022 | NAAG/ LCGDSS |
| Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - LOANED RADIO | Ed A Ver 2:2017 / | FMN4-20211022 | NAAG/ LCGDSS |
| Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Information Exchange Mechanism | Ed A Ver 2:2017 / | FMN4-20211022 | NAAG/ LCGDSS |
| Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Network Access | Ed A Ver 2:2017 / | FMN4-20211022 | NAAG/ LCGDSS |
| Joint C3 Information Exchange Data Model (JC3IEDM) | NATO STANAG 5525 Ed 1:2007 | FMN3 | DPC CaP1 DM CaT |
| Battlespace Event Services | | | |
| NATO Message Catalogue | NATO APP-11 Ed D Ver 1:2015 / STANAG 7149 Ed 6 | FMN4-20211022 | MCJSB/ IERHWG |
| NATO Message Catalogue ² | NATO APP-11 (Study) Ed D Ver 2:2017 / STANAG (Study) 7149 Ed 6 | FMN3 | MCJSB/ IERHWG |
| Track Distribution Services | · | | |
| Friendly Force Tracking Systems (FFTS) Interoperability | NATO ADatP-36 Ed A Ver 1:2017 / STANAG 5527 Ed 1 | FMN5-20231123 | DPC CaP2 FFT CaT |
| Friendly Force Tracking Systems (FFTS) Interoperability | NATO ADatP-36 Ed A Ver 2:2021 / STANAG 5527 Ed 1 | FMN4-20211022 | DPC CaP2 FFT CaT |
| Services to forward Friendly Force Information to Weapon Delivery Assets | 1 | BSP, FMN4-20211022 | DPC CaP2 |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|---------------|----------------------|
| Web Service Messaging Profile (WSMP) | NATO ADatP-5644 (FD) Ed A Ver 1 / STANAG 5644 Ed 1 | FMN5-20231123 | DPC CaP1 DM CaT |
| Specifications Defining The Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Security | 1 | FMN4-20211022 | NAAG/ LCGDSS |
| Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Data Model | Ed A Ver 2:2017 / | FMN4-20211022 | NAAG/ LCGDSS |
| Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - LOANED RADIO | Ed A Ver 2:2017 / | FMN4-20211022 | NAAG/ LCGDSS |
| Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Information Exchange Mechanism | Ed A Ver 2:2017 / | FMN4-20211022 | NAAG/ LCGDSS |
| Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Network Access | Ed A Ver 2:2017 / | FMN4-20211022 | NAAG/ LCGDSS |
| NATO Message Catalogue | NATO APP-11 Ed D Ver 1:2015 / STANAG 7149 Ed 6 | · | MCJSB/ IERHWG |
| Modelling and Simulation Services | | | |
| Modeling and Simulation (M&S) High Level Architecture (HLA) Framework and Rules - Redline | IEEE P1516:2000 | BSP | NCIA/E&T |
| SEDRIS functional specification | ISO/IEC FCD 18023-1:2006 | BSP | NCIA/JISR |
| Common Object Request Broker Architecture (CORBA):2009 | OMG CORBA 2.6.1:2002 | BSP | NCIA/JISR |
| Standard for Command and Control Systems - Simulation Systems Interoperation | SISO C2SIM:2020 | BSP | NMSG/MS3 |

| Title | Pubnum | Profiles | Responsible Party |
|--|------------------|---------------|----------------------|
| Distributed Simulation Engineering and Execution Process | SISO DSEEP:2011 | BSP | NMSG/MS3 |
| Enumeratiions for Distributed Simulation | SISO Enum:2020 | BSP | NMSG/MS3 |
| High Level Architecture | SISO HLA:2010 | BSP | NMSG/MS3 |
| Order of Battle Services | | | |
| MIP4 Information Exchange Specification 4.4 | MIP MIP4-IES 4.4 | FMN5-20231123 | FMN CPWG |

¹The SIP for Recognized Air Picture Data refers to ATDLP-5.18 Ed B Version 1 instead of ATDLP-5.18 Ed B Version 2 ²STANAG 7149 Ed 6/APP-11 (Study) Edition D Ver 2 should be noted as an emerging standard that will extend the message formats in APP-11(D)(1) with new Urgent Operational Requirements.

3.3.2. Core Services

| Title | Pubnum | Profiles | Responsible Party | |
|--|-------------------------|---------------------------------|----------------------|--|
| Core Services | | | | |
| Identification cards - Contactless integrated circuit(s) cards - Proximity cards | ISO/IEC 14443:2008 | BSP | DPC NPMA- NPAG | |
| Security Techniques - Evaluation criteria for IT security:2009 | ISO/IEC 15408:2005 | BSP | DPC CaP4 | |
| Information technology - Cloud computing - Overview and vocabulary | ISO/IEC 17788:2014 | BSP | NCIA/CES | |
| Information technology - Cloud computing - Reference architecture | ISO/IEC 17789:2014 | BSP | NCIA/CES | |
| Web Services for Management (WS-Management) Specification | ISO/IEC 17963:2013 | BSP | NCIA/SMC | |
| Geospatial Services | | | | |
| DGIWIG GeoPackage Profile | DGIWG DGIWG-126:2023 | FMN5-20231123 | FMN CPWG | |
| Defense Gridded Elevation Data (DGED) Product Implementation Profile (PIP) | | FMN5-20231123 | FMN CPWG | |
| ESRI Shapefile Technical Description | ESRI shapefile:1998 | FMN4-20211022, FMN5-20231123 | MCJSB/JGS | |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|---------------------------------|-------------------|
| XML Schema of the Geodatabase | ESRI XML Schema of the Geodatabase:2008 | | FMN CPWG |
| JPEG 2000 image coding system — Part 1: Core coding system | ISO/IEC 15444-1:2004 | FMN4-20211022, FMN5-20231123 | NCIA/JISR |
| Performance Specification - Digital Terrain Elevation Data | US DoD PRF-89020B:2000 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| NATO Geospatial Metadata Profile | NATO AGeoP-08 Ed B Ver 1:2019 / STANAG 2586 Ed 2 | BSP, FMN5-20231123 | MCJSB/JGS |
| NATO Geospatial Information Framework | NATO AGeoP-11 Ed B Ver 1:2018 / STANAG 2592 Ed 2 | | MCJSB/JGS |
| | NATO AGeoP-11.3 Ed A Ver 1:2018 / STANAG 2592 Ed 2 | FMN5-20231123 | MCJSB/JGS |
| Additional Military Layers (AML) - Digital Geospatial Data Products | NATO AGeoP-19 Ed A Ver 1:2015 / STANAG 7170 Ed 3 | | MCJSB/JGS |
| Geodetic Datums, Projections, Grids and Grid References | NATO AGeoP-21 Ed A Ver 1:2016 / STANAG 2211 Ed 7 | BSP | MCJSB/JGS |
| Defence Geospatial Web Services | NATO AGeoP-26 Ed A Ver 1:2020 / STANAG 6523 Ed 1 | BSP | MCJSB/JGS |
| Standard on warship Electronic Chart Display and Information Systems (WECDIS) | | BSP | DPC CaP2 |
| Digital Terrain Elevation Data (DTED) Exchange Format | NATO STANAG 3809 Ed 4:2004 | BSP | MCJSB/JGS |
| Compressed ARC Digitized Raster Graphics (CADRG) | NATO STANAG 7098 Ed 2:2004 | BSP | MCJSB/JGS |
| Controlled Imagery Base (CIB) | NATO STANAG 7099 Ed 2:2004 | BSP | MCJSB/JGS |
| Vector Smart Map (VMAP) Level 1 | US DoD MIL- PRF-89033:1995 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Compressed ARC Digitized Raster Graphics (ADRG) | US DoD MIL- PRF-89038:1994 | FMN4-20211022, FMN5-20231123 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|--|-------------------------------|---------------------------------|----------------------|
| Vector Smart Map (VMAP) Level 0 | US DoD MIL- PRF-89039:1995 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Raster Product Format | NGA MIL- STD-2411:2011 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| World Geodetic System 84 (WGS-84) | NGA TR 8350.2:2004 | BSP | NCIA/JISR |
| OpenGIS Web Processing Service (WPS) 1.0.0 | OGC 05-007r7:2007 | SIP-GEO-GPS | NCIA/AWG |
| GML in JPEG 2000 for Geographic Imagery (GMLJP2) | OGC 05-047r3:2006 | FMN3, FMN4-20211022 | FMN CPWG |
| OpenGIS Web Map Service (WMS) Implementation Specification | OGC 06-042:2006 | BSP | FMN CPWG |
| Web Services Common Implementation Specification v1.1.0 with Corrigium 1 | OGC 06-121r3:2007 | SIP-GEO-GPS | NCIA |
| Web Services Common Implementation Specification v2.0.0 | OGC 06-121r9:2010 | BSP | NCIA |
| OpenGIS Web Map Tile Service Implementation Standard | OGC 07-057r7:2010 | BSP | NCIA/AWG |
| OGC KML 2.2.0 | OGC 07-147r2:2008 | FMN3 | FMN CPWG |
| GML in JPEG 2000 for Geographic Imagery Encoding | OGC 08-085r8:2018 | FMN5-20231123 | FMN CPWG |
| Corrigendum for OpenGIS Implementation Standard Web Processing Service (WPS) 1.0.0 | 1 | SIP-GEO-GPS | NCIA/JISR/ GEO |
| GML Simple Features Profile v2.0 | OGC 10-100r2:2010 | BSP | NCIA/AWG |
| OGC GeoPackage Encoding Standard | OGC 12-128r18:2021 | FMN5-20231123 | FMN CPWG |
| Geographical Tagged Image File Format (GeoTIFF) Specification Revision 1.0 | | FMN3 | FMN CPWG |
| Geospatial Web Map Tile Services | | | |
| Service Interface for Web Map Service and Web Map Tile Service | FMN | FMN5-20231123 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|--|--|--|----------------------|
| Defence Geospatial Web Services | NATO AGeoP-26 Ed A Ver 1:2020 / STANAG 6523 Ed 1 | FMN4-20211022 | MCJSB/JGS |
| OpenGIS Web Map Tile Service Implementation Standard | OGC 07-057r7:2010 | FMN4-20211022, FMN5-20231123 | NCIA/AWG |
| Geography Markup Language (GML) simple features profile Technical Note v 2.0 | | FMN3 | FMN CPWG |
| Geospatial Web Feature Services | | | J |
| Defence Profile of OGC Web Feature Service (WFS) 2.0 | DGIWG DGIWG-122:2019 | FMN5-20231123 | FMN CPWG |
| OGC Web Feature Service (WFS) 2.0 Interface Standard With Corrigendum | | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Geospatial Web Coverage Services | | | |
| OGC WCS 2.0 Interface Standard-Core: Corrigendum | OGC 09-110r4:2012 | BSP | NCIA/JISR |
| Geospatial Web Map Services | | | |
| Service Interface for Web Map Service and Web Map Tile Service | FMN | FMN5-20231123 | FMN CPWG |
| Defence Geospatial Web Services | NATO AGeoP-26 Ed A Ver 1:2020 / STANAG 6523 Ed 1 | FMN4-20211022 | MCJSB/JGS |
| OpenGIS Web Map Service (WMS) Implementation Specification | OGC 06-042:2006 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Data Science Services | | | |
| Predictive Model Markup Language (PMML) | DMG PMML-4.2.1:2015 | BSP | NCIA |
| Cross-Industry Standard Process for Data Mining (CRISP-DM) | TMA CRISP-DM Ver 1.0:2000 | BSP | NCIA |
| SPARQL 1.1 Query Language | W3C SPARQL 1.1:2012 | BSP | NCIA |
| Search Services | | ı | 1 |
| The Dublin Core Metadata Element Set | ISO 15836:2009 | BSP | NCIA/CTO/ SEA |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|---|----------------------|
| TIDE Information Discovery (Request-Response) Protocol v2.3 | NATO TIDE-ID- RR:2009 | BSP | NCIA/CES |
| Content Management Services | | | |
| XMP Specification Part 3 - Storage in Files Ver 2016 | ADOBE XMP Specification Part 3 Ver 2016:2016 | BINDING- EXTENSIBLE- V2 | NCIA |
| HMAC: Keyed-Hashing for Message Authentication | IETF RFC 2104:1997 | BINDING- CRYPTO-V2 | NCIA |
| Key words for use in RFCs to Indicate Requirement Levels | IETF RFC 2119:1997 | BINDING- COMMON-XML | NCIA |
| MIME Parameter Value and Encoded Word Extensions: Character Sets, Languages, and Continuations | IETF RFC 2231:1997 | BINDING- REST-V2, BINDING- SMTP-V2 | NCIA |
| Content-ID and Message-ID Uniform Resource Locators | IETF RFC 2392:1998 | BINDING- SMTP-V2 | NCIA/CES |
| Enhanced Security Services for S/MIME | IETF RFC 2634:1999 | BINDING- XMPP-V2 | NCIA |
| UTF-8, a transformation format of ISO/IEC 10646 | IETF RFC 3629:2003 | FMN3, FMN4-20211022 | FMN CPWG |
| Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile | IETF RFC 5280:2008 | BINDING- CRYPTO-V2 | FMN CPWG |
| Internet Message Format | IETF RFC 5322:2008 | BINDING- SMTP-V2 | NCIA |
| Extensible Provisioning Protocol (EPP) Domain Name Mapping | IETF RFC 5731:2009 | BINDING- SMTP-V2 | NCIA |
| Secure/Multipurpose Internet Mail Extensions (S/MIME) Version 3.2 Message Specification | IETF RFC 5751:2010 | BINDING- CRYPTO-V2 | NCIA |
| Extensible Messaging and Presence Protocol (XMPP): Core | IETF RFC 6120:2011 | BINDING- XMPP-V2 | NCIA |
| Extensible Messaging and Presence Protocol (XMPP): Instant Messaging and Presence | IETF RFC 6121:2011 | BINDING- XMPP-V2 | NCIA |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|---|----------------------|
| Extensible Messaging and Presence Protocol (XMPP): Address Format | IETF RFC 6122:2011 | BINDING- XMPP-V2 | NCIA |
| Additional XML Security Uniform Resource Identifiers (URIs) | IETF RFC 6931:2013 | BINDING- CRYPTO-V2 | NCIA |
| Hypertext Transfer Protocol (HTTP/1.1): Message Syntax and Routing | IETF RFC 7230:2014 | BINDING- REST-V2 | NCIA/CES |
| Security Labels in Internet Email | IETF RFC 7444:2015 | BINDING- REST-V2, BINDING- SMTP-V2 | NCIA |
| JSON Web Signature (JWS) | IETF RFC 7515:2015 | BINDING- CRYPTO-V2 | NCIA |
| Graphic Technology - Extensible metadata platform (XMP) specification - Part 1: Data model, serialization and core propertie | | BINDING- EXTENSIBLE- V2 | NCIA |
| Information Technology - Document Schema Definition Languages (DSDL) - Part 3: Rules-based validation - Schematron Second Edition | ISO 19757-3:2016 | BINDING- COMMON-XML | NCIA |
| Office Open XML File Formats Part 2: Open Packaging Conventions | | BINDING- GENERIC-V2, BINDING- OOXML-V2 | NCIA |
| Information Technology - Security Techniques - Security information objects for access control | | BINDING- REST-V2 | NCIA |
| Confidentiality Metadata Label Syntax | NATO ADatP-4774 Ed A Ver 1:2017 / STANAG 4774 Ed 1 | BINDING- COMMON- XML, BINDING- CRYPTO-V2, BINDING- EXTENSIBLE- V2, BINDING- GENERIC-V2, BINDING- | DPC CaP1 DCS CaT |

| Title | Pubnum | Profiles | Responsible Party |
|---------------------------------|-----------------------|--------------|----------------------|
| | | OOVMI VO | rarty |
| | | OOXML-V2, | |
| | | BINDING- | |
| | | REST-V2, | |
| | | BINDING- | |
| | | SIDECAR-V2, | |
| | | BINDING- | |
| | | SMTP-V2, | |
| | | BINDING- | |
| | | SOAP, | |
| | | BINDING- | |
| | | WSMP-V2, | |
| | | BINDING- | |
| | | XMPP-V2 | |
| Metadata Binding Mechanism | NATO ADatP-4778 | BINDING- | DPC CaP1 |
| 88 | Ed A Ver 1:2018 / | COMMON- | DCS CaT |
| | STANAG 4778 Ed 1 | XML, | 200 041 |
| | 21111110 1770 201 | BINDING- | |
| | | CRYPTO-V2, | |
| | | BINDING- | |
| | | EXTENSIBLE- | |
| | | V2, BINDING- | |
| | | GENERIC-V2, | |
| | | BINDING- | |
| | | OOXML-V2, | |
| | | BINDING- | |
| | | REST-V2, | |
| | | · · | |
| | | BINDING- | |
| | | SIDECAR-V2, | |
| | | BINDING- | |
| | | SMTP-V2, | |
| | | BINDING- | |
| | | SOAP, | |
| | | BINDING- | |
| | | WSMP-V2, | |
| | | BINDING- | |
| | | XMPP-V2 | |
| Context/Value Association using | OASIS Context/ | BINDING- | NCIA |
| Genericode Ver 1.0 | Value Association Ver | COMMON-XML | |
| | 1.0:2010 | | |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|--|----------------------|
| Code List Representation (Genericode) Ver 1.0 (2007) | | BINDING- COMMON-XML | NCIA |
| Web Services Security: SOAP Message Security 1.1 | OASIS WSS- SOAPMessage Security Ver 1.1:2006 | BINDING- CRYPTO-V2 | NCIA/CES |
| Simple Object Access Protocol (SOAP) 1.1 | W3C SOAP 1.1:2000 | BINDING-SOAP | NCIA |
| XML Security Algorithm Cross- Reference | - | BINDING- CRYPTO-V2 | NCIA |
| Resource Description Framework (RDF) 1.1 Concepts and Abstract Syntax | | BINDING- EXTENSIBLE- V2 | NCIA/CES |
| Resource Description Framework (RDF) Primer | W3C RDF Primer:2004 | BINDING- EXTENSIBLE- V2 | NCIA |
| SOAP Version 1.2 Part 1: Messaging Framework | W3C REC-soap12- part1:2007 | BINDING-SOAP | NCIA |
| Associating Style Sheets with XML documents, Version 1.0 | W3C REC-xml- stylesheet:1999 | BINDING- COMMON-XML | NCIA/CES |
| eXtensible Markup Language (XML) 1.0 (Fifth Edition) | W3C XML 1.0 (Fith Edition):2008 | BINDING- EXTENSIBLE- V2 | FMN CPWG |
| XML-Signature Syntax and Processing (Second Edition) | W3C REC-xmldsig- core:2013 | BINDING- CRYPTO-V2, BINDING-SOAP | NCIA |
| Errata for XML Signature 2nd Edition | W3C REC-xmldsig-core:2014 | BINDING- CRYPTO-V2 | NCIA |
| XML Signature Syntax and Processing Version 1.1 | W3C REC-xmldsig-core1:2013 | BINDING- CRYPTO-V2 | NCIA |
| XML Encryption Syntax and Processing | W3C REC-xmlenc-core:2002 | BINDING- CRYPTO-V2 | NCIA |
| XML Encryption Syntax and Processing Version 1.1 | W3C REC-xmlenc-core1:2013 | BINDING- CRYPTO-V2 | NCIA |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|------------------------|-------------------------------|
| | W3C XSD 1.1 Part 1: Structures:2012 | BINDING- COMMON-XML | NATO Archives Committee |
| XML Path Language 1.0 | W3C REC-xpath:1999 | BINDING- CRYPTO-V2 | NCIA |
| XML Pointer Language (Xpointer) | W3C wd-xptr:2002 | BINDING- CRYPTO-V2 | NCIA |
| Open XML SPIF | XML SPIF Open XML SPIF:2010 | BINDING- COMMON-XML | NCIA |
| XEP-0060: Publish-Subscribe (2010/07) | XSF XEP-0060:2010 | BINDING- XMPP-V2 | NCIA |
| XEP-0258: Security Labels in XMPP | XSF XEP-0258:2013 | BINDING- XMPP-V2 | NCIA |
| Archiving Services | | | |
| TIFF Revision 6.0 | ADOBE TIFF Rev 6.0:1992 | ARCHIVE- ARCHIVE | NATO Archives Committee |
| Specification of the Broadcast Wave Format (BWF) - Version 2 | EBU Tech 3285:2011 | ARCHIVE- ARCHIVE | NATO Archives Committee |
| MIME Encapsulation of Aggregate Documents, such as HTML (MHTML) | IETF RFC 2557:1993 | ARCHIVE- ARCHIVE | NCIA/CES |
| The application/mbox Media Type | IETF RFC 4155:2005 | ARCHIVE- ARCHIVE | NCIA/CES |
| Common Format and MIME Type for Comma-Separated Values (CSV) Files | | ARCHIVE- ARCHIVE | NCIA/CES |
| Information and documentation - WARCfile format. | ISO 28500:2009 | ARCHIVE- ARCHIVE | NATO Archives Committee |
| Document management — Portable document format — Part 1: PDF 1.7 | ISO 32000-1:2008 | ARCHIVE- ARCHIVE | FMN CPWG |
| Digital compression and coding of continuous-tone still images: Requirements and guidelines | | ARCHIVE- ARCHIVE | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|---------------------|-------------------------------|
| Coding of moving pictures and associated audio for digital storage media at up to about 1,5 Mbit/s; PCM Part 3: audio | | ARCHIVE- ARCHIVE | NCIA/NSII |
| Generic coding of moving pictures and associated audio information — Part 2: Video | ISO/IEC 13818-2:2000 | ARCHIVE- ARCHIVE | NCIA/CES |
| Generic coding of moving pictures and associated audio information — Part 3: Audio | ISO/IEC 13818-3:1998 | ARCHIVE- ARCHIVE | NCIA/CES |
| Coding of audio-visual objects — Part 10: Advanced Video Coding | ISO/IEC 14496-10:2012 | ARCHIVE- ARCHIVE | NCIA/CES |
| Coding of audio-visual objects — Part 2: Visual | ISO/IEC 14496-2:2004 | ARCHIVE- ARCHIVE | NCIA/CES |
| JPEG 2000 image coding system — Part 1: Core coding system | ISO/IEC 15444-1:2004 | ARCHIVE- ARCHIVE | NCIA/JISR |
| Database languages - SQL - Part 1: Framework | ISO/IEC 9075-1:2011 | ARCHIVE- ARCHIVE | NCIA/CTO/ SEA |
| OGC KML 2.2.0 | OGC 07-147r2:2008 | ARCHIVE- ARCHIVE | FMN CPWG |
| OGC GeoPackage Encoding Standard V1.0. | OGC 12-128r10:2004 | ARCHIVE- ARCHIVE | NCIA/AWG |
| Scalable Vector Graphics (SVG) 1.1 Specification (Second Edition) | W3C SVG 1.1 (Second Edition):2011 | ARCHIVE- ARCHIVE | NATO Archives Committee |
| eXtensible Markup Language (XML) 1.1 (Second Edition) | W3C XML 1.1 (Second Edition):2006 | ARCHIVE- ARCHIVE | NCIA/CES |
| W3C XML Schema Definition Language (XSD) 1.1 Part 1: Structures | | ARCHIVE- ARCHIVE | NATO Archives Committee |
| Language (XSD) 1.1 Part 2: Datatypes | W3C XSD 1.1 Part 2: Datatypes:2012 | ARCHIVE- ARCHIVE | NATO Archives Committee |
| Formal Messaging Services | | | |
| Concept of NATO Message Text Formatting System (CONFORMETS) | NATO ADatP-03 Ed A Ver 4:2021 / STANAG 5500 Ed 8 | BSP | DPC CaP1 MTF CaT |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|----------|----------------------|
| NATO Secondary Imagery Format (NSIF) STANAG 4545 Implementation Guide | 1 | BSP | NAFAG/ JCGISR |
| NATO Message Catalogue | NATO APP-11 Ed D Ver 1:2015 / STANAG 7149 Ed 6 | BSP | MCJSB/ IERHWG |
| Tactical Data Exchange - Link 1 (Point-to-Point) | NATO ATDLP-5.01 Ed A Ver 2:2020 / STANAG 5501 Ed 7 | BSP | DPC CaP1 TDL CaT |
| Tactical Data Exchange - Link 16 | NATO ATDLP-5.16 Ed B Ver 1:2019 / STANAG FT 5516 Ed 8 | BSP | DPC CaP1 TDL CaT |
| Tactical Data Link - Link 22 | NATO ATDLP-5.22 Ed B Ver 1:2021 / STANAG FT 5522 Ed 6 | BSP | DPC CaP1 TDL CaT |
| Military Message Handling System (MMHS) | NATO STANAG 4406 Ed 2:2006 | BSP | DPC CaP1 |
| Business Support CIS Security Ser | vices | | |
| NATO Public Key Infrastructure (NPKI) Certificate Policy (CertP) Rev2. | | | DPC NPMA- NPAG |
| Machine readable travel documents - Part 1: Machine readable passport | ISO/IEC 7501-1:2008 | BSP | NCIA/CTO/ SEA |
| Web Services Security SAML Token Profile Ver 1.1 | OASIS WSS SAML Token Profile Ver 1.1:2006 | BSP | DPC CaP4 |
| WSS XML Schema | OASIS WS-Security Utility Ver 1.0:2001 | BSP | NCIA/CS |
| WS-Trust 1.4 | OASIS WS-Trust Ver 1.4:2012 | BSP | NCIA/CS |
| Basic Security Profile Version 1.1 | WS-I Basic Security Profile 1.1:2010 | BSP | DPC CaP4 |
| Business Support Guard Services | | | |

| Title | Pubnum | Profiles | Responsible Party |
|---|--------------------------|---------------|----------------------|
| Interim Implementation Guide for ACP 123/STANAG 4406 Messaging Services Between Nations | I . | BSP | DPC NACP CaT |
| Business Support SMC Services | | | |
| Service Interface for Service Management and Control | FMN | FMN5-20231123 | FMN CPWG |
| Trouble Ticket REST API Specification R14.5.1 Interface | TM Forum TMF621:2015 | FMN5-20231123 | FMN CPWG |
| Trouble Ticket Management API Conformance Profile R19.0.1 | TM Forum TMF621B:2019 | FMN5-20231123 | FMN CPWG |
| Party Management API REST Specification R19.0.1 | TM Forum TMF632:2019 | FMN5-20231123 | FMN CPWG |
| Service Catalog API User Guide | TM Forum TMF633:2021 | FMN5-20231123 | FMN CPWG |
| TMF638 Service Inventory API REST Specification R16.5 | TM Forum TMF638:2017 | FMN5-20231123 | FMN CPWG |
| TMForum Resource Inventory Management API REST Specification R17.0.1 | TM Forum TMF639:2017 | FMN5-20231123 | FMN CPWG |
| TMF641 Service Ordering API REST Specification R16.5.1 | TM Forum TMF641:2017 | FMN5-20231123 | FMN CPWG |
| Alarm Management API User Guide | TM Forum TMF642:2020 | FMN5-20231123 | FMN CPWG |
| Change Management API REST Specification R18.0.1 | TM Forum TMF655:2018 | FMN5-20231123 | FMN CPWG |
| Service Problem Management API User Guide | TM Forum TMF656:2021 | FMN5-20231123 | FMN CPWG |
| Service Quality Management API User Guide | TM Forum TMF657:2020 | FMN5-20231123 | FMN CPWG |
| Geographic Address Management API User Guide | TM Forum TMF673:2020 | FMN5-20231123 | FMN CPWG |
| Geographic Site Management API User Guide R17.5.0 | TM Forum TMF674:2020 | FMN5-20231123 | FMN CPWG |
| Geographic Location API REST Specification R17.5.1 | TM Forum TMF675:2018 | FMN5-20231123 | FMN CPWG |

| revision: v1 | 5.0 |)-fina | I-77 | '-g70 | 2f531 |
|--------------|-----|--------|------|-------|-------|
|--------------|-----|--------|------|-------|-------|

| Title | Pubnum | Profiles | Responsible Party |
|--|-------------------------------|---------------|----------------------|
| Process Flow Management API REST Specification R19.0.1 | TM Forum TMF701:2019 | FMN5-20231123 | FMN CPWG |
| Communication and Collaboration | Services | | |
| Session Initiation Protocol (SIP) | IETF RFC 3261:2002 | BSP | FMN CPWG |
| Document management — Portable document format — Part 1: PDF 1.7 | ISO 32000-1:2008 | BSP | FMN CPWG |
| HyperText Markup Language (HTML) | ISO/IEC 15445:2000 | BSP | FMN CPWG |
| Open Document Format (ODF) for Office Applications (OpenDocument) v1.0 | ISO/IEC 26300:2006 | BSP | FMN CPWG |
| Gateway Control Protocol (MGCP) v3 | ITU-T H.248.1:2013 | BSP | NCIA/NSII |
| Circuit-based Multimedia Comms. System | ITU-T H.320:2004 | BSP | NCIA/NSII |
| Advanced Distributed Learning (ADL) | NATO STANAG 2591 Ed 1:2013 | BSP | MCJSB/ NTG |
| XEP-0004: Data Forms (2007/08) | XSF XEP-0004:2007 | BSP | FMN CPWG |
| XEP-0030: Service Discovery (2008/06) | XSF XEP-0030:2008 | BSP | FMN CPWG |
| Fax Services | | | |
| Procedures for document facsimile transmission in the general switched telephone network | ITU-T T.30:2005 | BSP | NCIA/NSII |
| Interoperability of Tactical Digital Facsimile Equipment | NATO STANAG 5000 Ed 3:2006 | BSP | DPC CaP1 N&S CaT |
| Audio-based Communication Servi | ices | | |
| Session Initiation Protocol (SIP) | IETF RFC 3261:2002 | FMN5-20231123 | FMN CPWG |
| Reliability of Provisional Responses in the Session Initiation Protocol (SIP) | IETF RFC 3262:2002 | FMN5-20231123 | FMN CPWG |
| An Offer/Answer Model with the Session Description Protocol (SDP) | IETF RFC 3264:2002 | FMN5-20231123 | FMN CPWG |
| The Session Initiation Protocol (SIP) UPDATE Method | IETF RFC 3311:2002 | FMN5-20231123 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|---|--------------------|--|-------------------|
| RTP: A Transport Protocol for Real- Time Applications | IETF RFC 3550:2003 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Session Timers in the Session Initiation Protocol (SIP) | IETF RFC 4028:2005 | FMN5-20231123 | FMN CPWG |
| A Border Gateway Protocol 4 (BGP-4) | IETF RFC 4271:2006 | FMN5-20231123 | FMN CPWG |
| A Framework for Conferencing with the Session Initiation Protocol (SIP) | IETF RFC 4353:2006 | FMN5-20231123 | FMN CPWG |
| Extending the Session Initiation Protocol (SIP) Reason Header for Preemption Events | IETF RFC 4411:2006 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Communications Resource Priority for the Session Initiation Protocol (SIP) | IETF RFC 4412:2006 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| SDP: Session Description Protocol | IETF RFC 4566:2006 | FMN5-20231123 | FMN CPWG |
| Session Initiation Protocol (SIP) Call Control - Conferencing for User Agents | IETF RFC 4579:2006 | FMN5-20231123 | FMN CPWG |
| RTP Payload for DTMF Digits, Telephony Tones, and Telephony Signals | IETF RFC 4733:2006 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Multiprotocol Extensions for BGP-4 | IETF RFC 4760:2007 | FMN5-20231123 | FMN CPWG |
| The Generalized TTL Security Mechanism (GTSM) | IETF RFC 5082:2007 | FMN5-20231123 | FMN CPWG |
| Conference Establishment Using Request-Contained Lists in the Session Initiation Protocol (SIP) | IETF RFC 5366:2008 | FMN5-20231123 | FMN CPWG |
| Capabilities Advertisement with BGP-4 | IETF RFC 5492:2009 | FMN5-20231123 | FMN CPWG |
| Bidirectional Forwarding Detection (BFD) | IETF RFC 5880:2010 | FMN5-20231123 | FMN CPWG |
| Bidirectional Forwarding Detection (BFD) for IPv4 and IPv6 (Single Hop) | IETF RFC 5881:2010 | FMN5-20231123 | FMN CPWG |
| Bidirectional Forwarding Detection (BFD) for Multihop Paths | IETF RFC 5883:2010 | FMN5-20231123 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|---|--------------------------------|--|----------------------|
| RTP Payload Format for H.264 Video | IETF RFC 6184:2011 | FMN5-20231123 | FMN CPWG |
| Autonomous-System-Wide Unique BGP Identifier for BGP-4 | IETF RFC 6286:2011 | FMN5-20231123 | FMN CPWG |
| SIP-Specific Event Notification | IETF RFC 6665:2012 | FMN5-20231123 | FMN CPWG |
| BGP Support for Four-Octet Autonomous System (AS) Number Space | | FMN5-20231123 | FMN CPWG |
| Revised Error Handling for BGP UPDATE Messages | IETF RFC 7606:2015 | FMN5-20231123 | FMN CPWG |
| RTP Topologies | IETF RFC 7667:2015 | FMN5-20231123 | FMN CPWG |
| Default External BGP (EBGP) Route Propagation Behavior without Policies | | FMN5-20231123 | FMN CPWG |
| SCIP Signalling Plan rev.3.3 | CIS3 C&IP SCIP-210:2010 | FMN3, FMN4-20211022 | DPC CaP1 N&S CaT |
| SCIP over RTP rev.1.0 | CIS3 C&IP SCIP-214.2:2010 | FMN3, FMN4-20211022 | DPC CaP1 N&S CaT |
| Securing SIP Signaling - Use of TLS with SCIP | CIS3 C&IP SCIP-214.3:2014 | FMN3, FMN4-20211022 | DPC CaP1 N&S CaT |
| Interoperable Terminal Priority (TP) Community of Interest (COI) Specification rev.1.0 | CIS3 C&IP SCIP-233.350:2012 | FMN3, FMN4-20211022 | DPC CaP1 N&S CaT |
| Secure MELP(e) Voice rev.1.1 | CIS3 C&IP SCIP-233.501:2012 | FMN3, FMN4-20211022 | DPC CaP1 N&S CaT |
| Secure G.729D Voice Specification Rev. 1.1. | CIS3 C&IP SCIP-233.502:2011 | FMN3, FMN4-20211022 | DPC CaP1 N&S CaT |
| Notation for national and international telephone numbers, e-mail addresses and web addresses | ITU-T E.123:2001 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| The international public telecommunication numbering plan | ITU-T E.164:2010 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Pulse code modulation (PCM) of voice frequencies | ITU-T G.711:1988 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|--|--|--|------------------------|
| Low-complexity coding at 24 and 32 kbit/s for hands-free operation in systems with low frame loss | ITU-T G.722.1:2005 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Low-complexity coding at 24 and 32 kbit/s for hands-free operation in systems with low frame loss | I The state of the | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Coding of speech at 8 kbit/s using conjugate-structure algebraic-code-excited linear prediction (CS-ACELP) | ITU-T G.729:2012 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Advanced video coding for generic audiovisual services | ITU-T H.264:2017 | FMN3, FMN5-20231123 | FMN CPWG |
| Packet-based Multimedia Communication System | ITU-T H.323:2003 | BSP | FMN CPWG |
| Secure Communications Interoperability Protocol (SCIP) | NATO AComP-5068 Ed A Ver 2:2018 / STANAG 5068 Ed 1 | BSP | DPC CaP1 N&S CaT |
| NATO Secondary Imagery Format (NSIF) STANAG 4545 Implementation Guide | | FMN3 | NAFAG/ JCGISR |
| NATO Ground Moving Target Indicator (GMTI) Format STANAG 4607 Implementation Guide | | FMN3 | FMN CPWG |
| NATO Intelligence, Surveillance And Reconnaissance Tracking Standard | | FMN3 | FMN CPWG |
| NATO standardization of measurement and signature intelligence (MASINT) Reporting | NATO AEDP-16 (Study) / STANAG (Study) 4716 Ed 1 | FMN3 | NAFAG/ JCGISR |
| Allied Joint Medical Doctrine For Medical Evacuation | NATO AJMedP-2 Ed A Ver 1:2018 / STANAG 2546 Ed 2 | · · | MCMedSB / MedStd EM |
| Captured Persons, Materiel And Documents | NATO AJP-2.5 Ed A:2007 / STANAG 2195 Ed 2 | FMN3 | MCJSB/ JINT |
| NATO Message Catalogue | NATO APP-11 Ed D Ver 1:2015 / STANAG 7149 Ed 6 | FMN4-20211022 | MCJSB/ IERHWG |

| Title | Pubnum | Profiles | Responsible Party |
|--|---|--|----------------------|
| NATO Message Catalogue ² | NATO APP-11 (Study) Ed D Ver 2:2017 / STANAG (Study) 7149 Ed 6 | FMN3 | MCJSB/ IERHWG |
| Land Operational Reports | NATO ATP-105 Ed A Ver 1:2021 / STANAG 2020 Ed 4 | BSP | MCLSB/ SLIERP |
| NATO Land Urgent Voice Messages (LUVM) Pocket Book | | | MCLSB/ SLIERP |
| NATO Land Urgent Voice Messages (LUVM) Pocket Book | NATO ATP-97 Ed B Ver 1:2020 / STANAG 2627 Ed 2 | BSP | MCLSB/ SLIERP |
| US Motion Imagery Standards Board (MISB) - Motion Imagimary Standards Profile-2015.1 | | FMN3 | FMN CPWG |
| Air Reconnaissance Intelligence Report Forms | NATO STANAG 3377 Ed 6:2002 | FMN3 | FMN CPWG |
| The 600 Bit/S, 1200 Bit/S AND 2400 Bit/S NATO Interoperable Narrow Band Voice Coder | | BSP | DPC CaP1 N&S CaT |
| International Network Numbering for Communications Systems in use in NATO | | FMN3, FMN4-20211022, FMN5-20231123 | DPC CaP1 N&S CaT |
| Calendaring and Scheduling Service | ces | | |
| Internet Calendaring and Scheduling Core Object Specification (iCalendar) | | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| iCalendar Transport-Independent Interoperability Protocol (iTIP) | IETF RFC 5546:2009 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| iCalendar Message-Based Interoperability Protocol (iMIP) | IETF RFC 6047:2010 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Application Sharing Services | | | |
| Data Protocols for Multimedia Conferencing | ITU-T T.120:2007 | BSP | NCIA/NSII |
| | | <u> </u> | |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|--|----------------------|
| Informal Messaging Services | | | |
| SIP for Binding Metadata to Informal Messages | FMN SIP for Binding Metadata to Informal Messages:2021 | FMN4-20211022 | FMN CPWG |
| Hypertext Markup Language - 2.0 | IETF RFC 1866:1995 | FMN3 | FMN CPWG |
| SMTP Service Extension for Message Size Declaration | IETF RFC 1870:1995 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| The text/enriched MIME Content-type | IETF RFC 1896:1996 | FMN3, FMN4-20211022 | FMN CPWG |
| Post Office Protocol - Version 3 (POP3) | IETF RFC 1939:1996 | BSP | NCIA/CES |
| SMTP Service Extension for Returning Enhanced Error Codes | IETF RFC 2034:1996 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Multipurpose Internet Mail Extensions (MIME) Part One: Format of Internet Message Bodies | IETF RFC 2045:1996 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Multipurpose Internet Mail Extensions (MIME) Part Two: Media Types | IETF RFC 2046:1996 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Multipurpose Internet Mail Extensions (MIME) Part Three: Message Header Extensions for Non- ASCII Text | IETF RFC 2047:1996 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Multipurpose Internet Mail Extensions (MIME) Part Five: Conformance Criteria and Example | IETF RFC 2049:1996 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| MIME Parameter Value and Encoded Word Extensions: Character Sets, Languages, and Continuations | IETF RFC 2231:1997 | BINDING- SMTP-V2 | NCIA |
| The TLS Protocol Version 1.0 | IETF RFC 2246:1999 | SIP-FOR-TLS | FMN CPWG |
| Content-ID and Message-ID Uniform Resource Locators | IETF RFC 2392:1998 | BINDING- SMTP-V2 | NCIA/CES |

| Title | Pubnum | Profiles | Responsible Party |
|---|--------------------|--|----------------------|
| SMTP Service Extension for Command Pipelining | IETF RFC 2920:2000 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| MTP Service Extension for Secure SMTP over Transport Layer Security (TLS) | IETF RFC 3207:2002 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Simple Mail Transfer Protocol (SMTP) Service Extension for Delivery Status Notifications (DSNs) | IETF RFC 3461:2003 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Internet Message Access Protocol Version 4, revision 1 | IETF RFC 3501:2003 | BSP | NCIA/CES |
| UTF-8, a transformation format of ISO/IEC 10646 | IETF RFC 3629:2003 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| The Text/Plain Format and DelSp Parameters | IETF RFC 3676:2004 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Transport Layer Security Protocol Compression Methods | IETF RFC 3749:2004 | SIP-FOR-TLS, FMN5-20231123 | FMN CPWG |
| Media Type Specifications and Registration Procedures | IETF RFC 4288:2005 | FMN3 | FMN CPWG |
| The Transport Layer Security (TLS) Protocol Version 1.1 | IETF RFC 4346:2006 | SIP-FOR-TLS | FMN CPWG |
| Elliptic Curve Cryptography (ECC) Cipher Suites for Transport Layer Security (TLS) | IETF RFC 4492:2006 | SIP-FOR-TLS | FMN CPWG |
| SMTP Service Extension for Authentication | IETF RFC 4954:2007 | FMN3, FMN4-20211022 | FMN CPWG |
| URI Fragment Identifiers for the text/plain Media Type | IETF RFC 5147:2008 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Transport Layer Security (TLS)The Transport Layer Security (TLS) Protocol Version 1.2 | IETF RFC 5246:2008 | SIP-FOR-TLS, FMN5-20231123 | DPC CaP4 |
| Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile | IETF RFC 5280:2008 | SIP-FOR-TLS | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|---|--------------------|---|-------------------|
| Simple Mail Transfer Protocol | IETF RFC 5321:2008 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Internet Message Format | IETF RFC 5322:2008 | BINDING- SMTP-V2, FMN4-20211022, FMN5-20231123 | NCIA |
| Internet Calendaring and Scheduling Core Object Specification (iCalendar) | IETF RFC 5545:2009 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| iCalendar Transport-Independent Interoperability Protocol (iTIP) | IETF RFC 5546:2009 | FMN5-20231123 | FMN CPWG |
| Extensible Provisioning Protocol (EPP) Domain Name Mapping | IETF RFC 5731:2009 | BINDING- SMTP-V2 | NCIA |
| Transport Layer Security (TLS) Renegotiation Indication Extension | IETF RFC 5746:2010 | SIP-FOR-TLS, FMN5-20231123 | FMN CPWG |
| iCalendar Message-Based Interoperability Protocol (iMIP) | IETF RFC 6047:2010 | FMN5-20231123 | FMN CPWG |
| Transport Layer Security (TLS) Extensions: Extension Definitions | IETF RFC 6066:2011 | SIP-FOR-TLS, FMN5-20231123 | FMN CPWG |
| The Secure Sockets Layer (SSL) Protocol Version 3.0 | IETF RFC 6101:2011 | SIP-FOR-TLS | FMN CPWG |
| Representation and Verification of Domain-Based Application Service Identity within Internet Public Key Infrastructure Using X.509 (PKIX) Certificates in the Context of Transport Layer Security (TLS) | | SIP-FOR-TLS | FMN CPWG |
| SMTP Service Extension for 8-bit MIME Transport | IETF RFC 6152:2011 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Prohibiting Secure Sockets Layer (SSL) Version 2.0 | IETF RFC 6176:2011 | SIP-FOR-TLS | FMN CPWG |
| Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS) Heartbeat Extension | IETF RFC 6520:2012 | SIP-FOR-TLS | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|--|--------------------|-------------------------------|----------------------|
| X.509 Internet Public Key Infrastructure Online Certificate Status Protocol - OCSP | IETF RFC 6960:2013 | SIP-FOR-TLS | FMN CPWG |
| The Transport Layer Security (TLS) Multiple Certificate Status Request Extension | 1 | SIP-FOR-TLS | FMN CPWG |
| Encrypt-then-MAC for Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS) | IETF RFC 7366:2014 | SIP-FOR-TLS | FMN CPWG |
| Security Labels in Internet Email | IETF RFC 7444:2015 | BINDING- SMTP-V2 | NCIA |
| Recommendations for Secure Use of Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS) | IETF RFC 7525:2015 | SIP-FOR-TLS | FMN CPWG |
| Deprecating Secure Sockets Layer Version 3.0 | IETF RFC 7568:2015 | SIP-FOR-TLS | FMN CPWG |
| Transport Layer Security (TLS) Session Hash and Extended Master Secret Extension | IETF RFC 7627:2015 | SIP-FOR-TLS, FMN5-20231123 | FMN CPWG |
| Negotiated Finite Field Diffie- Hellman Ephemeral Parameters for Transport Layer Security (TLS) | IETF RFC 7919:2016 | SIP-FOR-TLS, FMN5-20231123 | FMN CPWG |
| Transmission Control Protocol | IETF RFC 793:1981 | SIP-FOR-TLS | FMN CPWG |
| Message Disposition Notification | IETF RFC 8098:2017 | FMN5-20231123 | FMN CPWG |
| Elliptic Curve Cryptography (ECC) Cipher Suites for Transport Layer Security (TLS) Versions 1.2 and Earlier | | FMN5-20231123 | FMN CPWG |
| The Transport Layer Security (TLS) Protocol Version 1.3 | IETF RFC 8446:2018 | FMN5-20231123 | FMN CPWG |
| Recommendations for Secure Use of Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS) | IETF RFC 9325:2022 | FMN5-20231123 | FMN CPWG |
| The SSL Protocol | IETF RFC SSL2:1995 | SIP-FOR-TLS | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|---|----------------------------|--|----------------------|
| Electronic document file format for long-term preservation Part 1: Use of PDF 1.4 (PDF/A-1) | ISO 19005-1:2005 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Electronic document file format for long-term preservation Part 2: Use of ISO 32000-1 (PDF/A-2) | ISO 19005-2:2011 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Document management — Portable document format — Part 1: PDF 1.7 | ISO 32000-1:2008 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Digital compression and coding of continuous-tone still images: Requirements and guidelines | | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Digital compression and coding of continuous-tone still images: Extensions | | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Coding of moving pictures and associated audio for digital storage media at up to about 1,5 Mbit/s; PCM Part 3: audio | | FMN5-20231123 | NCIA/NSII |
| Generic coding of moving pictures and associated audio information — Part 7: Advanced Audio Coding (AAC) | | FMN5-20231123 | NCIA/CES |
| Generic coding of moving pictures and associated audio information — Part 7: Advanced Audio Coding (AAC) — Amendment 1: Transport of MPEG Surround in AAC | 13818-7:2006/Amd 1:2007 | FMN5-20231123 | FMN CPWG |
| Generic coding of moving pictures and associated audio information — Part 7: Advanced Audio Coding (AAC) — Technical Corrigendum 1 | 13818-7:2006/Cor | FMN5-20231123 | FMN CPWG |
| Generic coding of moving pictures and associated audio information — Part 7: Advanced Audio Coding (AAC) — Technical Corrigendum 2 | 13818-7:2006/Cor | FMN5-20231123 | FMN CPWG |
| Coding of audio-visual objects — Part 10: Advanced video coding | ISO/IEC 14496-10:2022 | FMN5-20231123 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|---|----------------------|
| Computer graphics and image processing — Portable Network Graphics (PNG): Functional specification | | FMN5-20231123 | FMN CPWG |
| Open Document Format for Office Applications (OpenDocument) v1.2 Part 1: OpenDocument Schema | | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Open Document Format for Office Applications (OpenDocument) v1.2 Part 2: Recalculated Formula (OpenFormula) Format | 26300-2:2015 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Open Document Format for Office Applications (OpenDocument) v1.2 Part 3: Packages | | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Office Open XML File Formats Part 1: Fundamentals and Markup Language Reference | | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Confidentiality Metadata Label Syntax | NATO ADatP-4774 Ed A Ver 1:2017 / STANAG 4774 Ed 1 | BINDING- SMTP-V2, FMN4-20211022, FMN5-20231123 | DPC CaP1 DCS CaT |
| Metadata Binding Mechanism | NATO ADatP-4778 Ed A Ver 1:2018 / STANAG 4778 Ed 1 | | DPC CaP1 DCS CaT |
| Profiles for Binding Metadata to a Data Object | NATO ADatP-4778.2 Ed A Ver 1:2020 / STANAG 4778 Ed 1 | | DPC CaP1 DCS CaT |
| NATO Secondary Imagery Format (NSIF) STANAG 4545 Implementation Guide | | FMN3 | NAFAG/ JCGISR |
| NATO Ground Moving Target Indicator (GMTI) Format STANAG 4607 Implementation Guide | | FMN3 | FMN CPWG |
| NATO Intelligence, Surveillance And Reconnaissance Tracking Standard | | FMN3 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party | |
|--|---|---------------------------------|------------------------|--|
| | NATO AEDP-16 (Study) / STANAG (Study) 4716 Ed 1 | FMN3 | NAFAG/ JCGISR | |
| Allied Joint Medical Doctrine For Medical Evacuation | NATO AJMedP-2 Ed A Ver 1:2018 / STANAG 2546 Ed 2 | | MCMedSB / MedStd EM | |
| Captured Persons, Materiel And Documents | NATO AJP-2.5 Ed A:2007 / STANAG 2195 Ed 2 | FMN3 | MCJSB/ JINT | |
| NATO Message Catalogue | NATO APP-11 Ed D Ver 1:2015 / STANAG 7149 Ed 6 | | MCJSB/ IERHWG | |
| NATO Message Catalogue ² | NATO APP-11 (Study) Ed D Ver 2:2017 / STANAG (Study) 7149 Ed 6 | | MCJSB/ IERHWG | |
| Land Operational Reports | NATO ATP-105 Ed A Ver 1:2021 / STANAG 2020 Ed 4 | BSP | MCLSB/ SLIERP | |
| NATO Land Urgent Voice Messages (LUVM) Pocket Book | NATO ATP-97 Ed A Ver 1:2016 / STANAG 2627 Ed 1 | | MCLSB/ SLIERP | |
| NATO Land Urgent Voice Messages (LUVM) Pocket Book | NATO ATP-97 Ed B Ver 1:2020 / STANAG 2627 Ed 2 | BSP | MCLSB/ SLIERP | |
| US Motion Imagery Standards Board (MISB) - Motion Imagimary Standards Profile-2015.1 | P . | FMN3 | FMN CPWG | |
| Air Reconnaissance Intelligence Report Forms | NATO STANAG 3377 Ed 6:2002 | FMN3 | FMN CPWG | |
| XHTML TM 1.0 in XML Schema | W3C XHTML 1.0 in XML Schema:2002 | FMN4-20211022, FMN5-20231123 | FMN CPWG | |
| HTML5 - A vocabulary and associated APIs for HTML and XHTML (2014) | | FMN4-20211022, FMN5-20231123 | FMN CPWG | |
| Text-based Communication Services | | | | |
| NATO Vector Graphics (NVG) 2.0.2 | NATO NVG 2.0.2:2015 | FMN5-20231123 | FMN CPWG | |

| Title | Pubnum | Profiles | Responsible Party |
|---|---|-------------------------------|----------------------|
| Defense Gridded Elevation Data (DGED) Product Implementation Profile (PIP) | | FMN5-20231123 | FMN CPWG |
| ESRI Shapefile Technical Description | ESRI shapefile:1998 | FMN5-20231123 | MCJSB/JGS |
| XML Schema of the Geodatabase | ESRI XML Schema of the Geodatabase:2008 | FMN5-20231123 | FMN CPWG |
| SIP for Binding Metadata to XMPP Stanzas | FMN SIP for Binding Metadata to XMPP Stanzas:2021 | FMN4-20211022 | FMN CPWG |
| Multipurpose Internet Mail Extensions (MIME) Part One: Format of Internet Message Bodies | IETF RFC 2045:1996 | FMN5-20231123 | FMN CPWG |
| Multipurpose Internet Mail Extensions (MIME) Part Two: Media Types | IETF RFC 2046:1996 | FMN5-20231123 | FMN CPWG |
| Multipurpose Internet Mail Extensions (MIME) Part Three: Message Header Extensions for Non- ASCII Text | IETF RFC 2047:1996 | FMN5-20231123 | FMN CPWG |
| Multipurpose Internet Mail Extensions (MIME) Part Five: Conformance Criteria and Example | IETF RFC 2049:1996 | FMN5-20231123 | FMN CPWG |
| The TLS Protocol Version 1.0 | IETF RFC 2246:1999 | SIP-FOR-TLS | FMN CPWG |
| Enhanced Security Services for S/MIME | IETF RFC 2634:1999 | BINDING- XMPP-V2 | NCIA |
| UTF-8, a transformation format of ISO/IEC 10646 | IETF RFC 3629:2003 | FMN3, FMN4-20211022 | FMN CPWG |
| The Text/Plain Format and DelSp Parameters | IETF RFC 3676:2004 | FMN5-20231123 | FMN CPWG |
| Transport Layer Security Protocol Compression Methods | IETF RFC 3749:2004 | SIP-FOR-TLS, FMN5-20231123 | FMN CPWG |
| The Transport Layer Security (TLS) Protocol Version 1.1 | IETF RFC 4346:2006 | SIP-FOR-TLS | FMN CPWG |
| Elliptic Curve Cryptography (ECC) Cipher Suites for Transport Layer Security (TLS) | | SIP-FOR-TLS | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|--|--------------------|--|----------------------|
| URI Fragment Identifiers for the text/plain Media Type | IETF RFC 5147:2008 | FMN5-20231123 | FMN CPWG |
| Transport Layer Security (TLS)The Transport Layer Security (TLS) Protocol Version 1.2 | IETF RFC 5246:2008 | SIP-FOR-TLS, FMN5-20231123 | DPC CaP4 |
| Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile | IETF RFC 5280:2008 | SIP-FOR-TLS | FMN CPWG |
| Internet Calendaring and Scheduling Core Object Specification (iCalendar) | IETF RFC 5545:2009 | FMN5-20231123 | FMN CPWG |
| Transport Layer Security (TLS) Renegotiation Indication Extension | IETF RFC 5746:2010 | SIP-FOR-TLS, FMN5-20231123 | FMN CPWG |
| Transport Layer Security (TLS) Extensions: Extension Definitions | IETF RFC 6066:2011 | SIP-FOR-TLS, FMN5-20231123 | FMN CPWG |
| The Secure Sockets Layer (SSL) Protocol Version 3.0 | IETF RFC 6101:2011 | SIP-FOR-TLS | FMN CPWG |
| Extensible Messaging and Presence Protocol (XMPP): Core | IETF RFC 6120:2011 | BINDING- XMPP-V2, FMN3, FMN4-20211022, FMN5-20231123 | NCIA |
| Extensible Messaging and Presence Protocol (XMPP): Instant Messaging and Presence | IETF RFC 6121:2011 | BINDING- XMPP-V2, FMN3, FMN4-20211022, FMN5-20231123 | NCIA |
| Extensible Messaging and Presence Protocol (XMPP): Address Format | IETF RFC 6122:2011 | BINDING- XMPP-V2, FMN3, FMN4-20211022, FMN5-20231123 | NCIA |
| Representation and Verification of Domain-Based Application Service Identity within Internet Public Key Infrastructure Using X.509 (PKIX) Certificates in the Context of Transport Layer Security (TLS) | | SIP-FOR-TLS | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|--|--------------------|-------------------------------|----------------------|
| SMTP Service Extension for 8-bit MIME Transport | IETF RFC 6152:2011 | FMN5-20231123 | FMN CPWG |
| Prohibiting Secure Sockets Layer (SSL) Version 2.0 | IETF RFC 6176:2011 | SIP-FOR-TLS | FMN CPWG |
| Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS) Heartbeat Extension | IETF RFC 6520:2012 | SIP-FOR-TLS | FMN CPWG |
| X.509 Internet Public Key Infrastructure Online Certificate Status Protocol - OCSP | IETF RFC 6960:2013 | SIP-FOR-TLS | FMN CPWG |
| The Transport Layer Security (TLS) Multiple Certificate Status Request Extension | | SIP-FOR-TLS | FMN CPWG |
| Encrypt-then-MAC for Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS) | | SIP-FOR-TLS | FMN CPWG |
| Recommendations for Secure Use of Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS) | IETF RFC 7525:2015 | SIP-FOR-TLS | FMN CPWG |
| Deprecating Secure Sockets Layer Version 3.0 | IETF RFC 7568:2015 | SIP-FOR-TLS | FMN CPWG |
| Transport Layer Security (TLS) Session Hash and Extended Master Secret Extension | IETF RFC 7627:2015 | SIP-FOR-TLS, FMN5-20231123 | FMN CPWG |
| Negotiated Finite Field Diffie- Hellman Ephemeral Parameters for Transport Layer Security (TLS) | | SIP-FOR-TLS, FMN5-20231123 | FMN CPWG |
| Transmission Control Protocol | IETF RFC 793:1981 | SIP-FOR-TLS | FMN CPWG |
| Message Disposition Notification | IETF RFC 8098:2017 | FMN5-20231123 | FMN CPWG |
| Elliptic Curve Cryptography (ECC) Cipher Suites for Transport Layer Security (TLS) Versions 1.2 and Earlier | | FMN5-20231123 | FMN CPWG |
| The Transport Layer Security (TLS) Protocol Version 1.3 | IETF RFC 8446:2018 | FMN5-20231123 | FMN CPWG |
| Recommendations for Secure Use of Transport Layer Security (TLS) and | | FMN5-20231123 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|---|----------------------------|---------------|----------------------|
| Datagram Transport Layer Security (DTLS) | | | |
| The SSL Protocol | IETF RFC SSL2:1995 | SIP-FOR-TLS | FMN CPWG |
| Electronic document file format for long-term preservation Part 1: Use of PDF 1.4 (PDF/A-1) | ISO 19005-1:2005 | FMN5-20231123 | FMN CPWG |
| Electronic document file format for long-term preservation Part 2: Use of ISO 32000-1 (PDF/A-2) | ISO 19005-2:2011 | FMN5-20231123 | FMN CPWG |
| Document management — Portable document format — Part 1: PDF 1.7 | ISO 32000-1:2008 | FMN5-20231123 | FMN CPWG |
| Digital compression and coding of continuous-tone still images: Requirements and guidelines | | FMN5-20231123 | FMN CPWG |
| Digital compression and coding of continuous-tone still images: Extensions | | FMN5-20231123 | FMN CPWG |
| Coding of moving pictures and associated audio for digital storage media at up to about 1,5 Mbit/s; PCM Part 3: audio | | FMN5-20231123 | NCIA/NSII |
| Generic coding of moving pictures and associated audio information — Part 7: Advanced Audio Coding (AAC) | | FMN5-20231123 | NCIA/CES |
| Generic coding of moving pictures and associated audio information — Part 7: Advanced Audio Coding (AAC) — Amendment 1: Transport of MPEG Surround in AAC | 13818-7:2006/Amd 1:2007 | FMN5-20231123 | FMN CPWG |
| Generic coding of moving pictures and associated audio information — Part 7: Advanced Audio Coding (AAC) — Technical Corrigendum 1 | 13818-7:2006/Cor | FMN5-20231123 | FMN CPWG |
| Generic coding of moving pictures and associated audio information — Part 7: Advanced Audio Coding (AAC) — Technical Corrigendum 2 | 13818-7:2006/Cor | FMN5-20231123 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|---|----------------------|
| Coding of audio-visual objects — Part 10: Advanced video coding | ISO/IEC 14496-10:2022 | FMN5-20231123 | FMN CPWG |
| JPEG 2000 image coding system — Part 1: Core coding system | ISO/IEC 15444-1:2004 | FMN5-20231123 | NCIA/JISR |
| Computer graphics and image processing — Portable Network Graphics (PNG): Functional specification | | FMN5-20231123 | FMN CPWG |
| Open Document Format for Office Applications (OpenDocument) v1.2 Part 1: OpenDocument Schema | I . | FMN5-20231123 | FMN CPWG |
| Open Document Format for Office Applications (OpenDocument) v1.2 Part 2: Recalculated Formula (OpenFormula) Format | 26300-2:2015 | FMN5-20231123 | FMN CPWG |
| Open Document Format for Office Applications (OpenDocument) v1.2 Part 3: Packages | | FMN5-20231123 | FMN CPWG |
| Office Open XML File Formats Part 1: Fundamentals and Markup Language Reference | | FMN5-20231123 | FMN CPWG |
| Performance Specification - Digital Terrain Elevation Data | US DoD PRF-89020B:2000 | FMN5-20231123 | FMN CPWG |
| Friendly Force Tracking Systems (FFTS) Interoperability | NATO ADatP-36 Ed A Ver 2:2021 / STANAG 5527 Ed 1 | FMN4-20211022 | DPC CaP2 FFT CaT |
| Confidentiality Metadata Label Syntax | NATO ADatP-4774 Ed A Ver 1:2017 / STANAG 4774 Ed 1 | | DPC CaP1 DCS CaT |
| Metadata Binding Mechanism | | BINDING- XMPP-V2, FMN4-20211022, FMN5-20231123 | DPC CaP1 DCS CaT |
| Profiles for Binding Metadata to a Data Object | NATO ADatP-4778.2 Ed A Ver 1:2020 / STANAG 4778 Ed 1 | FMN5-20231123 | DPC CaP1 DCS CaT |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|---------------|------------------------|
| NATO Core Data Framework (NCDF) | NATO ADatP-5653 (Study) Ed A Ver 1 / STANAG (Study) 5653 Ed 1 | FMN5-20231123 | DPC CaP1 DM CaT |
| NATO Secondary Imagery Format (NSIF) STANAG 4545 Implementation Guide | | FMN3 | NAFAG/ JCGISR |
| NATO Ground Moving Target Indicator (GMTI) Format STANAG 4607 Implementation Guide | | FMN3 | FMN CPWG |
| NATO Intelligence, Surveillance And Reconnaissance Tracking Standard | | FMN3 | FMN CPWG |
| NATO standardization of measurement and signature intelligence (MASINT) Reporting | (Study) / STANAG | FMN3 | NAFAG/ JCGISR |
| Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) | | FMN5-20231123 | NAAG/ LCGDSS |
| NATO Geospatial Information Framework | NATO AGeoP-11 Ed B Ver 1:2018 / STANAG 2592 Ed 2 | FMN5-20231123 | MCJSB/JGS |
| GeoTIFF Raster Format Specification in a NATO Environment | | FMN5-20231123 | MCJSB/JGS |
| Additional Military Layers (AML) - Digital Geospatial Data Products | NATO AGeoP-19 Ed A Ver 1:2015 / STANAG 7170 Ed 3 | FMN5-20231123 | MCJSB/JGS |
| Allied Joint Medical Doctrine For Medical Evacuation | NATO AJMedP-2 Ed A Ver 1:2018 / STANAG 2546 Ed 2 | · | MCMedSB / MedStd EM |
| Captured Persons, Materiel And Documents | NATO AJP-2.5 Ed A:2007 / STANAG 2195 Ed 2 | FMN3 | MCJSB/ JINT |
| NATO Joint Military Symbology | NATO APP-06 Ed D Ver 1:2017 / STANAG 2019 Ed 7 | FMN5-20231123 | MCJSB/ IERHWG |

| Title | Pubnum | Profiles | Responsible Party |
|--|---|---------------------------------|----------------------|
| NATO Message Catalogue | NATO APP-11 Ed D Ver 1:2015 / STANAG 7149 Ed 6 | FMN4-20211022 | MCJSB/ IERHWG |
| NATO Message Catalogue ² | NATO APP-11 (Study) Ed D Ver 2:2017 / STANAG (Study) 7149 Ed 6 | FMN3 | MCJSB/ IERHWG |
| Land Operational Reports | NATO ATP-105 Ed A Ver 1:2021 / STANAG 2020 Ed 4 | BSP | MCLSB/ SLIERP |
| NATO Land Urgent Voice Messages (LUVM) Pocket Book | | FMN3, FMN4-20211022 | MCLSB/ SLIERP |
| NATO Land Urgent Voice Messages (LUVM) Pocket Book | NATO ATP-97 Ed B Ver 1:2020 / STANAG 2627 Ed 2 | BSP | MCLSB/ SLIERP |
| US Motion Imagery Standards Board (MISB) - Motion Imagimary Standards Profile-2015.1 | | FMN3 | FMN CPWG |
| Air Reconnaissance Intelligence Report Forms | NATO STANAG 3377 Ed 6:2002 | FMN3 | FMN CPWG |
| Vector Smart Map (VMAP) Level 1 | US DoD MIL- PRF-89033:1995 | FMN5-20231123 | FMN CPWG |
| Compressed ARC Digitized Raster Graphics (ADRG) | US DoD MIL- PRF-89038:1994 | FMN5-20231123 | FMN CPWG |
| Vector Smart Map (VMAP) Level 0 | US DoD MIL- PRF-89039:1995 | FMN5-20231123 | FMN CPWG |
| Raster Product Format | NGA MIL- STD-2411:2011 | FMN5-20231123 | FMN CPWG |
| GML in JPEG 2000 for Geographic Imagery Encoding | OGC 08-085r8:2018 | FMN5-20231123 | FMN CPWG |
| XHTML TM 1.0 in XML Schema | W3C XHTML 1.0 in XML Schema:2002 | FMN5-20231123 | FMN CPWG |
| Character Model for the World Wide Web 1.0: Fundamentals | | FMN4-20211022, FMN5-20231123 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|--|-----------------------------|--|-------------------|
| HTML5 - A vocabulary and associated APIs for HTML and XHTML (2014) | | FMN5-20231123 | FMN CPWG |
| Internationalization Tag Set (ITS) Version 1.0 | W3C ITS 1.0:2007 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Internationalization Tag Set (ITS) Version 2.0 | W3C ITS 2.0:2013 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Ruby Annotation | W3C Ruby Annotation:2001 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| XEP-0004: Data Forms (2007/08) | XSF XEP-0004:2007 | FMN3 | FMN CPWG |
| XEP-0004: Data Forms (2020/05) | XSF XEP-0004:2020 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| XEP-0012: Last Activity | XSF XEP-0012:2008 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| XEP-0030: Service Discovery (2008/06) | XSF XEP-0030:2008 | FMN3 | FMN CPWG |
| XEP-0030: Service Discovery (2017/10) | XSF XEP-0030:2017 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| XEP-0045: Multi-User Chat (2012/02) | XSF XEP-0045:2012 | FMN3 | FMN CPWG |
| XEP-0045: Multi-User Chat (2019/05) | XSF XEP-0045:2019 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| XEP-0047: In-Band Bytestreams | XSF XEP-0047:2012 | FMN3, FMN4-20211022 | FMN CPWG |
| XEP-0049: Private XML Storage | XSF XEP-0049:2004 | FMN3 | FMN CPWG |
| XEP-0054: vcard-temp | XSF XEP-0054:2008 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| XEP-0055: Jabber Search | XSF XEP-0055:2009 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| XEP-0059: Result Set Management | XSF XEP-0059:2006 | FMN4-20211022, FMN5-20231123 | NCIA |
| XEP-0060: Publish-Subscribe (2010/07) | XSF XEP-0060:2010 | BINDING- XMPP-V2, FMN3 | NCIA |

| Title | Pubnum | Profiles | Responsible Party |
|--|------------------------------|--|----------------------|
| XEP-0060: Publish-Subscribe (2020/02) | XSF XEP-0060:2020 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| XEP-0065: SOCKS5 Bytestreams | XSF XEP-0065:2011 | FMN3 | FMN CPWG |
| XEP-0068: Field Standardization for Data Forms | XSF XEP-0068:2012 | FMN4-20211022, FMN5-20231123 | NCIA |
| XEP-0082: XMPP Date and Time Profiles | XSF XEP-0082:2013 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| XEP-0092: Software Version | XSF XEP-0092:2007 | FMN3, FMN4-20211022 | FMN CPWG |
| XEP-0106: JID Escaping | XSF XEP-0106:2007 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| XEP-0114: Jabber Component Protocol | XSF XEP-0114:2012 | FMN3, FMN4-20211022 | FMN CPWG |
| XEP-0115: Entity Capabilities (2008/02) | XSF XEP-0115:2008 | FMN3 | FMN CPWG |
| XEP-0115: Entity Capabilities (2020/05) | XSF XEP-0115:2020 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| XEP-0122: Data Forms Validation | XSF XEP-0122:2004 | FMN5-20231123 | NCIA |
| | | FMN5-20231123 | |
| | | FMN5-20231123 | |
| XEP-0141: Data Forms Layout | XSF XEP-0141:2005 | FMN5-20231123 | NCIA |
| XEP-0160: Best Practices for Handling Offline Messages (2016/01) | XSF XEP-0160 Ver 1.0:2016 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| XEP-0198: Stream Management | XSF XEP-0198:2011 | FMN3 | NCIA |
| XEP-0199: XMPP Ping (2009/06) | XSF XEP-0199:2009 | FMN3, FMN4-20211022, FMN5-20231123 | NCIA |
| XEP-0202: Entity Time | XSF XEP-0202:2009 | FMN3, FMN4-20211022, FMN5-20231123 | NCIA |
| XEP-0203: Delayed Delivery | XSF XEP-0203:2009 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| XEP-0220: Server Dialback (2014/08) | XSF XEP-0220:2014 | FMN3 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|---|--------------------|---------------------------------|----------------------|
| XEP-0220: Server Dialback (2015/03) | XSF XEP-0220:2015 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| XEP-0258: Security Labels in XMPP | XSF XEP-0258:2013 | BINDING- XMPP-V2, FMN3 | NCIA |
| XEP-0297: Stanza Forwarding | XSF XEP-0297:2013 | FMN5-20231123 | FMN CPWG |
| XEP-0313: Message Archive Management (2017/02) | XSF XEP-0313:2017 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| XEP-0346: Form Discovery and Publishing | XSF XEP-0346:2017 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Presence Services | | | |
| Extensible Messaging and Presence Protocol (XMPP): Core | IETF RFC 6120:2011 | FMN3, FMN4-20211022 | NCIA |
| Extensible Messaging and Presence Protocol (XMPP): Instant Messaging and Presence | IETF RFC 6121:2011 | FMN3, FMN4-20211022 | NCIA |
| Extensible Messaging and Presence Protocol (XMPP): Address Format | IETF RFC 6122:2011 | FMN3, FMN4-20211022 | NCIA |
| XEP-0004: Data Forms (2007/08) | XSF XEP-0004:2007 | FMN3 | FMN CPWG |
| XEP-0012: Last Activity | XSF XEP-0012:2008 | FMN3, FMN4-20211022 | FMN CPWG |
| XEP-0030: Service Discovery (2008/06) | XSF XEP-0030:2008 | FMN3 | FMN CPWG |
| XEP-0030: Service Discovery (2017/10) | XSF XEP-0030:2017 | FMN4-20211022 | FMN CPWG |
| XEP-0045: Multi-User Chat (2012/02) | XSF XEP-0045:2012 | FMN3 | FMN CPWG |
| XEP-0045: Multi-User Chat (2019/05) | XSF XEP-0045:2019 | FMN4-20211022 | FMN CPWG |
| XEP-0047: In-Band Bytestreams | XSF XEP-0047:2012 | FMN3, FMN4-20211022 | FMN CPWG |
| XEP-0049: Private XML Storage | XSF XEP-0049:2004 | FMN3 | FMN CPWG |
| XEP-0054: vcard-temp | XSF XEP-0054:2008 | FMN3, FMN4-20211022 | FMN CPWG |
| XEP-0055: Jabber Search | XSF XEP-0055:2009 | FMN3, FMN4-20211022 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|--|-------------------|------------------------|----------------------|
| XEP-0059: Result Set Management | XSF XEP-0059:2006 | FMN4-20211022 | NCIA |
| XEP-0060: Publish-Subscribe (2010/07) | XSF XEP-0060:2010 | FMN3 | NCIA |
| XEP-0060: Publish-Subscribe (2020/02) | XSF XEP-0060:2020 | FMN4-20211022 | FMN CPWG |
| XEP-0065: SOCKS5 Bytestreams | XSF XEP-0065:2011 | FMN3 | FMN CPWG |
| XEP-0082: XMPP Date and Time Profiles | XSF XEP-0082:2013 | FMN4-20211022 | FMN CPWG |
| XEP-0092: Software Version | XSF XEP-0092:2007 | FMN3, FMN4-20211022 | FMN CPWG |
| XEP-0106: JID Escaping | XSF XEP-0106:2007 | FMN4-20211022 | FMN CPWG |
| XEP-0114: Jabber Component Protocol | XSF XEP-0114:2012 | FMN3, FMN4-20211022 | FMN CPWG |
| XEP-0115: Entity Capabilities (2008/02) | XSF XEP-0115:2008 | FMN3 | FMN CPWG |
| XEP-0115: Entity Capabilities (2020/05) | XSF XEP-0115:2020 | FMN4-20211022 | FMN CPWG |
| XEP-0160: Best Practices for Handling Offline Messages (2016/01) | | FMN3, FMN4-20211022 | FMN CPWG |
| XEP-0198: Stream Management | XSF XEP-0198:2011 | FMN3 | NCIA |
| XEP-0199: XMPP Ping (2009/06) | XSF XEP-0199:2009 | FMN3, FMN4-20211022 | NCIA |
| XEP-0202: Entity Time | XSF XEP-0202:2009 | FMN3, FMN4-20211022 | NCIA |
| XEP-0203: Delayed Delivery | XSF XEP-0203:2009 | FMN3, FMN4-20211022 | FMN CPWG |
| XEP-0220: Server Dialback (2014/08) | XSF XEP-0220:2014 | FMN3 | FMN CPWG |
| XEP-0220: Server Dialback (2015/03) | XSF XEP-0220:2015 | FMN4-20211022 | FMN CPWG |
| XEP-0258: Security Labels in XMPP | XSF XEP-0258:2013 | FMN3 | NCIA |
| XEP-0313: Message Archive Management (2017/02) | XSF XEP-0313:2017 | FMN4-20211022 | FMN CPWG |
| Video-based Communication Servi | ices | | |

| Title | Pubnum | Profiles | Responsible Party |
|---|--------------------|--|----------------------|
| Session Initiation Protocol (SIP) | IETF RFC 3261:2002 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Reliability of Provisional Responses in the Session Initiation Protocol (SIP) | | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| An Offer/Answer Model with the Session Description Protocol (SDP) | IETF RFC 3264:2002 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| The Session Initiation Protocol (SIP) UPDATE Method | IETF RFC 3311:2002 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| RTP: A Transport Protocol for Real- Time Applications | IETF RFC 3550:2003 | FMN5-20231123 | FMN CPWG |
| Session Timers in the Session Initiation Protocol (SIP) | IETF RFC 4028:2005 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| A Border Gateway Protocol 4 (BGP-4) | IETF RFC 4271:2006 | FMN5-20231123 | FMN CPWG |
| A Framework for Conferencing with the Session Initiation Protocol (SIP) | IETF RFC 4353:2006 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Extending the Session Initiation Protocol (SIP) Reason Header for Preemption Events | | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Communications Resource Priority for the Session Initiation Protocol (SIP) | IETF RFC 4412:2006 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| SDP: Session Description Protocol | IETF RFC 4566:2006 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Session Initiation Protocol (SIP) Call Control - Conferencing for User Agents | | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| RTP Payload for DTMF Digits, Telephony Tones, and Telephony Signals | IETF RFC 4733:2006 | FMN5-20231123 | FMN CPWG |
| Multiprotocol Extensions for BGP-4 | IETF RFC 4760:2007 | FMN5-20231123 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|---|--------------------|--|----------------------|
| The Generalized TTL Security Mechanism (GTSM) | IETF RFC 5082:2007 | FMN5-20231123 | FMN CPWG |
| Conference Establishment Using Request-Contained Lists in the Session Initiation Protocol (SIP) | IETF RFC 5366:2008 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Capabilities Advertisement with BGP-4 | IETF RFC 5492:2009 | FMN5-20231123 | FMN CPWG |
| Bidirectional Forwarding Detection (BFD) | IETF RFC 5880:2010 | FMN5-20231123 | FMN CPWG |
| Bidirectional Forwarding Detection (BFD) for IPv4 and IPv6 (Single Hop) | | FMN5-20231123 | FMN CPWG |
| Bidirectional Forwarding Detection (BFD) for Multihop Paths | IETF RFC 5883:2010 | FMN5-20231123 | FMN CPWG |
| RTP Payload Format for H.264 Video | IETF RFC 6184:2011 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Autonomous-System-Wide Unique BGP Identifier for BGP-4 | IETF RFC 6286:2011 | FMN5-20231123 | FMN CPWG |
| SIP-Specific Event Notification | IETF RFC 6665:2012 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| BGP Support for Four-Octet Autonomous System (AS) Number Space | IETF RFC 6793:2012 | FMN5-20231123 | FMN CPWG |
| Revised Error Handling for BGP UPDATE Messages | IETF RFC 7606:2015 | FMN5-20231123 | FMN CPWG |
| RTP Topologies | IETF RFC 7667:2015 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Default External BGP (EBGP) Route Propagation Behavior without Policies | | FMN5-20231123 | FMN CPWG |
| Notation for national and international telephone numbers, e-mail addresses and web addresses | ITU-T E.123:2001 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|---|-------------------------------|---|----------------------|
| The international public telecommunication numbering plan | ITU-T E.164:2010 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Pulse code modulation (PCM) of voice frequencies | ITU-T G.711:1988 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Low-complexity coding at 24 and 32 kbit/s for hands-free operation in systems with low frame loss | ITU-T G.722.1:2005 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Low-complexity coding at 24 and 32 kbit/s for hands-free operation in systems with low frame loss | | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Coding of speech at 8 kbit/s using conjugate-structure algebraic-code-excited linear prediction (CS-ACELP) | ITU-T G.729:2012 | FMN5-20231123 | FMN CPWG |
| Advanced video coding for generic audiovisual services | ITU-T H.264:2017 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| International Network Numbering for Communications Systems in use in NATO | | BSP, FMN3, FMN4-20211022, FMN5-20231123 | |
| The NATO Military Communications Directory System | NATO STANAG 5046 Ed 4:2015 | BSP | DPC CaP1 N&S CaT |
| Infrastructure Services | | | |
| RTP: A Transport Protocol for Real- Time Applications | IETF RFC 3550:2003 | BSP | FMN CPWG |
| Digital compression and coding of continuous-tone still images: Registration of JPEG profiles, SPIFF profiles, SPIFF tags, SPIFF colour spaces, APPn markers, SPIFF compression types and Registration Authorities (REGAUT) | 10918-4:1999 | BSP | NCIA/CES |
| Coding of moving pictures and associated audio for digital storage media at up to about 1,5 Mbit/s; PCM Part 3: audio | 11172-3:1993 | BSP | NCIA/NSII |

| Title | Pubnum | Profiles | Responsible Party |
|--|---|----------|----------------------|
| Generic Coding of Moving Pictures and Associated Audio (MPEG-2) | ISO/IEC 13818:2000 | BSP | NCIA/CES |
| Coding of Moving Pictures and Audio (MPEG-4) | ISO/IEC 14496:1999 | BSP | NCIA/CES |
| Open Virtualization Format (OVF) specification | ISO/IEC 17203:2017 | BSP | NCIA/CES |
| 7 kHz Audio-Coding within 64 kbit/s | ITU-T G.722:2012 | BSP | FMN CPWG |
| Coding of speech at 8 kbit/s using conjugate-structure algebraic-code-excited linear prediction (CS-ACELP) | | BSP | FMN CPWG |
| Video coding for low bit rate communication | ITU-T H.263:2005 | BSP | FMN CPWG |
| Advanced video coding for generic audiovisual services | ITU-T H.264:2017 | BSP | FMN CPWG |
| NATO Advanced Data Storage Interface (NADSI) Requirements And Implementation Guide | | BSP | NAFAG/ JCGISR |
| NATO Ground Moving Target Indicator (GMTI) Format STANAG 4607 Implementation Guide | | BSP | FMN CPWG |
| Air Reconnaissance Primary Imagery Data Standard | NATO AEDP-09 Ed 1:2006 / STANAG 7023 Ed 4 | BSP | NAFAG/ JCGISR |
| NGA Motion Imagery Standards Profile | NATO MISP-2019.1:2018 / STANAG 4609 Ed 5 | BSP | NAFAG/ JCGISR |
| Exchange of Imagery | NATO STANAG 3764 Ed 6:2015 | BSP | MCJSB/ JINT JISRP |
| Parameters and Coding Standards for 800 bps Digital Speach Encoder/Decoder | | BSP | DPC CaP1 BLOS CaT |
| NATO Standard ISR Library Interface (NSILI) | NATO STANAG 4559 Ed 3:2010 | BSP | FMN CPWG |
| NATO Imagery Interpretability Rating Scale (NIIRS) | NATO STANAG 7194 Ed 1:2009 | BSP | MCJSB/ JINT JISRP |

| Title | Pubnum | Profiles | Responsible Party |
|---|------------------------------|------------------------|----------------------|
| X Window System, Version 11, release 7.5:2009 | X-CONSORTIUM X11R7.5:2009 | BSP | NCIA/CES |
| Domain Name Services | | | |
| Domain names - concepts and facilities | IETF RFC 1034:1987 | FMN3, FMN4-20211022 | FMN CPWG |
| Domain names - implementation and specification | IETF RFC 1035:1987 | FMN3, FMN4-20211022 | FMN CPWG |
| Clarifications to the DNS Specification | IETF RFC 2181:1997 | FMN3, FMN4-20211022 | FMN CPWG |
| A DNS RR for specifying the location of services (DNS SRV) | IETF RFC 2782:2000 | FMN3, FMN4-20211022 | FMN CPWG |
| Distributing Authoritative Name Servers via Shared Unicast Addresses | | FMN3, FMN4-20211022 | FMN CPWG |
| DNS Security (DNSSEC) Introduction | IETF RFC 4033:2005 | FMN4-20211022 | NCIA/CS |
| Resource Records for the DNS Security Extensions | IETF RFC 4034:2005 | FMN4-20211022 | FMN CPWG |
| Protocol Modifications for the DNS Security Extensions | IETF RFC 4035:2005 | FMN4-20211022 | FMN CPWG |
| Use of SHA-256 in DNSSEC Delegation Signer (DS) Resource Records (RRs) | IETF RFC 4509:2006 | FMN4-20211022 | FMN CPWG |
| Operation of Anycast Services | IETF RFC 4786:2006 | FMN3, FMN4-20211022 | FMN CPWG |
| DNS Security (DNSSEC) Hashed Authenticated Denial of Existence | IETF RFC 5155:2008 | FMN4-20211022 | FMN CPWG |
| Use of SHA-2 Algorithms with RSA in DNSKEY and RRSIG Resource Records for DNSSEC | IETF RFC 5702:2009 | FMN4-20211022 | FMN CPWG |
| DNS Zone Transfer Protocol (AXFR) | IETF RFC 5936:2010 | FMN3, FMN4-20211022 | FMN CPWG |
| DNS Transport over TCP - Implementation Requirements | IETF RFC 5966:2010 | FMN3, FMN4-20211022 | FMN CPWG |
| Unique Origin Autonomous System Numbers (ASNs) per Node for Globally Anycasted Services | | FMN3, FMN4-20211022 | FMN CPWG |

| revision. | v15.0-final-77- | a702f531 |
|-----------|-------------------|----------|
| TEVISION. | v 13.0-1111ai-11- | g/021331 |

| Title | Pubnum | Profiles | Responsible Party |
|---|--------------------|--|----------------------|
| Extension Mechanisms for DNS (EDNS(0)) | IETF RFC 6891:2013 | FMN3, FMN4-20211022 | FMN CPWG |
| Architectural Considerations of IP Anycast | IETF RFC 7094:2014 | FMN3, FMN4-20211022 | FMN CPWG |
| Distributed Time Services | | | |
| Precision Clock Synchronization Protocol for Networked Measurement and Control Systems | | BSP | NCIA/NSII |
| The MD5 Message-Digest Algorithm | IETF RFC 1321:1992 | FMN5-20231123 | FMN CPWG |
| Network Time Protocol (NTP) Version 4: Protocol and Algorithms Specification | | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Standard-frequency and time-signal emissions. Annex 1: Coordinated universal time (UTC) | | FMN3, FMN4-20211022 | FMN CPWG |
| Working with Time Zones | W3C timezone:2005 | BSP | NCIA/CTO/ SEA |
| Digital Certificate Services | | | |
| More Modular Exponential (MODP) Diffie-Hellman groups for Internet Key Exchange (IKE) | | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Lightweight Directory Access Protocol (LDAP) - X.509 Certificate Schema | | FMN3 | FMN CPWG |
| Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile | | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| X.509 Internet Public Key Infrastructure Online Certificate Status Protocol - OCSP | | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Textual Encodings of PKIX, PKCS, and CMS Structures | IETF RFC 7468:2015 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Information technology - Open Systems Interconnection - The | | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|--|-------------------------------|--|----------------------|
| Directory: Public-key and attribute certificate frameworks | | | |
| Secure Hash Standard (SHS) | NIST FIPS PUB 180-4:2015 | FMN3, FMN4-20211022, FMN5-20231123 | DPC CaP4 |
| Digital Signature Standard (DSS) | NIST FIPS PUB 186-4:2013 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Advanced Encryption Standard (AES) | NIST FIPS PUB 197:2001 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Recommendation for Pair-Wise Key Establishment Schemes Using Discrete Logarithm Cryptography | NIST SP 800-56A Rev 2:2013 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Recommendation for Pair-Wise Key-Establishment Schemes Using Discrete Logarithm Cryptography | | FMN3 | FMN CPWG |
| Recommendation for Pair-Wise KeyEstablishment Schemes Using Integer Factorization Cryptography | | FMN3 | FMN CPWG |
| Recommendation for Pair-Wise Key Establishment Using Integer Factorization Cryptography | | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Authentication Services | | | |
| A summary of the X.500(96) User Schema for Use with LDAPv3 | IETF RFC 2256:1997 | FMN3, FMN4-20211022 | FMN CPWG |
| Definition of the inetOrgPerson LDAP Object Class | IETF RFC 2798:2000 | FMN3, FMN4-20211022 | FMN CPWG |
| Uniform Resource Identifiers (URI): Generic Syntax | IETF RFC 3986:2005 | FMN3, FMN4-20211022 | FMN CPWG |
| The Use of Galois/Counter Mode (GCM) in IPsec Encapsulating Security Payload (ESP) | | FMN5-20231123 | FMN CPWG |
| IP Encapsulating Security Payload (ESP) | IETF RFC 4303:2005 | FMN5-20231123 | FMN CPWG |
| Lightweight Directory Access Protocol (LDAP) - Schema for User Applications | | FMN3, FMN4-20211022 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|--|--|------------------------|----------------------|
| IKE and IKEv2 Authentication Using the Elliptic Curve Digital Signature Algorithm (ECDSA) | | FMN5-20231123 | DPC CaP4 |
| Using HMAC-SHA-256, HMAC-SHA-384, and HMAC-SHA-512 with IPsec | | FMN5-20231123 | FMN CPWG |
| Internet Message Format | IETF RFC 5322:2008 | FMN3, FMN4-20211022 | NCIA |
| Elliptic Curve Groups modulo a Prime (ECP Groups) for IKE and IKEv2 | | FMN5-20231123 | FMN CPWG |
| Internet Key Exchange Protocol Version 2 (IKEv2) | IETF RFC 7296:2014 | FMN5-20231123 | FMN CPWG |
| Algorithm Implementation Requirements and Usage Guidance for the Internet Key Exchange Protocol Version 2 (IKEv2) | | FMN5-20231123 | FMN CPWG |
| OASIS Security Services (SAML) | OASIS saml:2009 | FMN3 | NCIA |
| OASIS SAML V2.0 Metadata Interoperability Profile | OASIS SAML V2.0:2005 | FMN4-20211022 | FMN CPWG |
| Infrastructure Cryptography Servi | ices | | |
| HMAC: Keyed-Hashing for Message Authentication | IETF RFC 2104:1997 | BINDING- CRYPTO-V2 | NCIA |
| Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile | IETF RFC 5280:2008 | BINDING- CRYPTO-V2 | FMN CPWG |
| Secure/Multipurpose Internet Mail Extensions (S/MIME) Version 3.2 Message Specification | | BINDING- CRYPTO-V2 | NCIA |
| Additional XML Security Uniform Resource Identifiers (URIs) | IETF RFC 6931:2013 | BINDING- CRYPTO-V2 | NCIA |
| JSON Web Signature (JWS) | IETF RFC 7515:2015 | BINDING- CRYPTO-V2 | NCIA |
| Confidentiality Metadata Label Syntax | NATO ADatP-4774 Ed A Ver 1:2017 / STANAG 4774 Ed 1 | BINDING- CRYPTO-V2 | DPC CaP1 DCS CaT |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|---------------------------------|---------------------|
| Metadata Binding Mechanism | NATO ADatP-4778 Ed A Ver 1:2018 / STANAG 4778 Ed 1 | | DPC CaP1 DCS CaT |
| Web Services Security: SOAP Message Security 1.1 | OASIS WSS- SOAPMessage Security Ver 1.1:2006 | BINDING- CRYPTO-V2 | NCIA/CES |
| XML Security Algorithm Cross- Reference | 1 | BINDING- CRYPTO-V2 | NCIA |
| XML-Signature Syntax and Processing (Second Edition) | W3C REC-xmldsig- core:2013 | BINDING- CRYPTO-V2 | NCIA |
| Errata for XML Signature 2nd Edition | W3C REC-xmldsig- core:2014 | BINDING- CRYPTO-V2 | NCIA |
| XML Signature Syntax and Processing Version 1.1 | W3C REC-xmldsig- core1:2013 | BINDING- CRYPTO-V2 | NCIA |
| XML Encryption Syntax and Processing | W3C REC-xmlenc-core:2002 | BINDING- CRYPTO-V2 | NCIA |
| XML Encryption Syntax and Processing Version 1.1 | W3C REC-xmlenc-core1:2013 | BINDING- CRYPTO-V2 | NCIA |
| XML Path Language 1.0 | W3C REC-xpath:1999 | BINDING- CRYPTO-V2 | NCIA |
| XML Pointer Language (Xpointer) | W3C wd-xptr:2002 | BINDING- CRYPTO-V2 | NCIA |
| Infrastructure Processing Services | | | |
| Open Virtualization Format (OVF) Specification Ver 2.0.1 | DMTF OVF 2.0.1 (DSP0243):2013 | BSP | DPC CaP1 |
| X Window System, Version 11, release 7.5:2009 | X-CONSORTIUM X11R7.5:2009 | BSP | NCIA/CES |
| Virtualized Processing Services | | | <u> </u> |
| Open Virtualization Format (OVF) specification | ISO/IEC 17203:2017 | BSP | NCIA/CES |
| Virtual Hard Disk (VHD) Image Format Specification | | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Virtual Disk Format 5.0 | VMware VDDK 5.0:2011 | FMN4-20211022, FMN5-20231123 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|--|---|-------------------------------|-------------------|
| Virtualization Management Service | es | I | |
| Information technology — Virtualization Management Specification | ISO/IEC 19099:2014 | BSP | NCIA/CES |
| File System Storage Services | | | |
| Data Protocols for Multimedia Conferencing | ITU-T T.120:2007 | BSP | NCIA/NSII |
| Virtualized Storage Services | | | |
| Information technology - Cloud Data Management Interface (CDMI) | ISO/IEC 17826:2016 | BSP | NCIA/CES |
| Platform Services | | | |
| Representational State Transfer (REST) | ACM 2002-REST- TOIT:2000 | BSP | FMN CPWG |
| Atom Publishing Protocol | IETF RFC 5023:2007 | BSP | FMN CPWG |
| OASIS ebXML Registry Information Model Version 3.0 | OASIS ebXML RIM Ver 3.0:2005 | BSP | NCIA/CES |
| Simple Object Access Protocol (SOAP) 1.1 | W3C SOAP 1.1:2000 | BSP | NCIA |
| Web Services Addressing 1.0 - Metadata | W3C REC-ws-addr- metadata:2007 | BSP | NCIA/CES |
| Web Services Addressing 1.0 - SOAP Binding | W3C REC-ws-addr-soap:2006 | BSP | NCIA/CES |
| Platform CIS Security Services | | | |
| Digital Signature Algorithm RSA 2048 | RSA PKCS#1 v2.1:2002 | BSP | NCIA/CS |
| XML Signature Syntax and Processing (2nd ed.):2008 | W3C xmldsig- core:2008 | BSP | NCIA/CES |
| Policy Decision Point Services | | | |
| Biometrics Data, Interchange, Watchlisting and Reporting | NATO AEDP-15 Ed A Ver 1:2013 / STANAG 4715 Ed 1 | BSP | NAFAG/ JCGISR |
| Information Labeling Services | | | |
| XMP Specification Part 3 - Storage in Files Ver 2016 | ADOBE XMP Specification Part 3 Ver 2016:2016 | BINDING- EXTENSIBLE- V2 | NCIA |

| Title | Pubnum | Profiles | Responsible Party |
|---|--------------------|---|----------------------|
| HMAC: Keyed-Hashing for Message Authentication | IETF RFC 2104:1997 | BINDING- CRYPTO-V2 | NCIA |
| Key words for use in RFCs to Indicate Requirement Levels | IETF RFC 2119:1997 | BINDING- COMMON-XML | NCIA |
| MIME Parameter Value and Encoded Word Extensions: Character Sets, Languages, and Continuations | IETF RFC 2231:1997 | BINDING- REST-V2, BINDING- SMTP-V2 | NCIA |
| Content-ID and Message-ID Uniform Resource Locators | IETF RFC 2392:1998 | BINDING- SMTP-V2 | NCIA/CES |
| Enhanced Security Services for S/MIME | IETF RFC 2634:1999 | BINDING- XMPP-V2 | NCIA |
| Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile | IETF RFC 5280:2008 | BINDING- CRYPTO-V2 | FMN CPWG |
| Internet Message Format | IETF RFC 5322:2008 | BINDING- SMTP-V2 | NCIA |
| Extensible Provisioning Protocol (EPP) Domain Name Mapping | IETF RFC 5731:2009 | BINDING- SMTP-V2 | NCIA |
| Secure/Multipurpose Internet Mail Extensions (S/MIME) Version 3.2 Message Specification | IETF RFC 5751:2010 | BINDING- CRYPTO-V2 | NCIA |
| Extensible Messaging and Presence Protocol (XMPP): Core | IETF RFC 6120:2011 | BINDING- XMPP-V2 | NCIA |
| Extensible Messaging and Presence Protocol (XMPP): Instant Messaging and Presence | | BINDING- XMPP-V2 | NCIA |
| Extensible Messaging and Presence Protocol (XMPP): Address Format | IETF RFC 6122:2011 | BINDING- XMPP-V2 | NCIA |
| Additional XML Security Uniform Resource Identifiers (URIs) | IETF RFC 6931:2013 | BINDING- CRYPTO-V2 | NCIA |
| Hypertext Transfer Protocol (HTTP/1.1): Message Syntax and Routing | IETF RFC 7230:2014 | BINDING- REST-V2 | NCIA/CES |
| Security Labels in Internet Email | IETF RFC 7444:2015 | BINDING- REST-V2, | NCIA |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|--|----------------------|
| | | BINDING- SMTP-V2 | |
| JSON Web Signature (JWS) | IETF RFC 7515:2015 | BINDING- CRYPTO-V2 | NCIA |
| Graphic Technology - Extensible metadata platform (XMP) specification - Part 1: Data model, serialization and core propertie | ISO 16684-1:2012 | BINDING- EXTENSIBLE- V2 | NCIA |
| Information Technology - Document Schema Definition Languages (DSDL) - Part 3: Rules-based validation - Schematron Second Edition | ISO 19757-3:2016 | BINDING- COMMON-XML | NCIA |
| Office Open XML File Formats Part 2: Open Packaging Conventions | | BINDING- GENERIC-V2, BINDING- OOXML-V2 | NCIA |
| Information Technology - Security Techniques - Security information objects for access control | ITU-T X.841:2000 | BINDING- REST-V2 | NCIA |
| Confidentiality Metadata Label Syntax | NATO ADatP-4774 Ed A Ver 1:2017 / STANAG 4774 Ed 1 | BINDING-COMMON-XML, BINDING-CRYPTO-V2, BINDING-EXTENSIBLE-V2, BINDING-GENERIC-V2, BINDING-OOXML-V2, BINDING-REST-V2, BINDING-SIDECAR-V2, BINDING-SIDECAR-V2, BINDING-SMTP-V2, BINDING-SOAP, BINDING-SOAP, BINDING- | DPC CaP1 DCS CaT |

| Title | Pubnum | Profiles | Responsible Party |
|--|--|---|----------------------|
| | | WSMP-V2, BINDING- XMPP-V2 | |
| Metadata Binding Mechanism | NATO ADatP-4778 Ed A Ver 1:2018 / STANAG 4778 Ed 1 | BINDING- COMMON- XML, BINDING- CRYPTO-V2, BINDING- EXTENSIBLE- V2, BINDING- GENERIC-V2, BINDING- OOXML-V2, BINDING- REST-V2, BINDING- SIDECAR-V2, BINDING- SMTP-V2, BINDING- SMTP-V2, BINDING- SOAP, BINDING- WSMP-V2, BINDING- XMPP-V2 | DPC CaP1 DCS CaT |
| Context/Value Association using Genericode Ver 1.0 | OASIS Context/ Value Association Ver 1.0:2010 | BINDING- COMMON-XML | NCIA |
| Code List Representation (Genericode) Ver 1.0 (2007) | | BINDING- COMMON-XML | NCIA |
| Web Services Security: SOAP Message Security 1.1 | OASIS WSS- SOAPMessage Security Ver 1.1:2006 | BINDING- CRYPTO-V2 | NCIA/CES |
| Simple Object Access Protocol (SOAP) 1.1 | W3C SOAP 1.1:2000 | BINDING-SOAP | NCIA |
| XML Security Algorithm Cross- Reference | | BINDING- CRYPTO-V2 | NCIA |

| Title | Pubnum | Profiles | Responsible Party |
|---|---------------------------------|--|-------------------------------|
| Resource Description Framework (RDF) 1.1 Concepts and Abstract Syntax | | BINDING- EXTENSIBLE- V2 | NCIA/CES |
| Resource Description Framework (RDF) Primer | W3C RDF Primer:2004 | BINDING- EXTENSIBLE- V2 | NCIA |
| SOAP Version 1.2 Part 1: Messaging Framework | W3C REC-soap12- part1:2007 | BINDING-SOAP | NCIA |
| Associating Style Sheets with XML documents, Version 1.0 | W3C REC-xml- stylesheet:1999 | BINDING- COMMON-XML | NCIA/CES |
| eXtensible Markup Language (XML) 1.0 (Fifth Edition) | W3C XML 1.0 (Fith Edition):2008 | BINDING- EXTENSIBLE- V2 | FMN CPWG |
| XML-Signature Syntax and Processing (Second Edition) | W3C REC-xmldsig-core:2013 | BINDING- CRYPTO-V2, BINDING-SOAP | NCIA |
| Errata for XML Signature 2nd Edition | W3C REC-xmldsig- core:2014 | BINDING- CRYPTO-V2 | NCIA |
| XML Signature Syntax and Processing Version 1.1 | W3C REC-xmldsig- core1:2013 | BINDING- CRYPTO-V2 | NCIA |
| XML Encryption Syntax and Processing | W3C REC-xmlenc-core:2002 | BINDING- CRYPTO-V2 | NCIA |
| XML Encryption Syntax and Processing Version 1.1 | W3C REC-xmlenc-core1:2013 | BINDING- CRYPTO-V2 | NCIA |
| W3C XML Schema Definition Language (XSD) 1.1 Part 1: Structures | | BINDING- COMMON-XML | NATO Archives Committee |
| XML Path Language 1.0 | W3C REC-xpath:1999 | BINDING- CRYPTO-V2 | NCIA |
| XML Pointer Language (Xpointer) | W3C wd-xptr:2002 | BINDING- CRYPTO-V2 | NCIA |
| Open XML SPIF | XML SPIF Open XML SPIF:2010 | BINDING- COMMON-XML | NCIA |
| XEP-0060: Publish-Subscribe (2010/07) | XSF XEP-0060:2010 | BINDING- XMPP-V2 | NCIA |
| XEP-0258: Security Labels in XMPP | XSF XEP-0258:2013 | BINDING- XMPP-V2 | NCIA |

| Title | Pubnum | Profiles | Responsible Party |
|---|--------------------|---------------|-------------------|
| Platform Guard Services | | | |
| Secure Shell (SSH) | IETF RFC 4250:2006 | BSP | DPC CaP4 |
| Transport Layer Security (TLS)The Transport Layer Security (TLS) Protocol Version 1.2 | | BSP | DPC CaP4 |
| Security Token Services | | | |
| Definition of the inetOrgPerson LDAP Object Class | IETF RFC 2798:2000 | FMN5-20231123 | FMN CPWG |
| Uniform Resource Identifiers (URI): Generic Syntax | IETF RFC 3986:2005 | FMN5-20231123 | FMN CPWG |
| Lightweight Directory Access Protocol (LDAP) - Schema for User Applications | | FMN5-20231123 | FMN CPWG |
| The Kerberos v5 Simple Authentication and Security Layer (SASL) Mechanism | IETF RFC 4752:2006 | BSP | FMN CPWG |
| Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile | IETF RFC 5280:2008 | BSP | FMN CPWG |
| Internet Message Format | IETF RFC 5322:2008 | FMN5-20231123 | NCIA |
| The OAuth 2.0 Authorization Framework | IETF RFC 6749:2012 | FMN5-20231123 | NCIA |
| JSON Web Token (JWT) | IETF RFC 7519:2015 | FMN5-20231123 | FMN CPWG |
| Assertion Framework for OAuth 2.0 Client Authentication and Authorization Grants | | FMN5-20231123 | NCIA |
| Security Assertion Markup Language (SAML) 2.0 Profile for OAuth 2.0 Client Authentication and Authorization Grants | | FMN5-20231123 | NCIA |
| JSON Web Token (JWT) Profile for OAuth 2.0 Client Authentication and Authorization Grants | IETF RFC 7523:2015 | FMN5-20231123 | FMN CPWG |
| Proof-of-Possession Key Semantics for JSON Web Tokens (JWTs) | IETF RFC 7800:2016 | FMN5-20231123 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|--|----------------------|
| OAuth 2.0 Authorization Server Metadata | IETF RFC 8414:2018 | FMN5-20231123 | FMN CPWG |
| OAuth 2.0 Token Exchange | IETF RFC 8693:2020 | FMN5-20231123 | FMN CPWG |
| Resource Indicators for OAuth 2.0 | IETF RFC 8707:2020 | FMN5-20231123 | FMN CPWG |
| JSON Web Token (JWT) Profile for OAuth 2.0 Access Tokens | IETF RFC 9068:2021 | FMN5-20231123 | FMN CPWG |
| OASIS SAML V2.0 Metadata Interoperability Profile | OASIS SAML V2.0:2005 | FMN5-20231123 | FMN CPWG |
| Web Services Federation Language (WS-Federation) Version 1.2 | OASIS WS- Federation Ver 1.2:2009 | BSP | NCIA/CES |
| Web Services Security: SOAP Message Security 1.1 | OASIS WSS- SOAPMessage Security Ver 1.1:2006 | FMN5-20231123 | NCIA/CES |
| WS-Trust 1.4 | OASIS WS-Trust Ver 1.4:2012 | FMN5-20231123 | NCIA/CS |
| Web Services Policy 1.5 - Guidelines for Policy Assertion Authors | W3C NOTE-ws-policy-guidelines:2007 | BSP | NCIA/CS |
| Web Services Policy 1.5 - Primer | W3C NOTE-ws-policy-primer:2007 | BSP | NCIA/CS |
| Web Services Policy 1.5 - Framework | W3C REC-ws-policy:2007 | BSP | NCIA/CS |
| Relational Database Services | | | |
| Open Database Connectivity (ODBC) 3.8 Programmer's Reference | Microsoft MSDN- ODBCPR 3.8:1996 | BSP | NCIA/CES |
| Joint C3 Information Exchange Data Model (JC3IEDM) | NATO STANAG 5525 Ed 1:2007 | BSP | DPC CaP1 DM CaT |
| Directory Services | | | , |
| Common Directory Services and Procedures | CCEB ACP 133(C):2007 | BSP | DPC NACP CaT |
| The TLS Protocol Version 1.0 | IETF RFC 2246:1999 | SIP-FOR-TLS | FMN CPWG |
| Definition of the inetOrgPerson LDAP Object Class | IETF RFC 2798:2000 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|--|--------------------|---------------------------------|-------------------|
| The LDAP Data Interchange Format (LDIF) - Technical Specification | IETF RFC 2849:2000 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Transport Layer Security Protocol Compression Methods | IETF RFC 3749:2004 | SIP-FOR-TLS, FMN5-20231123 | FMN CPWG |
| The Transport Layer Security (TLS) Protocol Version 1.1 | IETF RFC 4346:2006 | SIP-FOR-TLS | FMN CPWG |
| Elliptic Curve Cryptography (ECC) Cipher Suites for Transport Layer Security (TLS) | | SIP-FOR-TLS | FMN CPWG |
| Lightweight Directory Access Protocol (LDAP) - Technical Specification Road Map | IETF RFC 4510:2006 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Lightweight Directory Access Protocol (LDAP) - The Protocol | IETF RFC 4511:2006 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Lightweight Directory Access Protocol (LDAP) - Directory Information Models | IETF RFC 4512:2006 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Lightweight Directory Access Protocol (LDAP) - Authentication Methods and Security Mechanisms | | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Lightweight Directory Access Protocol (LDAP) - String Representation of Distinguished Names | | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Lightweight Directory Access Protocol (LDAP) - String Representation of Search Filters | | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Lightweight Directory Access Protocol (LDAP) - Uniform Resource Locator | IETF RFC 4516:2006 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Lightweight Directory Access Protocol (LDAP) - Syntaxes and Matching Rules | | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Lightweight Directory Access Protocol (LDAP) - Internationalized String Preparation | I . | FMN4-20211022, FMN5-20231123 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|---|--------------------|--|-------------------|
| Lightweight Directory Access Protocol (LDAP) - Schema for User Applications | | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Transport Layer Security (TLS)The Transport Layer Security (TLS) Protocol Version 1.2 | | SIP-FOR-TLS, FMN5-20231123 | DPC CaP4 |
| Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile | | SIP-FOR-TLS | FMN CPWG |
| Transport Layer Security (TLS) Renegotiation Indication Extension | IETF RFC 5746:2010 | SIP-FOR-TLS, FMN5-20231123 | FMN CPWG |
| Transport Layer Security (TLS) Extensions: Extension Definitions | IETF RFC 6066:2011 | SIP-FOR-TLS, FMN5-20231123 | FMN CPWG |
| The Secure Sockets Layer (SSL) Protocol Version 3.0 | IETF RFC 6101:2011 | SIP-FOR-TLS | FMN CPWG |
| Representation and Verification of Domain-Based Application Service Identity within Internet Public Key Infrastructure Using X.509 (PKIX) Certificates in the Context of Transport Layer Security (TLS) | | SIP-FOR-TLS | FMN CPWG |
| Prohibiting Secure Sockets Layer (SSL) Version 2.0 | IETF RFC 6176:2011 | SIP-FOR-TLS | FMN CPWG |
| Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS) Heartbeat Extension | | SIP-FOR-TLS | FMN CPWG |
| X.509 Internet Public Key Infrastructure Online Certificate Status Protocol - OCSP | IETF RFC 6960:2013 | SIP-FOR-TLS | FMN CPWG |
| The Transport Layer Security (TLS) Multiple Certificate Status Request Extension | | SIP-FOR-TLS | FMN CPWG |
| Encrypt-then-MAC for Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS) | | SIP-FOR-TLS | FMN CPWG |
| Recommendations for Secure Use of Transport Layer Security (TLS) and | | SIP-FOR-TLS | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|--|--|---|-------------------|
| Datagram Transport Layer Security (DTLS) | | | |
| Deprecating Secure Sockets Layer Version 3.0 | IETF RFC 7568:2015 | SIP-FOR-TLS | FMN CPWG |
| Transport Layer Security (TLS) Session Hash and Extended Master Secret Extension | | SIP-FOR-TLS, FMN5-20231123 | FMN CPWG |
| Negotiated Finite Field Diffie- Hellman Ephemeral Parameters for Transport Layer Security (TLS) | IETF RFC 7919:2016 | SIP-FOR-TLS, FMN5-20231123 | FMN CPWG |
| Transmission Control Protocol | IETF RFC 793:1981 | SIP-FOR-TLS | FMN CPWG |
| Elliptic Curve Cryptography (ECC) Cipher Suites for Transport Layer Security (TLS) Versions 1.2 and Earlier | | FMN5-20231123 | FMN CPWG |
| The Transport Layer Security (TLS) Protocol Version 1.3 | IETF RFC 8446:2018 | FMN5-20231123 | FMN CPWG |
| Recommendations for Secure Use of Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS) | | FMN5-20231123 | FMN CPWG |
| The SSL Protocol | IETF RFC SSL2:1995 | SIP-FOR-TLS | FMN CPWG |
| Information Annotation Services | | | |
| XMP Specification Part 3 - Storage in Files Ver 2016 | ADOBE XMP Specification Part 3 Ver 2016:2016 | BINDING- EXTENSIBLE- V2 | NCIA |
| HMAC: Keyed-Hashing for Message Authentication | IETF RFC 2104:1997 | BINDING- CRYPTO-V2 | NCIA |
| Key words for use in RFCs to Indicate Requirement Levels | IETF RFC 2119:1997 | BINDING- COMMON-XML | NCIA |
| MIME Parameter Value and Encoded Word Extensions: Character Sets, Languages, and Continuations | IETF RFC 2231:1997 | BINDING- REST-V2, BINDING- SMTP-V2 | NCIA |
| Content-ID and Message-ID Uniform Resource Locators | IETF RFC 2392:1998 | BINDING- SMTP-V2 | NCIA/CES |

| Title | Pubnum | Profiles | Responsible Party |
|--|--------------------|---|----------------------|
| Enhanced Security Services for S/MIME | IETF RFC 2634:1999 | BINDING- XMPP-V2 | NCIA |
| Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile | IETF RFC 5280:2008 | BINDING- CRYPTO-V2 | FMN CPWG |
| Internet Message Format | IETF RFC 5322:2008 | BINDING- SMTP-V2 | NCIA |
| Extensible Provisioning Protocol (EPP) Domain Name Mapping | IETF RFC 5731:2009 | BINDING- SMTP-V2 | NCIA |
| Secure/Multipurpose Internet Mail Extensions (S/MIME) Version 3.2 Message Specification | IETF RFC 5751:2010 | BINDING- CRYPTO-V2 | NCIA |
| Extensible Messaging and Presence Protocol (XMPP): Core | IETF RFC 6120:2011 | BINDING- XMPP-V2 | NCIA |
| Extensible Messaging and Presence Protocol (XMPP): Instant Messaging and Presence | IETF RFC 6121:2011 | BINDING- XMPP-V2 | NCIA |
| Extensible Messaging and Presence Protocol (XMPP): Address Format | IETF RFC 6122:2011 | BINDING- XMPP-V2 | NCIA |
| Additional XML Security Uniform Resource Identifiers (URIs) | IETF RFC 6931:2013 | BINDING- CRYPTO-V2 | NCIA |
| Hypertext Transfer Protocol (HTTP/1.1): Message Syntax and Routing | IETF RFC 7230:2014 | BINDING- REST-V2 | NCIA/CES |
| Security Labels in Internet Email | IETF RFC 7444:2015 | BINDING- REST-V2, BINDING- SMTP-V2 | NCIA |
| JSON Web Signature (JWS) | IETF RFC 7515:2015 | BINDING- CRYPTO-V2 | NCIA |
| Graphic Technology - Extensible metadata platform (XMP) specification - Part 1: Data model, serialization and core propertie | | BINDING- EXTENSIBLE- V2 | NCIA |
| Information Technology - Document Schema Definition Languages (DSDL) - Part 3: Rules-based | | BINDING- COMMON-XML | NCIA |

| Title | Pubnum | Profiles | Responsible Party |
|--|--|---|----------------------|
| validation - Schematron Second Edition | | | |
| Office Open XML File Formats Part 2: Open Packaging Conventions | | BINDING- GENERIC-V2, BINDING- OOXML-V2 | NCIA |
| Information Technology - Security Techniques - Security information objects for access control | | BINDING- REST-V2 | NCIA |
| Confidentiality Metadata Label Syntax | NATO ADatP-4774 Ed A Ver 1:2017 / STANAG 4774 Ed 1 | BINDING-COMMON-XML, BINDING-CRYPTO-V2, BINDING-EXTENSIBLE-V2, BINDING-GENERIC-V2, BINDING-OOXML-V2, BINDING-REST-V2, BINDING-SIDECAR-V2, BINDING-SIDECAR-V2, BINDING-SMTP-V2, BINDING-SOAP, BINDING-WSMP-V2, BINDING-XMP-V2 | DPC CaP1 DCS CaT |
| Metadata Binding Mechanism | NATO ADatP-4778 Ed A Ver 1:2018 / STANAG 4778 Ed 1 | BINDING- COMMON- XML, BINDING- CRYPTO-V2, BINDING- EXTENSIBLE- V2, BINDING- GENERIC-V2, | DPC CaP1 DCS CaT |

| Title | Pubnum | Profiles | Responsible Party |
|---|---|--|-------------------|
| | | BINDING- OOXML-V2, BINDING- REST-V2, BINDING- SIDECAR-V2, BINDING- SMTP-V2, BINDING- SOAP, BINDING- WSMP-V2, BINDING- XMP-V2 | Tarty |
| Context/Value Association using Genericode Ver 1.0 | OASIS Context/ Value Association Ver 1.0:2010 | BINDING- COMMON-XML | NCIA |
| Code List Representation (Genericode) Ver 1.0 (2007) | | BINDING- COMMON-XML | NCIA |
| Web Services Security: SOAP Message Security 1.1 | OASIS WSS- SOAPMessage Security Ver 1.1:2006 | BINDING- CRYPTO-V2 | NCIA/CES |
| Simple Object Access Protocol (SOAP) 1.1 | W3C SOAP 1.1:2000 | BINDING-SOAP | NCIA |
| XML Security Algorithm Cross-Reference | W3C XML Security Algorithm X- Reference:2013 | | NCIA |
| Resource Description Framework (RDF) 1.1 Concepts and Abstract Syntax | I . | BINDING- EXTENSIBLE- V2 | NCIA/CES |
| Resource Description Framework (RDF) Primer | W3C RDF Primer:2004 | BINDING- EXTENSIBLE- V2 | NCIA |
| SOAP Version 1.2 Part 1: Messaging Framework | W3C REC-soap12- part1:2007 | BINDING-SOAP | NCIA |
| Associating Style Sheets with XML documents, Version 1.0 | W3C REC-xml- stylesheet:1999 | BINDING- COMMON-XML | NCIA/CES |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|--|-------------------------------|
| eXtensible Markup Language (XML) 1.0 (Fifth Edition) | W3C XML 1.0 (Fith Edition):2008 | BINDING- EXTENSIBLE- V2 | FMN CPWG |
| XML-Signature Syntax and Processing (Second Edition) | W3C REC-xmldsig-core:2013 | BINDING- CRYPTO-V2, BINDING-SOAP | NCIA |
| Errata for XML Signature 2nd Edition | W3C REC-xmldsig- core:2014 | BINDING- CRYPTO-V2 | NCIA |
| XML Signature Syntax and Processing Version 1.1 | W3C REC-xmldsig- core1:2013 | BINDING- CRYPTO-V2 | NCIA |
| XML Encryption Syntax and Processing | W3C REC-xmlenc-core:2002 | BINDING- CRYPTO-V2 | NCIA |
| XML Encryption Syntax and Processing Version 1.1 | W3C REC-xmlenc-core1:2013 | BINDING- CRYPTO-V2 | NCIA |
| W3C XML Schema Definition Language (XSD) 1.1 Part 1: Structures | W3C XSD 1.1 Part 1: Structures:2012 | BINDING- COMMON-XML | NATO Archives Committee |
| XML Path Language 1.0 | W3C REC-xpath:1999 | BINDING- CRYPTO-V2 | NCIA |
| XML Pointer Language (Xpointer) | W3C wd-xptr:2002 | BINDING- CRYPTO-V2 | NCIA |
| Open XML SPIF | XML SPIF Open XML SPIF:2010 | BINDING- COMMON-XML | NCIA |
| XEP-0060: Publish-Subscribe (2010/07) | XSF XEP-0060:2010 | BINDING- XMPP-V2 | NCIA |
| XEP-0258: Security Labels in XMPP | XSF XEP-0258:2013 | BINDING- XMPP-V2 | NCIA |
| Metadata Repository Services | | | |
| Extensible Messaging and Presence Protocol (XMPP): Core | IETF RFC 6120:2011 | FMN5-20231123 | NCIA |
| Extensible Messaging and Presence Protocol (XMPP): Instant Messaging and Presence | IETF RFC 6121:2011 | FMN5-20231123 | NCIA |
| Extensible Messaging and Presence Protocol (XMPP): Address Format | IETF RFC 6122:2011 | FMN5-20231123 | NCIA |

| Title | Pubnum | Profiles | Responsible Party |
|--|--|---------------|----------------------|
| Confidentiality Metadata Label Syntax | NATO ADatP-4774 Ed A Ver 1:2017 / STANAG 4774 Ed 1 | FMN5-20231123 | DPC CaP1 DCS CaT |
| Metadata Binding Mechanism | NATO ADatP-4778 Ed A Ver 1:2018 / STANAG 4778 Ed 1 | FMN5-20231123 | DPC CaP1 DCS CaT |
| Profiles for Binding Metadata to a Data Object | NATO ADatP-4778.2 Ed A Ver 1:2020 / STANAG 4778 Ed 1 | FMN5-20231123 | DPC CaP1 DCS CaT |
| XML Signature Syntax and Processing (2nd ed.):2008 | W3C xmldsig- core:2008 | BSP | NCIA/CES |
| XEP-0004: Data Forms (2020/05) | XSF XEP-0004:2020 | FMN5-20231123 | FMN CPWG |
| XEP-0012: Last Activity | XSF XEP-0012:2008 | FMN5-20231123 | FMN CPWG |
| XEP-0030: Service Discovery (2017/10) | XSF XEP-0030:2017 | FMN5-20231123 | FMN CPWG |
| XEP-0045: Multi-User Chat (2019/05) | XSF XEP-0045:2019 | FMN5-20231123 | FMN CPWG |
| XEP-0054: vcard-temp | XSF XEP-0054:2008 | FMN5-20231123 | FMN CPWG |
| XEP-0060: Publish-Subscribe (2020/02) | XSF XEP-0060:2020 | FMN5-20231123 | FMN CPWG |
| XEP-0068: Field Standardization for Data Forms | XSF XEP-0068:2012 | FMN5-20231123 | NCIA |
| XEP-0106: JID Escaping | XSF XEP-0106:2007 | FMN5-20231123 | FMN CPWG |
| XEP-0115: Entity Capabilities (2020/05) | XSF XEP-0115:2020 | FMN5-20231123 | FMN CPWG |
| XEP-0122: Data Forms Validation | XSF XEP-0122:2004 | FMN5-20231123 | NCIA |
| XEP-0141: Data Forms Layout | XSF XEP-0141:2005 | FMN5-20231123 | NCIA |
| XEP-0160: Best Practices for Handling Offline Messages (2016/01) | XSF XEP-0160 Ver 1.0:2016 | FMN5-20231123 | FMN CPWG |
| XEP-0199: XMPP Ping (2009/06) | XSF XEP-0199:2009 | FMN5-20231123 | NCIA |
| XEP-0202: Entity Time | XSF XEP-0202:2009 | FMN5-20231123 | NCIA |
| XEP-0203: Delayed Delivery | XSF XEP-0203:2009 | FMN5-20231123 | FMN CPWG |
| XEP-0220: Server Dialback (2015/03) | XSF XEP-0220:2015 | FMN5-20231123 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party | |
|--|--|--------------------------------------|----------------------|--|
| XEP-0346: Form Discovery and Publishing | XSF XEP-0346:2017 | FMN5-20231123 | FMN CPWG | |
| Information Access Services | | | | |
| MIME Parameter Value and Encoded Word Extensions: Character Sets, Languages, and Continuations | IETF RFC 2231:1997 | BINDING- REST-V2 | NCIA | |
| Atom Syndication Format, v1.0 | IETF RFC 4287:2005 | BSP | FMN CPWG | |
| Hypertext Transfer Protocol (HTTP/1.1): Message Syntax and Routing | IETF RFC 7230:2014 | BINDING- REST-V2 | NCIA/CES | |
| Security Labels in Internet Email | IETF RFC 7444:2015 | BINDING- REST-V2 | NCIA | |
| Information Technology - Security Techniques - Security information objects for access control | ITU-T X.841:2000 | BINDING- REST-V2 | NCIA | |
| Confidentiality Metadata Label Syntax | | BINDING- REST-V2, BINDING-SOAP | DPC CaP1 DCS CaT | |
| Metadata Binding Mechanism | NATO ADatP-4778 Ed A Ver 1:2018 / STANAG 4778 Ed 1 | BINDING- REST-V2, BINDING-SOAP | DPC CaP1 DCS CaT | |
| RSS 2.0 Specification | RSS RSS 2.0 Specification:2009 | BSP | FMN CPWG | |
| Simple Object Access Protocol (SOAP) 1.1 | W3C SOAP 1.1:2000 | BINDING-SOAP | NCIA | |
| SOAP Version 1.2 Part 1: Messaging Framework | W3C REC-soap12- part1:2007 | BINDING-SOAP | NCIA | |
| Extensible HyperText Markup Language, version 1 | W3C REC- xhtml1:2002 | BSP | NCIA/CES | |
| XML-Signature Syntax and Processing (Second Edition) | W3C REC-xmldsig-core:2013 | BINDING-SOAP | NCIA | |
| Platform SMC Services | | | | |
| IEEE QoS | IEEE 802.1p:2004 | BSP | NCIA/NSII | |
| Structure of Management Information | IETF RFC 1212:1991 | BSP | NCIA/CES | |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|---------------|----------------------|
| Management Information Base v2 (MIB II) | IETF RFC 1213:1991 | BSP | NCIA/SMC |
| Definitions of Managed Objects for the Ethernet-like Interface Types | IETF RFC 1643:1994 | BSP | NCIA/NSII |
| RIP Version 2 MIB Extensions | IETF RFC 1724:1994 | BSP | NCIA/SMC |
| Host Resources Management Information Base (MIB) | IETF RFC 2790:2000 | BSP | NCIA/SMC |
| Remote Network Monitoring Management Information Base, RMON-MIB version 1 | IETF RFC 2819:2000 | BSP | NCIA/SMC |
| Performance objectives and procedures for provisioning and maintenance of IP-based networks | ITU-T M.2301:2002 | BSP | FMN CPWG |
| Service Discovery Services | | | |
| electronic business eXtensible Markup Language (ebXML) Technical Architecture Specification v1.0.4 | EBXML ebTA:2001 | BSP | NCIA/CES |
| TIDE Service Discovery | NATO TIDE-ID- SP:2008 | BSP | NCIA/CES |
| OASIS ebXML Registry Services and Protocols Ver 3.0 | OASIS ebXML RS&P Ver 3.0:2005 | BSP | NCIA/CES |
| Universal Description Discovery & Integration (UDDI) | OASIS UDDI 3.0:2002 | BSP | NCIA/C2 |
| Web Service Description Language (WSDL) 1.1 | W3C WSDL 1.1:2001 | BSP | FMN CPWG |
| Mediation Services | | | |
| NATO Vector Graphics (NVG) 2.0.2 | NATO NVG 2.0.2:2015 | FMN5-20231123 | FMN CPWG |
| MIP4 Information Exchange Specification (2018) | MIP MIP4-IES:2018 | FMN5-20231123 | FMN CPWG |
| Friendly Force Tracking Systems (FFTS) Interoperability | NATO ADatP-36 Ed A Ver 1:2017 / STANAG 5527 Ed 1 | FMN5-20231123 | DPC CaP2 FFT CaT |
| Services to forward Friendly Force Information to Weapon Delivery Assets | I . | FMN5-20231123 | DPC CaP2 |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|------------------------|----------------------|
| Web Service Messaging Profile (WSMP) | NATO ADatP-5644 (FD) Ed A Ver 1 / STANAG 5644 Ed 1 | FMN5-20231123 | DPC CaP1 DM CaT |
| Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) | NATO AEP-76 Ed A Ver 1:2014 | FMN5-20231123 | NAAG/ LCGDSS |
| Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Data Model | 1 | FMN5-20231123 | NAAG/ LCGDSS |
| Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Information Exchange Mechanism | Ed A Ver 3:2023 | FMN5-20231123 | NAAG/ LCGDSS |
| NATO Message Catalogue | NATO APP-11 Ed D Ver 1:2015 / STANAG 7149 Ed 6 | FMN5-20231123 | MCJSB/ IERHWG |
| Profile for the Use of S/MIME protocols Cryptographic Message Syntax (CMS) and Enhanced Security Services (ESS) for S/MIME | | BSP | DPC CaP1 |
| Data Format Transformation Serv | ices | | |
| Key words for use in RFCs to Indicate Requirement Levels | IETF RFC 2119:1997 | BINDING- COMMON-XML | NCIA |
| Information Technology - Document Schema Definition Languages (DSDL) - Part 3: Rules-based validation - Schematron Second Edition | | BINDING- COMMON-XML | NCIA |
| Confidentiality Metadata Label Syntax | NATO ADatP-4774 Ed A Ver 1:2017 / STANAG 4774 Ed 1 | | DPC CaP1 DCS CaT |
| Metadata Binding Mechanism | NATO ADatP-4778 Ed A Ver 1:2018 / STANAG 4778 Ed 1 | | DPC CaP1 DCS CaT |
| Context/Value Association using Genericode Ver 1.0 | OASIS Context/ Value Association Ver 1.0:2010 | | NCIA |

| Title | Pubnum | Profiles | Responsible Party |
|--|--|------------------------|-------------------------------|
| Code List Representation (Genericode) Ver 1.0 (2007) | | BINDING- COMMON-XML | NCIA |
| Associating Style Sheets with XML documents, Version 1.0 | W3C REC-xml- stylesheet:1999 | BINDING- COMMON-XML | NCIA/CES |
| | W3C XSD 1.1 Part 1: Structures:2012 | BINDING- COMMON-XML | NATO Archives Committee |
| Open XML SPIF | XML SPIF Open XML SPIF:2010 | BINDING- COMMON-XML | NCIA |
| Message-Oriented Middleware Ser | vices | | |
| Web Service Messaging Profile (WSMP) | NATO ADatP-5644 (FD) Ed A Ver 1 / STANAG 5644 Ed 1 | FMN4-20211022 | DPC CaP1 DM CaT |
| Web Services Reliable Messaging (WS-ReliableMessaging) Ver 1.2 | OASIS WS- ReliableMessaging Ver 1.2:2009 | BSP | FMN CPWG |
| Web Services Security: SOAP Message Security 1.1 | OASIS WSS- SOAPMessage Security Ver 1.1:2006 | BSP | NCIA/CES |
| Message Brokering Services | | | |
| Web Services Brokered Notification Ver 1.3 | OASIS WS- BrokeredNotification:2 | FMN5-20231123 006 | NCIA/CES |
| WS-BaseNotification | OASIS WS BaseNotification Ver 1.3:2006 | FMN5-20231123 | NCIA/CES |
| WS-Topics 1.3 | OASIS WS-Topics Ver 1.3:2006 | FMN5-20231123 | NCIA/CES |
| Web Services Resource Properties | OASIS WS- ResourceProperties Ver 1.2:2006 | FMN5-20231123 | FMN CPWG |
| Web Services Addressing 1.0 - Core | W3C WS-Addressing 1.0 - Core:2006 | FMN5-20231123 | FMN CPWG |
| Direct Messaging Services | • | | |
| Multipurpose Internet Mail Extensions (MIME) Part Two: Media Types | IETF RFC 2046:1996 | FMN5-20231123 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|---|--------------------|---------------|----------------------|
| Uniform Resource Identifiers (URI): Generic Syntax | IETF RFC 3986:2005 | FMN5-20231123 | FMN CPWG |
| PATCH Method for HTTP | IETF RFC 5789:2010 | FMN5-20231123 | FMN CPWG |
| The OAuth 2.0 Authorization Framework | IETF RFC 6749:2012 | FMN5-20231123 | NCIA |
| The OAuth 2.0 Authorization Framework: Bearer Token Usage | IETF RFC 6750:2012 | FMN5-20231123 | NCIA |
| Hypertext Transfer Protocol (HTTP/1.1): Message Syntax and Routing | IETF RFC 7230:2014 | FMN5-20231123 | NCIA/CES |
| Hypertext Transfer Protocol (HTTP/1.1): Semantics and Content | IETF RFC 7231:2014 | FMN5-20231123 | FMN CPWG |
| Hypertext Transfer Protocol (HTTP/1.1): Conditional Requests | IETF RFC 7232:2014 | FMN5-20231123 | FMN CPWG |
| Hypertext Transfer Protocol (HTTP/1.1): Range Requests | IETF RFC 7233:2014 | FMN5-20231123 | FMN CPWG |
| Hypertext Transfer Protocol (HTTP/1.1): Caching | IETF RFC 7234:2014 | FMN5-20231123 | FMN CPWG |
| XML Media Types | IETF RFC 7303:2014 | FMN5-20231123 | FMN CPWG |
| JSON Web Token (JWT) | IETF RFC 7519:2015 | FMN5-20231123 | FMN CPWG |
| Assertion Framework for OAuth 2.0 Client Authentication and Authorization Grants | IETF RFC 7521:2015 | FMN5-20231123 | NCIA |
| Security Assertion Markup Language (SAML) 2.0 Profile for OAuth 2.0 Client Authentication and Authorization Grants | IETF RFC 7522:2015 | FMN5-20231123 | NCIA |
| JSON Web Token (JWT) Profile for OAuth 2.0 Client Authentication and Authorization Grants | | FMN5-20231123 | FMN CPWG |
| Proof-of-Possession Key Semantics for JSON Web Tokens (JWTs) | IETF RFC 7800:2016 | FMN5-20231123 | FMN CPWG |
| The JavaScript Object Notation (JSON) Data Interchange Format | IETF RFC 8259:2017 | FMN5-20231123 | FMN CPWG |
| OAuth 2.0 Authorization Server Metadata | IETF RFC 8414:2018 | FMN5-20231123 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|----------------------|----------------------|
| OAuth 2.0 Token Exchange | IETF RFC 8693:2020 | FMN5-20231123 | FMN CPWG |
| Resource Indicators for OAuth 2.0 | IETF RFC 8707:2020 | FMN5-20231123 | FMN CPWG |
| JSON Web Token (JWT) Profile for OAuth 2.0 Access Tokens | IETF RFC 9068:2021 | FMN5-20231123 | FMN CPWG |
| Confidentiality Metadata Label Syntax | NATO ADatP-4774 Ed A Ver 1:2017 / STANAG 4774 Ed 1 | FMN5-20231123 | DPC CaP1 DCS CaT |
| Metadata Binding Mechanism | NATO ADatP-4778 Ed A Ver 1:2018 / STANAG 4778 Ed 1 | FMN5-20231123 | DPC CaP1 DCS CaT |
| Profiles for Binding Metadata to a Data Object | NATO ADatP-4778.2 Ed A Ver 1:2020 / STANAG 4778 Ed 1 | FMN5-20231123 | DPC CaP1 DCS CaT |
| Specifications Defining The Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Security | | FMN4-20211022 | NAAG/ LCGDSS |
| Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Data Model | Ed A Ver 2:2017 / | FMN4-20211022 | NAAG/ LCGDSS |
| Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - LOANED RADIO | Ed A Ver 2:2017 / | FMN4-20211022 | NAAG/ LCGDSS |
| Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Information Exchange Mechanism | Ed A Ver 2:2017 / | FMN4-20211022 | NAAG/ LCGDSS |
| Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Network Access | Ed A Ver 2:2017 / | FMN4-20211022 | NAAG/ LCGDSS |
| Web Services Brokered Notification Ver 1.3 | OASIS WS- BrokeredNotification:2 | FMN5-20231123 006 | NCIA/CES |
| OASIS SAML V2.0 Metadata Interoperability Profile | OASIS SAML V2.0:2005 | FMN5-20231123 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|--|--|---------------|----------------------|
| WS-BaseNotification | OASIS WS BaseNotification Ver 1.3:2006 | FMN5-20231123 | NCIA/CES |
| WS-Topics 1.3 | OASIS WS-Topics Ver 1.3:2006 | FMN5-20231123 | NCIA/CES |
| Web Services Resource Properties | OASIS WS- ResourceProperties Ver 1.2:2006 | FMN5-20231123 | FMN CPWG |
| Web Services Security SAML Token Profile Ver 1.1.1 | OASIS WSS SAML Token Profile Ver 1.1.1:2012 | FMN5-20231123 | DPC CaP4 |
| Web Services Security: SOAP Message Security 1.1 | OASIS WSS- SOAPMessage Security Ver 1.1:2006 | FMN5-20231123 | NCIA/CES |
| WS-Trust 1.4 | OASIS WS-Trust Ver 1.4:2012 | FMN5-20231123 | NCIA/CS |
| Web Services Addressing 1.0 - Core | W3C WS-Addressing 1.0 - Core:2006 | FMN5-20231123 | FMN CPWG |
| Web Service Description Language (WSDL) 1.1 | W3C WSDL 1.1:2001 | FMN5-20231123 | FMN CPWG |
| SOAP Version 1.2 Part 1: Messaging Framework | W3C REC-soap12-part1:2007 | FMN5-20231123 | NCIA |
| XML Signature Syntax and Processing Version 1.1 | W3C REC-xmldsig- core1:2013 | FMN5-20231123 | NCIA |
| Basic Security Profile Version 1.1 | WS-I Basic Security Profile 1.1:2010 | FMN5-20231123 | DPC CaP4 |
| WS-I Basic Profile 2.0 | WS-I wsbp:2010 | FMN5-20231123 | NCIA/CES |
| Web Platform Services | | | |
| Service Interface for NMCD Information Exchange | FMN | FMN5-20231123 | FMN CPWG |
| HyperText Transfer Protocol (HTTP), version 1.1 | IETF RFC 2616:1999 | BSP | FMN CPWG |
| Web Host Metadata | IETF RFC 6415:2011 | FMN5-20231123 | FMN CPWG |
| Hypertext Transfer Protocol (HTTP/1.1): Message Syntax and Routing | IETF RFC 7230:2014 | BSP | NCIA/CES |

| Title | Pubnum | Profiles | Responsible Party | |
|---|-------------------------------------|----------------------|----------------------|--|
| RESTCONF Protocol | IETF RFC 8040:2017 | FMN5-20231123 | FMN CPWG | |
| Geolocation API Specification 2nd Edition | W3C REC- geolocation-API:2016 | SIP-FOR-WEB- APPS | FMN CPWG | |
| HTML5 Differences from HTML4 | | SIP-FOR-WEB- APPS | FMN CPWG | |
| Cascading Style Sheets Level 2 Revision 1 (CSS 2.1) Specification | W3C REC- CSS2:2011 | BSP | FMN CPWG | |
| Hypertext Markup Language revision 5.2 (HTML5) | W3C HTML 5.2:2017 | SIP-FOR-WEB- APPS | FMN CPWG | |
| Hypertext Markup Language revision 5.3 Editor's Draft (4.7) | W3C REC-html53- Draft:2018 | SIP-FOR-WEB- APPS | FMN CPWG | |
| Media Source Extensions | W3C Media Source Extensions:2016 | SIP-FOR-WEB- APPS | FMN CPWG | |
| Mobile Web Application Best Practices | | SIP-FOR-WEB- APPS | FMN CPWG | |
| XML Information Set | W3C REC-xml-infoset:2001 | BSP | NCIA/CES | |
| Associating Style Sheets with XML documents, Version 1.0 | W3C REC-xml- stylesheet:1999 | BSP | NCIA/CES | |
| eXtensible Markup Language (XML) 1.0 (Fifth Edition) | W3C XML 1.0 (Fith Edition):2008 | BSP | FMN CPWG | |
| XML Base | W3C REC- xmlbase:2001 | BSP | NCIA/CES | |
| Web Speech API | W3C Web Speech API:2018 | SIP-FOR-WEB- APPS | FMN CPWG | |
| DOM Parsing and Serialization - DOMParser, XMLSerializer, innerHTML, and similar APIs | | | FMN CPWG | |
| Wireless Markup Language (WML) version 2 | WAPFORUM WML Ver 2:2001 | BSP | NCIA/CES | |
| Web Presentation Services | | | | |
| Web Services for Remote Portlets Specification | OASIS WSRP Ver 1.0:2003 | BSP | NCIA/CES | |
| Web Hosting Services | | | | |

| Title | Pubnum | Profiles | Responsible Party |
|--|--|--|-------------------|
| SIP for Binding Metadata to HTTP Messages | FMN SIP for Binding Metadata to HTTP Messages:2021 | FMN4-20211022 | FMN CPWG |
| SIP for Binding Metadata to SOAP Messages | FMN SIP for Binding Metadata to SOAP Messages:2021 | FMN4-20211022 | FMN CPWG |
| Service Interface for NMCD Information Exchange | FMN | FMN5-20231123 | FMN CPWG |
| Uniform Resource Locators (URL) | IETF RFC 1738:1994 | FMN3, FMN4-20211022 | FMN CPWG |
| The TLS Protocol Version 1.0 | IETF RFC 2246:1999 | SIP-FOR-TLS | FMN CPWG |
| Definition of the inetOrgPerson LDAP Object Class | IETF RFC 2798:2000 | FMN5-20231123 | FMN CPWG |
| Upgrading to TLS Within HTTP/1.1 | IETF RFC 2817:2000 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| The 'text/html' Media Type | IETF RFC 2854:2000 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| UTF-8, a transformation format of ISO/IEC 10646 | IETF RFC 3629:2003 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Transport Layer Security Protocol Compression Methods | IETF RFC 3749:2004 | SIP-FOR-TLS, FMN5-20231123 | FMN CPWG |
| Uniform Resource Identifiers (URI): Generic Syntax | IETF RFC 3986:2005 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| | | FMN5-20231123 | |
| The telnet URI Scheme | IETF RFC 4248:2005 | FMN5-20231123 | FMN CPWG |
| Atom Syndication Format, v1.0 | IETF RFC 4287:2005 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Scripting Media Types | IETF RFC 4329:2006 | FMN3, FMN4-20211022 | FMN CPWG |
| The Transport Layer Security (TLS) Protocol Version 1.1 | IETF RFC 4346:2006 | SIP-FOR-TLS | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|--|--------------------|--|----------------------|
| Elliptic Curve Cryptography (ECC) Cipher Suites for Transport Layer Security (TLS) | | SIP-FOR-TLS | FMN CPWG |
| Lightweight Directory Access Protocol (LDAP) - Schema for User Applications | | FMN5-20231123 | FMN CPWG |
| The application/json Media Type for JavaScript Object Notation (JSON) | IETF RFC 4627:2006 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Atom Publishing Protocol | IETF RFC 5023:2007 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Transport Layer Security (TLS)The Transport Layer Security (TLS) Protocol Version 1.2 | | SIP-FOR-TLS, FMN5-20231123 | DPC CaP4 |
| Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile | | SIP-FOR-TLS | FMN CPWG |
| Internet Message Format | IETF RFC 5322:2008 | FMN5-20231123 | NCIA |
| Internet Calendaring and Scheduling Core Object Specification (iCalendar) | | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| iCalendar Transport-Independent Interoperability Protocol (iTIP) | IETF RFC 5546:2009 | FMN5-20231123 | FMN CPWG |
| Transport Layer Security (TLS) Renegotiation Indication Extension | IETF RFC 5746:2010 | SIP-FOR-TLS, FMN5-20231123 | FMN CPWG |
| iCalendar Message-Based Interoperability Protocol (iMIP) | IETF RFC 6047:2010 | FMN5-20231123 | FMN CPWG |
| Transport Layer Security (TLS) Extensions: Extension Definitions | IETF RFC 6066:2011 | SIP-FOR-TLS, FMN5-20231123 | FMN CPWG |
| The Secure Sockets Layer (SSL) Protocol Version 3.0 | IETF RFC 6101:2011 | SIP-FOR-TLS | FMN CPWG |
| Representation and Verification of Domain-Based Application Service Identity within Internet Public Key Infrastructure Using X.509 (PKIX) | | SIP-FOR-TLS | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|--|--------------------|------------------------|----------------------|
| Certificates in the Context of Transport Layer Security (TLS) | | | |
| Prohibiting Secure Sockets Layer (SSL) Version 2.0 | IETF RFC 6176:2011 | SIP-FOR-TLS | FMN CPWG |
| Web Host Metadata | IETF RFC 6415:2011 | FMN5-20231123 | FMN CPWG |
| Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS) Heartbeat Extension | IETF RFC 6520:2012 | SIP-FOR-TLS | FMN CPWG |
| X.509 Internet Public Key Infrastructure Online Certificate Status Protocol - OCSP | IETF RFC 6960:2013 | SIP-FOR-TLS | FMN CPWG |
| The Transport Layer Security (TLS) Multiple Certificate Status Request Extension | IETF RFC 6961:2013 | SIP-FOR-TLS | FMN CPWG |
| Hypertext Transfer Protocol (HTTP/1.1): Message Syntax and Routing | IETF RFC 7230:2014 | FMN3, FMN4-20211022 | NCIA/CES |
| Hypertext Transfer Protocol (HTTP/1.1): Semantics and Content | IETF RFC 7231:2014 | FMN3, FMN4-20211022 | FMN CPWG |
| Hypertext Transfer Protocol (HTTP/1.1): Conditional Requests | IETF RFC 7232:2014 | FMN3, FMN4-20211022 | FMN CPWG |
| Hypertext Transfer Protocol (HTTP/1.1): Range Requests | IETF RFC 7233:2014 | FMN3, FMN4-20211022 | FMN CPWG |
| Hypertext Transfer Protocol (HTTP/1.1): Caching | IETF RFC 7234:2014 | FMN3, FMN4-20211022 | FMN CPWG |
| Hypertext Transfer Protocol (HTTP/1.1): Authentication | IETF RFC 7235:2014 | FMN3, FMN4-20211022 | FMN CPWG |
| Encrypt-then-MAC for Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS) | IETF RFC 7366:2014 | SIP-FOR-TLS | FMN CPWG |
| Recommendations for Secure Use of Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS) | IETF RFC 7525:2015 | SIP-FOR-TLS | FMN CPWG |
| Deprecating Secure Sockets Layer Version 3.0 | IETF RFC 7568:2015 | SIP-FOR-TLS | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|--|--------------------|--|----------------------|
| Transport Layer Security (TLS) Session Hash and Extended Master Secret Extension | | SIP-FOR-TLS, FMN5-20231123 | FMN CPWG |
| Negotiated Finite Field Diffie- Hellman Ephemeral Parameters for Transport Layer Security (TLS) | IETF RFC 7919:2016 | SIP-FOR-TLS, FMN5-20231123 | FMN CPWG |
| Transmission Control Protocol | IETF RFC 793:1981 | SIP-FOR-TLS | FMN CPWG |
| RESTCONF Protocol | IETF RFC 8040:2017 | FMN5-20231123 | FMN CPWG |
| Elliptic Curve Cryptography (ECC) Cipher Suites for Transport Layer Security (TLS) Versions 1.2 and Earlier | | FMN5-20231123 | FMN CPWG |
| The Transport Layer Security (TLS) Protocol Version 1.3 | IETF RFC 8446:2018 | FMN5-20231123 | FMN CPWG |
| HTTP Semantics | IETF RFC 9110:2022 | FMN5-20231123 | FMN CPWG |
| HTTP Caching | IETF RFC 9111:2022 | FMN5-20231123 | FMN CPWG |
| HTTP/1.1 | IETF RFC 9112:2022 | FMN5-20231123 | FMN CPWG |
| Updates to ECMAScript Media Types | IETF RFC 9239:2022 | FMN5-20231123 | FMN CPWG |
| Recommendations for Secure Use of Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS) | IETF RFC 9325:2022 | FMN5-20231123 | FMN CPWG |
| The SSL Protocol | IETF RFC SSL2:1995 | SIP-FOR-TLS | FMN CPWG |
| Electronic document file format for long-term preservation Part 1: Use of PDF 1.4 (PDF/A-1) | | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Electronic document file format for long-term preservation Part 2: Use of ISO 32000-1 (PDF/A-2) | | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Document management — Portable document format — Part 1: PDF 1.7 | ISO 32000-1:2008 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Digital compression and coding of continuous-tone still images: Requirements and guidelines | | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|---|--------------------------|--|----------------------|
| Digital compression and coding of continuous-tone still images: Extensions | | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Coding of moving pictures and associated audio for digital storage media at up to about 1,5 Mbit/s; PCM Part 3: audio | | FMN5-20231123 | NCIA/NSII |
| Generic coding of moving pictures and associated audio information — Part 7: Advanced Audio Coding (AAC) | 13818-7:2006 | FMN5-20231123 | NCIA/CES |
| Generic coding of moving pictures and associated audio information — Part 7: Advanced Audio Coding (AAC) — Amendment 1: Transport of MPEG Surround in AAC | 13818-7:2006/Amd | FMN5-20231123 | FMN CPWG |
| Generic coding of moving pictures and associated audio information — Part 7: Advanced Audio Coding (AAC) — Technical Corrigendum 1 | 13818-7:2006/Cor | FMN5-20231123 | FMN CPWG |
| Generic coding of moving pictures and associated audio information — Part 7: Advanced Audio Coding (AAC) — Technical Corrigendum 2 | 13818-7:2006/Cor | FMN5-20231123 | FMN CPWG |
| Coding of audio-visual objects — Part 10: Advanced video coding | ISO/IEC 14496-10:2022 | FMN5-20231123 | FMN CPWG |
| Computer graphics and image processing — Portable Network Graphics (PNG): Functional specification | | FMN5-20231123 | FMN CPWG |
| Open Document Format for Office Applications (OpenDocument) v1.2 Part 1: OpenDocument Schema | | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Open Document Format for Office Applications (OpenDocument) v1.2 Part 2: Recalculated Formula (OpenFormula) Format | 26300-2:2015 | FMN4-20211022, FMN5-20231123 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|--|---|--|----------------------|
| Open Document Format for Office Applications (OpenDocument) v1.2 Part 3: Packages | | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Office Open XML File Formats Part 1: Fundamentals and Markup Language Reference | 1 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| The Directory: Public-key and attribute certificate frameworks | ISO/IEC 9594-8:2008 | BSP | NCIA/CS |
| Confidentiality Metadata Label Syntax | NATO ADatP-4774 Ed A Ver 1:2017 / STANAG 4774 Ed 1 | | |
| Metadata Binding Mechanism | NATO ADatP-4778 Ed A Ver 1:2018 / STANAG 4778 Ed 1 | · · | |
| Profiles for Binding Metadata to a Data Object | NATO ADatP-4778.2 Ed A Ver 1:2020 / STANAG 4778 Ed 1 | FMN5-20231123 | DPC CaP1 DCS CaT |
| NATO Secondary Imagery Format (NSIF) STANAG 4545 Implementation Guide | | FMN3 | NAFAG/ JCGISR |
| NATO Ground Moving Target Indicator (GMTI) Format STANAG 4607 Implementation Guide | | FMN3 | FMN CPWG |
| NATO Intelligence, Surveillance And Reconnaissance Tracking Standard | 1 | FMN3 | FMN CPWG |
| measurement and signature | NATO AEDP-16 (Study) / STANAG (Study) 4716 Ed 1 | FMN3 | NAFAG/ JCGISR |
| Captured Persons, Materiel And Documents | NATO AJP-2.5 Ed A:2007 / STANAG 2195 Ed 2 | FMN3 | MCJSB/ JINT |
| NATO Message Catalogue ² | NATO APP-11 (Study) Ed D Ver 2:2017 / STANAG (Study) 7149 Ed 6 | FMN3 | MCJSB/ IERHWG |

| Title | Pubnum | Profiles | Responsible Party |
|--|--|--|-------------------|
| US Motion Imagery Standards Board (MISB) - Motion Imagimary Standards Profile-2015.1 | 1 | FMN3 | FMN CPWG |
| Air Reconnaissance Intelligence Report Forms | NATO STANAG 3377 Ed 6:2002 | FMN3 | FMN CPWG |
| OASIS SAML V2.0 Metadata Interoperability Profile | OASIS SAML V2.0:2005 | FMN5-20231123 | FMN CPWG |
| WS-SecurityPolicy 1.3 | OASIS WS- SecurityPolicy Ver 1.3:2009 | BSP | NCIA/CS |
| OpenGIS Geography Markup Language (GML) Implementation Specification version 3.1.1. | | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Geography Markup Language (GML) simple features profile Technical Note v 2.0 | | FMN3 | FMN CPWG |
| GML application schema for the Simple and GML serializations of GeoRSS | | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| RSS 2.0 Specification | RSS RSS 2.0 Specification:2009 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Web Services Addressing 1.0 - Core | W3C WS-Addressing 1.0 - Core:2006 | FMN3, FMN4-20211022 | FMN CPWG |
| Cross-Origin Resource Sharing | W3C Cross-Origin Resource Sharing:2013 | FMN3, FMN4-20211022 | FMN CPWG |
| Simple Object Access Protocol (SOAP) 1.1 | W3C SOAP 1.1:2000 | FMN3, FMN4-20211022 | NCIA |
| Web Service Description Language (WSDL) 1.1 | W3C WSDL 1.1:2001 | FMN3, FMN4-20211022 | FMN CPWG |
| Web Services Description Language (WSDL) Version 2.0 SOAP 1.1 Binding | | FMN3, FMN4-20211022 | FMN CPWG |
| XHTML™ 1.0 in XML Schema | W3C XHTML 1.0 in XML Schema:2002 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|--|---|--|----------------------|
| Character Model for the World Wide Web 1.0: Fundamentals | | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| CSS Namespaces Module Level 3 | W3C CSS Namespaces Module Level 3:2014 | | FMN CPWG |
| CSS Style Attributes | W3C CSS Style Attributes:2013 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Cascading Style Sheets Level 2 Revision 1 (CSS 2.1) Specification | W3C REC- CSS2:2011 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| CSS Color Module Level 3 | W3C CSS Color Module Level 3:2011 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| CSS Media Queries | W3C CSS Media Queries:2012 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| CSS Selectors Level 4 | W3C CSS Selectors Level 3:2011 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| HTML5 - A vocabulary and associated APIs for HTML and XHTML (2014) | | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Internationalization Tag Set (ITS) Version 1.0 | W3C ITS 1.0:2007 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Internationalization Tag Set (ITS) Version 2.0 | W3C ITS 2.0:2013 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Ruby Annotation | W3C Ruby Annotation:2001 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| eXtensible Markup Language (XML) 1.0 (Fifth Edition) | W3C XML 1.0 (Fith Edition):2008 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| XML Schema Part 1: Structures Second Edition | W3C XML Schema Part 1: Structures Ed 2:2004 | · · | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|------------------------------|----------------------|----------------|----------------------|
| XML Schema Part 2: Datatypes | W3C XML Schema | FMN3, | FMN CPWG |
| Second Edition | Part 1: Datatypes Ed | FMN4-20211022, | |
| | 2:2004 | FMN5-20231123 | |
| XML Key Management | W3C XKMS2:2005 | BSP | NCIA/CES |
| Specification | | | |

3.3.3. Communications Services

| Title | Pubnum | Profiles | Responsible Party |
|--|--------------------|----------|----------------------|
| Communications Services | | | |
| Interface standard for LC connectors with protective housings related to IEC 61076-3-106 | | BSP | FMN CPWG |
| Station and Media Access Control Connectivity Discovery | IEEE 802.1AB:2009 | BSP | NCIA/NSII |
| Media Access Control (MAC) Bridges | IEEE 802.1D:2004 | BSP | NCIA/NSII |
| Virtual Bridged Local Area Networks | IEEE 802.1Q:2006 | BSP | NCIA/NSII |
| Rapid Reconfiguration of Spanning Tree | IEEE 802.1W:2002 | BSP | NCIA/NSII |
| Single-mode fiber using 1,310 nm wavelength | IEEE 802.3:2012 | BSP | FMN CPWG |
| IPv6 Stateless Address Autoconfiguration | IETF RFC 4862:2007 | BSP | NCIA |
| Generic cabling for customer premises | ISO/IEC 11801:2002 | BSP | FMN CPWG |
| Characteristics of a single-mode optical fibre and cable | ITU-T G.652:2016 | BSP | FMN CPWG |
| Characteristics of a Robust, Non- Hopping Serial Tone Modulator/ Demodulator For Severely Degraded HF Radio Links | Ed A Ver 1:2015 / | BSP | DPC CaP1 BLOS CaT |
| Multi-hop IP Networking with legacy UHF Radios: Mobile ad hoc relay Line of Sight Networking (MARLIN) | Ed A Ver 1:2016 / | BSP | DPC CaP1 LOS CaT |

| Title | Pubnum | Profiles | Responsible Party |
|---|---|----------|---------------------------|
| Have Quick | NATO STANAG 4246 Ed 3:2009 | BSP | DPC CaP1 LOS CaT |
| Characteristics of 1200/2400/ 3600 bps single tone modulators for HF Radio links | | BSP | DPC CaP1 BLOS CaT |
| Saturn - A Fast Frequency Hopping ECCM Mode for UHF Radio | | BSP | DPC CaP1 LOS CaT |
| Minimum Technical Equipment Standards For Naval HF Shore-to- Ship Broadcast Systems | | BSP | DPC CaP1 BLOS CaT |
| Characteristics of single tone modulators/demodulators for maritime HF radio links with 1240 Hz bandwidth | 4529 Ed 1:1998 | BSP | DPC CaP1 BLOS CaT |
| Technical Standards for an Automatic Radio Control System (ARCS) for HF Communication Links | | BSP | DPC CaP1 BLOS CaT |
| Digital Interoperability between UHF communications terminals - Integrated Waveform (IWF) | | BSP | DPC CaP1 SATCOM CaT |
| Minimum Standards for Naval low Frequency (LF) Shore-to-Ship Surface Broadcast Systems | | BSP | DPC CaP1 BLOS CaT |
| Profile for HF radio data communications | NATO STANAG 5066 Ed 3:2015 | BSP | DPC CaP1 BLOS CaT |
| Communications Access Services | | | |
| System Segment Specification for the Multifunctional Information Distribution System (MIDS) Low- Volume Terminal and Ancillary Equipment, Rev. EG | M-10001:2011 | BSP | NCIA/NSII |
| Physical/electrical characteristics of hierarchical digital interfaces | ITU-T G.703:2001 | BSP | NCIA/NSII |
| Interoperable Data Links for ISR Systems | NATO AEDP-7085 Ed A Ver 2:2022 / STANAG 7085 Ed 4 | BSP | NAFAG/ JCGISR |

| Title | Pubnum | Profiles | Responsible Party | |
|---|---|----------|----------------------|--|
| Interoperable Command And Control Data Link For Unmanned Systems (IC2DL) - Top Level Description | | BSP | NNAG/ JCGUAS | |
| Interoperable Command And Control Data Link For Unmanned Systems (IC2DL) - Physical Layer / Signal In Space Description | Ed A Ver 1:2016 / | BSP | NNAG/ JCGUAS | |
| Interoperable Command And Control Data Link For Unmanned Systems (IC2DL) - Operational Physical Layer / Signal In Space Description | Ed A Ver 1:2016 / STANAG 4660 Ed 1 | BSP | NNAG/ JCGUAS | |
| Tactical Data Exchange - Link 1 (Point-to-Point) | NATO ATDLP-5.01 Ed A Ver 2:2020 / STANAG 5501 Ed 7 | BSP | DPC CaP1 TDL CaT | |
| Tactical Data Exchange - Link 11/11B | NATO ATDLP-5.11 Ed B Ver 1:2019 / STANAG FT 5511 Ed 10 | | DPC CaP1 TDL CaT | |
| Tactical Data Link - Link 22 | NATO ATDLP-5.22 Ed B Ver 1:2021 / STANAG FT 5522 Ed 6 | BSP | DPC CaP1 TDL CaT | |
| Technical Characteristics of the Multifunctional Information Distribution System (MIDS) - VOL I & II | | BSP | DPC CaP1 TDL CaT | |
| Standard Interfaces of UAV Control System (UCS) for NATO UAV Interoperability | | BSP | NNAG/ JCGUAS | |
| Voice Access Services | | | | |
| The 600 Bit/S, 1200 Bit/S AND 2400 Bit/S NATO Interoperable Narrow Band Voice Coder | | BSP | DPC CaP1 N&S CaT | |
| Tactical Messaging Access Services | | | | |
| Call Sign Book for Ships | CCEB ACP 113(AD):2012 | BSP | DPC NACP CaT | |

| Title | Pubnum | Profiles | Responsible Party |
|---|------------------------------|---------------|----------------------|
| Information Assurance for Allied Communications and Information Systems | | BSP | DPC NACP CaT |
| Instructions For The Life Cycle Management Of Allied Communications Publications (ACPS) | 198(O):2018 | BSP | DPC NACP CaT |
| Maritime And Mobile Tacticalwide Area Networking (MTWAN) In The Maritime Environment - Operating Guidance | V1(D):2013 | BSP | DPC NACP CaT |
| Maritime Tactical Wide Area Networking (MTWAN) Technical Instructions | | BSP | DPC NACP CaT |
| Maritime And Mobile Tactical Wide Area Networking (MTWAN) In The Maritime Environment - Technical Guidance | V2(D):2015 | BSP | DPC NACP CaT |
| Communications Instructions Internet Protocol (IP) Services | CCEB ACP 201(A):2017 | BSP | DPC NACP CaT |
| Service Interface for Recognized Air Picture Data | FMN | FMN5-20231123 | FMN CPWG |
| Address Indicating Groups Instructions and Assignments | NATO ACP 100 NS-1(P):2009 | BSP | DPC NACP CaT |
| NATO Routing Indicator Book, NATO Supplement-1 | NATO ACP 117 NS-1(R):2013 | BSP | DPC NACP CaT |
| Handling of ATOMAL Information Within Classified Communications Centres, NATO Supplement-2 | | BSP | DPC NACP CaT |
| NATO Naval and Maritime Air Communications Instructions and Organisation | | BSP | DPC NACP CaT |
| | NS-1(G):2012 | BSP | DPC NACP CaT |

| Title | Pubnum | Profiles | Responsible Party |
|---|---|---------------|---------------------|
| Tactical Data Exchange - Link 1 (Point-to-Point) | NATO ATDLP-5.01 Ed A Ver 2:2020 / STANAG 5501 Ed 7 | BSP | DPC CaP1 TDL CaT |
| Tactical Data Exchange - Link 11/11B | NATO ATDLP-5.11 Ed B Ver 1:2019 / STANAG FT 5511 Ed 10 | BSP | DPC CaP1 TDL CaT |
| Tactical Data Exchange - Link 16 | NATO ATDLP-5.16 Ed B Ver 1:2019 / STANAG FT 5516 Ed 8 | FMN5-20231123 | DPC CaP1 TDL CaT |
| Interoperability Standard for Joint Range Extension Application Protocol (JREAP) ¹ | NATO ATDLP-5.18 Ed B Ver 2:2019 / STANAG FT 5518 Ed 4 | | DPC CaP1 TDL CaT |
| Tactical Data Link - Link 22 | NATO ATDLP-5.22 Ed B Ver 1:2021 / STANAG FT 5522 Ed 6 | BSP | DPC CaP1 TDL CaT |
| Standards for Interface of Data Links 1, 11, and 11B Through a Buffer | NATO ATDLP-6.01 Ed A Ver 1:2016 / STANAG 5601 Ed 7 | BSP | DPC CaP1 TDL CaT |
| Standards For Data Forwarding Between Tactical Data Systems Employing Link 11/11b And Tactical Data Systems Employing Link 16 | Ed B Ver 1:2021 / | BSP | DPC CaP1 TDL CaT |
| Standards For Data Forwarding Between Tactical Data Systems Employing Link 22 And Tactical Data Systems Employing Link 16 | II Ed B Ver 1:2021 / | BSP | DPC CaP1 TDL CaT |
| Standards For Data Forwarding Between Tactical Data Systems Employing Link 22 And Tactical Data Systems Employing Link 11/11B | III Ed B Ver 1:2021 / STANAG 5616 Ed 8 | BSP | DPC CaP1 TDL CaT |
| Standards For Data Forwarding Between Tactical Data Systems Employing Link 16 And Tactical Data Systems Employing JREAP | IV Ed B Ver 1:2021 / | BSP | DPC CaP1 TDL CaT |

| Title | Pubnum | Profiles | Responsible Party |
|---|-------------------------------|---------------|----------------------|
| Technical Characteristics of the Multifunctional Information Distribution System (MIDS) - VOL I & II | | BSP | DPC CaP1 TDL CaT |
| NATO Multi-channel Tactical Digital Gateway - System Standards | | BSP | DPC CaP1 N&S CaT |
| NATO Multi-channel Digital Gateway-Multiplex Group Framing Standards | | BSP | DPC CaP1 N&S CaT |
| International Routing and Directory for Tactical Communications Systems | | BSP | DPC CaP1 N&S CaT |
| The NATO Military Communications Directory System | NATO STANAG 5046 Ed 4:2015 | BSP | DPC CaP1 N&S CaT |
| Native Circuit-based Access Service | ees | | , |
| The NATO Military Communications Directory System | NATO STANAG 5046 Ed 4:2015 | BSP | DPC CaP1 N&S CaT |
| Communications Security Services | | | 1 |
| The Use of Galois/Counter Mode (GCM) in IPsec Encapsulating Security Payload (ESP) | | FMN5-20231123 | FMN CPWG |
| IP Encapsulating Security Payload (ESP) | IETF RFC 4303:2005 | FMN5-20231123 | FMN CPWG |
| IKE and IKEv2 Authentication Using the Elliptic Curve Digital Signature Algorithm (ECDSA) | IETF RFC 4754:2007 | FMN5-20231123 | DPC CaP4 |
| Using HMAC-SHA-256, HMAC-SHA-384, and HMAC-SHA-512 with IPsec | | FMN5-20231123 | FMN CPWG |
| Elliptic Curve Groups modulo a Prime (ECP Groups) for IKE and IKEv2 | | FMN5-20231123 | FMN CPWG |
| Internet Key Exchange Protocol Version 2 (IKEv2) | IETF RFC 7296:2014 | FMN5-20231123 | FMN CPWG |
| Algorithm Implementation Requirements and Usage Guidance | IETF RFC 8247:2017 | FMN5-20231123 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|--|--------------------|---------------|----------------------|
| for the Internet Key Exchange Protocol Version 2 (IKEv2) | | | |
| Networking and Information Infrastructure (NII) Internet Protocol (IP) Network Encryptor – Interoperability Specification (NINE ISPEC) | | FMN5-20231123 | DPC CaP1 LOS CaT |
| Frame-based Access Services | | | ı |
| Interface standard for LC connectors with protective housings related to IEC 61076-3-106 | | FMN5-20231123 | FMN CPWG |
| IEEE Standard for Ethernet | IEEE 803.3:2018 | FMN5-20231123 | FMN CPWG |
| Information technology Generic cabling for customer premises Part 1: General requirements | | FMN5-20231123 | FMN CPWG |
| Characteristics of a single-mode optical fibre and cable | ITU-T G.652:2016 | FMN5-20231123 | FMN CPWG |
| Packet-based Access Services | | | |
| Interface standard for LC connectors with protective housings related to IEC 61076-3-106 | | FMN5-20231123 | FMN CPWG |
| IEEE Standard for Ethernet | IEEE 803.3:2018 | FMN5-20231123 | FMN CPWG |
| Path MTU Discovery | IETF RFC 1191:1990 | FMN5-20231123 | FMN CPWG |
| Distributing Authoritative Name Servers via Shared Unicast Addresses | | FMN5-20231123 | FMN CPWG |
| Operation of Anycast Services | IETF RFC 4786:2006 | FMN5-20231123 | FMN CPWG |
| Unique Origin Autonomous System Numbers (ASNs) per Node for Globally Anycasted Services | IETF RFC 6382:2011 | FMN5-20231123 | FMN CPWG |
| Internet Protocol, version 4 | IETF RFC 791:1981 | FMN5-20231123 | NCIA/NSII |
| Ethernet Address Resolution Protocol | IETF RFC 826:1982 | FMN5-20231123 | NCIA/NSII |
| A Standard for the Transmission of IP Datagrams over Ethernet Networks | IETF RFC 894:1984 | FMN5-20231123 | NCIA/NSII |

| Title | Pubnum | Profiles | Responsible Party |
|---|--------------------|------------------------|----------------------|
| Information technology Generic cabling for customer premises Part 1: General requirements | | FMN5-20231123 | FMN CPWG |
| Characteristics of a single-mode optical fibre and cable | ITU-T G.652:2016 | FMN5-20231123 | FMN CPWG |
| Quality of service ranking and measurement methods for digital video services delivered over broadband IP networks | | BSP | FMN CPWG |
| IP packet transfer and availability performance parameters | ITU-T Y.1540:2016 | BSP | FMN CPWG |
| Network performance objectives for IP-based services | ITU-T Y.1541:2011 | BSP | FMN CPWG |
| Framework for achieving end-to-end IP performance objectives | ITU-T Y.1542:2010 | BSP | FMN CPWG |
| IPv4 Routed Access Services | | | |
| Host Extensions for IP Multicasting | IETF RFC 1112:1989 | FMN3, FMN4-20211022 | FMN CPWG |
| Path MTU Discovery | IETF RFC 1191:1990 | FMN4-20211022 | FMN CPWG |
| Address Allocation for Private Internets | IETF RFC 1918:1996 | FMN4-20211022 | FMN CPWG |
| Border Gateway Protocol (BGP) Communities Attribute | IETF RFC 1997:1996 | FMN3, FMN4-20211022 | FMN CPWG |
| Internet Group Management Protocol, Version 2 | IETF RFC 2236:1997 | FMN4-20211022 | NCIA/NSII |
| Administratively Scoped IP Multicast | IETF RFC 2365:1998 | FMN3, FMN4-20211022 | FMN CPWG |
| Definition of the Differentiated Services Field (DS Field) in the IPv4 and IPv6 Headers | | FMN3, FMN4-20211022 | FMN CPWG |
| Internet Group Management Protocol, Version 3 | IETF RFC 3376:2002 | FMN3, FMN4-20211022 | FMN CPWG |
| Multicast Source Discovery Protocol (MSDP) | IETF RFC 3618:2003 | FMN3, FMN4-20211022 | FMN CPWG |
| A Border Gateway Protocol 4 (BGP-4) | IETF RFC 4271:2006 | FMN3, FMN4-20211022 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|---|--------------------|------------------------|----------------------|
| BGP Extended Communities Attribute | IETF RFC 4360:2006 | FMN3, FMN4-20211022 | FMN CPWG |
| Configuration Guidelines for DiffServ Service Classes | IETF RFC 4594:2006 | FMN3, FMN4-20211022 | FMN CPWG |
| Classless Inter-domain Routing (CIDR): The Internet Address Assignment and Aggregation Plan | IETF RFC 4632:2006 | FMN3, FMN4-20211022 | FMN CPWG |
| Multiprotocol Extensions for BGP-4 | IETF RFC 4760:2007 | FMN3, FMN4-20211022 | FMN CPWG |
| The Generalized TTL Security Mechanism (GTSM) | IETF RFC 5082:2007 | FMN3, FMN4-20211022 | FMN CPWG |
| Capabilities Advertisement with BGP-4 | IETF RFC 5492:2009 | FMN3, FMN4-20211022 | FMN CPWG |
| IANA Guidelines for IPv4 Multicast Address Assignments | IETF RFC 5771:2010 | FMN3, FMN4-20211022 | FMN CPWG |
| Bidirectional Forwarding Detection (BFD) | IETF RFC 5880:2010 | FMN4-20211022 | FMN CPWG |
| Bidirectional Forwarding Detection (BFD) for IPv4 and IPv6 (Single Hop) | IETF RFC 5881:2010 | FMN4-20211022 | FMN CPWG |
| Bidirectional Forwarding Detection (BFD) for Multihop Paths | IETF RFC 5883:2010 | FMN4-20211022 | FMN CPWG |
| Autonomous-System-Wide Unique BGP Identifier for BGP-4 | IETF RFC 6286:2011 | FMN3, FMN4-20211022 | FMN CPWG |
| Overview of the Internet Multicast Addressing Architecture | IETF RFC 6308:2011 | FMN3, FMN4-20211022 | FMN CPWG |
| BGP Support for Four-Octet Autonomous System (AS) Number Space | | FMN3, FMN4-20211022 | FMN CPWG |
| IANA Registries for BGP Extended Communities | IETF RFC 7153:2014 | FMN3, FMN4-20211022 | FMN CPWG |
| Revised Error Handling for BGP UPDATE Messages | IETF RFC 7606:2015 | FMN3, FMN4-20211022 | FMN CPWG |
| Protocol Independent Multicast - Sparse Mode (PIM-SM): Protocol Specification (Revised) | | FMN3, FMN4-20211022 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|------------------------|----------------------|
| A Standard for the Transmission of IP Datagrams over Ethernet Networks | | FMN4-20211022 | NCIA/NSII |
| Internet Standard Subnetting Procedure | IETF RFC 950:1985 | FMN4-20211022 | NCIA/NSII |
| Quality of service ranking and measurement methods for digital video services delivered over broadband IP networks | | FMN3, FMN4-20211022 | FMN CPWG |
| Performance objectives and procedures for provisioning and maintenance of IP-based networks | | FMN3, FMN4-20211022 | FMN CPWG |
| IP packet transfer and availability performance parameters | ITU-T Y.1540:2016 | FMN3 | FMN CPWG |
| Internet protocol data communication service - IP packet transfer and availability performance parameters | | FMN4-20211022 | FMN CPWG |
| Network performance objectives for IP-based services | ITU-T Y.1541:2011 | FMN3, FMN4-20211022 | FMN CPWG |
| Framework for achieving end-to-end IP performance objectives | ITU-T Y.1542:2010 | FMN3, FMN4-20211022 | FMN CPWG |
| Interoperability Point Quality of Service (IP QoS) | NATO AComP-4711 Ed A Ver 1:2018 / STANAG 4711 Ed 1 | · · | DPC CaP1 N&S CaT |
| IP access to half-duplex radio networks | NATO AComP-5634 Ed A Ver 1:2022 / STANAG 5634 Ed 1 | FMN5-20231123 | DPC CaP1 LOS CaT |
| Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Network Access | Ed A Ver 2:2017 / | FMN4-20211022 | NAAG/ LCGDSS |
| Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Network Access | Ed A Ver 3:2023 | FMN5-20231123 | NAAG/ LCGDSS |
| Transmission Services | | | |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|---------------|---------------------------|
| Generic Specification for Optical Waveguide Fibers | EIA TIA/ EIA-492000-A:1997 | BSP | NCIA/NSII |
| VLF / LF MSK Multi Channel Broadcast | NATO AComP-4724 Ed B Ver 1:2021 / STANAG 4724 Ed 2 | BSP | DPC CaP1 BLOS CaT |
| Single and Multichannel VLF and LF On-Line Broadcast and Off-Line OOK Systems | 1 | BSP | DPC CaP1 BLOS CaT |
| Wireless BLOS Mobile Transmissi | on Services | | |
| Super High Frequency (SHF) Military Satellite Communications (MILSATCOM) Frequency Division Multiple Access (FDMA) Non-EPM Modem for Services Conforming to Class-B Of STANAG 4484 | Ed A Ver 1:2016 / | | DPC CaP1 SATCOM CaT |
| Digital interoperability between EHF Tactical Satellite Communications Terminals | | BSP | DPC CaP1 SATCOM CaT |
| SHF Milsatcom Non-EPM Modem for Services Conforming to Class-A Of STANAG 4484 | | BSP | DPC CaP1 SATCOM CaT |
| Extremely High Frequency(EHF) Military Satellite Communications(MILSATCOM) Interoperability Standards for Medium Data Rate Services | | BSP | DPC CaP1 SATCOM CaT |
| Wireless BLOS Mobile Narrowbar | d Transmission Servic | ces | |
| Interoperability between Ultra High Frequency Satellite Communications (UHF SATCOM) Terminals - Integrated Waveform (IW) | Ed A Ver 1:2022 / | FMN5-20231123 | DPC CaP1 SATCOM CaT |
| Technical standards for single channel HF radio equipment | NATO STANAG 4203 Ed 3:2007 | BSP | DPC CaP1 BLOS CaT |
| Wired Transmission Services | | | |
| Standard for optical connector medium-rate and high-rate military tactical link | 1 | BSP | DPC CaP1 N&S CaT |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|---------------|----------------------|
| Services to forward Friendly Force Information to Weapon Delivery Assets | | FMN5-20231123 | DPC CaP2 |
| Wired Wide Area Transmission Se | rvices | | |
| Standard for optical connector medium-rate and high-rate military tactical link | | BSP | DPC CaP1 N&S CaT |
| Wired Metropolitan Area Transmi | ssion Services | | |
| Standard for optical connector medium-rate and high-rate military tactical link | | BSP | DPC CaP1 N&S CaT |
| Wired Local Area Transmission Se | ervices | | |
| Standard for optical connector medium-rate and high-rate military tactical link | | BSP | DPC CaP1 N&S CaT |
| Wireless LOS Mobile Transmission | n Services | | |
| Bluetooth Core Specification 4.2 | Bluetooth SIG Bluetooth 4.2:2014 | BSP | NCIA/NSII |
| Services to forward Friendly Force Information to Weapon Delivery Assets | | FMN5-20231123 | DPC CaP2 |
| Wireless LOS Mobile Wideband T | ransmission Services | | , |
| ESSOR HDRWF Standard | NATO ESSOR HDRWF:2023 / STANAG 5651 Ed 1 | FMN5-20231123 | FMN CPWG |
| Technical Characteristics of the Multifunctional Information Distribution System (MIDS) - VOL I & II | 4175 Ed 5:2014 | BSP | DPC CaP1 TDL CaT |
| Wireless LOS Mobile Narrowband | Transmission Service | S | |
| Technical standards for single channel UHF radio equipment | NATO AComP-4205 Ed A Ver 1:2018 / STANAG 4205 Ed 4 | BSP | DPC CaP1 LOS CaT |
| SATURN - A Fast Frequency Hopping ECCM Mode for UHF Radio | | FMN5-20231123 | MCJSB/JGS |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|---------------|---------------------------|
| Narrowband Waveform for VHF/ UHF Radios - Head Specification | NATO AComP-5630 Ed A Ver 1:2019 / STANAG 5630 Ed 1 | FMN5-20231123 | DPC CaP1 LOS CaT |
| Narrowband Waveform for VHF/ UHF Radios - Physical Layer and Propagation Models | | FMN5-20231123 | DPC CaP1 LOS CaT |
| Narrowband Waveform for VHF/ UHF Radios - Link Layer | NATO AComP-5632 Ed A Ver 1:2019 / STANAG 5630 Ed 1 | FMN5-20231123 | DPC CaP1 LOS CaT |
| Narrowband Waveform for VHF/ UHF Radios - Network Layer | NATO AComP-5633 Ed A Ver 1:2019 / STANAG 5630 Ed 1 | | DPC CaP1 LOS CaT |
| Technical standards for single channel HF radio equipment | NATO STANAG 4203 Ed 3:2007 | BSP | DPC CaP1 BLOS CaT |
| Technical standards for single channel VHF radio equipment | NATO STANAG 4204 Ed 3:2008 | BSP | DPC CaP1 LOS CaT |
| Overall Super High Frequency (SHF) Military Satellite Communications (MILSATCOM) Interoperability Standards | | BSP | DPC CaP1 SATCOM CaT |
| Wireless BLOS Static Wideband T | ransmission Services | | 1 |
| Interoperability standard for Satellite Broadcast Services (SBS)) | NATO STANAG 4622 Ed 1:2018 | BSP | DPC CaP1 SATCOM CaT |
| Transport Services | | | |
| Interface standard for LC connectors with protective housings related to IEC 61076-3-106 | | FMN5-20231123 | FMN CPWG |
| IEEE Standard for Ethernet | IEEE 803.3:2018 | FMN5-20231123 | FMN CPWG |
| Path MTU Discovery | IETF RFC 1191:1990 | FMN5-20231123 | FMN CPWG |
| The Point-to-Point Protocol (PPP) | IETF RFC 1661:1994 | BSP | NCIA/NSII |
| RIP Version 2 MIB Extensions | IETF RFC 1724:1994 | BSP | NCIA/SMC |
| Application of the Border Gateway Protocol in the Internet | IETF RFC 1772:1995 | BSP | FMN CPWG |
| Requirements for IP Version 4 Routers | IETF RFC 1812:1995 | BSP | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|---|--------------------|---------------|----------------------|
| The PPP Multilink Protocol (MP) | IETF RFC 1990:1996 | BSP | NCIA/NSII |
| Border Gateway Protocol (BGP) Communities Attribute | IETF RFC 1997:1996 | BSP | FMN CPWG |
| OSPF Version 2 (STD-54) | IETF RFC 2328:1998 | BSP | NCIA/NSII |
| Routing Information Protocol (RIP) Version 2 | IETF RFC 2453:1998 | BSP | FMN CPWG |
| Definition of the Differentiated Services Field (DS Field) in the IPv4 and IPv6 Headers | IETF RFC 2474:1998 | BSP | FMN CPWG |
| IP Mobility Support for IPv4 | IETF RFC 3344:2002 | BSP | NCIA/NSII |
| Multicast Source Discovery Protocol (MSDP) | IETF RFC 3618:2003 | BSP | FMN CPWG |
| Virtual Router Redundancy Protocol | IETF RFC 3768:2004 | BSP | NCIA/NSII |
| A Border Gateway Protocol 4 (BGP-4) | IETF RFC 4271:2006 | BSP | FMN CPWG |
| BGP Extended Communities Attribute | IETF RFC 4360:2006 | BSP | FMN CPWG |
| Configuration Guidelines for DiffServ Service Classes | IETF RFC 4594:2006 | BSP | FMN CPWG |
| Protocol Independent Multicast - Sparse Mode (PIM-SM): Protocol Specification (Revised) | IETF RFC 4601:2006 | BSP | FMN CPWG |
| Multiprotocol Extensions for BGP-4 | IETF RFC 4760:2007 | BSP | FMN CPWG |
| Capabilities Advertisement with BGP-4 | IETF RFC 5492:2009 | BSP | FMN CPWG |
| 4-Octet AS Specific BGP Extended Community | IETF RFC 5668:2009 | BSP | FMN CPWG |
| User Datagram Protocol (UDP) | IETF RFC 768:1980 | BSP | NCIA/NSII |
| Internet Protocol, version 4 | IETF RFC 791:1981 | FMN5-20231123 | NCIA/NSII |
| Ethernet Address Resolution Protocol | IETF RFC 826:1982 | FMN5-20231123 | NCIA/NSII |
| A Standard for the Transmission of IP Datagrams over Ethernet Networks | | FMN5-20231123 | NCIA/NSII |
| Information technology — Telecommunications and | ISO/IEC 10589:2002 | BSP | NCIA/NSII |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|---------------|---------------------|
| information exchange between systems — Intermediate System to Intermediate System intra-domain routeing information exchange protocol for use in conjunction with the protocol for providing the connectionless-mode network service (ISO 8473) | | | |
| Information technology Generic cabling for customer premises Part 1: General requirements | | FMN5-20231123 | FMN CPWG |
| Characteristics of a single-mode optical fibre and cable | ITU-T G.652:2016 | FMN5-20231123 | FMN CPWG |
| Microsoft Windows Sockets (Winsock) Version 2.2.2 | Microsoft WinSock 2:1997 | BSP | NCIA/CES |
| Networking Framework for All-IP Transport Services (NETIP) | NATO AComP-4731 Ed A Ver 1:2017 / STANAG 4731 Ed 1 | BSP | DPC CaP1 N&S CaT |
| Packet-based Broadcast Services | | | |
| Path MTU Discovery | IETF RFC 1191:1990 | FMN5-20231123 | FMN CPWG |
| Definition of the Differentiated Services Field (DS Field) in the IPv4 and IPv6 Headers | | FMN5-20231123 | FMN CPWG |
| Internet Protocol, version 4 | IETF RFC 791:1981 | FMN5-20231123 | NCIA/NSII |
| Ethernet Address Resolution Protocol | IETF RFC 826:1982 | FMN5-20231123 | NCIA/NSII |
| A Standard for the Transmission of IP Datagrams over Ethernet Networks | | FMN5-20231123 | NCIA/NSII |
| Interoperability Point Quality of Service (IP QoS) | NATO AComP-4711 Ed A Ver 1:2018 / STANAG 4711 Ed 1 | FMN5-20231123 | DPC CaP1 N&S CaT |
| IP access to half-duplex radio networks | NATO AComP-5634 Ed A Ver 1:2022 / STANAG 5634 Ed 1 | FMN5-20231123 | DPC CaP1 LOS CaT |
| Specifications Defining the Joint Dismounted Soldier System | NATO AEP-76 Vol V Ed A Ver 3:2023 | FMN5-20231123 | NAAG/ LCGDSS |

| Title | Pubnum | Profiles | Responsible Party |
|--|-------------------------------|---------------|----------------------|
| Interoperability Network (JDSSIN) - Network Access | | | |
| Transport Cryptography Services | | | |
| The Use of Galois/Counter Mode (GCM) in IPsec Encapsulating Security Payload (ESP) | | FMN5-20231123 | FMN CPWG |
| IP Encapsulating Security Payload (ESP) | IETF RFC 4303:2005 | FMN5-20231123 | FMN CPWG |
| IKE and IKEv2 Authentication Using the Elliptic Curve Digital Signature Algorithm (ECDSA) | | FMN5-20231123 | DPC CaP4 |
| Using HMAC-SHA-256, HMAC-SHA-384, and HMAC-SHA-512 with IPsec | | FMN5-20231123 | FMN CPWG |
| Elliptic Curve Groups modulo a Prime (ECP Groups) for IKE and IKEv2 | | FMN5-20231123 | FMN CPWG |
| Internet Key Exchange Protocol Version 2 (IKEv2) | IETF RFC 7296:2014 | FMN5-20231123 | FMN CPWG |
| Algorithm Implementation Requirements and Usage Guidance for the Internet Key Exchange Protocol Version 2 (IKEv2) | | FMN5-20231123 | FMN CPWG |
| Edge Services | | | |
| Path MTU Discovery | IETF RFC 1191:1990 | FMN5-20231123 | FMN CPWG |
| Internet Protocol, version 4 | IETF RFC 791:1981 | FMN5-20231123 | NCIA/NSII |
| Ethernet Address Resolution Protocol | IETF RFC 826:1982 | FMN5-20231123 | NCIA/NSII |
| A Standard for the Transmission of IP Datagrams over Ethernet Networks | | FMN5-20231123 | NCIA/NSII |
| Circuit-based Transport Services | | | |
| The NATO Military Communications Directory System | NATO STANAG 5046 Ed 4:2015 | BSP | DPC CaP1 N&S CaT |
| Packet-based Transport Services | | | |

| Title | Pubnum | Profiles | Responsible Party |
|---|--------------------|--|----------------------|
| Interface standard for LC connectors with protective housings related to IEC 61076-3-106 | | FMN3, FMN4-20211022 | FMN CPWG |
| IEEE Standard for Ethernet | IEEE 803.3:2018 | FMN3, FMN4-20211022 | FMN CPWG |
| Host Extensions for IP Multicasting | IETF RFC 1112:1989 | FMN4-20211022 | FMN CPWG |
| Path MTU Discovery | IETF RFC 1191:1990 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Address Allocation for Private Internets | IETF RFC 1918:1996 | FMN4-20211022 | FMN CPWG |
| Routing Information Protocol next generation for IPv6 (RIPng) | IETF RFC 2080:1997 | FMN3, FMN4-20211022 | NCIA/NSII |
| Internet Group Management Protocol, Version 2 | IETF RFC 2236:1997 | FMN4-20211022 | NCIA/NSII |
| Routing Information Protocol (RIP) Version 2 | IETF RFC 2453:1998 | FMN3, FMN4-20211022 | FMN CPWG |
| Definition of the Differentiated Services Field (DS Field) in the IPv4 and IPv6 Headers | IETF RFC 2474:1998 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Generic Routing Encapsulation (GRE) | IETF RFC 2784:2000 | FMN3, FMN4-20211022 | FMN CPWG |
| The Use of Galois/Counter Mode (GCM) in IPsec Encapsulating Security Payload (ESP) | IETF RFC 4106:2005 | FMN4-20211022 | FMN CPWG |
| IP Encapsulating Security Payload (ESP) | IETF RFC 4303:2005 | FMN3, FMN4-20211022 | FMN CPWG |
| Configuration Guidelines for DiffServ Service Classes | IETF RFC 4594:2006 | FMN3, FMN4-20211022 | FMN CPWG |
| Classless Inter-domain Routing (CIDR): The Internet Address Assignment and Aggregation Plan | IETF RFC 4632:2006 | FMN4-20211022 | FMN CPWG |
| IKE and IKEv2 Authentication Using the Elliptic Curve Digital Signature Algorithm (ECDSA) | IETF RFC 4754:2007 | FMN3, FMN4-20211022 | DPC CaP4 |
| Using HMAC-SHA-256, HMAC-SHA-384, and HMAC-SHA-512 with IPsec | IETF RFC 4868:2007 | FMN4-20211022 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|--|--------------------|--|----------------------|
| IANA Guidelines for IPv4 Multicast Address Assignments | IETF RFC 5771:2010 | FMN4-20211022 | FMN CPWG |
| Elliptic Curve Groups modulo a Prime (ECP Groups) for IKE and IKEv2 | | FMN3, FMN4-20211022 | FMN CPWG |
| Suite B Cryptographic Suites for IPsec | IETF RFC 6379:2011 | FMN4-20211022 | FMN CPWG |
| Internet Key Exchange Protocol Version 2 (IKEv2) | IETF RFC 7296:2014 | FMN3, FMN4-20211022 | FMN CPWG |
| Signature Authentication in the Internet Key Exchange Version 2 (IKEv2) | IETF RFC 7427:2015 | FMN3, FMN4-20211022 | FMN CPWG |
| Generic Raw Public-Key Support for IKEv2 | IETF RFC 7670:2016 | FMN3, FMN4-20211022 | FMN CPWG |
| Internet Protocol, version 4 | IETF RFC 791:1981 | BSP, FMN5-20231123 | NCIA/NSII |
| Algorithm Implementation Requirements and Usage Guidance for the Internet Key Exchange Protocol Version 2 (IKEv2) | | FMN4-20211022 | FMN CPWG |
| Ethernet Address Resolution Protocol | IETF RFC 826:1982 | FMN3, FMN4-20211022, FMN5-20231123 | NCIA/NSII |
| A Standard for the Transmission of IP Datagrams over Ethernet Networks | | FMN4-20211022, FMN5-20231123 | NCIA/NSII |
| Internet Standard Subnetting Procedure | IETF RFC 950:1985 | FMN4-20211022 | NCIA/NSII |
| Requirements for Internet Hosts - Communication Layers | IETF STD 89:2006 | BSP | NCIA/NSII |
| Information technology Generic cabling for customer premises Part 1: General requirements | | FMN3, FMN4-20211022 | FMN CPWG |
| Characteristics of a single-mode optical fibre and cable | ITU-T G.652:2016 | FMN3, FMN4-20211022 | FMN CPWG |
| Quality of service ranking and measurement methods for digital | | FMN3, FMN4-20211022 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|------------------------|----------------------|
| video services delivered over broadband IP networks | | | |
| Performance objectives and procedures for provisioning and maintenance of IP-based networks | ITU-T M.2301:2002 | FMN3, FMN4-20211022 | FMN CPWG |
| IP packet transfer and availability performance parameters | ITU-T Y.1540:2016 | FMN3 | FMN CPWG |
| Internet protocol data communication service - IP packet transfer and availability performance parameters | | FMN4-20211022 | FMN CPWG |
| Network performance objectives for IP-based services | ITU-T Y.1541:2011 | FMN3, FMN4-20211022 | FMN CPWG |
| Framework for achieving end-to-end IP performance objectives | ITU-T Y.1542:2010 | FMN3, FMN4-20211022 | FMN CPWG |
| Interoperability Point Quality of Service (IP QoS) | NATO AComP-4711 Ed A Ver 1:2018 / STANAG 4711 Ed 1 | | DPC CaP1 N&S CaT |
| IP access to half-duplex radio networks | NATO AComP-5634 Ed A Ver 1:2022 / STANAG 5634 Ed 1 | FMN5-20231123 | DPC CaP1 LOS CaT |
| Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Network Access | Ed A Ver 2:2017 / | FMN4-20211022 | NAAG/ LCGDSS |
| Specifications Defining the Joint Dismounted Soldier System Interoperability Network (JDSSIN) - Network Access | NATO AEP-76 Vol V Ed A Ver 3:2023 | FMN5-20231123 | NAAG/ LCGDSS |
| Packet Routing Services | | | |
| Host Extensions for IP Multicasting | IETF RFC 1112:1989 | FMN3, FMN4-20211022 | FMN CPWG |
| Border Gateway Protocol (BGP) Communities Attribute | IETF RFC 1997:1996 | FMN3, FMN4-20211022 | FMN CPWG |
| Administratively Scoped IP Multicast | IETF RFC 2365:1998 | FMN3, FMN4-20211022 | FMN CPWG |
| Internet Group Management Protocol, Version 3 | IETF RFC 3376:2002 | FMN3, FMN4-20211022 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|---|--------------------|--|----------------------|
| Multicast Source Discovery Protocol (MSDP) | IETF RFC 3618:2003 | FMN3, FMN4-20211022 | FMN CPWG |
| A Border Gateway Protocol 4 (BGP-4) | IETF RFC 4271:2006 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| BGP Extended Communities Attribute | IETF RFC 4360:2006 | FMN3, FMN4-20211022 | FMN CPWG |
| Classless Inter-domain Routing (CIDR): The Internet Address Assignment and Aggregation Plan | I . | FMN3, FMN4-20211022 | FMN CPWG |
| Multiprotocol Extensions for BGP-4 | IETF RFC 4760:2007 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| The Generalized TTL Security Mechanism (GTSM) | IETF RFC 5082:2007 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Capabilities Advertisement with BGP-4 | IETF RFC 5492:2009 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| IANA Guidelines for IPv4 Multicast Address Assignments | IETF RFC 5771:2010 | FMN3, FMN4-20211022 | FMN CPWG |
| Bidirectional Forwarding Detection (BFD) | IETF RFC 5880:2010 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Bidirectional Forwarding Detection (BFD) for IPv4 and IPv6 (Single Hop) | 1 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Bidirectional Forwarding Detection (BFD) for Multihop Paths | IETF RFC 5883:2010 | FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Autonomous-System-Wide Unique BGP Identifier for BGP-4 | IETF RFC 6286:2011 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Overview of the Internet Multicast Addressing Architecture | IETF RFC 6308:2011 | FMN3, FMN4-20211022 | FMN CPWG |
| BGP Support for Four-Octet Autonomous System (AS) Number Space | IETF RFC 6793:2012 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |

| Title | Pubnum | Profiles | Responsible Party |
|---|--------------------|--|----------------------|
| IANA Registries for BGP Extended Communities | IETF RFC 7153:2014 | FMN3, FMN4-20211022 | FMN CPWG |
| Revised Error Handling for BGP UPDATE Messages | IETF RFC 7606:2015 | FMN3, FMN4-20211022, FMN5-20231123 | FMN CPWG |
| Protocol Independent Multicast - Sparse Mode (PIM-SM): Protocol Specification (Revised) | | FMN3, FMN4-20211022 | FMN CPWG |
| Default External BGP (EBGP) Route Propagation Behavior without Policies | | FMN5-20231123 | FMN CPWG |

CHAPTER 4. AGREED PROFILES

revision: v15.0-final-77-g702f531

4.1. INTRODUCTION

018. The NATO Interoperability Standards and Profiles include the set of Agreed Profiles listed below.

Table 4.1. Agreed Profiles

| Service Area | Title |
|--|---|
| Abstract | |
| URI | ID |
| Federated Mission Networking | FMN Spiral 3 Profile |
| This document defines the Standards Profile for Spiral 3. The FMN Standards Profiles provide other standardized profiles for interoperability core services and communications services in the required interoperability requirements, standardized. | s a suite of interoperability standards and of selected community of interest services, a federation of mission networks. It places |
| FMN Spiral 3 Profile | FMN3 |
| Federated Mission Networking | FMN Spiral 4 Profile |
| the C3 Taxonomy. Similarly, the breakdown of the taxonomy. FMN Spiral 4 Overview of Standards and Profiles | ervices are identified and specified in line with of the standards profiles more or less follows FMN4 |
| Federated Mission Networking | FMN Spiral 5 Profile (Baseline 100136) |
| 5 Specification and secondly, the standard pro implementation guidance for these sets of stan | dards in the Capability Enhancements. |
| FMN Spiral 5 Standards Profile | FMN5-20231123 |
| Architecture | Profile for the Architecture development |
| This profile lists recommended standards for r | niscellaneous architecture releated subjects. |
| architecture-profile.pdf | ARCHITECTURE |
| Archive | Profile for the Long Term Preservation of NATO Digital Information of Permanent value |

| Service Area | Title | |
|--|--|--|
| Abstract | | |
| URI | ID | |
| Outlines the file formats and package structures approved by the Archives Committee for the long-term preservation of NATO digital information of permanent value. | | |
| NISP-V2-archive-profile.pdf | ARCHIVE-ARCHIVE | |
| Security Services | Service Interface Profile Security Services | |
| This Service Interface Profile (SIP) describes the key elements that make up the NNEC Core Enterprise Services (CES) Security Services. | | |
| AI_TECH_2016.06.02.01_SIP.pdf | SIP-SEC | |
| REST Security Services | Service Interface Profile For REST Security Services | |
| web services (known as RESTful web services) that are deployed within the NNEC web service infrastructure. It specifies security requirements that need to be accounted for depending on the environment in which the services are being deployed, and the level of assurance required for protecting those services. This profile covers the required security protection profile for a Client to access protected resources on a Resource Server using REST. | | |
| AI_TECH_2016.06.02.02_SIP.pdf | SIP-REST | |
| Security Token Services | Service Interface Profile For Security Token Services | |
| The purpose of this Service Interface Profile (SIP) is to specify how the security token service component of the Core Enterprise Services (CES) Security Services may be called. | | |
| AI_TECH_2016.06.02.03_SIP.pdf | SIP-TOKEN | |
| Policy Enforcement Points | Service Interface Profile For Policy Enforcement Points | |
| The purpose of this Service Interface Profile (SIP), which should be read along with the Agency Directive 06.05.04.02.H 2, "Service Interface Profile for Security Services" [NCIA AD 06.05.04.02.H], is to specify how services may be called that are protected by the Core Enterprise Services (CES) Security Services. | | |
| AI_TECH_2016.06.02.04_SIP.pdf | SIP-POLICY-ENFORCE | |
| Enterprise Directory Services | Service Interface Profile For Enterprise Directory Services | |
| The purpose of this Service Interface Profile (SIP) is to specify the interface of the directory service itself. | | |
| AI_TECH_2016.06.02.05_SIP.pdf | SIP-ENTR-DIR | |

| Service Area | Title | |
|--|--|--|
| Abstract | | |
| URI | ID | |
| Messaging | Service Interface Profile For Messaging | |
| This specification provides the interface control web services that are deployed within the NNE | | |
| AI_TECH_2016.06.02.06_SIP.pdf | SIP-MESG | |
| REST Messaging | Service Interface Profile For REST Messaging | |
| This specification provides the profile for securing representational state transfer (REST) web services (known as RESTful web services) that are deployed within the NNEC web service infrastructure. This covers only the call from a Web Service Consumer to a Web Service Provider using REST, and the response from the service provider. It includes how the message must be structured and the elements that must be contained within the call. | | |
| AI_TECH_2016.06.02.07_SIP.pdf | SIP-REST-MSG | |
| Publish-Subscribe Services | Service Interface Profile For Publish- Subscribe Services | |
| This document gives directives along with clarifications and amendments to the [OASIS WS-BaseNotification, 2006] and [OASIS WS-BrokeredNotification, 2006] specification on how to implement a notification broker/subscription manager to promote interoperability between the publish/subscribe engines and generic message subscribers. Some extensions to the protocol have been introduced in order to meet NATO requirements. | | |
| AI_TECH_2016.06.02.08_SIP.pdf | SIP-PUBSUB | |
| Publish-Subscribe Notification Broker With Subscription Manager | Service Interface Profile For Publish- Subscribe Notification Broker With Subscription Manager | |
| This document is part of a Service Interface Profile (SIP) for Publish/Subscribe Core Enterprise Services (CES) and should be read together with the main document [NCIA AD 06.05.04.02.E]. It gives guidance on implementation of a WS-Notification compliant notification broker. It is REQUIRED that each notification broker implementation also includes the subscription manager functionality. | | |
| AI_TECH_2016.06.02.09_SIP.pdf | SIP-PUBSUB-NOTIF-BROOKER | |
| Publish-Subscribe Notification Consumer | Service Interface Profile For Publish- Subscribe Notification Consumer | |
| This document is part of a Service Interface Profile (SIP) for publish/subscribe Core Enterprise Services (CES) and should be read together with the main document "Service Interface Profile for Publish/Subscribe Services" [NCIA AD 06.05.04.02.E]. It gives guidance on implementation of a WS-Notification-compliant notification consumer. | | |

| Service Area | Title | |
|--|--|--|
| Abstract | Abstract | |
| URI | ID | |
| AI_TECH_2016.06.02.10_SIP.pdf | SIP-PUBSUB-NOTIF-CONSUMER | |
| A Notification Cache Service | Service Interface Profile For A Notification Cache Service | |
| This Service Interface Profile (SIP) describes the key eleme nts that make up the NNEC Core Enterprise Services (CES) Notification Cache service. It describes and profiles the operations which a Notification Cache service offers together with the associated message formats, and serves as a template and guideline for implementations. | | |
| AI_TECH_2016.06.02.11_SIP.pdf | SIP-NOTIF-CACHE | |
| Basic Collaboration Services | Service Interface Profile For Basic Collaboration Services | |
| This Collaboration Service Interface Profile (SIP) is focused on instant messaging and is based on the extensible messaging and presence protocol (XMPP). | | |
| AI_TECH_2016.06.02.12_SIP.pdf | SIP-BCS | |
| Core And Advanced Instant Messaging Collaboration Services | Service Interface Profile For Core And Advanced Instant Messaging Collaboration Services | |
| This document specifies the Service Interface Profile (SIP) for a number of instant messaging services that can be implemented and used by any XMPP entity (XMPP Client or XMPP Server) on the XMPP network. | | |
| AI_TECH_2016.06.02.13_SIP.pdf | SIP-MESG-COL-SERV | |
| Geospatial Services – Geoprocessing Service | Service Interface Profile For Geospatial Services – Geoprocessing Service | |
| This document gives guidance on the implementation of a Geoprocessing Service, being a special kind of a Geospatial Service. | | |
| AI_TECH.06.02.15_SIP.pdf | SIP-GEO-MRS | |
| Geospatial Services – Map Rendering Service | Service Interface Profile For Geospatial Services – Map Rendering Service | |
| This document gives guidance on the implementation of a Map Rendering Service, being a special kind of a Geospatial Service. | | |
| AI_TECH_2016.06.02.14_SIP.pdf | SIP-GEO-MRS | |
| Recognized Air Picture Data Services | Service Interface Profile for Recognized Air Picture Data | |

| Service Area | Title | |
|---|---|--|
| Abstract | | |
| URI | ID | |
| This Service Interface Profile provides detailed information, guidance, instructions, standards and criteria to define the minimum set of data elements that are required to be available for operational or technical reasons so that correctly formatted technical message can be generated to establish a Recognized Air Picture in a federated environment. | | |
| FMN Spiral 3 Profile including SIP for RAPD | SIP-RECOGNIZED-AIR-PICTURE-DATA | |
| Service Management Services | Service Interface Profile for Service Management and Control | |
| This Service Interface Profile provides guidance and technical details to the procedures, supporting services, infrastructure and data attributes required to implement Service Management and Control (SMC) services in Mission Networks. As such, this document contributes to the establishment of capabilities in support of Federated Mission Networking (FMN) as an affordable, effective and efficient means to enable sharing of information in a coalition environment. | | |
| FMN Spiral 3 Profile including SIP for SMC | SIP-FOR-SMC | |
| Transport Layer Security | Service Interface Profile for Transport Layer Security | |
| This Service Interface Profile (SIP) provides detailed information, guidance, instructions, standards and criteria to be used as a for the usage of Transport Layer Security (TLS) protocol to provide authentication, confidentiality and integrity services for protecting the communication between a consumer and a provider. This publication is a living document and will be periodically reviewed and updated to reflect technology developments, emerging best practices, evolving standards and new or deprecated cryptographic schemes and algorithms. | | |
| FMN Spiral 3 Profile including SIP for TLS | SIP-FOR-TLS | |
| Web Applications | Service Interface Profile for Web Applications | |
| This Service Interface Profile (SIP) provides detailed information, guidance, instructions, standards and criteria to be used for development, delivery and consumption of Web applications and dynamic Web sites. This publication is a living document and will be periodically reviewed and updated to reflect technology developments and emerging best practices. | | |
| FMN Spiral 3 Profile including SIP for Web Apps | SIP-FOR-WEB-APPS | |
| Cryptographic Services | Cryptographic Artefact Binding Profiles | |

| Service Area | Title | |
|--|---|--|
| Abstract | | |
| URI | ID | |
| Profile the use of cryptographic protocols, wh different cryptographic techniques and mecha be stored in a cryptographic binding. | nich can be used to implement support for anisms, for generating cryptographic artefacts to | |
| ADat-P 4778.2 Ed A Ver 1:2020 - Profiles for Binding Metadata to a Data Object - Chapter 2 | BINDING-CRYPTO-V2 | |
| Informal Messaging Services | Simple Mail Transfer Protocol (SMTP) Binding Profile | |
| This profile specifies the mechanism for binding metadata to Internet Email (both formal and informal) including MIME entities. | | |
| ADat-P 4778.2 Ed A Ver 1:2020 - Profiles for Binding Metadata to a Data Object - Chapter 2 | BINDING-SMTP-V2 | |
| XMPP Services | Extensible Message and Presence Protocol (XMPP) Binding Profile | |
| whereby a mechanism for carrying Enhanced is standardized. This profile extends the XEP | -0258 specification to support carrying an unzas. This profile supports the XMPP use cases | |
| ADat-P 4778.2 Ed A Ver 1:2020 - Profiles for Binding Metadata to a Data Object - Chapter 4 | BINDING-XMPP-V2 | |
| Metadata Services | Office Open XML (OOXML) Formats Binding Profile | |
| This profile for the OOXML describes how metadata can be maintained. | | |
| ADat-P 4778.2 Ed A Ver 1:2020 - Profiles for Binding Metadata to a Data Object - Chapter 5 | BINDING-OOXML-V2 | |
| SOAP Services | Simple Object Access Protocol (SOAP) Profile | |
| This profilesupports for both SOAP 1.1 and SOAP 1.2. To support information sharing between partners it may be necessary to locate a Binding Data Object (BDO) in the SOAP protocol layer. Metadata may be bound to the whole data object (SOAP message) or may be bound to subsets of the SOAP message (data object(s) in the SOAP body). In an environment | | |

| Service Area | Title | |
|---|--|--|
| Abstract | | |
| URI | ID | |
| where data objects must have bound metadata, the resource identified in the URI will all contain a BDO (detached, encapsulating or embedded). | | |
| ADat-P 4778.2 Ed A Ver 1:2020 - Profiles for Binding Metadata to a Data Object - Chapter 6 | BINDING-SOAP | |
| REST Services | Representational State Transfer (REST) Profile | |
| In an environment where data objects must have bound metadata, the resource identified in the URI will already contain a BDO (detached, encapsulating or embedded). As such, there is no requirement for metadata binding that is specific for REST. However, to support information sharing between partners it may be necessary to locate a Binding Data Object (BDO) in the HTTP protocol layer. | | |
| ADat-P 4778.2 Ed A Ver 1:2020 - Profiles for Binding Metadata to a Data Object - Chapter 7 | BINDING-REST-V2 | |
| Generic Packaging Services | Generic Open Packaging Convention (OPC) Binding Profile | |
| This profile defines a generic packaging mechanism, based upon the Open Packaging Container (OPC) defined in ISO/IEC 29500-2:2008, to associate any arbitrary file that do not use the Office Open XML (OOXML) format or have no specific profile for supporting the Binding Information with their own file format. | | |
| ADat-P 4778.2 Ed A Ver 1:2020 - Profiles for Binding Metadata to a Data Object - Chapter 8 | BINDING-GENERIC-V2 | |
| Sidecar Services | Sidecar Files Binding Profile | |
| Sidecar files allow the association of metadata with a data object for which there is no profile. | | |
| ADat-P 4778.2 Ed A Ver 1:2020 - Profiles for Binding Metadata to a Data Object - Chapter 9 | BINDING-SIDECAR-V2 | |
| XMP Services | Extensible Metadata Platform (XMP) Binding Profile | |
| This Binding Profile for XMP describes how metadata should be incorporated within an XMP packet as a structured value. | | |

| Service Area | Title | |
|--|--|--|
| Abstract | | |
| URI | ID | |
| ADat-P 4778.2 Ed A Ver 1:2020 - Profiles for Binding Metadata to a Data Object - Chapter 10 | BINDING-EXTENSIBLE-V2 | |
| WSMP Services | Web Service Messaging Profile (WSMP) Profile | |
| The Web Service Messaging Profile (WSMP) defines a set of service profiles to exchange arbitrary XML-based messages. WSMP is extensible and may be used by any Community of Interest (COI). This profile supports the requirement to explicitly bind metadata to data (or subsets thereof) whereby the data is XML-based and exchanged between service consumers and service providers using the WSMP message wrapper mechanism. | | |
| ADat-P 4778.2 Ed A Ver 1:2020 - Profiles for Binding Metadata to a Data Object - Chapter 11 | BINDING-WSMP | |
| XML Artifacts Profile | Common XML artefacts 2.0 | |
| This profile supports the requirement to bind metadata to data (or subsets thereof) whereby the data is XML-encoded in one of the following schemas: XML Schema, ISO Schematron, XML Stylesheet, Generic Codelist, Context/Value Assosiation or Security Policy Information File. | | |
| ADat-P 4778.2 Ed A Ver 1:2020 - Profiles for Binding Metadata to a Data Object - Chapter 12 | BINDING-COMMON-XML | |

| Index | DGIWG-126, 25 |
|---|---|
| | DGIWG-250, 25, 49 Distributed Management Task Force |
| A | OVF 2.0.1 (DSP0243), 68 |
| Adobe Systems Incorporated | |
| TIFF Rev 6.0, 33 | E |
| XMP Specification Part 3 Ver 2016, 7, 29, | Electronic Business using eXtensible Markup |
| 69, 78 | Language |
| Association for Computing Machinery | ebTA, 85 |
| 2002-REST-TOIT, 69 | Electronic Industries Association |
| _ | TIA/EIA-492000-A, 110 |
| В | ESRI |
| Bluetooth Special Interest Group (SIG) | shapefile, 25, 49 |
| Bluetooth 4.2, 111 | XML Schema of the Geodatabase, 26, 49 |
| • | European Broadcasting Union |
| C | Tech 3285, 33 |
| Chairman of the Joint Chiefs of Staff | European Computer Manufacturers |
| SSS-M-10001, 101 | Association |
| CIS3 C&I Partnership | ECMA-262 Ed 5.1, 17 |
| SCIP-210, 39 | ECMA-357, 17 |
| SCIP-214.2, 39 | F |
| SCIP-214.3, 39 SCIP-233.350, 39 | FMN, 20, 27, 28, 36, 90, 92, 103 |
| SCIP-233.501, 39 | SIP for Binding Metadata to HTTP |
| SCIP-233.501, 39 | Messages, 92 |
| Combined Communications and Electronics | SIP for Binding Metadata to Informal |
| Board | Messages, 42 |
| ACP 113(AD), 102 | SIP for Binding Metadata to SOAP |
| ACP 122(D), 103 | Messages, 92 |
| ACP 133(C), 75 | SIP for Binding Metadata to XMPP Stanzas, |
| ACP 145(A), 36 | 49 |
| ACP 160(E), 6, 15 | |
| ACP 190(D), 21 | 1 |
| ACP 198(O), 103 | Institute of Electrical and Electronics |
| ACP 200 V1(D), 103 | Engineers |
| ACP 200 V2(C), 103 | 1588, 65 |
| ACP 200 V2(D), 103 | 802.1AB, 100 |
| ACP 201(A), 103 | 802.1D, 100 |
| D | 802.1p, 84 |
| | 802.1Q, 100 |
| Data Mining Group PMML-4.2.1, 28 | 802.1W, 100 802.3, 100 |
| Defence Geospatial Information Working | 803.3, 106, 106, 112, 116 |
| Group | P1516, 24 |
| DGIWG-122, 28 | International Civil Aviation Organization |
| | |

| Doc 10003, 11 | RFC 2236, 107, 116 |
|--|------------------------------|
| International Electrotechnical Commission | RFC 2246, 42, 49, 75, 92 |
| 61754-20-100, 100, 106, 106, 112, 116 | RFC 2256, 66 |
| International Organization for Standardization | RFC 2328, 113 |
| 15836, 28 | RFC 2365, 107, 118 |
| 16684-1, 7, 30, 71, 79 | RFC 2392, 29, 42, 70, 78 |
| 19005-1, 46, 52, 95 | RFC 2453, 113, 116 |
| 19005-2, 46, 52, 95 | RFC 2474, 107, 113, 114, 116 |
| 19757-3, 30, 71, 80, 86 | RFC 2557, 33 |
| 28500, 33 | RFC 2616, 90 |
| 32000-1, 33, 37, 46, 52, 95 | RFC 2634, 29, 49, 70, 79 |
| 639-2, 9 | RFC 2782, 64 |
| 8601, 17 | RFC 2784, 116 |
| Internet Engineering Task Force | RFC 2790, 85 |
| RFC 1034, 64 | RFC 2798, 66, 74, 75, 92 |
| RFC 1035, 64 | RFC 2817, 92 |
| RFC 1112, 107, 116, 118 | RFC 2819, 85 |
| RFC 1191, 106, 107, 112, 114, 115, 116 | RFC 2849, 76 |
| RFC 1212, 84 | RFC 2854, 92 |
| RFC 1213, 85 | RFC 2920, 43 |
| RFC 1321, 65 | RFC 3207, 43 |
| RFC 1643, 85 | RFC 3258, 64, 106 |
| RFC 1661, 112 | RFC 3261, 37, 37, 60 |
| RFC 1724, 85, 112 | RFC 3262, 37, 60 |
| RFC 1738, 92 | RFC 3264, 37, 60 |
| RFC 1772, 112 | RFC 3311, 37, 60 |
| RFC 1812, 112 | RFC 3344, 113 |
| RFC 1866, 42 | RFC 3376, 107, 118 |
| RFC 1870, 42 | RFC 3461, 43 |
| RFC 1896, 42 | RFC 3501, 43 |
| RFC 1918, 107, 116 | RFC 3526, 65 |
| RFC 1939, 42 | RFC 3550, 38, 60, 62 |
| RFC 1990, 113 | RFC 3618, 107, 113, 119 |
| RFC 1997, 107, 113, 118 | RFC 3629, 29, 43, 49, 92 |
| RFC 2034, 42 | RFC 3676, 43, 49 |
| RFC 2045, 42, 49 | RFC 3749, 43, 49, 76, 92 |
| RFC 2046, 42, 49, 87 | RFC 3768, 113 |
| RFC 2047, 42, 49 | RFC 3986, 66, 74, 88, 92 |
| RFC 2049, 42, 49 | RFC 4028, 38, 60 |
| RFC 2080, 116 | RFC 4033, 64 |
| RFC 2104, 29, 67, 70, 78 | RFC 4034, 64 |
| RFC 2119, 29, 70, 78, 86 | RFC 4035, 64 |
| RFC 2181, 64 | RFC 4106, 66, 105, 115, 116 |
| RFC 2231, 29, 42, 70, 78, 84 | RFC 4155, 33 |
| | |

| RFC 4180, 33 | RFC 5246, 43, 50, 74, 77, 93 |
|---------------------------------|---|
| RFC 4248, 92 | RFC 5280, 29, 43, 50, 65, 67, 70, 74, 77, 79, |
| RFC 4250, 74 | 93 |
| RFC 4271, 38, 60, 107, 113, 119 | RFC 5321, 44 |
| RFC 4287, 84, 92 | RFC 5322, 29, 44, 67, 70, 74, 79, 93 |
| RFC 4288, 43 | RFC 5366, 38, 61 |
| RFC 4303, 66, 105, 115, 116 | RFC 5492, 38, 61, 108, 113, 119 |
| RFC 4329, 92 | RFC 5545, 41, 44, 50, 93 |
| RFC 4346, 43, 49, 76, 92 | RFC 5546, 41, 44, 93 |
| RFC 4353, 38, 60 | RFC 5668, 113 |
| RFC 4360, 108, 113, 119 | RFC 5702, 64 |
| RFC 4411, 38, 60 | RFC 5731, 29, 44, 70, 79 |
| RFC 4412, 38, 60 | RFC 5746, 44, 50, 77, 93 |
| RFC 4492, 43, 49, 76, 93 | RFC 5751, 29, 67, 70, 79 |
| RFC 4509, 64 | RFC 5771, 108, 117, 119 |
| RFC 4510, 76 | RFC 5789, 88 |
| RFC 4511, 76 | RFC 5880, 38, 61, 108, 119 |
| RFC 4512, 76 | RFC 5881, 38, 61, 108, 119 |
| RFC 4513, 76 | RFC 5883, 38, 61, 108, 119 |
| RFC 4514, 76 | RFC 5903, 67, 105, 115, 117 |
| RFC 4515, 76 | RFC 5905, 65 |
| RFC 4516, 76 | RFC 5936, 64 |
| RFC 4517, 76 | RFC 5966, 64 |
| RFC 4518, 76 | RFC 6047, 41, 44, 93 |
| RFC 4519, 66, 74, 77, 93 | RFC 6066, 44, 50, 77, 93 |
| RFC 4523, 65 | RFC 6101, 44, 50, 77, 93 |
| RFC 4566, 38, 60 | RFC 6120, 29, 50, 58, 70, 79, 82 |
| RFC 4579, 38, 60 | RFC 6121, 29, 50, 58, 70, 79, 82 |
| RFC 4594, 108, 113, 116 | RFC 6122, 30, 50, 58, 70, 79, 82 |
| RFC 4601, 113 | RFC 6125, 44, 50, 77, 94 |
| RFC 4627, 93 | RFC 6152, 44, 51 |
| RFC 4632, 108, 116, 119 | RFC 6176, 44, 51, 77, 94 |
| RFC 4733, 38, 60 | RFC 6184, 39, 61 |
| RFC 4752, 74 | RFC 6286, 39, 61, 108, 119 |
| RFC 4754, 67, 105, 115, 116 | RFC 6308, 108, 119 |
| RFC 4760, 38, 60, 108, 113, 119 | RFC 6379, 117 |
| RFC 4786, 64, 106 | RFC 6382, 64, 106 |
| RFC 4862, 100 | RFC 6415, 90, 94 |
| RFC 4868, 67, 105, 115, 116 | RFC 6520, 44, 51, 77, 94 |
| RFC 4954, 43 | RFC 6665, 39, 61 |
| RFC 5023, 69, 93 | RFC 6749, 74, 88 |
| RFC 5082, 38, 61, 108, 119 | RFC 6750, 88 |
| RFC 5147, 43, 50 | RFC 6793, 39, 61, 108, 119 |
| RFC 5155, 64 | RFC 6891, 65 |
| | |

- 131 -

| DEG (021 20 (7 70 70 | DEG 0707 75 00 |
|--------------------------------------|---------------------------------------|
| RFC 6931, 30, 67, 70, 79 | RFC 8707, 75, 89 |
| RFC 6960, 45, 51, 65, 77, 94 | RFC 894, 106, 109, 113, 114, 115, 117 |
| RFC 6961, 45, 51, 77, 94 | RFC 9068, 75, 89 |
| RFC 7094, 65 | RFC 9110, 95 |
| RFC 7153, 108, 120 | RFC 9111, 95 |
| RFC 7230, 30, 70, 79, 84, 88, 90, 94 | RFC 9112, 95 |
| RFC 7231, 88, 94 | RFC 9239, 95 |
| RFC 7232, 88, 94 | RFC 9325, 45, 52, 78, 95 |
| RFC 7233, 88, 94 | RFC 950, 109, 117 |
| RFC 7234, 88, 94 | RFC SSL2, 45, 52, 78, 95 |
| RFC 7235, 94 | STD 89, 117 |
| RFC 7296, 67, 105, 115, 117 | ISO/IEC |
| RFC 7303, 88 | 10589, 114 |
| RFC 7366, 45, 51, 77, 94 | 10918-1, 33, 46, 52, 95 |
| RFC 7427, 117 | 10918-3, 46, 52, 96 |
| RFC 7444, 30, 45, 70, 79, 84 | 10918-4, 62 |
| RFC 7468, 65 | 11172-3, 34, 46, 52, 62, 96 |
| RFC 7515, 30, 67, 71, 79 | 11179-3, 9 |
| RFC 7519, 74, 88 | 11801, 100 |
| RFC 7521, 74, 88 | 11801-1, 106, 107, 114, 117 |
| RFC 7522, 74, 88 | 12087-5, 9 |
| RFC 7523, 74, 88 | 12087-5 Cor 1, 9 |
| RFC 7525, 45, 51, 78, 94 | 12087-5 Cor 2, 9 |
| RFC 7568, 45, 51, 78, 94 | 13818, 63 |
| RFC 7606, 39, 61, 108, 120 | 13818-2, 34 |
| RFC 7627, 45, 51, 78, 95 | 13818-3, 34 |
| RFC 7667, 39, 61 | 13818-7, 46, 52, 96 |
| RFC 7670, 117 | 13818-7:2006/Amd 1, 46, 52, 96 |
| RFC 768, 113 | 13818-7:2006/Cor 1, 46, 52, 96 |
| RFC 7761, 108, 120 | 13818-7:2006/Cor 2, 46, 52, 96 |
| RFC 7800, 74, 88 | 14443, 25 |
| RFC 791, 106, 113, 114, 115, 117 | 14496, 63 |
| RFC 7919, 45, 51, 78, 95 | 14496-10, 34, 46, 53, 96 |
| RFC 793, 45, 51, 78, 95 | 14496-2, 34 |
| RFC 8040, 91, 95 | 14750, 9 |
| RFC 8098, 45, 51 | 15408, 25 |
| RFC 8212, 39, 61, 120 | 15444-1, 26, 34, 53 |
| RFC 8247, 67, 106, 115, 117 | 15445, 37 |
| RFC 8259, 88 | 15948, 47, 53, 96 |
| RFC 826, 106, 113, 114, 115, 117 | 17203, 63, 68 |
| RFC 8414, 75, 88 | 17788, 25 |
| RFC 8422, 45, 51, 78, 95 | 17789, 25 |
| RFC 8446, 45, 51, 78, 95 | 17826, 69 |
| RFC 8693, 75, 89 | 17963, 9, 25 |
| 14 0 00/0, 10, 0/ | 11700,7,20 |

| 19099, 69 | MSDN-ODBCPR 3.8, 75 | |
|---|---|--|
| 26300, 37 | Virtual Hard Disk Image Format | |
| 26300-1, 7, 47, 53, 96 | Specification, 68 | |
| 26300-2, 7, 47, 53, 96 | WinSock 2, 114 | |
| | Multilateral Interoperability Programme | |
| 29500-1, 47, 53, 97 | MIM 5.1, 17 | |
| 29500-2, 7, 30, 71, 80 | MIP IES 4.3.1, 18, 22 | |
| 7501-1, 35 | MIP4-IES, 17, 85 | |
| 8802-3, 21 | MIP4-IES 4.4, 11, 17, 25 | |
| 9075-1, 34 | WIII + 1LD +.+, 11, 17, 23 | |
| 9594-8, 97 | N | |
| · · · · · · · · · · · · · · · · · · · | NATO | |
| ISO/IEC/IECC | AAITP-09 Ed A Ver 1, 17 | |
| 42020, 5 | AComP-4205 Ed A Ver 1, 111 | |
| 42030, 6 | AComP-4290 Ed A Ver 2, 110, 111, 111, | |
| ITU Radiocommunication | 111 | |
| TF.460-6, 65 | AComP-4372 Ed A Ver 1, 111 | |
| ITU Standardisation | AComP-4415 Ed A Ver 1, 100 | |
| E.123, 39, 61 | AComP-4486 Ed A Ver 1, 110 | |
| E.164, 39, 62 | AComP-4681 Ed A Ver 1, 110 | |
| G.652, 100, 106, 107, 114, 117 | AComP-4691 Ed A Ver 1, 100 | |
| G.703, 101 | AComP-4711 Ed A Ver 1, 109, 114, 118 | |
| G.711, 39, 62 | AComP-4724 Ed B Ver 1, 110 | |
| G.722, 63 | AComP-4731 Ed A Ver 1, 114 | |
| G.722.1, 40, 62 | AComp-4787 Ed A Ver 1, 106 | |
| G.722.1 (2005) Corrigendum 1 (06/08), 40, | AComP-5068 Ed A Ver 2, 40 | |
| 62 | AComP-5630 Ed A Ver 1, 112 | |
| G.729, 40, 62, 63 | AComP-5631 Ed A Ver 1, 112 | |
| H.248.1, 37 | AComP-5632 Ed A Ver 1, 112 | |
| H.263, 63 | AComP-5633 Ed A Ver 1, 112 | |
| H.264, 40, 62, 63 | AComP-5634 Ed A Ver 1, 109, 114, 118 | |
| H.320, 37 | ACP 100 NS-1(P), 103 | |
| H.323, 40 | ACP 117 NS-1(R), 103 | |
| J.241, 107, 109, 118 | ACP 122 NS-2(A), 103 | |
| M.2301, 85, 109, 118 | ACP 160 NS-1(G), 6, 15 | |
| T.120, 41, 69 | ACP 176 NS-1(F), 103 | |
| T.30, 37 | ACP 198 NS-1(G), 103 | |
| X.509, 66 | ADatP-03 Ed A Ver 4, 34 | |
| X.841, 30, 71, 80, 84 | ADatP-36 Ed A Ver 1, 18, 21, 23, 85 | |
| Y.1540, 107, 109, 109, 118, 118 | ADatP-36 Ed A Ver 2, 21, 23, 53 | |
| Y.1541, 107, 109, 118 | ADatP-37 Ed A Ver 1, 21, 23, 85, 111, 111 | |
| Y.1542, 107, 109, 118 | ADatP-4774 Ed A Ver 1, 7, 15, 16, 20, 30, | |
| M | 47, 53, 67, 71, 80, 83, 84, 86, 89, 97 | |
| Minus of Communities | ADatP-4778 Ed A Ver 1, 8, 15, 16, 20, 31, | |
| Microsoft Corporation | 47, 53, 68, 72, 80, 83, 84, 86, 89, 97 | |

| AEDP-16 (Study), 40, 48, 54, 97 AEDP-17 Ed A Ver 1, 10 AEDP-18 Ed A Ver 1, 10, 10 AEDP-7085 Ed A Ver 2, 101 AEP-76 Ed A Ver 1, 18, 54, 86 AEP-76 Vol I Ed A Ver 2, 18, 22, 24, 89 AEP-76 Vol I Ed A Ver 3, 18 AEP-76 Vol II Ed A Ver 2, 18, 23, 24, 89 AEP-76 Vol III Ed A Ver 2, 18, 23, 24, 89 AEP-76 Vol III Ed A Ver 2, 18, 23, 24, 89 AEP-76 Vol III Ed A Ver 2, 18, 23, 24, 89 AEP-76 Vol III Ed A Ver 3, 18 AEP-76 Vol III Ed A Ver 2, 18, 23, 24, 89 AEP-76 Vol IV Ed A Ver 2, 18, 23, 24, 89 AEP-76 Vol IV Ed A Ver 2, 18, 23, 24, 89 AEP-76 Vol IV Ed A Ver 2, 19, 23, 24, 89, 109, 118 AEP-77 Vol V Ed A Ver 3, 19, 109, 115, 118 AEP-77 IE d A Ver 1, 102 AEP-77 III Ed B Ver 1, 6, 15 AGeoP-11 Ed B Ver 1, 26 AGeoP-11 Ed B Ver 1, 26, 54 AGeoP-11 Ed B Ver 1, 26, 54 AGeoP-21 Ed A Ver 1, 26, 54 AGeoP-22 Ed A Ver 1, 26, 54 AGeoP-24 Ed A Ver 1, 40, 48, 54 AJP-2.5 Ed A, 40, 48, 54, 97 | AEDP-17 Ed A Ver 1, 10 AEDP-18 Ed A Ver 1, 10, 10 AEDP-7085 Ed A Ver 2, 101 AEP-76 Ed A Ver 1, 18, 54, 86 AEP-76 Vol I Ed A Ver 2, 18, 22, 24, 89 AEP-76 Vol II Ed A Ver 2, 18, 23, 24, 89 AEP-76 Vol II Ed A Ver 3, 18 AEP-76 Vol III Ed A Ver 3, 18, 86 AEP-76 Vol III Ed A Ver 2, 18, 23, 24, 89 AEP-76 Vol III Ed A Ver 2, 18, 23, 24, 89 AEP-76 Vol III Ed A Ver 3, 18 AMP-11 VOL 08 PART 4 Ver 1, 13 AMP-11 VOL 11, 13 AMP-11 VOL 12 PART A Ver 12, 13 |
|--|--|
|--|--|

| ATDLP-5.11 Ed B Ver 1, 16, 16, 19, 22, | STANAG 3764 Ed 6, 63 |
|---|---|
| 102, 104 | STANAG 3809 Ed 4, 26 |
| ATDLP-5.16 Ed B Ver 1, 11, 16, 16, 19, 21, | STANAG 4162 Ed 2, 20 |
| 22, 35, 104 | STANAG 4175 Ed 5, 102, 105, 111 |
| ATDLP-5.18 Ed B Ver 2, 10, 10, 11, 16, 17, | STANAG 4193 Ed 3 P1, 7, 15 |
| 19, 21, 22, 104 | STANAG 4193 Ed 3 P2, 7, 15 |
| ATDLP-5.22 Ed B Ver 1, 16, 17, 19, 22, 35, | STANAG 4193 Ed 3 P3, 7, 15 |
| 102, 104 | STANAG 4203 Ed 3, 110, 112 |
| ATDLP-6.01 Ed A Ver 1, 104 | STANAG 4204 Ed 3, 112 |
| ATDLP-6.16 I Ed B Ver 1, 104 | STANAG 4205 Ed 4, 111 |
| ATDLP-6.16 II Ed B Ver 1, 104 | STANAG 4206 Ed 3, 105 |
| ATDLP-6.16 III Ed B Ver 1, 104 | STANAG 4207 Ed 3, 105 |
| ATDLP-6.16 IV Ed B Ver 1, 104 | STANAG 4214 Ed 2, 105 |
| ATP-105 Ed A Ver 1, 41, 48, 55 | STANAG 4233 Ed 1, 110 |
| ATP-32 Ed E Ver 2, 14 | STANAG 4246 Ed 3, 101 |
| ATP-45 Ed F Ver 2, 14 | STANAG 4285 Ed 1, 101 |
| ATP-97 Ed A Ver 1, 41, 48, 55 | STANAG 4290 Ed 2, 110, 111, 111, 111 |
| ATP-97 Ed B Ver 1, 41, 48, 55 | STANAG 4329 Ed 5, 17 |
| ESSOR HDRWF, 111 | STANAG 4372 Ed 3, 101 |
| JC3IEDM Baseline 3.1.4, 10 | STANAG 4372 Ed 4, 111 |
| MISP-2015.1, 10, 10, 41, 48, 55, 98 | STANAG 4406 Ed 2, 35 |
| MISP-2019.1, 63 | STANAG 4415 Ed 2, 100 |
| NVG 1.5, 17, 20 | STANAG 4479 Ed 1, 63 |
| NVG 2.0.2, 20, 20, 20, 48, 85 | STANAG 4481 Ed 1, 101 |
| STANAG (Study) 4716 Ed 1, 40, 48, 54, 97 | STANAG 4484 Ed 3, 112 |
| STANAG (Study) 5653 Ed 1, 15, 16, 20, 54 | STANAG 4485 Ed 2, 110 |
| STANAG 1116 Ed 10, 11, 11, 12, 12, 12, | STANAG 4486 Ed 4, 110 |
| 12, 12, 12, 12, 12, 12, 12, 13, 13, 13, 13, | STANAG 4522 Ed 1, 110 |
| 13, 13, 13, 13, 13, 14, 14, 14, 14, 14, 14 | STANAG 4529 Ed 1, 101 |
| STANAG 1171 Ed 10, 14 | STANAG 4538 Ed 1, 101 |
| STANAG 1401 Ed 15, 15 | STANAG 4545 Ed 2, 10, 35, 40, 47, 54, 97 |
| STANAG 2019 Ed 7, 20, 20, 21, 54 | STANAG 4559 Ed 3, 63 |
| STANAG 2020 Ed 4, 41, 48, 55 | STANAG 4559 Ed 4, 10, 10, 10 |
| STANAG 2103 Ed 12, 14 | STANAG 4564 Ed 3, 26 |
| STANAG 2195 Ed 2, 40, 48, 54, 97 | STANAG 4575 Ed 4, 63 |
| STANAG 2211 Ed 7, 26 | STANAG 4579 Ed 1, 11 |
| STANAG 2433 Ed 4, 11 | STANAG 4586 Ed 3, 102 |
| STANAG 2546 Ed 2, 40, 48, 54 | STANAG 4591 Ed 1, 41, 102 |
| STANAG 2586 Ed 2, 26 | STANAG 4607 Ed 3, 10, 10, 40, 47, 54, 63, |
| STANAG 2591 Ed 1, 37 | 97 |
| STANAG 2592 Ed 2, 7, 26, 26, 54, 54 | STANAG 4609 Ed 4, 10, 10, 41, 48, 55, 98 |
| STANAG 2627 Ed 1, 41, 48, 55 | STANAG 4609 Ed 5, 63 |
| STANAG 2627 Ed 2, 41, 48, 55 | STANAG 4622 Ed 1, 112 |
| STANAG 3377 Ed 6, 41, 48, 55, 98 | STANAG 4631 Ed 1, 86 |
| | · |

- 135 -

| STANAG 4660 Ed 1, 102, 102, 102 | STANAG 6015 Ed 5, 11, 11 |
|---|--|
| STANAG 4676 Ed 1, 40, 47, 54, 97 | STANAG 6523 Ed 1, 26, 28, 28 |
| STANAG 4677 Ed 1, 18, 18, 18, 18, 19, 22, | STANAG 7023 Ed 4, 63 |
| 23, 23, 23, 23, 24, 24, 24, 24, 24, 89, 89, 89, | STANAG 7085 Ed 4, 101 |
| 89, 89, 109, 118 | STANAG 7098 Ed 2, 26 |
| STANAG 4681 Ed 1, 101 | STANAG 7099 Ed 2, 26 |
| STANAG 4681 Ed 2, 110 | STANAG 7149 Ed 6, 19, 21, 23, 24, 35, 40 |
| STANAG 4691 Ed 2, 100 | 48, 55, 86 |
| STANAG 4705 Ed 1, 41, 62 | STANAG 7170 Ed 3, 26, 54 |
| STANAG 4711 Ed 1, 109, 114, 118 | STANAG 7194 Ed 1, 63 |
| STANAG 4715 Ed 1, 69 | STANAG FT 5511 Ed 10, 16, 16, 19, 22 |
| STANAG 4722 Ed 1, 15 | 102, 104 |
| STANAG 4724 Ed 2, 110 | STANAG FT 5516 Ed 8, 11, 16, 17, 19, 21 |
| STANAG 4731 Ed 1, 114 | 22, 35, 104 |
| STANAG 4774 Ed 1, 7, 15, 16, 20, 30, 47, | STANAG FT 5518 Ed 4, 10, 10, 11, 16, 17, |
| 53, 67, 71, 80, 83, 84, 86, 89, 97 | 19, 21, 22, 104 |
| STANAG 4778 Ed 1, 8, 15, 16, 20, 31, 47, | STANAG FT 5522 Ed 6, 16, 17, 19, 22, 35 |
| 47, 53, 53, 68, 72, 80, 83, 83, 84, 86, 89, 89, | 102, 104 |
| 97, 97 | STANREC 5635 Ed 1, 6, 15 |
| STANAG 4787 Ed 1, 106 | TIDE-ID-RR, 29 |
| STANAG 5000 Ed 3, 37 | TIDE-ID-SP, 85 |
| STANAG 5030 Ed 4, 110 | NATO C3 Board |
| STANAG 5042 Ed 1, 20 | AC/322-D(2004)0024REV2, 35 |
| STANAG 5046 Ed 4, 62, 105, 105, 115 | AC/322-D(2017)0007-U, 5 |
| STANAG 5065 Ed 1, 101 | AC/322-N(2018)-0002, 5 |
| STANAG 5066 Ed 3, 101 | NATO Study (expected) |
| STANAG 5068 Ed 1, 40 | STANAG (Study) 7149 Ed 6, 23, 41, 48, 55 |
| STANAG 5500 Ed 8, 34 | 97 |
| STANAG 5501 Ed 7, 16, 19, 22, 35, 102, | |
| 104 | 0 |
| STANAG 5516 Ed 4, 16, 19, 22 | Object Management Group |
| STANAG 5525 Ed 1, 19, 21, 23, 75 | CORBA 2.6.1, 24 |
| STANAG 5527 Ed 1, 18, 21, 21, 23, 23, 53, | UAF Ver 1.0, 6 |
| 85 | UAF Ver 1.0 Appendix A (DMM), 6 |
| STANAG 5528 Ed 1, 21, 23, 85, 111, 111 | Open GIS Consortium |
| STANAG 5601 Ed 7, 104 | 03-105r1, 98 |
| STANAG 5616 Ed 8, 104, 104, 104, 104 | 04-094, 20 |
| STANAG 5630 Ed 1, 112, 112, 112, 112 | 05-007r7, 27 |
| STANAG 5634 Ed 1, 109, 114, 118 | 05-047r3, 27 |
| STANAG 5641 Ed 1, 21 | 05-077r4, 20 |
| STANAG 5642 Ed 1, 22 | 06-042, 27, 28 |
| STANAG 5644 Ed 1, 18, 21, 22, 24, 86, 87 | 06-121r3, 27 |
| STANAG 5651 Ed 1, 111 | 06-121r9, 27 |
| STANAG 6014 Ed 4, 11 | 07-057r7, 27, 28 |
| | 07-147r2, 27, 34 |

| 08-085r8, 27, 55 08-091r6, 27 09-025r2, 28 09-110r4, 28 10-100r2, 27 11-044, 28, 98 12-128r10, 34 12-128r18, 27 | Simulation Interoperability Standards Organization C2SIM, 24 DSEEP, 25 Enum, 25 HLA, 25 |
|---|--|
| GeoRSS Schema 1.1, 98 Open Source Geospatial Foundation GeoTIFF Format Specification Revision 1.0, 27 Organization for the Advancement of Structured Information Standards CLR Genericode Ver 1.0, 32, 72, 81, 87 Context/Value Association Ver 1.0, 31, 72, 81, 86 ebXML RIM Ver 3.0, 69 ebXML RS&P Ver 3.0, 85 saml, 67 SAML V2.0, 67, 75, 89, 98 UDDI 3.0, 85 WS BaseNotification Ver 1.3, 87, 90 WS-BrokeredNotification, 87, 89 WS-Federation Ver 1.2, 75 WS-ReliableMessaging Ver 1.2, 87 WS-ResourceProperties Ver 1.2, 87, 90 WS-Security Utility Ver 1.0, 35 WS-SecurityPolicy Ver 1.3, 98 WS-Topics Ver 1.3, 87, 90 WS-Trust Ver 1.4, 35, 75, 90 WSRP Ver 1.0, 91 WSS SAML Token Profile Ver 1.1, 35 WSS SAML Token Profile Ver 1.1, 32, 68, 72, 75, 81, 87, 90 | The Modeling Agency CRISP-DM Ver 1.0, 28 The Open Group C197, 6 C19C, 6 TM Forum TMF000, 6 TMF621, 6, 36 TMF621B, 36 TMF632, 36 TMF633, 36 TMF639, 36 TMF639, 36 TMF641, 36 TMF645, 36 TMF655, 36 TMF655, 36 TMF657, 36 TMF671, 36 TMF673, 36 TMF673, 36 TMF674, 36 TMF675, 36 |
| R RSA Laboratories PKCS#1 v2.1, 69 RSS Advisory Board RSS 2.0 Specification, 84, 98 | U.S. Department of Defence MIL-PRF-89033, 26, 55 MIL-PRF-89038, 26, 55 MIL-PRF-89039, 27, 55 PRF-89020B, 26, 53 U.S. Department of the Navy OTH-T Gold Baseline 2000, 17 OTH-T Gold Baseline 2007, 17 |

| U.S. National Geospatial Intelligence Agency MIL-STD-2411, 27, 55 TR 8350.2, 27 | NOTE-ws-policy-guidelines, 75 NOTE-ws-policy-primer, 75 RDF 1.1 Concepts, 8, 32, 73, 81 |
|---|---|
| U.S. National Institute of Standards and | RDF Primer, 8, 32, 73, 81 |
| Technology | REC-CSS2, 91, 99 |
| FIPS PUB 180-4, 66 | REC-geolocation-API, 8, 91 |
| FIPS PUB 186-4, 66 | REC-html53-Draft, 8, 91 |
| FIPS PUB 197, 66 | REC-soap12-part1, 32, 73, 81, 84, 90 |
| SP 800-56A Rev 2, 66 | REC-ws-addr-metadata, 69 |
| SP 800-56A Rev 3, 66 | REC-ws-addr-soap, 69 |
| SP 800-56B Rev 1, 66 | REC-ws-policy, 75 |
| SP 800-56B Rev2, 66 | REC-xhtml1, 84 |
| SF 800-30D Rev2, 00 | REC-xnl-infoset, 91 |
| V | |
| | REC-xml-stylesheet, 32, 73, 81, 87, 91 |
| Vmware | REC-xmlbase, 91 |
| VDDK 5.0, 68 | REC-xmldsig-core, 32, 32, 68, 68, 73, 73, 82, 82, 84 |
| W | REC-xmldsig-core1, 32, 68, 73, 82, 90 |
| WAP Forum | REC-xmlenc-core, 32, 68, 73, 82 |
| WML Ver 2, 91 | REC-xmlenc-core1, 32, 68, 73, 82 |
| Web Services Interoperability Organisation | REC-xpath, 33, 68, 73, 82 |
| Basic Security Profile 1.1, 35, 90 | Ruby Annotation, 56, 99 |
| wsbp, 90 | SOAP 1.1, 32, 69, 72, 81, 84, 98 |
| World Meteorological Organization | SPARQL 1.1, 28 |
| Manual on Codes - WMO 306 Vol I.1, 14 | SVG 1.1 (Second Edition), 34 |
| Manual on Codes - WMO 306 Vol I.2, 14 | timezone, 65 |
| Manual on Codes - WMO 306 Vol II, 14 | wd-xptr, 33, 68, 73, 82 |
| World Wide Web Consortium | Web Speech API, 8, 91 |
| APIs for HTML5 and XHTML, 48, 56, 99 | WS-Addressing 1.0 - Core, 87, 90, 98 |
| Character Model for the WWW 1.0, 55, 99 | WSDL 1.1, 85, 90, 98 |
| Cross-Origin Resource Sharing, 98 | WSDL 2.0 SOAP 1.1 binding, 98 |
| CSS Color Module Level 3, 99 | XHTML 1.0 in XML Schema, 48, 55, 98 |
| CSS Media Queries, 99 | XKMS2, 100 |
| CSS Namespaces Module Level 3, 99 | XML 1.0 (Fith Edition), 8, 32, 73, 82, 91, 99 |
| CSS Selectors Level 3, 99 | XML 1.1 (Second Edition), 34 |
| CSS Style Attributes, 99 | XML Schema Part 1: Datatypes Ed 2, 100 |
| Date and Time Formats, 17 | XML Schema Part 1: Structures Ed 2, 99 |
| DOM Parsing and Serialization, 8, 91 | XML Schema Fart 1. Structures Ed 2, 77 XML Security Algorithm X-Reference, 32, |
| HTML 5.2, 8, 91 | , <u> </u> |
| HTML5 Differences from HTML4, 8, 91 | 68, 72, 81 |
| ITS 1.0, 56, 99 | xmldsig-core, 69, 83 |
| ITS 2.0, 56, 99 | XSD 1.1 Part 1: Structures, 33, 34, 73, 82, |
| Media Source Extensions, 8, 91 | 87 VSD 1.1 Pout 2: Detetrines 24 |
| Mobile Web Application Best Practices, 8, | XSD 1.1 Part 2: Datatypes, 34 |
| 91 | |
| /1 | |

X

X Consortium

X11R7.5, 64, 68

XMP Security Policy Information File

Open XML SPIF, 33, 73, 82, 87

XMPP Standards Foundation

XEP-0004, 37, 56, 56, 58, 83

XEP-0012, 56, 58, 83

XEP-0030, 37, 56, 56, 58, 58, 83

XEP-0045, 56, 56, 58, 58, 83

XEP-0047, 56, 58

XEP-0049, 56, 58

XEP-0054, 56, 58, 83

XEP-0055, 56, 58

XEP-0059, 56, 59

XEP-0060, 33, 56, 57, 59, 59, 73, 82, 83

XEP-0065, 57, 59

XEP-0068, 57, 83

XEP-0082, 57, 59

XEP-0092, 57, 59

XEP-0106, 57, 59, 83

XEP-0114, 57, 59

XEP-0115, 57, 57, 59, 59, 83

XEP-0122, 57, 83

XEP-0141, 57, 83

XEP-0160 Ver 1.0, 57, 59, 83

XEP-0198, 57, 59

XEP-0199, 57, 59, 83

XEP-0202, 57, 59, 83

XEP-0203, 57, 59, 83

XEP-0220, 57, 58, 59, 59, 83

XEP-0258, 33, 58, 59, 73, 82

XEP-0297, 58

XEP-0313, 58, 59

XEP-0346, 58, 84

NATO STANDARD

ADatP-34

NATO Interoperability Standards and Profiles

Volume 3

Candidate Interoperability Standards and Profiles

Edition N Version 2

18 Aug 2023



NORTH ATLANTIC TREATY ORGANIZATION ALLIED DATA PUBLICATION

Published by the NATO STANDARDIZATION OFFICE (NSO)
© NATO/OTAN

revision: v15.0-final-77-g702f531 ADatP-34 Volume 3

NATO LETTER OF PROMULGATION

The enclosed Allied Data Publication ADatP-34, Edition N, Version 2 NATO Interoperability Standards and Profiles, which has been approved by the nations in the C3B, is promulgated herewith. The agreement of nations to use this publication is recorded in STANAG 5524.

ADatP-34, Edition N, Version 2 is effective on receipt and supersedes ADatP-34, Edition N, Version 1 which shall be destroyed in accordance with the local procedure for the destruction of documents.

No part of this publication may be reproduced, stored in a retrieval system, used commercially, adapted, or transmitted in any form or by any means, electronic, mechanical, photo-copying, recording or otherwise, without the prior permission of the publisher. With the exception of commercial sales, this does not apply to member or partner nations, or NATO commands and bodies.

This publication shall be handled in accordance with C-M(2002)60.

Dimitrios SIGOULAKIS Lieutenant General, GRC (A) Director, NATO Standardization Office

RESERVED FOR NATIONAL LETTER OF PROMULGATION

RECORD OF RESERVATIONS

| CHAPTER | RECORD OF RESERVATION BY NATIONS |
|---------|----------------------------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

Note: The reservations listed on this page include only those that were recorded at time of promulgation and may not be complete. Refer to the NATO Standardization Document Database for the complete list of existing reservations.

RECORD OF SPECIFIC RESERVATIONS

| [nation] | [detail of reservation] |
|----------|-------------------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

Note: The reservations listed on this page include only those that were recorded at time of promulgation and may not be complete. Refer to the NATO Standardization Document Database for the complete list of existing reservations.

Table of Contents

| 1. Standards | |
|---|----|
| 1.1. Introduction | |
| 1.1.1. Releasability Statement | |
| 1.2. User Applications | |
| 1.3. Technical Services | |
| 1.3.1. Community Of Interest (COI) Services | |
| 1.3.2. Core Services | |
| 1.3.3. Communications Services | |
| 1.3.4. Extended C3 Taxonomy | 11 |
| 1.4. Unassigned standards | 11 |
| 2. Candidate Profiles | 13 |
| 2.1. Introduction | 13 |
| Index | 15 |

CHAPTER 1. STANDARDS

1.1. INTRODUCTION

001. The purpose of this chapter is to specify the candidate NISP standards. The document organizes these standards, following baseline 3.1 NATO's C3 Taxonomy, as endorsed by the NATO C3 Board per AC/322-D(2019)0034-AS1(INV) on 26 August 2019. A graphical representation of this taxonomy is included in volume 1.

002. For some standards it was not clear yet which service identified in the C3 Taxonomy should be used. Therefore, as an interim solution, the taxonomy was extended with e.g. user-defined "Cloud Services". In a separate section, all standards are listed for which could not yet be defined how they should be linked to the C3 Taxonomy.

003. The standards are presented in tabular form. Each table represent a subtree from the C3 taxonomy and each table line (marked in bold and spanning all columns in the table) represents a taxonomy node from the subtree. Under each taxonomy node title, all standards which are mapped to the node are listed with the following attributes: title of the standard; where possible, a link to the standard; publication number of the standard; a list of all the capability profiles where the standard is used; and finally the "responsible party" which is the domain expert that advises NATO about the standard. In general, a taxonomy node is only listed if at least one standard is assigned to this taxonomy node.

004. When STANAG X Ed Y is in ratification process, this is indicated by STANAG (RD) X Ed Y, and when it is a study draft, this is indicated by STANAG (Study) X Ed Y.

1.1.1. Releasability Statement

005. In principle, NISP only contains or references standards or related documents, which are generally available for NATO/NATO member nations/CCEB.

1.2. USER APPLICATIONS

| Title | Pubnum | Responsible Party |
|-------|--------|----------------------|
| | | |

1.3. TECHNICAL SERVICES

006. The "Technical Services" include those services required to enable "User Applications". They are part of the "Back-End Capabilities" while "User Applications" are part of "User-Facing Capabilities".

007. According to the C3 Taxonomy, they consist of "Community Of Interest (COI) Services", "Core Services" and "Communications Services". The complete collection of Technical

Services is sometimes referred to as the "Technical Services Framework" (TSF) or "NNEC Services Framework" (NSF).

008. In addition to the "Technical Services" identified in the C3 Taxonomy, a taxonomy layer "Cloud Computing" has been added. This enables a more useful categorization of cloud-based standards (currently only included as candidate standards).

1.3.1. Community Of Interest (COI) Services

| Title | Pubnum | Profiles | Responsible Party |
|--|--|----------|---------------------|
| Symbology Services | | | ' |
| NATO Vector Graphics Specification post version 2.0.2, to be issued 1Q2023 | NATO ADatP-4733 (Study) Ed A Ver 1 / STANAG (Study) 4733 Ed 1 | | DPC CaP1 |
| TIDE Transformational Baseline Ver 3.0 | NATO TTB v3.0:2009 | BSP | NCIA/CES |
| GML in JPEG 2000 for Geographic Imagery (GMLJP2) | OGC 05-047r3:2006 | BSP | FMN CPWG |
| Track Management Services | | | |
| Identification Data Combining Process | NATO AIDPP-01 Ed A Ver 1:2023 / STANAG 4162 Ed 3 | BSP | DPC CaP2 |
| Tactical Data Exchange - Link 16 | NATO ATDLP-5.16 (FD) Ed C Ver 1:2019 / STANAG FT (RD) 5516 Ed 9 | BSP | DPC CaP1 TDL CaT |
| Modelling and Simulation Services | 5 | | |

1.3.2. Core Services

| Title | Pubnum | Profiles | Responsible Party |
|--|-------------------------------------|----------|-------------------|
| Geospatial Services | | | , |
| NATO Geospatial Web Services | NATO AGeoP-26 (Study) Ed B Ver 1 | BSP | MCJSB/JGS |
| OpenGIS Web Processing Service (WPS) 1.0.0 | OGC 05-007r7:2007 | BSP | NCIA/AWG |
| Geospatial Coordinate Services | 1 | 1 | |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|----------|---------------------|
| OpenGIS Coordinate Transformation Services (CTS) | OGC 01-009:2001 | BSP | NCIA/AWG |
| Information Management Services | | | |
| Application Vulnerability Description Language (AVDL) Ver 1.0 | OASIS AVDL Ver 1.0:2004 | BSP | NCIA/CS |
| Formal Messaging Services | | | |
| Tactical Data Exchange - Link 11/11B | NATO ATDLP-5.11 Ed B Ver 1:2019 / STANAG FT 5511 Ed 10 | | DPC CaP1 TDL CaT |
| Tactical Data Exchange - Link 16 | NATO ATDLP-5.16 (FD) Ed C Ver 1:2019 / STANAG FT (RD) 5516 Ed 9 | | DPC CaP1 TDL CaT |
| Joint Range Extension Application Protocol (JREAP) | NATO ATDLP-5.18 (FD) Ed C Ver 1 / STANAG (RD) 5518 Ed 5 | | DPC CaP1 TDL CaT |
| SOAP Messages with Attachments (SwA) Profile 1.1 | OASIS WSS-SwA Ver 1.1:2006 | BSP | NCIA/CES |
| Variable Message Format (VMF) ¹ | US DoD MIL- STD-6017D:2017 | BSP | DPC CaP1 |
| Business Support CIS Security Ser | vices | 1 | |
| Common Biometric Exchange Formats Framework (CBEFF) - 2018 Edition | | BSP | NCIA/JISR |
| Electronic Biometric Transmission Specification (EBTS) Ver 8.1 | FBI EBTS Ver 8.1:2008 | BSP | NAFAG/ JCGISR |
| Communication and Collaboration | Services | | |
| HTML5 - A vocabulary and associated APIs for HTML and XHTML (2012) | | BSP | NCIA/CES |
| Fax Services | | | · |
| Procedures for real-time Group 3 facsimile communication over IP networks | | BSP | NCIA/NSII |

| Title | Pubnum | Profiles | Responsible Party |
|--|--|------------|----------------------|
| Infrastructure Services | ı | I | |
| The Secure Real-time Transport Protocol (SRTP) | IETF RFC 3711:2004 | BSP | FMN CPWG |
| NATO Imagery Interpretability Rating Scale (NIIRS) | NATO AIntP-07 Ed A Ver 1:2018 / STANAG 7194 Ed 2 | BSP | MCJSB/ JINT JISRP |
| Distributed File System (DFS) DCE DFS | Open Group F209a:1997 | BSP | NCIA/CES |
| Infrastructure Networking Service | S | | |
| Very high speed digital subscriber line transceivers 2 (VDSL2) | ITU-T G. 993-2:2011 | BSP | NCIA/NSII |
| Server Message Block (SMB) | Microsoft MS-SMB - 20130118:2013 | BSP | NCIA/CES |
| X/Open Network File System (C702 Protocols for Inter-working: XNFS, Version 3W) | | BSP | NCIA/CES |
| DCE 1.1: Remote Procedure Call | Open Group C706:1997 | BSP | NCIA/CES |
| Host Configuration Services | | | |
| Dynamic Host Configuration Protocol for IPv6 (DHCPv6) | IETF RFC 3315:2003 | BSP | NCIA/NSII |
| IPv6 Prefix Options for Dynamic Host Configuration Protocol (DHCP) version 6 | IETF RFC 3633:2003 | BSP | NCIA/NSII |
| Distributed Time Services | | I | |
| DCE 1.1: Time Services | Open Group C310:1994 | BSP | NCIA/CES |
| Platform Services | | | |
| Web Services Brokered Notification Ver 1.3 | OASIS WS- BrokeredNotification:2 | BSP 006 | NCIA/CES |
| Web Services Business Process Execution Language (WSBPEL) version 2.0 | | BSP | NCIA/CES |
| WS-BaseNotification | OASIS WS BaseNotification Ver 1.3:2006 | BSP | NCIA/CES |

| revision: | v15 | .0-final | -77-a | 702f531 |
|-----------|-------|----------|-------|----------|
| 10101011. | V . O | | ''' 9 | , 021001 |

| Title | Pubnum | Profiles | Responsible Party |
|---|--------------------------------------|----------------------------|----------------------|
| WS-Topics 1.3 | OASIS WS-Topics Ver 1.3:2006 | BSP | NCIA/CES |
| Web Services Addressing 1.0 - Core | W3C WS-Addressing 1.0 - Core:2006 | BSP | FMN CPWG |
| Attachments Profile Version 1.0 | WS-I AttachmentsProfile-1.0 | BSP -2006-04-20:2004 | NCIA/CES |
| WS-I Basic Profile 1.2 | WS-I BP12:2010 | BSP | NCIA/CES |
| WS-I Basic Profile 2.0 | WS-I wsbp:2010 | BSP | NCIA/CES |
| Simple SOAP Binding Profile Version 1.0 | WS-I SimpleSoapBindingPro | BSP ofile-1.0-2004-08-2 | NCIA/CES 4:2004 |
| Policy Decision Point Services | | | |
| Data Format for the Interchange of Fingerprint Facial, and Scar Mark and Tattoo (SMT) Information | | BSP | NCIA/JISR |
| NATO Public Key Infrastructure (NPKI) Certificate Policy (CertP Rev2. | | | DPC NPMA- NPAG |
| Biometric data interchange formats - Part 2: | ISO/IEC 19794-2:2011 | BSP | NCIA/JISR |
| Biometric data interchange formats - Part 5: Face image data | ISO/IEC 19794-5:2011 | BSP | NCIA/JISR |
| Biometric data interchange formats - Part 6: Iris image data | ISO/IEC 19794-6:2011 | BSP | NCIA/JISR |
| eXtensible Access Control Markup Language core specification | OASIS XACML Ver 3.0:2013 | BSP | NCIA/CS |
| Department of Defense: Electronic Biometric Transmission Specification. Version 1.2 | | BSP | NAFAG/ JCGISR |
| Department of Defense: Electronic Biometric Transmission Specification. Version 2.0 | | BSP | NAFAG/ JCGISR |
| Security Token Services | | | - |
| Single Sign On | Open Group P702:1997 | BSP | DPC CaP4 |
| Directory Services | | | |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|----------|-------------------|
| Common Directory Services and Procedures | CCEB ACP 133(D):2009 | BSP | DPC NACP CaT |
| Choreography Services | | | |
| W3C Web Service Choreography Interface version 1.0 | W3C NOTE- wsci:2002 | BSP | NCIA/CES |
| Information Discovery Services | | | |
| OpenSearch 1.1 Draft 6 | Opensearch OpenSearch 1.1 Draft 6:2005 | BSP | FMN CPWG |
| Metadata Repository Services | | | |
| Web Services Metadata Exchange (WS-MetadataExchange) | W3C REC-ws- metadata- exchange:2011 | BSP | NCIA/CES |
| Information Access Services | | | |
| An Introduction to GeoRSS: A Standards Based Approach for Geoenabling RSS feeds, v1.0.0 | OGC 06-050r3:2006 | BSP | NCIA/AWG |
| XForms 1.0 | W3C REC- xforms:2003 | BSP | NCIA/CES |
| Platform SMC Services | | | |
| Remote Network Monitoring Management Information Base, RMON-MIB version 2 using SMIv2 | IETF RFC 2021:1997 | BSP | NCIA/SMC |
| IP Version 6 Management Information Base for the Transmission Control Protocol | IETF RFC 2452:1998 | BSP | NCIA/NSII |
| IP Version 6 Management Information Base for the User Datagram Protocol | IETF RFC 2454:1998 | BSP | NCIA/NSII |
| IPv6 MIB | IETF RFC 2465:1998 | BSP | NCIA/SMC |
| ICMPv6 MIB | IETF RFC 2466:1998 | BSP | NCIA/SMC |
| Enhanced Telecom Operations Map | TM Forum GB921:2012 | BSP | NCIA/SMC |
| Service Discovery Services | • | | |
| TIDE Service Discovery | NATO TIDE-ID- SP:2008 | BSP | NCIA/CES |

| Title | Pubnum | Profiles | Responsible Party |
|--|--|----------|-------------------|
| OASIS ebXML Messaging Services Specification Ver 2.0 | OASIS ebXML Message Service Ver 2.0:2002 | BSP | NCIA/CES |
| Web Services Dynamic Discovery Version 1.1 | OASIS WS-Discovery Ver 1.1:2009 | BSP | NCIA/CES |
| Web Services Description Language (WSDL) Version 2.0 Part 1: Core Language | I . | BSP | NCIA/CTO/ SEA |
| Mediation Services | | | |
| Services to forward Friendly Force Information to Weapon Delivery Assets | | BSP | DPC CaP2 |
| Data Format Transformation Serv | ices | | |
| XML Query Language (XQuery) | W3C WD- xquery:2003 | BSP | NCIA/CES |
| Message-Oriented Middleware Ser | vices | | |
| SOAP Version 1.2 | W3C SOAP Version 1.2:2001 | BSP | NCIA/CES |
| Web Platform Services | | J | |
| XML Linking Language (XLink) Version 1.1 | W3C REC- xlink11:2010 | BSP | NCIA/CES |
| eXtensible Markup Language (XML) 1.1 (Second Edition) | W3C XML 1.1 (Second Edition):2006 | BSP | NCIA/CES |
| Web Presentation Services | | | |
| Web Services for Remote Portlets Specification | OASIS WSRP Ver 2.0:2008 | BSP | NCIA/CES |

¹Except Appendix B, List of Geographical Data Field Identifiers (DFIs)

1.3.3. Communications Services

| Title | Pubnum | | Profiles | Responsible Party |
|---|-----------------------|----|----------|----------------------|
| Communications Services | | | | |
| High Rate Ultra-Wide Band PHY and MAC Standard | ECMA ECMA-368:2008 | | BSP | NCIA/NSII |
| Broadband Radio Access Networks (BRAN) HiperMAN | ETSI TS 1 624-1:2009 | 02 | BSP | NCIA/NSII |

| Title | Pubnum | Profiles | Responsible Party |
|--|--|----------|---------------------------|
| ZigBee - Wireless Medium Access Control (MAC) and Physical Layer (PHY) Specifications for Low Rate Wireless Personal Area Networks (WPANs) | IEEE 802.15.4:2006 | BSP | NCIA/NSII |
| Mobile WiMax | IEEE 802.16e:2006 | BSP | NCIA/NSII |
| Wireless Broadband | IEEE 802.16e:2004 | BSP | NCIA/NSII |
| Multiple Spanning Trees | IEEE 802.1S:2002 | BSP | NCIA/NSII |
| Mobile Broadband Wireless Access (Draft) | IEEE 802.20:2006 | BSP | NCIA/NSII |
| The Dynamic Source Routing Protocol (DSR) for Mobile Ad Hoc Networks for IPv4 | IETF RFC 4728:2007 | BSP | NCIA/NSII |
| Technical Standards for an Automatic Radio Control System (ARCS) for HF Communication Links ¹ | NATO STANAG (Study) 4538 Ed 2 | BSP | DPC CaP1 BLOS CaT |
| Interoperability Standard for Satellite SHF Deployable Terminals Control and Command Services | | BSP | DPC CaP1 SATCOM CaT |
| Common Alerting Protocol Ver 1.3 | OASIS CAP Ver 1.2:2010 | BSP | NCIA/CTO/ SEA |
| The Open Grid Services Architecture (OGSA) version 1.5 | OGF OGSA Ver 1.5:2006 | BSP | NCIA/CES |
| Communications Access Services | | | |
| Standard Interfaces Of Unmanned Aircraft (UA) CONTROL System (UCS) for NATO UA Interoperability - Interface Control Document | 1 | BSP | NNAG/ JCGUAS |
| Standard Interfaces Of Unmanned Aircraft (Ua) Control System (UCS) for NATO UA Interoperability - Interface Control Document | Ed A Ver 1:2017 / | BSP | NNAG/ JCGUAS |
| Joint Range Extension Application Protocol (JREAP) | NATO ATDLP-5.18 (FD) Ed C Ver 1 / STANAG (RD) 5518 Ed 5 | BSP | DPC CaP1 TDL CaT |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|----------|---------------------|
| Technical Characteristics of the Multifunctional Information Distribution System (MIDS) - VOL & VOL II - ATDLP-1.75 Edition A | | BSP | DPC CaP1 TDL CaT |
| Tactical Messaging Access Service | es | | |
| Call Sign Book for Ships Change 5 | CCEB ACP 113(AJ) Change 5:2019 | BSP | DPC NACP CaT |
| Information Assurance for Allied Communications and Information Systems | | BSP | DPC NACP CaT |
| Address Indicating Groups Instructions and Assignments | NATO ACP 100 NS-1(Q) | BSP | DPC NACP CaT |
| Instructions for the Life Cyle Management of Allied Communications Publications (ACPs), NATO Supplement-1 | NS-1(H):2014 | BSP | DPC NACP CaT |
| Tactical Data Exchange - Link 16 | NATO ATDLP-5.16 (FD) Ed C Ver 1:2019 / STANAG FT (RD) 5516 Ed 9 | BSP | DPC CaP1 TDL CaT |
| Joint Range Extension Application Protocol (JREAP) | NATO ATDLP-5.18 (FD) Ed C Ver 1 / STANAG (RD) 5518 Ed 5 | BSP | DPC CaP1 TDL CaT |
| Technical Characteristics of the Multifunctional Information Distribution System (MIDS) - VOL & VOL II - ATDLP-1.75 Edition A | | BSP | DPC CaP1 TDL CaT |
| IPv6 Routed Access Services | | | |
| Interoperability Point Quality of Service (IP QoS) | NATO AComP-4711 Ed A Ver 1:2018 / STANAG 4711 Ed 1 | BSP | DPC CaP1 N&S CaT |
| IPv4 Routed Access Services | | | _ |
| IP QoS for the NII | NCIA TN-1417 | BSP | DPC CaP1 N&S CaT |
| Wireless LOS Mobile Transmission | on Services | | |

| Title | Pubnum | Profiles | Responsible Party |
|---|--|----------|----------------------|
| Bluetooth Core Specification 5.1 | Bluetooth SIG Bluetooth 5.0:2016 | BSP | NCIA/NSII |
| Wireless LOS Mobile Wideband T | ransmission Services | | |
| | NATO STANAG (Study) 4175 Ed 6 | BSP | DPC CaP1 TDL CaT |
| Wireless LOS Mobile Narrowband | Transmission Service | S | |
| Voice Coding Algorithm | NATO STANAG 4444 Ed 2:2015 | BSP | DPC CaP1 BLOS CaT |
| Transport Services | | | |
| IP Version 6 over PPP | IETF RFC 2472:1998 | BSP | NCIA/NSII |
| Use of BGP-4 Multiprotocol Extensions for IPv6 Inter-Domain Routing | IETF RFC 2545:1999 | BSP | FMN CPWG |
| Stateless IP/ICMP Translation Algorithm (SIIT) | IETF RFC 2765:2000 | BSP | NCIA/NSII |
| Mobility Support in IPv6 | IETF RFC 3775:2004 | BSP | NCIA/NSII |
| BGP Support for Four-Octet Autonomous System (AS) Number Space | IETF RFC 6793:2012 | BSP | FMN CPWG |
| IP QoS for the NII | NCIA TN-1417 | BSP | DPC CaP1 N&S CaT |
| Packet-based Broadcast Services | | | |
| Interoperability Point Quality of Service (IP QoS) | NATO AComP-4711 Ed A Ver 1:2018 / STANAG 4711 Ed 1 | BSP | DPC CaP1 N&S CaT |
| Packet-based Aggregation Services | . | | , |
| Interoperability Point Quality of Service (IP QoS) | NATO AComP-4711 Ed A Ver 1:2018 / STANAG 4711 Ed 1 | BSP | DPC CaP1 N&S CaT |
| Packet-based Transport Services | | | |
| IP QoS for the NII | NCIA TN-1417 | BSP | DPC CaP1 N&S CaT |
| Packet Routing Services | | | |

| revision: | : v15.0-final-77-g | 702f531 |
|-----------|--------------------|---------|
|-----------|--------------------|---------|

| Title | Pubnum | Profiles | Responsible Party |
|--------------------------------------|---------------------|----------|----------------------|
| Interoperability Point Quality of | | BSP | DPC CaP1 |
| Service (IP QoS) | Ed A Ver 1:2018 / | | N&S CaT |
| | STANAG 4711 Ed 1 | | |
| Standard for Interconnection of IPv4 | NATO AComP-5067 | BSP | DPC CaP1 |
| and IPv6 Networks at Mission Secret | Ed A Ver 1 / STANAG | | N&S CaT |
| and Unclassified Security Levels | (RD) 5067 Ed 2 | | |

¹The extant edition is Ed 1

1.3.4. Extended C3 Taxonomy

009. The following table list taxonomy nodes, which will be part of a future version of the C3 taxonomy. They are part of this document, because stakesholders have decided to using an unofficial classification scheme for a specific purpose.

1.4. UNASSIGNED STANDARDS

010. The following standards have been declared candidate standards for NATO common funded systems. However, no information of how to map the standards to the C3 Taxonomy have been provided.

²The extant edition is Ed 5

CHAPTER 2. CANDIDATE PROFILES

2.1. INTRODUCTION

011. The NATO Interoperability Standards and Profiles include the set of Candidate Profiles listed below.

Table 2.1. Candidate Profiles

| Service Area | Title |
|--------------|-------|
| Abstract | |
| URI | |
| | |

- 13 -

| Index | RFC 3315, 4 |
|--|--------------------------------------|
| IIIUEX | RFC 3633, 4 |
| | RFC 3711, 4 |
| A | RFC 3775, 10 |
| American National Standards Institute | RFC 4728, 8 |
| INCITS 398-2008, 3 | RFC 6793, 10 |
| ANSI/NIST | ISO/IEC |
| ITL 1-2000, 5 | 19794-2, 5 |
| | 19794-5, 5 |
| В | 19794-6, 5 |
| Bluetooth Special Interest Group (SIG) | ITU Standardisation |
| Bluetooth 5.0, 10 | G. 993-2, 4 |
| | T.38, 3 |
| C | M |
| Combined Communications and Electronics | Microsoft Corporation |
| Board | MS-SMB - 20130118, 4 |
| ACP 113(AJ) Change 5, 9 | MS-SMB - 20130116, 4 |
| ACP 122(G), 9 | N |
| ACP 133(D), 6 | NATO |
| | AComP-4711 Ed A Ver 1, 9, 10, 10, 11 |
| E | AComP-5067 Ed A Ver 1, 11 |
| European Computer Manufacturers | ACP 100 NS-1(Q), 9 |
| Association | ACP 198 NS-1(H), 9 |
| ECMA-368, 7 | ADatP-37 Ed A Ver 1, 7 |
| European Telecommunication Standardisation | ADatP-4733 (Study) Ed A Ver 1, 2 |
| Institute | AEP-84 I Ed A Ver 1, 8 |
| TS 102 624-1, 7 | AEP-84 II Ed A Ver 1, 8 |
| | AGeoP-26 (Study) Ed B Ver 1, 2 |
| | AIDPP-01 Ed A Ver 1, 2 |
| Institute of Electrical and Electronics | AIntP-07 Ed A Ver 1, 4 |
| Engineers | ATDLP-5.11 Ed B Ver 1, 3 |
| 802.15.4, 8 | ATDLP-5.16 (FD) Ed C Ver 1, 2, 3, 9 |
| 802.16e, 8, 8 | ATDLP-5.18 (FD) Ed C Ver 1, 3, 8, 9 |
| 802.1S, 8 | STANAG (Study) 4175 Ed 6, 9, 9, 10 |
| 802.20, 8 | STANAG (Study) 4538 Ed 2, 8 |
| Internet Engineering Task Force | STANAG 4444 Ed 2, 10 |
| RFC 2021, 6 | STANAG 4706 Ed 1, 8 |
| RFC 2452, 6 RFC 2454, 6 | TIDE-ID-SP, 6 TTB v3.0, 2 |
| RFC 2454, 0 RFC 2465, 6 | NATO C3 Board |
| RFC 2466, 6 | AC/322-D(2004)0024REV2, 5 |
| RFC 2472, 10 | NATO Communications and Information |
| RFC 2545, 10 | Agency |
| RFC 2765, 10 | TN-1417. 9. 10. 10 |

- 15 -

W

Web Services Interoperability Organisation AttachmentsProfile-1.0-2006-04-20, 5

EBTS Ver 8.1, 3