

enSights

Security, Compliance & Identity Overview

For customer IT, Cyber Security and OT teams

Item	Detail
Document	Customer Security & Compliance Overview
Version / date	1.1 / October 2026
Classification	Public
Platform in scope	enSights cloud platform – central monitoring and asset management platform for optimizing renewable energy systems
Prepared by	enSights Product & Information Security
Security contact	Dekel Yaacov, CTO & Co-Founder – dekel@ensights.ai

How to read this document. Every statement below is traced to its source: an enSights information security policy (document ID and section number, e.g. **IS-P-001 Sec. 17.2**) and, where applicable, the ISO/IEC 27001:2022 surveillance audit report (Annex A control and report page, e.g. **Audit A.8.24, p.25**). Every source document is listed in Section 9 with a download link, except the documents shared under NDA (Section 8).

1. Summary of requests and responses

The table below answers each item typically requested by customer IT and security teams during vendor onboarding and links to the section with full detail.

Request	enSights response	Status	Detail
Copies of / access to information security policies	Ten ISMS policies and the Incident Response Procedure can be downloaded, together with the ISO 27001 certificate.	Available	Sections 3 and 9
Standards compliance information	ISO/IEC 27001:2022 certified ISMS (certificate no. 1125445, valid until 27-Mar-2028). SOC 2 examination in progress (final stages).	ISO: Certified SOC 2: In progress	Section 2.1
Audit information	Latest ISO 27001 surveillance audit by The Standards Institution of Israel (SII) on 07-May-2026: Conforms to requirements, zero non-conformities, continued certification recommended.	Available	Section 2.2
Security testing	Independent whitebox penetration test (May 2026) and two disaster recovery exercises (May and June 2026).	Completed	Sections 2.3 and 2.4
Single sign-on (SSO)	SSO via SAML 2.0 is fully supported in the enSights cloud platform.	Fully supported	Section 5
SCIM provisioning	Automated user provisioning and de-provisioning via SCIM is fully supported in the enSights cloud platform.	Fully supported	Section 5
IoT / OT (site device) security	Site telemetry and control traffic is carried over encrypted channels (TLS / site-to-site VPN); device data is technical, non-personal data.	Documented	Section 6

2. Standards compliance and audits

2.1 Certification status

Framework	Status	Detail and source
ISO/IEC 27001:2022	Certified	Certificate no. 1125445 issued by The Standards Institution of Israel (SII) – Quality & Certification Division, an ANAB-accredited, IAF-member certification body. Also recognized by IQNet (registration no. IL-1125445). Certified organization: ENSIGHTS AI RENEWABLE ENERGY OS LTD. Scope: IT Operations Department related to the central monitoring and asset management platform for optimizing renewable energy systems, per Statement of Applicability of 27-Feb-2025. Initial approval and valid from 27-Mar-2025; valid until 27-Mar-2028. Validity can be verified at www.sii.org.il . Certificate: Download · IQNet certificate: Download
SOC 2	In progress – final stages	The SOC 2 examination is in its final stages. The report will be shared with customers under NDA once issued.
ISO/IEC 27017 / 27018	Reference framework	Cloud security and cloud PII protection controls are used as reference standards for the Privacy Policy (IS-P-020 Sec. 2). Not separately certified.
Applicable regulation	Compliance commitment	Israeli Privacy Protection Law (1981) and Data Security Regulations (2017), Israeli Computers Law (1995), Israeli Copyright Law (2007) (IS-P-001 Sec. 21.1). US regulatory and contractual requirements are under review as part of the US market expansion (Audit A.5.31, p.8).

2.2 Latest audit – ISO/IEC 27001:2022 surveillance audit

Item	Detail
Certification body	The Standards Institution of Israel (SII) – Quality & Certification Division (SII client no. 500310907)
Audit type / date	Surveillance audit, 07-May-2026, conducted remotely (Audit p.1, p.3)
Lead auditor	Tal Aviv (SII)
Overall classification	“Conforms to requirements” – the highest of four classifications (Audit p.5)
Auditor recommendation	Continued certification (Audit p.5)
Non-conformities	None – major: 0, minor: 0. No corrective actions outstanding from the previous audit (Audit p.4, p.28)
Opportunities for improvement (OFI)	3 OFIs, none affecting certification: (1) extend interested-parties register to the US market; (2) further formalize ISMS change documentation; (3) extend the risk register to evolving market conditions (Audit p.28)
Management system assessment	Meets requirements; conformity and effectiveness confirmed; audit objectives and criteria achieved (Audit p.4)
Domains sampled	Contexts, Governance, Risk management, Users, Accounts, Access, Assets, Vendors, Incident management, Support utilities, IT operations, Data management, BCM & redundancy, Backup & restore, Monitoring & logs, Network security, Cryptography, Secure code – all “Conforms”. Documentation, Employee management and Physical security were not sampled in this cycle, as is standard for a surveillance audit (Audit p.1)

The full audit report is shared under NDA (Section 8).

2.3 Penetration testing

Item	Detail
Tester	Aikido – independent third party
Date / type	25-May-2026 – whitebox web application and API penetration test
Scope	The enSights web application and API (staging environment)
Coverage	Authentication, authorization, input handling, business logic and API-specific behavior
Results	13 findings, none rated Critical. Findings are tracked to closure through the vulnerability management process (IS-P-003 Sec. 5.5; IS-P-016 Sec. 2.2).
Cadence	At least annually (IS-P-001 Sec. 18.2, 21.3)

The penetration test executive summary, including remediation status, is shared under NDA (Section 8).

2.4 Disaster recovery testing

Exercise	Date	Objective and result
DR-01 – data restore	May 2026	Restored the main operational database and the analytics database from backup into separate environments in the secondary AWS region. Completed; the analytics database restore took about 20 minutes.
DR-02 – infrastructure recovery	June 2026	Rebuilt networking, the compute cluster and supporting services in the secondary region from code and deployed an application service through the standard pipeline. Completed.

Findings from both exercises were logged with owners, closed and incorporated into the DR playbook; none remain open (DR Test Summary, Oct 2026, Sec. 3–5). The plan requires a full exercise annually and monthly backup and replication health checks (IS-P-014 Sec. 3.9).

3. Information security policies

enSights maintains a documented ISMS policy set owned by the CISO and approved by the CTO. Each document is reviewed at least annually (next scheduled review: 15-Jan-2027). Version 1.1 updates (October 2026) aligned vulnerability remediation SLAs, TLS and identity-provider references across the policy set. All documents below can be downloaded:

ID	Document	Version	Covers	File
IS-P-001	Information Security Policy	1.1 – Oct 2026	Governance and roles, risk, product security and data protection, HR, endpoint and cloud security, network, access control, R&D security, monitoring, compliance and audit	Download
IS-P-003	Secure Development Policy	1.1 – Oct 2026	Secure SDLC, code review, SAST/SCA, secrets, remediation SLAs, environment separation, third-party components and SBOM	Download
IS-P-010	Supplier Relationships Policy	1.0 – Mar 2026	Supplier risk rating, due diligence, security clauses in agreements, monitoring, changes and end of contract	Download
IS-P-011	Cloud Based Computing Policy	1.1 – Oct 2026	Shared responsibility, cloud provider due diligence, PII in the cloud, IaC and change control, CSPM, network segmentation, resilience	Download
IS-P-012	Logging and Monitoring Policy	1.1 – Oct 2026	Monitored systems, alerting, events to log, retention, log protection, administrator logs, clock synchronization	Download
IS-P-013	Information Security Policy for Supplier Relationships	1.1 – Oct 2026	Supplier tiers and review frequency, assessment, contract principles, sub-processors, supplier access, ICT supply chain	Download
IS-P-014	Business Continuity Policy	1.1 – Oct 2026	BIA, RTO/RPO targets, DR region and recovery phases, immutable backups, BCP/DR testing	Download
IS-P-016	Risk Assessment and Treatment Policy	1.0 – Mar 2026	Risk identification sources, likelihood × impact scoring, residual risk, risk owners and treatment plans	Download
IS-P-018	Access and Authorization Policy	1.0 – Mar 2026	Access reviews, joiner/leaver, least privilege and RBAC, privileged and break-glass access, MFA and SSO, password standard, non-human identities	Download
IS-P-020	Privacy Policy	1.0 – Mar 2026	PII minimization, use and disclosure, location and storage, encryption, access, retention and disposal, logging	Download
IR-PROC	Information Security and Cyber Incident Response Procedure	1.1 – Oct 2026	Alert levels, roles, response stages, ransomware / malware / phishing playbooks, crisis communication and customer notification	Download

4. Security controls – requirement-to-source traceability

Each control below states what enSights does, the policy section that mandates it, and the audit evidence where the control was sampled.

Domain	Control	enSights implementation	Policy source	ISO 27001 audit ref.
Governance	ISMS governance	Information Security Steering Committee (CTO, VP R&D, CISO, CFO, COO) approves policies, the annual work plan and classification levels. A CISO (CISO-as-a-service via Up Security) owns the ISMS.	IS-P-001 Sec. 8.2, 8.3	A.5.2, A.5.3, A.5.4 – pp.8–11
Governance	Risk management	Risks are captured from security scans, audits, penetration tests, compliance changes and incidents; scored likelihood × impact (1–25); control effectiveness is rated to calculate residual risk; every risk has an owner and a treat / transfer / avoid / accept decision tracked to completion.	IS-P-016 Sec. 2.2–2.4 IS-P-001 Sec. 12.1–12.3	ISMS 6.1.1–6.1.3, 8.2–8.3 – pp.11–12
Governance	Internal audit & management review	Annual internal ISMS audit and minuted management review; continuous compliance monitoring.	IS-P-001 Sec. 21.2	ISMS 9.2, 9.3 – p.10
Data protection	Tenant isolation	Every customer is provisioned with a unique ID; all application processes are keyed on it to prevent cross-customer data exposure. Customer data is accessible only to that customer's users.	IS-P-001 Sec. 11.8.1–11.8.2	A.8.26 – p.26
Data protection	Encryption at rest	All storage volumes, object storage and databases are encrypted with AES-256; unencrypted production volumes are prohibited.	IS-P-001 Sec. 11.8.4 IS-P-020 Sec. 4.3.2	A.5.14, A.8.24 – pp.22, 25
Data protection	Encryption in transit	All traffic is encrypted over HTTPS/TLS – minimum TLS 1.2, TLS 1.3 by default.	IS-P-001 Sec. 11.3, 17.3 IS-P-020 Sec. 4.3.3 IS-P-011 Sec. 3.3.5	A.8.24 – p.25
Data protection	Personal data minimization	Only limited business PII of platform users is processed (name, business email, business phone for MFA/alerts, IP and system logs). No consumer financial data, card numbers, national IDs or medical data. PII is never sold or used for marketing.	IS-P-020 Sec. 4.1.1–4.1.2 IS-P-011 Sec. 3.3.5	A.5.34 – p.22
Data protection	Data location	Customer production data and backups are hosted in AWS; primary region Ireland (eu-west-1), DR region London (eu-west-2), bounded by the customer MSA.	IS-P-020 Sec. 4.3.1 IS-P-014 Sec. 3.6	Audit pp.6, 23 (A.5.29)
Data protection	Retention & deletion	Customer PII and user configurations purged from active databases within 90 days of contract termination, using cryptographic erasure. Customers may request deletion of their data.	IS-P-020 Sec. 4.4 IS-P-001 Sec. 11.7.1	A.8.10 – p.22
Data protection	Test data	Production customer data is never used in development or test; synthetic or anonymized data only.	IS-P-003 Sec. 5.6	A.8.33 – p.23
Access control	Platform authentication	Platform access requires two-factor authentication and a strong password policy; in addition customers can use SSO (Section 5).	IS-P-001 Sec. 11.4.1	A.8.5 – p.14
Access control	Least privilege	All in-platform resource access is based on IAM roles with minimum permissions. Production access limited to CTO, DevOps and CISO.	IS-P-001 Sec. 11.4.2, 17.2	A.5.15, A.5.18, A.8.2 – p.16

Domain	Control	enSights implementation	Policy source	ISO 27001 audit ref.
Access control	Access reviews & offboarding	Quarterly access reviews of all production systems by asset owners. Leaver access revoked by close of business on the last working day (immediately where insider risk exists); vendor access within 24 hours of contract end. Unique accounts only – no shared accounts.	IS-P-018 Sec. 3.1, 4 IS-P-001 Sec. 17.2	A.5.16, A.5.18 – pp.15–16
Access control	Workforce authentication	SSO via Microsoft Entra ID enforced across corporate and production tools; MFA mandatory for remote connections, SSO portals, cloud consoles and production applications; passwords minimum 14 characters with lockout after 5 failed attempts.	IS-P-018 Sec. 7, 8 IS-P-001 Sec. 17.1	A.5.17, A.8.5 – p.14
Access control	Non-human identities & secrets	Service accounts and API keys are unique and least-privilege, stored in a centralized secrets manager (never hard-coded), reviewed quarterly and rotated at least annually or on suspected compromise.	IS-P-018 Sec. 3.3 IS-P-011 Sec. 4	A.5.16, A.8.33 – pp.15, 23
Access control	Administrative access	Separate admin accounts for privileged tasks; administrators cannot change their own privileges; MFA, source-IP restriction and VPN for production access; break-glass accounts require CTO/CISO authorization, raise real-time alerts and are rotated after use.	IS-P-018 Sec. 5, 6, 6.1, 7 IS-P-011 Sec. 5, 6	A.6.7, A.8.2, A.8.3, A.8.18 – pp.16, 25
Infrastructure	Network security	Production isolated from non-production at network level; deny-by-default rules; no direct public access to backends – all public traffic terminates at a load balancer or WAF; VPC flow logs enabled.	IS-P-011 Sec. 6 IS-P-001 Sec. 15.2, 18.2	A.8.20–A.8.22 – p.25
Infrastructure	Cloud security posture	Shared responsibility model with AWS. Continuous CSPM monitoring; all production infrastructure managed as code (Terraform/Terragrunt) with peer review; manual console changes prohibited except logged break-glass.	IS-P-011 Sec. 1.2, 4, 5 IS-P-001 Sec. 14.2	A.5.23, A.8.9 – pp.18, 20
Infrastructure	Vulnerability management	Continuous scanning of code, dependencies and cloud. Remediation SLAs, aligned across all policies: Critical 72 hours, High 14 days, Medium 30 days, Low 90 days. Exceptions require documented CISO risk acceptance.	IS-P-003 Sec. 5.5 IS-P-011 Sec. 5 IS-P-001 Sec. 18.1	A.8.8 – p.13
Infrastructure	Penetration testing	Independent third-party penetration test at least annually, plus monthly automated vulnerability scans. Most recent: Aikido whitebox web application and API test, 25-May-2026 (Section 2.3).	IS-P-001 Sec. 18.2, 21.3	A.8.29 – p.27
Infrastructure	Endpoint security	Managed workstations with EDR, full-disk encryption, auto-lock ≤15 min and automatic security updates.	IS-P-001 Sec. 14.1, 17.4	A.8.1, A.8.7 – pp.12, 20
Secure development	Secure SDLC	Security by design; every change via pull request with independent peer review; automated SAST/SCA and secrets detection on every contribution; OWASP Top 10 (incl. LLM Top 10) standards.	IS-P-003 Sec. 5.1, 5.5 IS-P-001 Sec. 18.1	A.8.25–A.8.28 – pp.26–27

Domain	Control	enSights implementation	Policy source	ISO 27001 audit ref.
Secure development	Environment separation	Development, staging and production logically separated (separate AWS accounts / VPCs); developers have no write access to production; deployments only via CI/CD.	IS-P-003 Sec. 5.6	A.8.31 – p.21
Secure development	Third-party components	Pinned dependency versions, automatically maintained SBOM, no Critical/High vulnerabilities at merge, removal of EOL components.	IS-P-003 Sec. 6.3–6.6	A.5.21 – p.18
Secure development	Change management	Every production change linked to a ticket; independent review; defined rollback plan for every deployment.	IS-P-001 Sec. 18.3 IS-P-011 Sec. 4	A.8.32 – p.21
Operations	Logging & monitoring	Logs from security tools (Armo, Arnica, EDR), AWS (CloudTrail, VPC flow logs, WAF), Microsoft 365 and the identity provider, and application logs (groundcover). Critical alerts go to Slack in real time; weekly trend review. Operational logs kept ≥90 days, archive 1 year; logs are tamper-protected and admins cannot erase their own activity.	IS-P-012 Sec. 2.1–2.6 IS-P-020 Sec. 4.5	A.8.15, A.8.16 – p.24
Operations	Incident response	NIST-based procedure with four alert levels and staged response (triage, analysis, containment, eradication, recovery, lessons learned); ransomware, malware and phishing playbooks; external IR team on retainer. Affected customers receive written notice within 24 hours of detection – immediately for an active compromise of their data or services.	IR Procedure Sec. 2, 5–8, 11 IS-P-001 Sec. 20.4	A.5.24–A.5.28 – pp.19–20
Operations	Vendor / sub-processor management	Suppliers are risk-rated; Critical and High vendors are approved by the CISO before contract and reviewed at least annually, including their SOC 2 / ISO reports. Contracts include NDA, right to audit and data deletion; suppliers must report breaches within 24 hours and disclose sub-processors; access is revoked within 24 hours of contract end.	IS-P-010 Sec. 2–7 IS-P-013 Sec. 2–3 IS-P-011 Sec. 3.2–3.3	A.5.19–A.5.23 – p.18
Operations	Personnel security	Confidentiality agreement signed by every employee; annual security awareness training; periodic phishing simulations.	IS-P-001 Sec. 13.1.4, 13.2.3	ISMS 7.3, A.6.3 – p.15
Resilience	Business continuity & DR	Formal BCP with BIA. Targets: RTO 12 hours; RPO 6 hours (general), 1 minute for MongoDB (point-in-time recovery), 6 hours for ClickHouse. Fully scripted DR to a secondary AWS region.	IS-P-014 Sec. 3.3, 3.5, 3.6	A.5.29, A.5.30 – p.23
Resilience	High availability	Production deployed across multiple (3) availability zones; auto-scaling cluster and databases.	IS-P-011 Sec. 8 IS-P-014 Sec. 3.6	A.8.6, A.8.14 – p.23
Resilience	Backups	Automated backups of all production databases with cross-region copies; monthly immutable backup under S3 Object Lock (compliance mode, 365 days). ClickHouse: native backups every 6 hours with ~14-day retention; immutable export planned for Q1 2027.	IS-P-014 Sec. 3.4, 3.7 IS-P-011 Sec. 8	A.7.10, A.8.13 – pp.23–24

Domain	Control	enSights implementation	Policy source	ISO 27001 audit ref.
Resilience	Testing	Full DR exercise annually with a formal test report, plus monthly backup and replication health checks. 2026: data restore test (May) and infrastructure rebuild in the secondary region (June) – both completed, all findings closed (Section 2.4).	IS-P-014 Sec. 3.9 DR Test Summary, Oct 2026	A.5.30, A.8.13 – pp.23–24

5. Identity integration – SSO and SCIM

The enSights cloud platform integrates with the customer's corporate identity provider (IdP) so that access to the platform is governed by the customer's own identity lifecycle and authentication policies.

Capability	Status	Detail
Single sign-on (SAML 2.0)	Fully supported	Customer users authenticate to the enSights cloud platform through the customer IdP using SAML 2.0. The customer's IdP policies (MFA, conditional access, session rules) apply at login.
SCIM user provisioning	Fully supported	Users are created, updated and de-provisioned in the enSights platform automatically from the customer IdP via SCIM, so leavers lose platform access as soon as they are disabled in the IdP.
Native authentication (fallback)	Supported	Where SSO is not used, platform login enforces two-factor authentication and a strong password policy (IS-P-001 Sec. 11.4.1).
Role-based access	Supported	Access inside the platform is role-based and least-privilege, restricted to the customer's organizational boundary (IS-P-001 Sec. 11.4.2; IS-P-020 Sec. 4.2).
Customer administration	Supported	Customer administrators can update, correct or remove user accounts and related metadata through the administrative portal (IS-P-020 Sec. 4.2).

Onboarding. SSO and SCIM are configured together with the customer IT team: enSights provides its SAML service-provider metadata and a SCIM endpoint and token; the customer provides IdP metadata and the attribute and role mapping. enSights recommends enabling SCIM together with SSO so that provisioning and de-provisioning are fully automated.

6. IoT / OT and site-device security

The enSights platform collects telemetry from renewable energy assets (solar PV, battery storage, EV charging) and, for energy management (EMS) customers, sends control set-points to site equipment. The table below describes how site devices and this connectivity are secured.

Area	enSights implementation	Source
Integration model	Hardware-agnostic: most asset data is collected from OEM / inverter / datalogger vendor platforms through APIs. Where on-site energy control is required, enSights uses industrial-grade edge gateways (Advantech, Moxa).	Audit pp.6–7
Site-to-cloud connectivity	Site and customer networks connect to the platform over encrypted channels – TLS 1.2+ for API traffic and customer site-to-site VPN tunnels terminating in the enSights AWS VPC. VPN tunnels are included in the scripted DR plan.	IS-P-011 Sec. 3.3.5 IS-P-020 Sec. 4.3.3 IS-P-014 Sec. 3.5, 3.6
Credentials for device / vendor APIs	API keys and integration credentials are stored in a managed secrets vault (AWS Secrets Manager); never hard-coded in source code or images.	IS-P-018 Sec. 3.3 IS-P-003 Sec. 5.7 Audit A.5.21, A.8.33 – pp.18, 23

Area	enSights implementation	Source
Telemetry data classification	Device telemetry is technical energy-system data (production, status, performance) and contains no personal data. It is used only for monitoring, analytics and customer-requested workflows.	IS-P-020 Sec. 4.1.2 Audit A.5.31, A.5.34 – pp.8, 22
Data isolation	Telemetry is stored per customer tenant ID and encrypted at rest (AES-256).	IS-P-001 Sec. 11.8.2, 11.8.4
Cloud ingestion endpoints	Public-facing endpoints are protected by AWS WAF and rate limiting; backends are never directly exposed to the internet.	IS-P-001 Sec. 18.2 IS-P-011 Sec. 6
Monitoring	Cloud-native audit logging and continuous threat detection cover the ingestion and control services; security alerts are routed in real time.	IS-P-020 Sec. 4.5 Audit A.8.16 – p.24

7. Hosting and architecture overview

Area	Detail and source
Hosting model	100% public cloud (AWS); no servers or network equipment in enSights offices (IS-P-001 Sec. 11.2; Audit p.6)
Regions	Primary: AWS Ireland (eu-west-1). DR: AWS London (eu-west-2) (IS-P-014 Sec. 3.6; Audit p.23)
Compute	Kubernetes (Amazon EKS), microservices deployed via CI/CD and GitOps (IS-P-014 Sec. 3.6; Audit p.20)
Data stores	MongoDB Atlas, ClickHouse Cloud, Amazon RDS, Amazon S3 (IS-P-014 Sec. 3.6)
Secrets	Managed cloud secrets service; secrets never stored in code or images (IS-P-003 Sec. 5.7; IS-P-011 Sec. 4)
Workforce identity	Microsoft Entra ID with SSO and MFA (IS-P-001 Sec. 17.1; IS-P-018 Sec. 8)
Observability	Application logs, metrics and traces collected centrally in groundcover; AWS CloudWatch (IS-P-012 Sec. 2.1; Audit p.24)
Customer connectivity	Data exchange via APIs over TLS; customer site-to-site VPN supported (IS-P-014 Sec. 3.5–3.6; Audit p.6)

8. Requesting documents

This overview, the ISO 27001 certificates and the documents in Section 3 can be downloaded from the links in this document and from the enSights help centre (ensights.productfruits.help). The following are shared under a mutual NDA on request:

Document	Notes
ISO/IEC 27001:2022 surveillance audit report (SII, 07-May-2026)	Summary in Section 2.2
Penetration test executive summary (Aikido, 25-May-2026)	Summary in Section 2.3; includes finding-level detail and remediation status
Disaster Recovery Test Summary (October 2026)	Summary in Section 2.4
SOC 2 report	Shared once issued

Requests and security questionnaires should be sent to the enSights security contact listed on the cover page.

9. Source document index

Reference	Document	Version / date	Owner / approver	File
IS-P-001	Information Security Policy	1.1 / 01-Oct-2026	CISO / CTO	Download
IS-P-003	Secure Development Policy	1.1 / 01-Oct-2026	CISO / CTO	Download
IS-P-010	Supplier Relationships Policy	1.0 / 02-Mar-2026	CISO / CTO (approved 10-Mar-2026)	Download
IS-P-011	Cloud Based Computing Policy	1.1 / Oct-2026	CISO / CTO	Download
IS-P-012	Logging and Monitoring Policy	1.1 / 01-Oct-2026	CISO / CTO	Download
IS-P-013	Information Security Policy for Supplier Relationships	1.1 / 01-Oct-2026	CISO / CTO	Download
IS-P-014	Business Continuity Policy	1.1 / Oct-2026	CISO / CTO	Download
IS-P-016	Risk Assessment and Treatment Policy	1.0 / 27-Feb-2026	CISO / CTO (approved 10-Mar-2026)	Download
IS-P-018	Access and Authorization Policy	1.0 / 27-Feb-2026	CISO / CTO (approved 10-Mar-2026)	Download
IS-P-020	Privacy Policy	1.0 / 27-Feb-2026	CISO / CTO (approved 10-Mar-2026)	Download
IR Procedure	Information Security and Cyber Incident Response Procedure	1.1 / 01-Oct-2026	CISO / CTO (valid until 31-May-2027)	Download
ISO certificate	ISO/IEC 27001:2022 certificate no. 1125445 (SII)	27-Mar-2025, valid until 27-Mar-2028	SII – Quality & Certification Division	Download
IQNet certificate	IQNet certificate, registration no. IL-1125445	27-Mar-2025, valid until 27-Mar-2028	IQNet / SII	Download
Audit	ISO/IEC 27001:2022 Surveillance Audit Report, SII (form 190.27001:2022E)	07-May-2026	SII – Quality & Certification Division	Under NDA
Pentest	Penetration Test Report – executive summary, Aikido	25-May-2026	Aikido	Under NDA
DR Test Summary	Disaster Recovery Test Summary	Oct-2026	DevOps / CTO	Under NDA

Citation convention: “Sec.” refers to the numbered section of the policy; “A.x.y” refers to the ISO/IEC 27001:2022 Annex A control as recorded in the audit report; “ISMS x.y” refers to the ISO/IEC 27001:2022 management-system clause; page numbers refer to the audit report. “IR Procedure” is the Information Security and Cyber Incident Response Procedure.