MSigDB Hallmark processes across gene groups
FDR < 0.05

Hallmark gene sets

Adipogenesis
Cholesterol homeostasis
Interferon alpha response
Mtorc1 signaling
Myc targets v1
Pi3k akt mtor signaling
Protein secretion
Unfolded protein response
Kras signaling dn
Androgen response
Angiogenesis
Apoptosis
Epithelial mesenchymal transition
Glycolysis
Inflammatory response
Kras signaling up
P53 pathway
Tnfa signaling via nfkb
Uv response up
Allograft rejection
Complement
Il6 jak stat3 signaling
Interferon gamma response
Apical junction
Coagulation
Estrogen response late
Hypoxia
Il2 stat5 signaling
Myogenesis
Notch signaling
Tgf beta signaling
Uv response dn
Wnt beta catenin signaling
E2f targets
G2m checkpoint
Mitotic spindle
Estrogen response early
Bile acid metabolism
Fatty acid metabolism
Peroxisome
Xenobiotic metabolism

Fibrosis only increasing
Fibrosis only decreasing
Disease group-only increasing
Disease group-only decreasing
Shared increasing
Shared decreasing
C1 Early increase, continued
C2 Late increase
C3 Early rise, then plateau
C4 Mid-stage decrease
C5 Late decrease

Gene association groups and fibrosis expression clusters

$-\log_{10}$(FDR) (capped at 10)
10
8
6
4
2
0

Blank/lightest cells: no significant term in the saved results.
Disease-group labels replace historical “inflammation” names; values and ordering are unchanged.