



Thanam Anthony Nissy

TOPIC: JOINS AND SET OPERATIONS

PART 1: CROSS JOIN



MySQL Workbench

Nissy 2520030064

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Administration
- Schemas

Information

No object selected

Query 1

```

10 address VARCHAR(30)
11 };
12 • INSERT INTO class VALUES
13 (1,'abhi'),
14 (2,'adam'),
15 (4,'alex');
16
17 • INSERT INTO class_info VALUES
18 (1,'DELHI'),
19 (2,'MUMBAI'),
20 (3,'CHENNAI');
21
22

```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	13:57:55	CREATE DATABASE IF NOT EXISTS ban_db	1 row(s) affected	0.000 sec
2	13:57:55	use ban_db	0 row(s) affected	0.000 sec
3	13:59:30	CREATE TABLE class (id INT, name VARCHAR(30))	0 row(s) affected	0.047 sec
4	13:59:30	CREATE TABLE class_info (id INT, address VARCHAR(30))	0 row(s) affected	0.031 sec
5	14:00:43	INSERT INTO class VALUES (1,'abhi'), (2,'adam'), (4,'alex')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
6	14:00:43	INSERT INTO class_info VALUES (1,'DELHI'), (2,'MUMBAI'), (3,'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec

MySQL Workbench

Nissy 2520030064

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Administration
- Schemas

Information

No object selected

Query 1

```

11 };
12 • INSERT INTO class VALUES
13 (1,'Nissy'),
14 (2,'Navya'),
15 (4,'Dimps');
16
17 • INSERT INTO class_info VALUES
18 (1,'DELHI'),
19 (2,'MUMBAI'),
20 (3,'CHENNAI');
21
22 • SELECT *
23 FROM class
24 CROSS JOIN class_info;

```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
3	13:59:30	CREATE TABLE class (id INT, name VARCHAR(30))	0 row(s) affected	0.047 sec
4	13:59:30	CREATE TABLE class_info (id INT, address VARCHAR(30))	0 row(s) affected	0.031 sec
5	14:00:43	INSERT INTO class VALUES (1,'abhi'), (2,'adam'), (4,'alex')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
6	14:00:43	INSERT INTO class_info VALUES (1,'DELHI'), (2,'MUMBAI'), (3,'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
7	14:01:26	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	9 row(s) returned	0.000 sec / 0.000 sec
8	14:01:53	INSERT INTO class VALUES (1,'Nissy'), (2,'Navya'), (4,'Dimps')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec

Object Info Session

Nissy 2520030064 x

Edit View Query Database Server Tools Scripting Help

gator

Query 1 x

Limit to 1000 rows

```

21
22 • SELECT *
23 FROM class
24 CROSS JOIN class_info;
25
26

```

Result Grid

	id	name	id	address
1	abhi	3	CHENNAI	
1	abhi	2	MUMBAI	
1	abhi	1	DELHI	
2	adam	3	CHENNAI	
2	adam	2	MUMBAI	

Result 2 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
4	13:59:30	CREATE TABLE class_info (id INT, address VARCHAR(30))	0 row(s) affected	0.031 sec
5	14:00:43	INSERT INTO class VALUES (1,'abhi'), (2,'adam'), (4,'alex')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
6	14:00:43	INSERT INTO class_info VALUES (1,'DELHI'), (2,'MUMBAI'), (3,'CHENNAI')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.015 sec
7	14:01:26	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	9 row(s) returned	0.000 sec / 0.000 sec
8	14:01:53	INSERT INTO class VALUES (1,'Nissy'), (2,'Navya'), (4,'Dimps')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
9	14:02:14	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	18 row(s) returned	0.000 sec / 0.000 sec

ct Info Session

MySQL Workbench

Nissy 2520030064 x

File Edit View Query Database Server Tools Scripting Help

Navigator

Query 1 x

Limit to 1000 rows

```

25
26 • SELECT *
27 FROM class
28 INNER JOIN class_info
29 ON class.id = class_info.id;
30

```

Result Grid

	id	name	id	address
1	abhi	1	DELHI	
2	adam	2	MUMBAI	
1	Nissy	1	DELHI	
2	Navya	2	MUMBAI	

Result 3 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
7	14:01:26	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	9 row(s) returned	0.000 sec / 0.000 sec
8	14:01:53	INSERT INTO class VALUES (1,'Nissy'), (2,'Navya'), (4,'Dimps')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
9	14:02:14	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	18 row(s) returned	0.000 sec / 0.000 sec
10	14:03:12	CREATE TABLE class_info (id INT, address VARCHAR(30))	Error Code: 1050. Table 'class_info' already exists	0.000 sec
11	14:03:22	CREATE TABLE class (id INT, name VARCHAR(30))	Error Code: 1050. Table 'class' already exists	0.000 sec
12	14:03:54	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Nissy 2520030064 x

File Edit View Query Database Server Tools Scripting Help

Navigator

Query 1 x

```

32 FROM class
33 INNER JOIN class_info
34 ON class.id=class_info.id;
35
36
37

```

Result Grid

	name	address
▶	abhi	DELHI
	adam	MUMBAI
	Nissy	DELHI
	Navya	MUMBAI

Result 4 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
8	14:01:53	INSERT INTO class VALUES (1,'Nissy'), (2,'Navya'), (4,'Dimp')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
9	14:02:14	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	18 row(s) returned	0.000 sec / 0.000 sec
10	14:03:12	CREATE TABLE class_info (id INT, address VARCHAR(30))	Error Code: 1050. Table 'class_info' already exists	0.000 sec
11	14:03:22	CREATE TABLE class (id INT, name VARCHAR(30))	Error Code: 1050. Table 'class' already exists	0.000 sec
12	14:03:54	SELECT * FROM class INNER JOIN class_info ON class id = class_info id LIMIT 0...	4 row(s) returned	0.000 sec / 0.000 sec
13	14:04:30	SELECT class.name, class_info.address FROM class INNER JOIN class_info ...	4 row(s) returned	0.015 sec / 0.000 sec

Object Info Session

MySQL Workbench

Nissy 2520030064 x

File Edit View Query Database Server Tools Scripting Help

Navigator

Query 1 x

```

35
36
37 SELECT *
38 FROM class
39 NATURAL JOIN class_info;
40

```

Result Grid

	id	name	address
▶	1	abhi	DELHI
	2	adam	MUMBAI
	1	Nissy	DELHI
	2	Navya	MUMBAI

Result 5 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
9	14:02:14	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	18 row(s) returned	0.000 sec / 0.000 sec
10	14:03:12	CREATE TABLE class_info (id INT, address VARCHAR(30))	Error Code: 1050. Table 'class_info' already exists	0.000 sec
11	14:03:22	CREATE TABLE class (id INT, name VARCHAR(30))	Error Code: 1050. Table 'class' already exists	0.000 sec
12	14:03:54	SELECT * FROM class INNER JOIN class_info ON class id = class_info id LIMIT 0...	4 row(s) returned	0.000 sec / 0.000 sec
13	14:04:30	SELECT class.name, class_info.address FROM class INNER JOIN class_info ...	4 row(s) returned	0.015 sec / 0.000 sec
14	14:05:14	SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench interface showing a query execution session. The query window displays the following SQL:

```

35
36
37 • SELECT *
38 FROM class
39 NATURAL JOIN class_info;
40 • INSERT INTO class VALUES
41 (5,'ashish');
42
43 • INSERT INTO class_info VALUES
44 (7,'NOIDA'),
45 (8,'PANIPAT');
46
47

```

The Output tab shows the execution log:

#	Time	Action	Message	Duration / Fetch
11	14:03:22	CREATE TABLE class (id INT, name VARCHAR(30))	Error Code: 1050. Table 'class' already exists	0.000 sec
12	14:03:54	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0,...	4 row(s) returned	0.000 sec / 0.000 sec
13	14:04:30	SELECT class.name, class_info.address FROM class INNER JOIN class_info ...	4 row(s) returned	0.015 sec / 0.000 sec
14	14:05:14	SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
15	14:05:56	INSERT INTO class VALUES (5,'ashish')	1 row(s) affected	0.015 sec
16	14:05:57	INSERT INTO class_info VALUES (7,'NOIDA'), (8,'PANIPAT')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec

MySQL Workbench interface showing a query execution session. The query window displays the following SQL:

```

44 (7,'NOIDA'),
45 (8,'PANIPAT');
46 • SELECT *
47 FROM class
48 LEFT OUTER JOIN class_info
49 ON class.id=class_info.id;

```

The Result Grid shows the following data:

id	name	id	address
2	adam	2	MUMBAI
4	alex	2	MUMBAI
1	Nissy	1	DELHI
2	Navya	2	MUMBAI
4	Dimps	2	MUMBAI

The Output tab shows the execution log:

#	Time	Action	Message	Duration / Fetch
12	14:03:54	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0,...	4 row(s) returned	0.000 sec / 0.000 sec
13	14:04:30	SELECT class.name, class_info.address FROM class INNER JOIN class_info ...	4 row(s) returned	0.015 sec / 0.000 sec
14	14:05:14	SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
15	14:05:56	INSERT INTO class VALUES (5,'ashish')	1 row(s) affected	0.015 sec
16	14:05:57	INSERT INTO class_info VALUES (7,'NOIDA'), (8,'PANIPAT')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec
17	14:42:52	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id=class_info.id LI...	7 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Nissy 2520030064 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs

Administration Schemas

Information

No object selected

Query 1 x

```

49 ON class.id=class_info.id;
50 SELECT *
51 FROM class
52 LEFT JOIN class_info
53 ON class.id=class_info.id
54 WHERE class_info.id IS NULL;

```

Result Grid

id	name	id	address
4	alex	NULL	NULL
4	Dimps	NULL	NULL
5	ashish	NULL	NULL

Output

Action Output

#	Time	Action	Message	Duration / Fetch
13	14:04:30	SELECT class.name, class_info.address FROM class INNER JOIN class_info ...	4 row(s) returned	0.015 sec / 0.000 sec
14	14:05:14	SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
15	14:05:56	INSERT INTO class VALUES (5,'ashish')	1 row(s) affected	0.015 sec
16	14:05:57	INSERT INTO class_info VALUES (7,'NOIDA'), (8,'PANIPAT')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec
17	14:42:52	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id=class_info.id LI...	7 row(s) returned	0.000 sec / 0.000 sec
18	14:45:10	SELECT * FROM class LEFT JOIN class_info ON class.id=class_info.id WHERE cl...	3 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

14:45 04-08-2026

MySQL Workbench

Nissy 2520030064 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs

Administration Schemas

Information

No object selected

Query 1 x

```

54 WHERE class_info.id IS NULL;
55 SELECT *
56 FROM class
57 RIGHT OUTER JOIN class_info
58 ON class.id=class_info.id;
59

```

Result Grid

id	name	id	address
1	Nissy	1	DELHI
1	abhi	1	DE DELHI
2	Navya	2	MUMBAI
2	adam	2	MUMBAI
3	...	3	CHENNAI

Output

Action Output

#	Time	Action	Message	Duration / Fetch
14	14:05:14	SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
15	14:05:56	INSERT INTO class VALUES (5,'ashish')	1 row(s) affected	0.015 sec
16	14:05:57	INSERT INTO class_info VALUES (7,'NOIDA'), (8,'PANIPAT')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec
17	14:42:52	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id=class_info.id LI...	7 row(s) returned	0.000 sec / 0.000 sec
18	14:45:10	SELECT * FROM class LEFT JOIN class_info ON class.id=class_info.id WHERE cl...	3 row(s) returned	0.000 sec / 0.000 sec
19	14:45:58	SELECT * FROM class RIGHT OUTER JOIN class_info ON class.id=class_info id L...	7 row(s) returned	0.015 sec / 0.000 sec

Object Info Session

MySQL Workbench

Nissy 2520030064 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs

Administration Schemas

Information

No object selected

Query 1 x

```
WHERE class.id IS NULL;
```

Result Grid

id	name	id	address
NULL	NULL	3	CHENNAI
NULL	NULL	7	NOIDA
NULL	NULL	8	PANIPAT

Output

Action Output

#	Time	Action	Message	Duration / Fetch
15	14:05:56	INSERT INTO class VALUES (5,'ashish')	1 row(s) affected	0.015 sec
16	14:05:57	INSERT INTO class_info VALUES (7,'NOIDA'), (8,'PANIPAT')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec
17	14:42:52	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id=class_info.id U...	7 row(s) returned	0.000 sec / 0.000 sec
18	14:45:10	SELECT * FROM class LEFT JOIN class_info ON class.id=class_info.id WHERE cl...	3 row(s) returned	0.000 sec / 0.000 sec
19	14:45:58	SELECT * FROM class RIGHT OUTER JOIN class_info ON class.id=class_info.id L...	7 row(s) returned	0.015 sec / 0.000 sec
20	14:46:39	SELECT * FROM class RIGHT JOIN class_info ON class.id=class_info.id WHERE ...	3 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Nissy 2520030064 x

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs

Administration Schemas

Information

No object selected

Query 1 x

```
id INT,
name VARCHAR(30)
);
INSERT INTO first_table VALUES
(1,'abhi'),
(2,'adam');
INSERT INTO second_table VALUES
(2,'adam'),
(3,'chester');
```

Output

Action Output

#	Time	Action	Message	Duration / Fetch
21	14:47:29	SELECT * FROM class FULL OUTER JOIN class_info ON class.id=class_info.id	Error Code: 1064. You have an error in your SQL syntax; check the manual that corr...	0.000 sec
22	14:47:52	SELECT * FROM class FULL OUTER JOIN class_info ON class.id=class_info.id W...	Error Code: 1064. You have an error in your SQL syntax; check the manual that corr...	0.000 sec
23	14:48:19	CREATE TABLE first_table(id INT, name VARCHAR(30))	0 row(s) affected	0.031 sec
24	14:48:19	CREATE TABLE second_table(id INT, name VARCHAR(30))	0 row(s) affected	0.047 sec
25	14:48:19	INSERT INTO first_table VALUES (1,'abhi'), (2,'adam')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.000 sec
26	14:48:19	INSERT INTO second_table VALUES (2,'adam'), (3,'chester')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec

Object Info Session

14:48 04-08-2026

MySQL Workbench

Nissy 2520030064

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs

Administration Schemas

Information

No object selected

Query 1

```

79 (2,'adam'),
80 (3,'chester');
81 SELECT * FROM first_table
82 UNION
83 SELECT * FROM second_table;
84

```

Result Grid

id	name
1	abhi
2	adam
3	chester

Result 10

Output

Action Output

#	Time	Action	Message	Duration / Fetch
22	14:47:52	SELECT * FROM class FULL OUTER JOIN class_info ON class.id=class_info.id W...	Error Code: 1064. You have an error in your SQL syntax; check the manual that corr...	0.000 sec
23	14:48:19	CREATE TABLE first_table(id INT, name VARCHAR(30))	0 row(s) affected	0.031 sec
24	14:48:19	CREATE TABLE second_table(id INT, name VARCHAR(30))	0 row(s) affected	0.047 sec
25	14:48:19	INSERT INTO first_table VALUES (1,'abhi'), (2,'adam')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.000 sec
26	14:48:19	INSERT INTO second_table VALUES (2,'adam'), (3,'chester')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec
27	14:48:46	SELECT * FROM first_table UNION SELECT * FROM second_table	3 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench

Nissy 2520030064

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs

Administration Schemas

Information

No object selected

Query 1

```

83 SELECT * FROM second_table;
84 SELECT name FROM first_table
85 UNION
86 SELECT name FROM second_table;
87
88

```

Result Grid

name
abhi
adam
chester

Result 11

Output

Action Output

#	Time	Action	Message	Duration / Fetch
23	14:48:19	CREATE TABLE first_table(id INT, name VARCHAR(30))	0 row(s) affected	0.031 sec
24	14:48:19	CREATE TABLE second_table(id INT, name VARCHAR(30))	0 row(s) affected	0.047 sec
25	14:48:19	INSERT INTO first_table VALUES (1,'abhi'), (2,'adam')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.000 sec
26	14:48:19	INSERT INTO second_table VALUES (2,'adam'), (3,'chester')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec
27	14:48:46	SELECT * FROM first_table UNION SELECT * FROM second_table	3 row(s) returned	0.000 sec / 0.000 sec
28	14:49:20	SELECT name FROM first_table UNION SELECT name FROM second_table	3 row(s) returned	0.015 sec / 0.000 sec

Object Info Session

MySQL Workbench - Nissy 2520030064

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs

Administration Schemas

Information

No object selected

Query 1

```

87
88 SELECT * FROM first_table
89 UNION ALL
90 SELECT * FROM second_table;
91
92

```

Result Grid

id	name
1	abhi
2	adam
2	adam
3	chester

Result 12

Output

Action Output

#	Time	Action	Message	Duration / Fetch
24	14:48:19	CREATE TABLE second_table(id INT, name VARCHAR(30))	0 row(s) affected	0.047 sec
25	14:48:19	INSERT INTO first_table VALUES (1,'abhi'), (2,'adam')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.000 sec
26	14:48:19	INSERT INTO second_table VALUES (2,'adam'), (3,'chester')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec
27	14:48:46	SELECT * FROM first_table UNION SELECT * FROM second_table	3 row(s) returned	0.000 sec / 0.000 sec
28	14:49:20	SELECT name FROM first_table UNION SELECT name FROM second_table	3 row(s) returned	0.015 sec / 0.000 sec
29	14:49:55	SELECT * FROM first_table UNION ALL SELECT * FROM second_table	4 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

MySQL Workbench - Nissy 2520030064

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs

Administration Schemas

Information

No object selected

Query 1

```

96 UNION ALL
97 SELECT * FROM second_table
98 ) As
99
100
101

```

Result Grid

COUNT(*)
4

Result 13

Output

Action Output

#	Time	Action	Message	Duration / Fetch
25	14:48:19	INSERT INTO first_table VALUES (1,'abhi'), (2,'adam')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.000 sec
26	14:48:19	INSERT INTO second_table VALUES (2,'adam'), (3,'chester')	2 row(s) affected Records: 2 Duplicates: 0 Warnings: 0	0.016 sec
27	14:48:46	SELECT * FROM first_table UNION SELECT * FROM second_table	3 row(s) returned	0.000 sec / 0.000 sec
28	14:49:20	SELECT name FROM first_table UNION SELECT name FROM second_table	3 row(s) returned	0.015 sec / 0.000 sec
29	14:49:55	SELECT * FROM first_table UNION ALL SELECT * FROM second_table	4 row(s) returned	0.000 sec / 0.000 sec
30	14:50:27	SELECT COUNT(*) FROM (SELECT * FROM first_table UNION ALL SELECT * FR...	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session