


Credit Note App — Database Schema

SQLite (node:sqlite in Electron) · schema version 3 · source: electron/db.cjs · WAL mode, foreign keys ON · generated 27 Sep 2026



Tables

brands 23 columns

The brands you buy from, with the terms your credit notes are worked out on.

	COLUMN	TYPE	NULL	DEFAULT	NOTES
PK	id	TEXT			
	code	TEXT		''	
	name	TEXT			
	gst_no	TEXT		''	
	address	TEXT		''	
	contact_person	TEXT		''	
	phone	TEXT		''	
	season	TEXT		''	
	applicability	TEXT		''	
	conditions	TEXT		''	
	first_season	TEXT		''	
	deal_name	TEXT		''	
	fresh_margin	REAL			
	disc_margin	REAL			
	wsp_factor	REAL			
	cn_base_pct	REAL	null		NULL = use the global setting
	dispatch_qty	REAL		0	received from the brand this season
	dispatch_mrp	REAL		0	
	dispatch_wsp	REAL		0	
	dispatch_gst	REAL		0	
	active	INTEGER		1	
	memo	TEXT		''	
	created_at	TEXT			

margin_slabs 5 columns

Margin by discount level, per brand (e.g. EOSS up to 30% off -> 25%).

	COLUMN	TYPE	NULL	DEFAULT	NOTES
PK	id	INTEGER			autoincrement
FK	brand_id	TEXT			→ brands.id (on delete cascade)
	sale_type	TEXT			one of 'DISC', 'FRESH'
	up_to	REAL			
	margin	REAL			

Indexes: margin_slabs_brand(brand_id)

brand_term_changes 7 columns

New terms agreed with a brand from a date on (the brands row holds the original terms).

	COLUMN	TYPE	NULL	DEFAULT	NOTES
PK	id	INTEGER			autoincrement
FK	brand_id	TEXT			→ brands.id (on delete cascade)
	from_date	TEXT			applies to sales billed on/after this date
	fresh_margin	REAL			
	disc_margin	REAL			
	wsp_factor	REAL			
	margin_slabs	TEXT		' [] '	JSON: [{type, upTo, margin}]

Indexes: brand_term_changes_brand(brand_id, from_date)

imports 9 columns

Every Excel file imported, one row per brand + month + kind it contributed.

	COLUMN	TYPE	NULL	DEFAULT	NOTES
PK	id	TEXT			
FK	brand_id	TEXT			→ brands.id (on delete cascade)
	kind	TEXT			one of 'sales', 'purchases'
	month	TEXT			YYYY-MM
	file_name	TEXT			
	sheet	TEXT		''	
	stored_path	TEXT	null		copy of the original file in the data folder
	row_count	INTEGER			
	imported_at	TEXT			

Indexes: imports_brand_month(brand_id, month)

sales32 columns

Your sales of each brand's goods. The inputs, plus the working at the brand's current terms.

	COLUMN	TYPE	NULL	DEFAULT	NOTES
PK	id	TEXT			
FK	brand_id	TEXT			→ brands.id (on delete cascade)
	month	TEXT			YYYY-MM of bill_date
	bill_date	TEXT			
	bill_no	TEXT		' '	
	barcode	TEXT		' '	
	division	TEXT		' '	
	department	TEXT		' '	
	ageing	TEXT		' '	
	sale_type	TEXT			one of 'DISC', 'FRESH'
	disc	REAL			
	mrp	REAL			
	qty	REAL			
	wsp	REAL	null		per piece from invoice; NULL = MRP x WSP factor
	gst_b2b	REAL	null		override; NULL = slab
	flat_disc	REAL	null		₹ off the whole line on the bill
	cashback	REAL	null		₹ cashback to the customer on the whole line
	margin_override	REAL	null		custom margin for this sale; NULL = the brand's terms
	gst_rate_override	REAL	null		GST rate in the sale price; NULL = rate history
	purchase_date	TEXT	null		brand's invoice date (picks the B-B GST rate)
FK	import_id	TEXT	null		→ imports.id (on delete set null)
FK	claim_id	TEXT	null		→ claims.id (on delete set null)
	mrp_value	REAL			computed working (lib/calc.ts)
	realization	REAL			computed working (lib/calc.ts)
	gst_rate	REAL			computed working (lib/calc.ts)
	gst_b2c	REAL			computed working (lib/calc.ts)
	margin_pct	REAL			computed working (lib/calc.ts)
	margin	REAL			computed working (lib/calc.ts)
	net_payable	REAL			computed working (lib/calc.ts)
	wsp_value	REAL			computed working (lib/calc.ts)
	gst_b2b_value	REAL			computed working (lib/calc.ts)
	cn	REAL			computed working (lib/calc.ts)

Indexes: sales_import(import_id), sales_claim(claim_id), sales_brand_month(brand_id, month)

purchases17 columns

What the brand invoiced you (the DISPATCH sheet).

	COLUMN	TYPE	NULL	DEFAULT	NOTES
PK	id	TEXT			
FK	brand_id	TEXT			→ brands.id (on delete cascade)
	month	TEXT			
	invoice_date	TEXT			
	invoice_no	TEXT		' '	
	barcode	TEXT		' '	
	division	TEXT		' '	
	department	TEXT		' '	
	category	TEXT		' '	
	season	TEXT		' '	
	rate	REAL			WSP per piece
	mrp	REAL			
	qty	REAL			
	gross	REAL			
	tax	REAL			
	net	REAL			
FK	import_id	TEXT	null		→ imports.id (on delete set null)

Indexes: purchases_barcode(brand_id, barcode), purchases_brand_month(brand_id, month)

claims15 columns

Claims you raise on a brand, and the credit note the brand sent back.

	COLUMN	TYPE	NULL	DEFAULT	NOTES
PK	id	TEXT			
UQ	number	TEXT			
	brand_id	TEXT			kept even if the brand is deleted
	month	TEXT	null		YYYY-MM for a month-end claim
	claim_date	TEXT			
	period_from	TEXT			
	period_to	TEXT			
	remarks	TEXT			
	total	REAL			credit note claimed
	status	TEXT			one of 'raised', 'received'
	cn_number	TEXT	null		the brand's credit note
	cn_date	TEXT	null		
	cn_amount	REAL	null		
	snapshot	TEXT			JSON: brand terms + sales as claimed
	created_at	TEXT			

Indexes: claims_brand_month(brand_id, month)

settings2 columns

Your business details, GST rules, claim numbering, defaults. One JSON value per key.

	COLUMN	TYPE	NULL	DEFAULT	NOTES
PK	key	TEXT			
	value	TEXT			

meta2 columns

	COLUMN	TYPE	NULL	DEFAULT	NOTES
PK	key	TEXT			
	value	TEXT			

settings keys (one JSON value per row)

KEY	TYPE	MEANING
b2cSlabs	GstSlab[]	GST inside the retail sale price (B-C), by date
b2bSlabs	GstSlab[]	GST on the brand's bill (B-B), by invoice date
roundGstFactor	boolean	Round the GST factor when backing GST out of the sale price
cnBasePct	number	Default CN base %; a brand's cn_base_pct overrides it
claimPrefix	string	Prefix for claim numbers, e.g. CLM/25-26/
nextClaimNo	number	Next claim serial
business	object	{ name, gstNo, address, phone, email } — printed on claims
defaults	object	{ freshMargin, discMargin, wspFactor } for new brands
currentBrandId	string null	Brand selected in the app

JSON columns

- `claims.snapshot` — { brand, settings, lines }: the brand's terms, GST rules and sale lines exactly as they were when the claim was raised, so a claim never changes after the fact.
- `brand_term_changes.margin_slabs` — [{ type: "DISC"|"FRESH", upTo, margin }]: slabs that apply from from_date.

How it's written

- All writes go through `apply(ops)` in one transaction; the app diffs its in-memory state and upserts by `id`.
- Deletes run children → parents (sales, purchases, claims, imports, brands); saves run parents → children.
- Saving a brand rewrites its `margin_slabs` and `brand_term_changes` rows.
- Sales store their computed working (`mrp_value ... cn`) and are re-saved when brand terms or GST rules change.
- Migrations: columns added after first release — `sales.margin_override`, `gst_rate_override`, `purchase_date`, `flat_disc`, `cashback`.

View: monthly_summary

```
CREATE VIEW monthly_summary AS
SELECT
  b.name AS brand,
  s.month AS month,
  COUNT(*) AS sale_lines,
  SUM(s.qty) AS pieces,
  SUM(CASE WHEN s.sale_type = 'DISC' THEN s.qty ELSE 0 END) AS eoss_pieces,
  SUM(CASE WHEN s.sale_type = 'FRESH' THEN s.qty ELSE 0 END) AS fresh_pieces,
  ROUND(SUM(s.mrp_value), 2) AS mrp_value,
  ROUND(SUM(COALESCE(s.flat_disc, 0)), 2) AS flat_discount,
  ROUND(SUM(COALESCE(s.cashback, 0)), 2) AS cashback,
  ROUND(SUM(s.realization), 2) AS sale_value,
  ROUND(SUM(s.margin), 2) AS your_margin,
  SUM(CASE WHEN s.margin_override IS NOT NULL THEN 1 ELSE 0 END) AS
custom_margin_lines,
  ROUND(SUM(s.cn), 2) AS cn_due,
  ROUND(SUM(CASE WHEN s.claim_id IS NULL THEN s.cn ELSE 0 END), 2) AS cn_unclaimed,
  ROUND(SUM(CASE WHEN s.claim_id IS NOT NULL THEN s.cn ELSE 0 END), 2) AS cn_claimed
FROM sales s
JOIN brands b ON b.id = s.brand_id
GROUP BY s.brand_id, s.month
ORDER BY s.month DESC, b.name
```