Untitled64.ipynb

File Edit View Insert Runtime Tools Help

Commands + Code + Text Run all

RAM Disk

Share

```
[1]
# Tuple - ( ) always in paranthesis
# It store different data type
# Tuple is immutable - not changable
```

```
[2]
a = ("tushar", 25, True, 9.5, None)
```

```
[3]
type(a)
```

```
tuple
```

```
[9]
# Tuple is ordered element
# Indexing & Slicing
# always in  [ ] braces
```

```
[6]
a = ("apple", "banana", 20, 30, 40, 50)
```

```
[7]
type(a)
```

```
tuple
```

```
[8]
a[1]
```

```
'banana'
```

```
[10]
a[0:2]
```

```
('apple', 'banana')
```

```
[12]
# methods - syntax ?
#object.methodname()
```

```
[13]
b =[10,20,30,40,50,60,70,80,90]
```

```
[14]
type(b)
```

```
list
```

```
[15]
type(a)
```

```
tuple
```

```
[16]
a = (10,20,10,10,10,10,20,20,10,10,10,10)
```

```
[17]
a.count(10)
```

```
9
```

```
[19]
a.index(20)
```

```
1
```

```
[27]
# SET - { } - ALWAYS IN CURLY BRACES
# IT IS UNORDERED ELEMENT
# It can store the unique value only
# mutable
```

```
[21]
a ={10,10,10,10,10,20,20,20,30,40,50,60,70,80}
```

```
[22]
type(a)
```

```
set
```

```
[26]
print(a)
```

```
{70, 40, 10, 80, 50, 20, 60, 30}
```

```
[28]
b= {10,50.6,True, None, "Tushar"}
```

[29] ✓ 0s

```
type(b)
```

```
set
```

[31] ✓ 0s

```
a
```

```
{10, 20, 30, 40, 50, 60, 70, 80}
```

[32] ✓ 0s

```
# add()
```

[33] ✓ 0s

```
a.add(100)
```

[34] ✓ 0s

```
a
```

```
{10, 20, 30, 40, 50, 60, 70, 80, 100}
```

[35] ✓ 0s

```
# update- add multiple element (another list)
```

[36] ✓ 0s

```
a.update([110,120,130,140])
```

[37] ✓ 0s

```
a
```

```
{10, 20, 30, 40, 50, 60, 70, 80, 100, 110, 120, 130, 140}
```

[38] ✓ 0s

```
# remove
```

[39] ✓ 0s

```
a.remove(100)
```

[40] ✓ 0s

```
a
```

```
{10, 20, 30, 40, 50, 60, 70, 80, 110, 120, 130, 140}
```

[41] ✓ 0s

```
# discard - but withour error
```

[43] ✓ 0s

```
# a.remove(100) - having error because 100 is not in list
```

[44] ✓ 0s

```
a.discard(100)
```

[45] ✓ 0s

```
# pop - remove any values- and return it (show)
```

[47] ✓ 0s

```
a.pop()
```

```
130
```

[48] ✓ 0s

```
a.pop()
```

```
70
```

[49] ✓ 0s

```
# clear()
```

[50] ✓ 0s

```
a.clear()
```

[51] ✓ 0s

```
a
```

```
set()
```

[52] ✓ 0s

```
# Dictionary - {key:value}
```

[53] ✓ 0s

```
# ordered by the keys -
# Mutable
```

[54] ✓ 0s

```
student = {
    "Name" : " Sudhiksha",
    "Age" :  25,
    "City" : "Wardha"

}
```

[55] ✓ 0s

```
student
```

```
{'Name': ' Sudhiksha', 'Age': 25, 'City': 'Wardha'}
```

[56] ✓ 0s

```
#indexing
```

[57] ✓ 0s

```
student["Name"]
```

```
' Sudhiksha'
```

[58] ✓ 0s

```
student["Age"]
```

```
25
```

[59] ✓ 0s

```
student["Name"] = "Nikita"
```

[60] ✓ 0s

```
student
```

```
{'Name': 'Nikita', 'Age': 25, 'City': 'Wardha'}
```

[61] ✓ 0s

```
# keys
```

[62] ✓ 0s

```
student.keys()
```

```
dict_keys(['Name', 'Age', 'City'])
```

[63] ✓ 0s

```
# values
```

[64] ✓ 0s

```
student.values()
```

```
dict_values(['Nikita', 25, 'Wardha'])
```

[65]

```
# Loops -
# 1 - For Loop - Repeat the things for sequence / iteration
# Iteration - One by One access of elements
# in keyword is use for the iteration
# 2 While - we give the condition
```

[68] ✓ 0s

```
# For loop

list = [1,2,3,4,5,6, 7,8,9,10]
```

[69] ✓ 0s

```
for i in list:
  print(i)
```

```
1
2
3
4
5
6
7
8
9
10
```

[70] ✓ 0s

```
for i in list:
  print(i * 2)
```

```
2
4
6
8
10
12
14
16
18
20
```

[72] ✓ 0s

```
for i in range(1,11):
  print(i * 3)
```

```
3
6
9
12
15
18
21
24
27
30
```

[73]
```
for i in range(1,6):
  print("*")
```

```
*
*
*
*
*
```

[74]
```
for i in range(1,6):
  print("*" * i)
```

```
*
**
***
****
*****
```

[75]
```
# While loop -
# first give from where to start ?
# Condition to stop
# increase the iteration
```

[76]
```
Start coding or generate with AI.
```

[80]
```
i = 1
while i <= 5:
  print(i)
  i = i + 1
```

```
1
2
3
4
5
```

[81]
```
list = [10,20,30,40,50,60,70,80]
```

[87]
```
i = 0
while i <=7:
  print(list[i])
  i = i + 1
```

```
10
20
30
40
50
60
70
80
```

[ ]
```
Start coding or generate with AI.
```

Colab paid products - Cancel contracts here