Status	Finished
Started	Thursday, 29 October 2026, 9:23 PM
Completed	Thursday, 29 October 2026, 9:26 PM
Duration	2 mins 43 secs
Grade	**11.00** out of 15.00 (**73.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which method is used to truncate a file to a specific size?

a. reduce()
b. truncate() ✓
c. resize()
d. shrink()

The correct answer is: truncate()

Question **2**

Correct

Mark 1.00 out of 1.00

What is the result of the following code?

```
with open("example.txt", "r") as f:
    data = f.read()
print(data)
```

a. Prints the first 10 characters of the file
b. Prints each line of the file
c. Prints an error message
d. Prints the entire content of the file ✓

The correct answer is: Prints the entire content of the file

Question **3**

Correct

Mark 1.00 out of 1.00

Which method is used to write data to a file?

a. append()
b. write() ✓
c. insert()
d. read()

The correct answer is: write()

Question **4**

Correct

Mark 1.00 out of 1.00

Which function is used to open a file in Python?

a. open() ✓
b. open_file()
c. openfile()
d. file()

The correct answer is: open()

Question **5**

Incorrect

Mark 0.00 out of 1.00

To open a file c:\scores.txt for writing, we use _____

a. outfile = open(file = “c:\scores.txt”, “w”)
b. outfile = open(“c:\scores.txt”, “w”) ✗
c. outfile = open(“c:\\scores.txt”, “w”)
d. outfile = open(file = “c:\\scores.txt”, “w”)

The correct answer is:
outfile = open(“c:\\scores.txt”, “w”)

Question **6**

Incorrect

Mark 0.00 out of 1.00

Select the incorrect file access mode

a. wb+
b. r
c. ab+ ✗
d. rw+

The correct answer is: rw+

Question **7**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for appending data, we use _____

a. outfile = open("c:\\scores.txt", "rw")
b. outfile = open("c:\\scores.txt", "a") ✓
c. outfile = open(file = "c:\scores.txt", "w")
d. outfile = open(file = "c:\\scores.txt", "w")

The correct answer is:
outfile = open("c:\\scores.txt", "a")

Question **8**

Correct

Mark 1.00 out of 1.00

How can you read a file line by line efficiently in Python?

a. Using the readlines() method
b. Using the readline() method
c. Using a for loop ✓
d. Using the read() method

The correct answer is: Using a for loop

Question **9**

Correct

Mark 1.00 out of 1.00

file_object.seek(offset [, reference_point])

What is the default, the value of reference_point?

a. null

b. 2

c. 1

d. 0 ✓

e. garbage

The correct answer is:
0

Question **10**

Correct

Mark 1.00 out of 1.00

What is the difference between r+ and w+ modes in file handling?

a. r+ is for read and write, w+ is for append only

b. r+ is for read and append, w+ is for read and write

c. r+ is for binary read and write, w+ is for text read and write

d. r+ is for read and write without truncating, w+ is for read and write with truncating ✓

The correct answer is: r+ is for read and write without truncating, w+ is for read and write with truncating

Question **11**

Correct

Mark 1.00 out of 1.00

If the file is opened in write mode and already exists, it truncates the existing content and places the filehandle at the beginning of the file.

Select one:

True ✓

False

The correct answer is 'True'.

Question **12**

Correct

Mark 1.00 out of 1.00

f.seek(5,1) means

a. move the file pointer to beginning of the file

b. moves the file pointer to the end of a file

c. move the file pointer five characters behind from the current position

d. move the file pointer five characters ahead from the current position ✓

The correct answer is:
move the file pointer five characters ahead from the current position

Question **13**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
fo = open("foo.txt", "w")
```

a. Opens an existing file in read mode

b. Appends to an existing file

c. Opens a file in binary mode

d. Creates a new file for writing ✓

The correct answer is: Creates a new file for writing

Question **14**

Incorrect

Mark 0.00 out of 1.00

What is the output of the following code?

```
f = open("test.txt", "w")
f.write("Hello, world!")
f.close()
f = open("test.txt", "r")
print(f.read())
f.close()
```

a. world

b. Hello, world!

c. Hello

d. An error is raised ✕

The correct answer is: Hello, world!

Question **15**

Incorrect

Mark 0.00 out of 1.00

Which method is used to sets the position of a file pointer

a. seek()

b. fseek() ✕

c. ftell()

d. tell()

The correct answer is: seek()