Status	Finished
Started	Thursday, 29 October 2026, 10:00 PM
Completed	Thursday, 29 October 2026, 10:02 PM
Duration	2 mins 35 secs
Grade	**12.00** out of 15.00 (**80**%)

Question **1**

Correct

Mark 1.00 out of 1.00

If a=(15,16,17,18,19,25), then a[1:-1] will be

Note :

a=(15,16,17,18,19,25)

print((a[1:-1]))

- a. (16,17,18,19) ✓
- b. (16,17,18)
- c. (25,19,18,17)
- d. Error

Question **2**

Correct

Mark 1.00 out of 1.00

Choose the correct option.

- a. In Python, a tuple can contain both integers and strings as its elements. ✓
- b. In Python, a tuple can contain only integers as its elements.
- c. In Python, a tuple can contain either string or integer but not both at a time.
- d. In Python, a tuple can contain only strings as its elements.

Question **3**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

a. {9}

b. It will throw an error as there are two 0 while creating the set.

c. {0,0,9}

d. {0,9} ✓

Question **4**

Incorrect

Mark 0.00 out of 1.00

Find the output of the given Python program?

```
t1 = (1,2,3,(4,5))
t2 = (3,2,1,(4,5))
print(t1>t2)
```

a. Error

b. True ✗

c. Error

d. False

Question **5**

Correct

Mark 1.00 out of 1.00

Select all the correct options to remove “ECE” from the set.

```
sampleSet = {"ECE", "R&A", "MCT"}
```

a. remove.sampleSet("ECE")

b. sampleSet.delete("ECE")

c. del.sampleSet("ECE")

d. sampleSet.discard("ECE") ✓

Question **6**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

t = (58, 47, 36, 25, 14, 3)

x = t[2:-1]

print(x)

- a. Error
- b. (36, 25, 14) ✓
- c. (58,47,36,25)
- d. (3,14,25)

Question **7**

Correct

Mark 1.00 out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")
```

```
print type(a)
```

- a. <class 'str'> ✓
- b. <class 'int'>
- c. <class 'tuple'>
- d. str

Question **8**

Correct

Mark 1.00 out of 1.00

What is printed when the following code is run?

```
tup = ('30', '3', '2', '8')
print(sorted(tup,reverse = True))
```

- a. ['2', '3', '30', '8']
- b. ['2', '3', '8', '30']
- c. ['8', '30', '3', '2'] ✓
- d. ['30', '8', '3', '2']

Question **9**

Incorrect

Mark 0.00 out of 1.00

Find the output of the given Python program?

t = (11, 3)

x = 3 * t

print(x)

- a. (11,3,11,11,3,11,11,11,3) ✗
- b. [11,11,11,3,3,3]
- c. (11, 3, 11, 3, 11, 3)
- d. (11,3)(11,3)(11,3)

Question **10**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

my_t1 = (1, 2, 3, 4)

my_t1.append((5, 6, 7))

print(len(my_t1))

- a. 2
- b. 1
- c. 5
- d. Error ✓

Question **11**

Incorrect

Mark 0.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

- a. {'rec', 1, ('cse', 'ece')}
- b. {'rec', 1, ('cse', 'ece'),True} ✗
- c. {'rec', True, ('cse', 'ece')}
- d. Error

Question **12**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
list1=[1,3,4,2]

x=list1.pop(2)

print(set([x]))
```

a. {1,3,2}

b. {1,3,4}

c. {4} ✓

d. {2}

Question **13**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={2,5,3}

set2={3,1}

set3={}

set3=set1&set2

print(set3)
```

a. {}

b. {2,5,3,1}

c. {2,5,1}

d. {3} ✓

Question **14**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

- a. (1,2,3,4,5,6) ✓
- b. Error
- c. (1,2,3,3,2,1)
- d. (1,2,3)(4,5,6)

Question **15**

Correct

Mark 1.00 out of 1.00

Which of the following is a Python tuple?

- a. (1,4,5,6,7) ✓
- b. ("Wonder")
- c. [1,2,3,4]
- d. {1,3,8,9,41}