```python
import numpy as np
import pandas as pd
from sklearn.model_selection import train_test_split
from sklearn.neighbors import KNeighborsClassifier
import matplotlib.pyplot as plt
import seaborn as sns

df = pd.read_csv('breast_cancer.csv')
df.head()

y = df['diagnosis']
X = df.drop('diagnosis', axis = 1)
X = X.drop('Unnamed: 32', axis = 1)
X = X.drop('id', axis = 1)

# Separating the dependent and independent variable

X_train, X_test, y_train, y_test = train_test_split(X, y, test_size = 0.3, random_state = 0)

K = []
training = []
test = []
scores = {}

for k in range(2, 21):
        clf = KNeighborsClassifier(n_neighbors = k)
        clf.fit(X_train, y_train)

        training_score = clf.score(X_train, y_train)
        test_score = clf.score(X_test, y_test)
        K.append(k)

        training.append(training_score)
        test.append(test_score)
        scores[k] = [training_score, test_score]

for keys, values in scores.items():
        print(keys, ':', values)

ax = sns.stripplot(K, training);
ax.set(xlabel ='values of k', ylabel ='Training Score')

plt.show()
# function to show plot

ax = sns.stripplot(K, test);
ax.set(xlabel ='values of k', ylabel ='Test Score')
plt.show()

plt.scatter(K, training, color ='k')
plt.scatter(K, test, color ='g')
plt.show()
# For overlapping scatter plots
```