

Browse My Vacations — Client Handover Document

Field	Detail
Product	Browse My Vacations (BMV)
Brand parent	Browser Hotels
Document date	31 July 2026
Status	Live — production handover
Primary site	https://browsemyvacations.com
Source code	https://github.com/niteshrav/browsemyvacations

1. Executive summary

Browse My Vacations is a **curated vacation packages** website focused on:

- Simple **city / keyword discovery** (no dates or passenger counts required to browse)
- Transparent **package detail** pages with itinerary and pricing cues
- **Custom quote** lead capture (sales fulfills offline)
- **Vacation Feasibility Radar** (Vacation Meter) for route / cost estimates
- **MICE / corporate** inquiry flows
- A full **admin CMS** for catalog, leads, meter rates, content, and WhatsApp

Business model (MVP): Operator-led lead generation. There is **no online payment**, **no customer login**, and **no instant booking**. Quote submissions create sales leads only.

2. Live URLs

Surface	URL
Website	https://browsemyvacations.com
www (same site)	https://www.browsemyvacations.com
Admin	https://browsemyvacations.com/admin
API health	https://browsemyvacations.com/api/v1/health
Sitemap	https://browsemyvacations.com/sitemap.xml
Robots	https://browsemyvacations.com/robots.txt
Privacy	https://browsemyvacations.com/privacy
Google verification file	https://browsemyvacations.com/google990190344b1517ae.html

Public pages

Page	Path
Home	/
Packages	/packages
Package detail	/packages/{slug}
Search	/search?q=...
Vacation Meter	/vacation-meter
MICE	/mice
About	/about
Contact	/contact
Privacy Policy	/privacy

3. What was delivered

3.1 Visitor experience

- Home hero with search, suggestion / quick picks, destination-grouped packages
- Packages list (with optional destination filter) and SEO-friendly detail pages
- Search by city or keyword
- Quote / inquiry forms (package detail, contact, meter, MICE)
- Floating **WhatsApp** button (number configurable in admin)
- Vacation Meter popup on home + full meter page with quote CTA
- Responsive layout for desktop and mobile

3.2 Admin CMS (/admin)

Module	Purpose
Dashboard	Admin home / shortcuts
Destinations	Manage destination catalog
Packages	Create / edit packages, itinerary, gallery, SEO title & description
Quick Picks	Home suggestion / quick-pick chips
Page Content	Editable site content blocks (e.g. hero copy)
Leads	Lead pipeline cards, status updates, notes, CSV export, delete
Meter	Destination nightly rates & vehicle tiers for Vacation Meter
WhatsApp	Floating button phone number + default message

Lead statuses: new → contacted → quoted → won / lost .

3.3 SEO (completed July 2026)

- Unique titles, meta descriptions, keywords per public page
- Canonical URLs, Open Graph, and Twitter cards
- Favicon / site icons from brand logo
- `robots.txt` (public allowed; `/admin/` blocked)
- Dynamic `sitemap.xml` (static pages + package URLs)
- Image alt text + lazy loading (heroes load eagerly for performance)
- Package detail JSON-LD (`TouristTrip`)
- Google Search Console: **ownership verified** (HTML file method)
- Sitemap submitted in GSC (status may show “Couldn't fetch” briefly after submit — recheck after deploy; live sitemap returns HTTP 200)

3.4 Out of scope (deferred / not in MVP)

- Online payments / Razorpay booking
- Customer accounts / login
- Reviews & ratings marketplace
- Multi-agent marketplace
- Advanced search filters (price, theme, duration)
- Full CRM sync (leads stay in BMV admin + optional email alerts)

4. Access & credentials

Security: Change the admin password immediately after handover. Do not share production credentials in public chat or email threads longer than necessary.

4.1 Admin login

Item	Value
URL	<code>https://browsemyvacations.com/admin</code>
Typical seed email	<code>admin@browsemyvacations.com</code>
Typical seed password	<code>changeme123</code>
Production account (as configured at launch)	Confirm in admin DB / with delivery team — may be a client Gmail such as the Browser Hotels ops mailbox

Override seed credentials locally via `ADMIN_SEED_EMAIL` / `ADMIN_SEED_PASSWORD` in `database/.env`.

How to sign in: Open site → **Admin** in header, or go directly to `/admin`.

4.2 Source code

Item	Value
GitHub	<code>https://github.com/niteshrav/browsemyvacations</code>
Default branch	<code>main</code>
Deploy trigger	Manual pull + <code>scripts/vps-deploy.sh</code> on VPS

Ensure the client (or appointed agency) has GitHub collaborator access.

4.3 Server (production)

Item	Value
Hosting style	Contabo / Hostinger-class Linux KVM VPS
App path	<code>/var/www/browsemyvacations</code>
Process manager	PM2 (<code>bmw-web</code> , <code>bmw-api</code>)
Web port	<code>3100</code> (nginx proxies HTTPS → this)
API port	<code>3101</code>
Database	PostgreSQL (local on VPS; often mapped as port <code>5434</code> in compose-style setups)
Reverse proxy	Nginx + Let's Encrypt (certbot)

SSH access, panel login, and DNS registrar credentials should be transferred separately by the hosting owner (not stored in this repo).

5. Day-to-day operations (for the client team)

5.1 Sales / leads

1. Open **Admin** → **Leads**
2. Filter by status (All / new / contacted / quoted / won / lost)
3. Update status from the card dropdown
4. Open details for notes and full inquiry fields
5. Export CSV when needed
6. Delete spam / test leads with **Delete** (confirm dialog)

Important: A quote request is **not** a confirmed booking. Final pricing is sent offline (email / phone / WhatsApp).

5.2 Publishing packages

1. **Admin** → **Packages** — create or edit

2. Set destinations, duration, price display, itinerary, inclusions / exclusions
3. Upload gallery images
4. Fill optional **SEO title / description**
5. Keep package **active** to appear on the public site and sitemap

5.3 Vacation Meter rates

1. **Admin** → **Meter**
2. Add / edit / delete destination nightly rates
3. Adjust vehicle tier multipliers as needed

Changes apply without a code deploy.

5.4 WhatsApp floating button

1. **Admin** → **WhatsApp**
2. Set phone number (India format supported) and default message

Public FAB reads this from site content settings.

5.5 Contact details shown on the site

Defaults in code (`shared` contact info) currently include:

Field	Default
Phone / WhatsApp display	+91 141 400 1234
Email	hello@browsemyvacations.com
Address	C-Scheme, Jaipur, Rajasthan 302001, India
Hours	Monday – Saturday, 10:00 AM – 7:00 PM IST

Update these in the codebase / content settings if real business numbers differ, then redeploy.

6. Technology stack

Layer	Technology
Frontend	Next.js 15 (App Router), React, TypeScript
Backend	NestJS (REST API under <code>/api/v1</code>)
Database	PostgreSQL + Prisma (<code>@bmv/database</code>)
Shared package	<code>@bmv/shared</code> (content, validation, CDN helpers)
Monorepo	pnpm workspaces
Images	Cloudinary (preferred) or local <code>/uploads</code> on VPS
Email (optional)	Resend (<code>RESEND_API_KEY</code>) → ops inbox
Analytics (optional)	GA4 via <code>NEXT_PUBLIC_GA_MEASUREMENT_ID</code>
Process manager	PM2
Web server	Nginx

7. Environment variables (production checklist)

Frontend — `frontend/.env.local`

```
NEXT_PUBLIC_SITE_URL="https://browsemyvacations.com"
NEXT_PUBLIC_API_URL="/api/v1"
NEXT_PUBLIC_GA_MEASUREMENT_ID=""          # optional – GA4 measurement ID
NEXT_PUBLIC_CLOUDINARY_CLOUD_NAME=""      # optional if using Cloudinary
```

Backend — `backend/.env`

```
PORT=3101
NODE_ENV=production
CORS_ORIGIN="https://browsemyvacations.com,https://www.browsemyvacations.com"
DATABASE_URL="postgresql://.../browsemyvacations?schema=public"
JWT_SECRET="use-a-long-random-secret"
RESEND_API_KEY=""                        # optional lead emails
OPS_EMAIL_TO="sales@browsemyvacations.com"
OPS_EMAIL_FROM="Browse My Vacations <noreply@browsemyvacations.com>"
CLOUDINARY_CLOUD_NAME=""                # preferred for uploads
CLOUDINARY_API_KEY=""
CLOUDINARY_API_SECRET=""
ALLOW_LOCAL_UPLOADS=true                # if not using Cloudinary
PUBLIC_API_BASE_URL="https://browsemyvacations.com"
```

8. Deploy & maintenance

8.1 Standard deploy (after code is on `main`)

```
cd /var/www/browsemyvacations
git pull origin main
bash scripts/vps-deploy.sh
```

This script pulls, builds backend + frontend, reloads PM2, and health-checks ports `3100` / `3101`.

Full notes: [docs/VPS_DEPLOY.md](#)

8.2 Useful PM2 commands

```
pm2 status
pm2 logs bmv-api --lines 50 --nostream
pm2 logs bmv-web --lines 50 --nostream
pm2 restart bmv-api bmv-web
```

Keep **only** `bmv-api` and `bmv-web`. Extra PM2 web apps cause 502 / chunk errors after rebuilds.

8.3 Smoke checks after deploy

```
curl -s https://browsemyvacations.com/api/v1/health
curl -sI https://browsemyvacations.com | head
curl -s https://browsemyvacations.com/sitemap.xml | head
```

8.4 Database migrations

```
cd /var/www/browsemyvacations/database
pnpm exec prisma migrate deploy
```

9. SEO & marketing accounts (manual)

Item	Status / action
Google Search Console	Property verified (HTML file). Do not delete <code>google990190344b1517ae.html</code>
Sitemap in GSC	Submitted <code>/sitemap.xml</code> — refresh if status shows temporary fetch errors
Google Analytics (GA4)	Set <code>NEXT_PUBLIC_GA_MEASUREMENT_ID</code> and redeploy when ready
Bing Webmaster	Optional — submit same sitemap
Social sharing	OG image uses Udaipur Lake Palace asset; test with Facebook / LinkedIn debuggers after content changes

10. Support runbook (common issues)

Symptom	Likely cause	Fix
Site 502 / blank	PM2 web down or nginx pointing at wrong port	<code>pm2 status</code> ; ensure nginx → <code>:3100</code>
Admin login fails after HTTPS	Stale build / wrong API origin	Redeploy; confirm <code>NEXT_PUBLIC_API_URL=/api/v1</code>
Image upload 413	Nginx body size limit	<code>client_max_body_size 10m</code> ; then reload nginx
Upload blocked	No Cloudinary and local uploads disabled	Set <code>ALLOW_LOCAL_UPLOADS=true</code> + <code>PUBLIC_API_BASE_URL</code>
Mixed content / API errors on HTTPS	Frontend calling <code>http://</code> API	Must use same-origin <code>/api/v1</code>
Leads not emailing ops	Resend not configured	Set <code>RESEND_API_KEY</code> + <code>OPS_EMAIL_TO</code> (leads still save in admin)
GSC "Couldn't fetch" sitemap	Transient Google crawl	Confirm live 200; wait / resubmit; ensure VPS deploy is current

11. Local development (for developers)

```
pnpm install
pnpm docker:up          # Postgres (+ Redis if used)
pnpm db:push && pnpm db:seed
pnpm dev                # API :3101, web :3100
```

Default local admin: `admin@browsemyvacations.com` / `changeme123` .

Quality gates: `pnpm lint` , unit tests, Playwright E2E (see `docs/AUTO_TESTING_MANUAL.md`).

12. Related project documents

Document	Purpose
BUSINESS_REQUIREMENTS.md	Business requirements
ARCHITECTURE.md	Technical architecture
USE_CASE_REQUIREMENTS.md	Use cases
USER_STORIES.md	User stories
TEST_CASES.md	Test cases
VPS_DEPLOY.md	Production deploy guide
AUTO_TESTING_MANUAL.md	Automated testing guide
Root README.md	Developer quick start

13. Handover checklist

- ☒ Production site live on HTTPS
 - ☒ Admin CMS operational (catalog, leads, meter, WhatsApp, content)
 - ☒ Lead capture + CSV export + delete
 - ☒ SEO basics (meta, sitemap, robots, OG/Twitter, canonicals)
 - ☒ Google Search Console ownership verified
 - ☒ Sitemap submitted to Search Console
 - ☐ Client changes admin password
 - ☐ Client confirms real phone / email / WhatsApp on Contact + FAB
 - ☐ GA4 ID added (if analytics required)
 - ☐ Cloudinary (or confirmed local uploads) for production images
 - ☐ Resend (or alternate) for lead email alerts
 - ☐ GitHub + VPS SSH access transferred to client / agency
 - ☐ DNS / domain registrar access confirmed
 - ☐ SSL auto-renewal (certbot) confirmed on VPS
-

14. Contacts

Role	Notes
Product / brand	Browse My Vacations by Browser Hotels
Public guest email (site default)	hello@browsemyvacations.com
Ops / sales email (env default)	sales@browsemyvacations.com
Development repository owner	GitHub: <code>niteshrav/browsemyvacations</code>

For post-handover feature work, open issues or PRs against `main`, or engage the delivery team with a scoped change request.

End of handover document. Keep this file with hosting credentials (stored separately) and update \$4 / \$13 when passwords, emails, or analytics IDs change.