

# Genomics and Disease

With an example classroom activity on GWAS

---

Andrew Webb. Temple University

June 27, 2017

# Concept Review

- Gene
- Alleles
- Genotype
- Protein
- Translation
- Phenotype
- Mutations (i.e. SNPs)

# What is a Genetic Disease?

**Definition:** A disease attributed to an abnormality in one's genome.

Genetic Diseases may be:

- **Monogenic:** caused by a single gene
- **Polygenic:** caused by multiple genes

Prominent Examples we will discuss:

- **Sickle Cell Disease (Anemia)**
- **Huntington's Disease**

# What is the cause of Genetic Disease?

**Definition:** A disease attributed to an abnormality in one's genome.

But... What does that mean?

Example: **Hemoglobin  $\beta$  Chain** (i.e.  $\beta$ -globin)

Fragment of  $\beta$ -globin DNA Sequence

5' - GTG - CAC - CTC - ACT - CCT - GAA - GAG - 3'

Associated Amino Acid (i.e. Protein) sequence

Val - His - Leu - Thr - Pro - Glu - Glu

# What is the cause of Genetic Disease?

**Definition:** A disease attributed to an abnormality in one's genome.

But... What does that mean?

Example: **Hemoglobin  $\beta$  Chain** (i.e.  $\beta$ -globin)

Fragment of  $\beta$ -globin DNA Sequence

5' - GTG - CAC - CTC - ACT - CCT - G**TA** - GAG - 3'

Associated Amino Acid (i.e. Protein) sequence

Val - His - Leu - Thr - Pro - **Val** - Glu

# What is the cause of Genetic Disease?

This single mutation (or SNP) in  $\beta$ -globin is the cause of Sickle Cell Disease.

*Note:  $\beta$ -globin is comprised of 147 amino acids (i.e. 441 nucleotides).*




Image adapted from: <https://www.nhlbi.nih.gov/health/health-topics/topics/sca>

# How do we connect students to these concepts?

- Personalize the examples
  - In fun and safe ways
  - Example: Ability to taste Phenylthiocarbamide (PTC)
- This is sometimes difficult
  - Many sensitive topics
  - Especially genetic diseases
- Many free resources



# OMIM<sup>®</sup>

## Online Mendelian Inheritance in Man<sup>®</sup>

### An Online Catalog of Human Genes and Genetic Disorders

Updated June 23, 2017

Search OMIM for clinical features, phenotypes, genes, and more...



**Advanced Search :** [OMIM](#), [Clinical Synopses](#), [Gene Map](#)


**Need help?** : [Example Searches](#), [OMIM Search Help](#), [OMIM Tutorial](#)

**Mirror site :** [mirror.omim.org](http://mirror.omim.org)


OMIM is supported by a grant from NHGRI, licensing fees, and [generous contributions from people like you.](#)





# Classroom Activity Resource


OUTREACH > ABOUT > BLOG > HELP >

Topics ▾ Resource Types ▾ Collections ▾



Subscribe to BioInteractive News

Like BioInteractive on Facebook




DATA POINT

## Introduction to Animal Communication

Animals have evolved a variety of mechanisms to communicate with each other. Communication is used in courtship, territorial defense, warning about predators, social play, aggressive interactions, parental care, group defense, and cohesion among members of a family or social groups.

Animal communication involves the transfer of information, in the form of a **signal** from a **sender** to a **receiver**.




CLICK & LEARN

# Activity on the Cause of Genetic Disease

## How Do Fibers Form?

THIS IS PART OF: **The Making of the Fittest: Natural Selection in Humans**






### Summary

A hands-on activity in which students construct models of sickle-cell hemoglobin fibers inside red blood cells to illustrate how changes in the structure of a protein can affect cell shape. Students are then asked to relate these changes to disease symptoms. Also available in Spanish.

Recommend 

16 other people found this useful

SHARE THIS   

Spanish versions of these resources are also available for download (en Español).

*Appropriate for:* high school biology (all levels), introductory college biology.

This hands-on activity serves as an extension to the Howard Hughes Medical Institute short film *The Making of the Fittest: Natural Selection in Humans*. Students will construct models of sickle cell hemoglobin inside red blood cells to illustrate how changes in the structure of a protein can affect cell shape.

### Downloads

-  **Student Handout (PDF)**  
388K
-  **Teacher Materials (PDF)**  
233K
-  **Student Handout - Español (PDF)**  
455 KB
-  **Teacher Materials - Español (PDF)**  
330 KB

By downloading, you agree to the [permissions](#) to use this file.

# The Challenges of Genetic Diseases


What are some of the major challenges posed by genetic diseases?

- May be caused by small changes to the genome
  - Human Genome: 3.2Gbp (i.e. 3.2 billion nucleotides)
- Disease variants may be caused by different mutations or genes
- May be caused by multiple genes
  - And potentially by multiple gene combinations
- The causative gene(s) may be completely unknown
  - Human Genes (protein-coding): 20,310


**Question:** How do we identify the mutations (SNPs) that associate with a genetic disease?

# How do we identify these disease-associated SNPs?

## In the Past - "Classic" Methods



## In the Present - Bioinformatic Methods



## In the Past - "Classic" Methods

Prior to the availability of genomes, the identification of these SNPs required a combination of:

- A detailed pedigree of a family (or families) with the genetic disease in question
  - Identify individuals homozygous for the genetic disease
- The creation of linkage maps (with known markers)
  - To locate the locus housing the SNPs

**Example:** This approach was used to understand the genetics of Huntington's Disease


Following the release of a genome, the techniques used in the identification of disease-associated SNPs changed greatly:

- Obtain sequence information from individuals with the genetic disease
  - SNP Chips/Arrays
    - Collection of sites known to be polymorphic
  - Genome sequencing
- Association study
  - Simple SNP-based genetic linkage
  - Genome-wide association study (GWAS)

# Genome-wide association study (GWAS)

**Definition:** GWAS compares the DNA sequence of individuals with various phenotypes for a trait or disease of interest.

- Used for mapping complex (polygenic) traits or diseases
- Used to identify SNPs within the genome that are associated with a trait or disease
- Only an association, cannot directly identify the causative gene(s).
- Due to the polygenic nature of the trait or disease, SNPs usually only have a small effect










How is a GWAS performed?








- Sequence two groups: Case and Control
- Compare DNA sequence of the two groups
  - **Allele Counts**
  - Genotype Counts
- Use the counts to check for possible association
- Correct for multiple testing



## Lets break down what that all means








	10		15		250		950
	T	-	A	-	C	-	C
	T	-	A	-	C	-	A
	T	-	T	-	C	-	A
	T	-	T	-	C	-	A
	T	-	A	-	G	-	A
	C	-	T	-	G	-	A
	C	-	A	-	G	-	A

## Lets break down what that all means

	10		15		250		950
	T	-	A	-	C	-	C
	T	-	A	-	C	-	A
	T	-	T	-	C	-	A
	T	-	T	-	C	-	A
	T	-	A	-	G	-	A
	C	-	T	-	G	-	A
	C	-	A	-	G	-	A








10. Normal T: 4, C: 0. Mutant T: 1, C: 2

## Lets break down what that all means

	10		15		250		950
	T	-	A	-	C	-	C
	T	-	A	-	C	-	A
	T	-	T	-	C	-	A
	T	-	T	-	C	-	A
	T	-	A	-	G	-	A
	C	-	T	-	G	-	A
	C	-	A	-	G	-	A

15. Normal A: 2, T: 2. Mutant A: 2, T: 1

## Lets break down what that all means



	10		15		250		950
	T	-	A	-	C	-	C
	T	-	A	-	C	-	A
	T	-	T	-	C	-	A
	T	-	T	-	C	-	A
	T	-	A	-	G	-	A
	C	-	T	-	G	-	A
	C	-	A	-	G	-	A

250. Normal C: 4, G: 0. Mutant C: 0, G: 3

# Activity on Genome-wide association study (GWAS)


## Mapping Genes to Traits in Dogs Using SNPs

THIS IS PART OF: **Medicine in the Genomic Era**




Dog	Hair Type
	Curly
	Curly

**Summary**

In this hands-on genetic mapping activity students identify single nucleotide polymorphisms (SNPs) correlated with different traits in dogs.

**Recommend** 

198 other people found this useful







SHARE THIS   

The activity complements a 29-minute lecture by Dr. Elinor Karlsson of the Broad Institute in Cambridge, MA (<http://www.hhmi.org/biointeractive/dog-genomics-and-dogs-model-organisms>), in which she discusses genome-wide association studies (GWAS). The activity consists of:

- A before-class assignment in which students read a press release from the National Institutes of Health (NIH) and answer questions on their student handout.
- An optional video lecture by Dr. Elinor Karlsson, explaining GWAS.
- An in-class component that explores how GWAS work by comparing single-nucleotide polymorphisms (SNPs) of dogs with different phenotypes and identifying correlations. This part of the activity has a hands-on component that uses SNP Cards.
- An optional statistical analysis activity that uses chi-square analysis.

### Downloads



-  **Teacher Document (PDF)**  
670 KB
-  **Student Document (PDF)**  
5.6 MB
-  **SNP Cards (curly-straight) (PDF)**  
7.2 MB
-  **SNP Cards (short-long) (PDF)**  
8.0 MB
-  **Figure 2 (PPT)**  
123 KB
-  **Figure 3 (PPT)**  
193 KB

By downloading, you agree to the permissions to use this file.

# Activity Genome-wide association study (GWAS)

	<b>Chr11: 5,078,021</b>	<b>Chr11: 5,105,623</b>	<b>Chr11: 5,225,464</b>	<b>Chr11: 5,227,543</b>	<b>Chr11: 5,229,395</b>	<b>Chr11: 5,354,399</b>	<b>Chr11: 5,657,091</b>
<b>Case</b>	AC	AA	AT	AT	AC	TT	GG
<b>Case</b>	AC	AA	AA	TT	CC	CC	GG
<b>Case</b>	CC	TA	AT	TT	AC	CT	GG
<b>Case</b>	AC	TA	AA	AT	AA	TT	CG
<b>Case</b>	CC	TA	AA	TT	AC	CT	CG
<b>Case</b>	AC	AA	AT	TT	CC	CC	CG
<b>Control</b>	CC	AA	TT	AA	CC	TT	GG
<b>Control</b>	AC	AA	TT	AA	CC	TT	CG
<b>Control</b>	AC	TA	TT	TA	CC	TT	GG
<b>Control</b>	CC	AA	TT	AA	CC	CT	CG
<b>Control</b>	AA	AA	TT	AA	CC	TT	GG
<b>Control</b>	CC	AA	TT	AA	CC	TT	GG

# Activity Genome-wide association study (GWAS)

	Chr11: 5,078,021	Chr11: 5,105,623	Chr11: 5,225,464	Chr11: 5,227,543	Chr11: 5,229,395	Chr11: 5,354,399	Chr11: 5,657,091
Case	AC	AA	AT	AT	AC	TT	GG
Case	AC	AA	AA	TT	CC	CC	GG
Case	CC	TA	AT	TT	AC	CT	GG
Case	AC	TA	AA	AT	AA	TT	CG
Case	CC	TA	AA	TT	AC	CT	CG
Case	AC	AA	AT	TT	CC	CC	CG
Control	CC	AA	TT	AA	CC	TT	GG
Control	AC	AA	TT	AA	CC	TT	CG
Control	AC	TA	TT	TA	CC	TT	GG
Control	CC	AA	TT	AA	CC	CT	CG
Control	AA	AA	TT	AA	CC	TT	GG
Control	CC	AA	TT	AA	CC	TT	GG

Case	A: 4	A: 9	A: 9	A: 2	A: 5	T: 6	C: 3
Control	A: 4	A: 11	A: 0	A: 11	A: 0	T: 11	C: 2
Diff.	0	2	9	9	5	5	1

Case	C: 8	T: 3	T: 3	T: 10	C: 7	C: 6	G: 9
Control	C: 8	T: 1	T: 12	T: 1	C: 12	C: 1	G: 10
Diff.	0	2	9	9	5	5	1

# Bioinformatics Example

Our GWAS identified two SNPs that are highly correlated with sickle cell disease.

How can we use this information to better understand the cause of sickle cell disease?

## BLAST

In [bioinformatics](#), **BLAST** for **B**asic **L**ocal **A**lignment **S**earch **T**ool is an [algorithm](#) for comparing [primary](#) biological sequence information, such as the [amino-acid](#) sequences of [proteins](#) or the [nucleotides](#) of [DNA sequences](#). A BLAST search enables a researcher to compare a query sequence with a library or [database](#) of sequences, and identify library sequences that resemble the query sequence above a certain threshold.

Different types of BLASTs are available according to the query sequences. For example, following the discovery of a previously unknown gene in the [mouse](#), a scientist will typically perform a BLAST search of the [human genome](#) to see if humans carry a similar gene; BLAST will identify sequences in the human genome that resemble the mouse gene based on similarity of sequence. The BLAST algorithm and program were designed by [Stephen Altschul](#), [Warren Gish](#), [Webb Miller](#), [Eugene Myers](#), and [David J. Lipman](#) at the [National Institutes of Health](#) and was published in the *Journal of Molecular Biology* in 1990 and cited over 50,000 times.<sup>[1]</sup>



# How do we know if a difference is by chance

It might be possible that the differences we observed are due to random chance.

Is there a way to support our claim of association?

**Couple methods:**  $\chi^2$  and Fisher's Exact Test

	Case	Control	Marginal Row Totals
A	100 (92.5) [0.61]	85 (92.5) [0.61]	185
C	50 (57.5) [0.98]	65 (57.5) [0.98]	115
Marginal Column Totals	150	150	300 (Grand Total)

The chi-square statistic is 3.1727. The  $p$ -value is .074877. This result is *not* significant at  $p < .05$ .

# Impact of GWAS (and other methods)

Scientists have successfully used GWAS (and other methods) to identify numerous disease-associated SNPs within the genome.

Condition	Gene	Variant(s)
ARSACS	SACS gene	1
Agensis of the Corpus Callosum with Peripheral Neuropathy	SLC12A6 gene	1
Autosomal Recessive Polycystic Kidney Disease	PKHD1 gene	3
Beta Thalassemia and Related Hemoglobinopathies	HBB gene	10
Bloom Syndrome	BLM gene	1
Canavan Disease	ASPA gene	3
Congenital Disorder of Glycosylation Type 1a (PMM2-CDG)	PMM2 gene	2
Cystic Fibrosis	CFTR gene	28

**Question:** How might the study of genetic diseases change in the near-future?

Advances, new technologies, and new analyses often bring change

- Cost of sequencing and advances in computing
  - Allows for large-scale analyses with higher resolution
  - UK10K
- CRISPR-CAS9
  - A bacterial immune defense from foreign genetic elements
  - Genome editing technology

We will be exploring how to write a script to compare SNPs between control and case groups.