

ServiceNow Flow Designer Technical Specification: Standard Laptop Procurement

Document Identifier: FLOW-SPEC-P5-001

Flow Name: Standard Laptop Procurement Flow

Internal Flow Name: laptop_procurement_flow

Application Scope: Global (global) / ITSM Service Catalog

Flow Sys ID: 7e36816197113110a24734000153af22

Target ServiceNow Release: Washington DC / Xanadu / Utah

Author: worker_phase5 (Phase 5 Development & Testing Lead)


Status: Published & Active


1. Flow Metadata & Engine Configuration

1.1 Header Metadata

- **Flow Name:** Standard Laptop Procurement Flow
- **Internal Name:** laptop_procurement_flow
- **Flow Sys ID:** 7e36816197113110a24734000153af22
- **Application Scope:** Global (global)
- **Category:** Service Catalog (service_catalog)
- **Flow Type:** Flow (type=flow)
- **Status:** Published (published)
- **Active:** true
- **Run As:** System User (run_as=system)
- *Architectural Rationale:* Running as System User guarantees that cross-table write operations (such as generating records in `sc_task`, modifying asset status in `alm_hardware`, and generating approvals in `sysapproval_approver`) are never obstructed by restrictive User-level Access Control Lists (ACLs) applied to standard employees.
- **Run With Roles:** Elevated System Context (sys_id: system)
- **Callable by Client API:** false
- **Compiler Build:** Rome_Patch9_Hotfix2_GraalVM_Engine
- **Description:** Enterprise-grade automated orchestration engine for corporate laptop procurement. Intercepts `sc_req_item` insertions, resolves catalog variables, applies executive VIP fast-track routing or manager approval gates, queries hardware asset inventory, spawns sequential configuration and logistics tasks, updates asset records in `alm_hardware`, closes request lifecycle records, and dispatches automated transactional customer notifications.

FLOW DESIGNER TOPOLOGY ARCHITECTURE





2. Trigger Specifications

- **Trigger Definition:** `Record Created` (`297ee6efe0a2a1509cd4b52b2fd96111`)
- **Trigger Instance Sys ID:** `ba36816197113110a24734000153af33`
- **Trigger Table:** `sc_req_item` (Requested Item)
- **Execution Timing:** `Run in Background` (Asynchronous worker queue via `sys_trigger`)
- **Condition Filter:**

```
cat_item=0b36816197113110a24734000153af45^stage=request_approved^ORstage=waiting_for_approval^EQ
```

- **Filter Explanation:** Triggers specifically when a Requested Item record is generated referencing the `Standard Business Laptop Request` catalog item (`0b36816197113110a24734000153af45`) and the initial stage is either `waiting_for_approval` or `request_approved`.

2.1 Trigger Output Data Pills

The Flow Designer engine instantiates and exposes the following root data pills from the trigger record:

Data Pill Identifier	Label	Data Type	Source Path
<code>{{1__request_item}}</code>	Trigger - Record Created > Requested Item	<code>GlideRecord</code>	<code>sc_req_item</code>
<code>{{1__request_item.sys_id}}</code>	RITM Sys ID	<code>GUID</code>	<code>sc_req_item.sys_id</code>

{{1__request_item.number}}	RITM Number	String	sc_req_item.number
{{1__request_item.opened_by}}	Opened by	Reference	sc_req_item.opened_k
{{1__request_item.opened_by.manager}}	Requester Manager	Reference	sc_req_item.opened_k
{{1__request_item.opened_by.manager.email}}	Manager Email	String	sc_req_item.opened_k
{{1__request_item.opened_by.vip}}	Requester VIP Flag	Boolean	sc_req_item.opened_k
{{1__request_item.opened_by.department}}	Requester Department	Reference	sc_req_item.opened_k
{{1__request_item.opened_by.department.dept_head}}	Department Head	Reference	sc_req_item.opened_k
{{1__request_item.request}}	Parent Request	Reference	sc_req_item.request
{{1__request_item.cat_item}}	Catalog Item	Reference	sc_req_item.cat_item

3. Comprehensive 17-Action Execution Sequence

Below is the definitive sequence of 17 discrete flow actions, logic gates, and subflows orchestrating the end-to-end lifecycle.

Step 0: Trigger Instance

- **Action Type:** sys_hub_trigger_instance (Record Created)
- **Target Table:** sc_req_item
- **Outputs Generated:** {{1__request_item}}

Step 1: Get Catalog Variables

- **Action Definition:** core_action_get_variables (sys_hub_action_type_definition: 77a064100b10030085c083eb37673a38)

- **Action Order:** 1
- **UI ID:** `step_get_variables`
- **Input Parameters:**
 - `Submitted Item` = `{{1__request_item}}`
 - `Catalog Item` = `Standard Business Laptop Request (0b36816197113110a24734000153af45)`
 - **Variables to Extract:**

1. <code>employee_name</code> (Reference: <code>sys_user</code>)			
2. <code>department</code> (Reference: <code>cmn_department</code>)			
3. <code>manager_name</code> (Reference: <code>sys_user</code>)			
4. <code>job_title</code> (String)			
5. <code>asset_type</code> (Choice: <code>standard</code> , <code>engineering</code> , <code>executive</code>)			
6. <code>laptop_model</code> (Choice: <code>lenovo_t14</code> , <code>dell_5440</code> , <code>lenovo_p1</code> , <code>macbook_pro_14</code> , <code>hp_dragonfly</code> , <code>macbook_air_15</code>)			
7. <code>replacement_reason</code> (Choice: <code>new_hire</code> , <code>refresh</code> , <code>damaged</code> , <code>stolen</code>)			
8. <code>existing_asset_tag</code> (String)			
9. <code>business_justification</code> (String)			
10. <code>shipping_type</code> (Choice: <code>office_desk</code> , <code>remote_shipment</code>)			
11. <code>shipping_address</code> (String)			
12. <code>accessories</code> (List Collector: <code>cmdb_model</code>)			
 - **Output Pills Generated:**
 - `{{step[1].variables.employee_name}}`
 - `{{step[1].variables.department}}`
 - `{{step[1].variables.asset_type}}`
 - `{{step[1].variables.laptop_model}}`
 - `{{step[1].variables.replacement_reason}}`
 - `{{step[1].variables.existing_asset_tag}}`
 - `{{step[1].variables.business_justification}}`
 - `{{step[1].variables.shipping_type}}`
 - `{{step[1].variables.shipping_address}}`
 - `{{step[1].variables.accessories}}`

Step 2: Flow Logic — VIP Executive Threshold Decision

- **Action Definition:** `flow_logic_if (sys_hub_predicate_action)`
- **Action Order:** 2
- **UI ID:** `branch_vip_eval`
- **Condition Logic:**
 - `Condition 1:` `{{1__request_item.opened_by.vip}}` IS `true`
 - *OR*
 - `Condition 2:` `{{1__request_item.opened_by.title}}` CONTAINS `Vice President`
 - *OR*
 - `Condition 3:` `{{1__request_item.opened_by.title}}` CONTAINS `Director`
 - *OR*

- **Condition 4:** `{{step[1].variables.asset_type}}` EQUALS `executive` AND `{{1__request_item.opened_by.vip}}` IS `true`

- **Branching Execution:**

- If condition evaluates to **TRUE**, execute **Step 3A** (VIP Fast-Track Path).
- If condition evaluates to **FALSE**, execute **Step 3B** (Standard Approval Path).

Step 3A: VIP Fast-Track Record Update & Auto-Approval

- **Action Definition:** `update_record` (`sys_hub_action_type_definition: f9d01445c0a80166007b88939c381d64`)
- **Action Order:** `3A` (Sub-branch of Step 2 TRUE)
- **UI ID:** `action_vip_auto_approve`
- **Inputs:**
 - **Record:** `{{1__request_item}}`
 - **Table:** `sc_req_item`
 - **Field Values:**
 - `approval = approved` (`approved`)
 - `stage = fulfillment` (`fulfillment`)
 - `state = 2` (Work in Progress)
 - `work_notes = Executive VIP Fast-Track Rule Applied: Manager approval requirement bypassed for VIP requester {{1__request_item.opened_by.name}} (Title: {{1__request_item.opened_by.title}}). Routed directly to hardware provisioning.`
- **Outputs Generated:** `{{step[3a].record_status}}` = `Success`

Step 3B: Standard Path — Ask for Manager Approval

- **Action Definition:** `ask_for_approval` (`sys_hub_action_type_definition: f8f2e2720b10030085c083eb37673a5a`)
- **Action Order:** `3B` (Sub-branch of Step 2 FALSE)
- **UI ID:** `action_ask_manager_approval`
- **Inputs:**
 - **Record:** `{{1__request_item}}`
 - **Approval Rules:**
 - **Rule 1: Approve when:** `Anyone approves` from `Users`
- **Dynamic Pill Binding:**

```
fd_transform.coalesce(  
    {{1__request_item.opened_by.manager}},  
    {{1__request_item.opened_by.department.dept_head}},  
    "287ee6efe0a2a1509cd4b52b2fd96191" // IT Service Desk Leads Group Sys ID  
)
```

- **Rule 2: Reject when:** `Anyone rejects` from `Users` (same approver pool)
- **Due Date:** Calculated via transform

```
fd_transform.date_add_business_days({{1__request_item.sys_created_on}}, 3) (3 Business Days)
```

- **Wait for Completion:** `true` (Halts flow execution until approval event fires)
- **Outputs Generated:**
- `{{step[3b].approval_state}}` (String: `approved`, `rejected`, `cancelled`)
- `{{step[3b].approver_record}}` (Reference: `sysapproval_approver`)

Step 4: Flow Logic — Evaluate Approval Result

- **Action Definition:** `flow_logic_if`
- **Action Order:** `4`
- **UI ID:** `branch_approval_eval`

- **Condition Logic:**

- **Condition 1:** `{{step[3b].approval_state}}` EQUALS `approved`
- *OR*
- **Condition 2:** Execution originated from Step 3A (`VIP Auto-Approved`)

- **Branching Execution:**

- If condition evaluates to **TRUE**, proceed to **Step 5** (Fulfillment Lifecycle).
- If condition evaluates to **FALSE**, divert to **Step 15** (Rejection Lifecycle).

Step 5: Update RITM to Fulfillment Stage

- **Action Definition:** `update_record`

- **Action Order:** `5`

- **UI ID:** `action_set_ritm_fulfillment`

- **Inputs:**

- **Record:** `{{1__request_item}}`
- **Table:** `sc_req_item`
- **Field Values:**
- `stage = fulfillment` (`fulfillment`)
- `state = 2` (Work in Progress)
- `comments = Your laptop procurement request has been authorized and dispatched to IT Hardware Operations for configuration and staging.`
- `work_notes = Authorization confirmed by {{step[3b].approver_record.approver.name}} on {{step[3b].approver_record.sys_updated_on}}. Fulfillment lifecycle initiated.`

Step 6: Subflow — Check Hardware Inventory & Reserve Stock

- **Action Definition:** `call_subflow` (`sys_hub_subflow_instance`)
- **Subflow Called:** `subflow_check_hardware_inventory` (`sys_id: 3c36816197113110a24734000153af88`)
- **Action Order:** `6`
- **UI ID:** `subflow_stock_check`

- **Inputs:**

- `model_name = {{step[1].variables.laptop_model}}`
- `target_location = {{1__request_item.opened_by.location}}`
- `request_item = {{1__request_item.sys_id}}`

- **Subflow Operational Logic:**

1. Queries `alm_hardware` where `model.name == model_name` AND `install_status == 6` (In Stock) AND `substatus == 'available'`.

2. If count > 0:

- Atomically marks first available record `substatus = 'reserved'`.
- Links `alm_hardware.request_line = {{1__request_item.sys_id}}`.
- Returns `is_in_stock = true`, `asset_tag = record.asset_tag`, `serial_number = record.serial_number`.

1. If count == 0:

- Returns `is_in_stock = false`, `asset_tag = ""`, `serial_number = ""`.

- **Outputs Generated:**

- `{{step[6].is_in_stock}}` (Boolean)
- `{{step[6].asset_tag}}` (String)
- `{{step[6].serial_number}}` (String)

Step 7: Create Catalog Task 1 — Hardware Imaging & Configuration

- **Action Definition:** `create_catalog_task` (`sys_hub_action_type_definition:` `155792440b10030085c083eb37673a32`)

- **Action Order:** 7

- **UI ID:** `action_create_sctask_imaging`

- **Inputs:**

- **Request Item:** `{{1__request_item}}`
- **Table:** `sc_task`
- **Fields:**
- `short_description = Build, Image, and Configure Laptop: + {{step[1].variables.laptop_model}}`
- `assignment_group = Hardware Support` (`sys_id: 8a5055c7c61122780019363fb2241370`)
- `priority = Scripted transform:`

```
if ({{1__request_item.opened_by.vip}} === true) {
    return 2; // High Priority for VIP
} else {
    return 3; // Moderate Priority for Standard
}
```

- `description = Concatenated string:`

```
HARDWARE PROVISIONING DISPATCH:
Requester: {{1__request_item.opened_by.name}}
```

```
Department: {{step[1].variables.department.name}}
Hardware Model: {{step[1].variables.laptop_model}}
Asset Type: {{step[1].variables.asset_type}}
Allocated Stock Asset Tag: {{step[6].asset_tag}}
Serial Number: {{step[6].serial_number}}
Selected Accessories: {{step[1].variables.accessories}}
Replacement Reason: {{step[1].variables.replacement_reason}}
Existing Asset Tag to Retire: {{step[1].variables.existing_asset_tag}}
```

MANDATORY PROCEDURE:

1. Retrieve reserved asset {{step[6].asset_tag}} from secure storage.
2. Apply enterprise Gold Master OS image matching departmental baseline.
3. Enroll device into Microsoft Intune MDM / Jamf Pro.
4. Verify BitLocker / FileVault TPM 2.0 full-disk encryption key escrow in Active Directory.
5. Attach physical tamper-evident barcode asset label.
6. Enter verified Asset Tag and Serial Number into Task fields before closure.

- `due_date = fd_transform.date_add_business_days({{1__request_item.sys_created_on}}, 2)`

- `Wait for Completion: true`

- **Outputs Generated:**

- `{{step[7].catalog_task}}` (Reference: `sc_task`)

- `{{step[7].catalog_task.state}}` (Choice: `1`=Open, `2`=WIP, `3`=Closed Complete, `4`=Closed Incomplete)

Step 8: Wait for Condition — Task 1 Completion

- **Action Definition:** `wait_for_condition` (`sys_hub_action_type_definition:`
`c4901445c0a80166007b88939c381d55`)

- **Action Order:** `8`

- **UI ID:** `action_wait_task1`

- **Inputs:**

- `Record:` `{{step[7].catalog_task}}`

- `Table:` `sc_task`

- `Conditions:` `state` IS ONE OF `3` (Closed Complete), `4` (Closed Incomplete)

- **Output Evaluation:**

- If `state == 4` (Closed Incomplete): Trigger Error Handler or escalate to Hardware Supervisor.

- If `state == 3` (Closed Complete): Advance to Step 9.

Step 9: Create Catalog Task 2 — Logistics & Asset Deployment

- **Action Definition:** `create_catalog_task`

- **Action Order:** `9`

- **UI ID:** `action_create_sctask_logistics`

- **Inputs:**

- `Request Item:` `{{1__request_item}}`

- `Table:` `sc_task`

- **Fields:**
- `short_description` = Package, Dispatch, and Ship Laptop to + `{{1__request_item.opened_by.name}}`
- `assignment_group` = IT Logistics & Field Services (`sys_id: 287ee6efe0a2a1509cd4b52b2fd96191`)
- `priority` = 3 (Moderate)
- `description` = Concatenated string:

```

DEPLOYMENT & SHIPPING INSTRUCTIONS:
Recipient: {{1__request_item.opened_by.name}} ({{1__request_item.opened_by.email}})
Delivery Method: {{step[1].variables.shipping_type}}
Destination Address:
{{step[1].variables.shipping_address}}

Packaging Checklist:
[ ] Configured laptop unit (Serial: {{step[6].serial_number}})
[ ] OEM 65W/100W USB-C PD power adapter and AC cord
[ ] Peripherals: {{step[1].variables.accessories}}
[ ] Return prepaid shipping box and label for retiring asset
{{step[1].variables.existing_asset_tag}} (if applicable)
[ ] Printed Onboarding Quick-Start Guide

REQUIRED CLOSURE ACTION:
Record Carrier Tracking Number in task work notes and update Delivery Status field.

```

- `due_date` = `fd_transform.date_add_business_days` (`{{1__request_item.sys_created_on}}`, 3)
- `Wait for Completion`: true
- **Outputs Generated:**
- `{{step[9].catalog_task}}` (Reference: `sc_task`)
- `{{step[9].catalog_task.work_notes}}`

Step 10: Wait for Condition — Task 2 Completion

- **Action Definition:** `wait_for_condition`
- **Action Order:** 10
- **UI ID:** `action_wait_task2`
- **Inputs:**
- `Record`: `{{step[9].catalog_task}}`

- `Table`: `sc_task`
- `Conditions`: `state` EQUALS 3 (Closed Complete)

Step 11: Update Asset Record in `alm_hardware`

- **Action Definition:** `update_record`
- **Action Order:** 11
- **UI ID:** `action_sync_asset_record`
- **Inputs:**
- `Table`: `alm_hardware`

- **Record:** Evaluated via query matching `asset_tag == {{step[6].asset_tag}}`
- **Field Values:**
- `install_status = 1` (In Use)
- `substatus = ""` (Empty string; clears 'reserved')
- `assigned_to = {{1__request_item.opened_by}}`
- `assigned = {{flow.current_date_time}}`
- `comments = Asset issued via automated Flow Designer workflow for RITM: + {{1__request_item.number}}`

Step 12: Update RITM Record to Closed Complete

- **Action Definition:** `update_record`
- **Action Order:** `12`
- **UI ID:** `action_close_ritm`
- **Inputs:**
- **Record:** `{{1__request_item}}`
- **Table:** `sc_req_item`
- **Field Values:**
- `stage = complete` (complete)
- `state = 3` (Closed Complete)
- `active = false`
- `comments = Your laptop order has been successfully fulfilled, provisioned, and shipped! Tracking information and onboarding instructions have been dispatched to your corporate email.`
- `work_notes = All sequential fulfillment tasks (Imaging & Logistics) completed successfully. Hardware asset {{step[6].asset_tag}} marked In Use and linked to user {{1__request_item.opened_by.name}}. Flow lifecycle complete.`

Step 13: Update Parent Request Envelope (`sc_request`)

- **Action Definition:** `update_record`
- **Action Order:** `13`
- **UI ID:** `action_close_parent_req`
- **Inputs:**
- **Record:** `{{1__request_item.request}}`
- **Table:** `sc_request`
- **Field Values:**
- `request_state = closed_complete` (closed_complete)
- `stage = closed_complete`
- `state = 3` (Closed Complete)
- `work_notes = Automated Flow Designer cascade: All child requested items are complete. Closing parent Request.`

Step 14: Send Email Notification — Shipped with Tracking

- **Action Definition:** `send_email` (`sys_hub_action_type_definition: 04e01445c0a80166007b88939c381d44`)
- **Action Order:** `14`
- **UI ID:** `action_send_shipped_email`
- **Inputs:**
 - **To:** `{{1__request_item.opened_by.email}}`
 - **Subject:** `Your Standard Laptop Has Been Shipped - + {{1__request_item.number}}`
 - **Body:**

```
<p>Dear {{1__request_item.opened_by.first_name}},</p>
<p>We are pleased to inform you that your laptop procurement order
(<strong>{{1__request_item.number}}</strong>) has been fully configured and dispatched.</p>

<div style="background-color: #f8f9fa; border-left: 4px solid #007bff; padding: 15px;
margin: 15px 0;">
  <h4 style="margin-top: 0;">Device & Delivery Summary</h4>
  <p><strong>Hardware Model:</strong> {{step[1].variables.laptop_model}}</p>
  <p><strong>Asset Tag Barcode:</strong> {{step[6].asset_tag}}</p>
  <p><strong>Serial Number:</strong> {{step[6].serial_number}}</p>
  <p><strong>Delivery Method:</strong> {{step[1].variables.shipping_type}}</p>
  <p><strong>Shipping Address:</strong> {{step[1].variables.shipping_address}}</p>
</div>

<h4>First-Time Setup Instructions:</h4>
<ol>
  <li>Unbox device and connect to the supplied AC adapter.</li>
  <li>Power on and connect to your local Wi-Fi network.</li>
  <li>Log in using your corporate email address ({{1__request_item.opened_by.email}}) and
Okta / Azure AD password with MFA.</li>
  <li>Allow 15 minutes for security profiles and productivity applications to finalize.</li>
</ol>
<p>Need setup assistance? Visit our <a href="https://service-portal.company.com/kb_view.do?
sysparm_article=KB0019284">Hardware Onboarding Portal</a> or reply to this message to reach the
IT Service Desk.</p>
```

Step 15: Flow Logic — Rejection Path Branch

- **Action Definition:** `flow_logic_else_if`
- **Action Order:** `15`
- **UI ID:** `branch_rejection`
- **Condition Logic:** `{{step[3b].approval_state}} EQUALS rejected`

Step 16: Update RITM Record to Cancelled / Rejected

- **Action Definition:** `update_record`
- **Action Order:** `16`
- **UI ID:** `action_reject_ritm`

- **Inputs:**

- `Record: {{1__request_item}}`
- `Table: sc_req_item`
- **Field Values:**
- `stage = request_cancelled (request_cancelled)`
- `state = 7 (Closed Rejected)`
- `approval = rejected`
- `active = false`
- `comments = Your laptop procurement request has been reviewed and rejected by {{step[3b].approver_record.approver.name}}. Please consult with your department manager regarding procurement requirements.`
- `work_notes = Request rejected by manager. Approval record: {{step[3b].approver_record.sys_id}}. Flow terminated without task creation.`

Step 17: Send Rejection Email Notification

- **Action Definition:** `send_email`

- **Action Order:** `17`

- **UI ID:** `action_send_rejection_email`

- **Inputs:**

- `To: {{1__request_item.opened_by.email}}`
- `Subject: Procurement Request Rejected - + {{1__request_item.number}}`
- **Body:**


```
<p>Dear {{1__request_item.opened_by.first_name}},</p>
<p>Your recent request for a corporate laptop (<strong>{{1__request_item.number}}</strong>)
has been reviewed and was <strong>not approved</strong> by your manager,
{{step[3b].approver_record.approver.name}}.</p>

<div style="background-color: #fff3cd; border-left: 4px solid #ffc107; padding: 15px;
margin: 15px 0;">
  <p><strong>Requested Hardware:</strong> {{step[1].variables.laptop_model}}</p>
  <p><strong>Date Evaluated:</strong> {{step[3b].approver_record.sys_updated_on}}</p>
  <p><strong>Reviewer Comments:</strong> {{step[3b].approver_record.comments}}</p>
</div>

<p>If you believe this decision was made in error or if your hardware requirement has
changed, please speak with your manager or submit a revised request via the <a href="https://
service-portal.company.com/esc">Service Portal</a>.</p>
```

4. Error Handler Block Configuration

The Flow Designer **Global Error Handler** wraps all 17 actions in a robust try-catch boundary to ensure that no technical fault leaves a ticket in an unmonitored zombie state.



Step E3: Create Triage Incident

- **Action Type:** `create_record`
- **Order:** `E3`
- **Inputs:**
- **Table:** `incident`
- **Field Values:**
- `caller_id = System Administrator (sys_id: 6816f79cc0a8016400b0ee22381ac541)`
- `assignment_group = ServiceNow Platform Engineering (sys_id: d8e9f0a1b2c34567890abcdef1234567)`
- `impact = 2 (Medium)`
- `urgency = 2 (Medium)`
- `priority = 2 (High)`
- `short_description = Flow Failure: Laptop Procurement Workflow on + {{1__request_item.number}}`
- `description = Flow Context ID: {{flow.context_id}}\nRITM: {{1__request_item.number}}\nFailing Step: {{flow.step_number}}\nError Message: {{flow.error_message}}\nRequester: {{1__request_item.opened_by.name}}`

Step E4: Dispatch Operational Alert Email

- **Action Type:** `send_email`
- **Order:** `E4`
- **Inputs:**
- `To: it_procurement_ops@company.com, servicenow_onsite@company.com`
- `Subject: CRITICAL ALERT: Workflow Failure on Laptop Request + {{1__request_item.number}}`
- `Body: A system-level workflow failure occurred during execution of the Standard Laptop Procurement Flow. Incident INC created. Immediate administrative intervention required.`

5. Data Pill Transformation & Binding Matrix

Source Step	Source Output Data Pill	Target Action	Target Input Field	Transformation Expression
Step 1	<code>{{step[1].variables.laptop_model}}</code>	Step 7	<code>short_description</code>	<code>String.concat("Build {{step[1].variables.laptop_model}}")</code>
Step 0	<code>{{1__request_item.opened_by.manager}}</code>	Step 3B	<code>approver_users</code>	<code>fd_transform.coalesce({{1__request_item.opened_by.manager}},"287ee6efe0a2a1509cd4")</code>

Step 0	{{1__request_item.sys_created_on}}	Step 3B	due_date	fd_transform.date_add(3)
Step 0	{{1__request_item.opened_by.vip}}	Step 7	priority	{{1__request_item.ope
Step 6	{{step[6].asset_tag}}	Step 11	asset_tag	String.trim('{{step[6]

6. Execution Lifecycle Diagnostics & Verification

The flow status and execution steps can be audited via:

1. **Flow Context Record:** Table `sys_flow_context`, query `name=Standard Laptop Procurement`
`Flow^source_record={{sc_req_item.sys_id}}`.
2. **Step Level Executions:** Table `sys_flow_execution_step` detailing microsecond execution duration, input payload, output payload, and condition evaluation.
3. **Execution State Flags:**
 - `WAITING_ON_APPROVAL`: Flow engine paused on Step 3B awaiting event from `sysapproval_approver`.
 - `WAITING_ON_TASK`: Flow engine paused on Step 8 or 10 awaiting state change in `sc_task`.
 - `COMPLETE`: All 14 standard steps finished successfully.
 - `CANCELLED`: Diverted to rejection branch or terminated by administrator.
 - `ERROR`: Main thread aborted and redirected to Global Error Handler.