
Dr. Pooja's Physio - Partner Hospital Test Plan

Everything a referring partner can do, from enquiry to commission

Role

Partner Hospital

Document version

1.0

Audience

A tester checking this role end to end

Environment

Throwaway Supabase project · Razorpay test mode · npm run dev

Read first

Section 1 - who this is, and what has to exist before you start

Contents

1. Who this is, and what must exist first
2. Becoming a partner
3. The hospital's dashboard
4. Referring a patient
5. What the clinic does with a referral
6. Money
7. The hospital's profile
8. What a hospital must never be able to do
9. Sign-off

1. Who this is, and what must exist first

The account. A referring partner - a hospital, a clinic or a practice - that sends patients to this practice under a commercial agreement and takes a share of what those patients pay. They are **provisioned by an admin**; they do not self-register.

The one word that matters. A **referral** is a hospital sending a patient under a commercial agreement. An **invite** is one patient telling another. They are different things with different tables, different rewards and different screens, and the words stay apart. The link a hospital sends its referred patient is a **registration link**, never an "invite link". A screen in this flow saying "invite" is a **P2** - one back office cannot have two things called an invite.

The accounts this plan uses.

Label	Email	Password	Why this plan needs them
Hospital A	qa.hospital.a@example.test	generated - shown once	The main journey. Refers, tracks, is paid a share.
Hospital B	qa.hospital.b@example.test	generated - shown once	Never sees Hospital A's referrals. Proves one partner cannot reach another's.

The password is generated by the admin who creates the account and shown once. Write it down at H0-01. If you lose it, the admin's reset control generates a new one and shows that once too - the clinic stores the credential it issued precisely so a "it won't let me in" call can be answered without resetting a working password.

Their details, used where the steps name them:

	Hospital A	Hospital B
Name	QA Partner Hospital A	QA Partner Hospital B
Contact person	QA Hospital Admin A	QA Hospital Admin B
Phone	+91 98765 43230	+91 98765 43231
City	Bengaluru	Mysuru
Revenue share	15%	10%
Referral code	generated at creation - record it	generated

The patients this plan refers. Neither exists before this plan runs.

	Referral 1	Referral 2
Name	QA Referred Patient One	QA Referred Patient Two
Phone	+91 98765 43240	+91 98765 43241
Email	qa.referred.one@example.test	qa.referred.two@example.test
Condition	QA Back & Spine Care	QA Knee & Joint Care
Preferred language	English	Kannada

	Referral 1	Referral 2
Delivery	video consultation	home visit , at 12, 3rd Cross, Indiranagar, Bengaluru 560038
Notes	Post-discharge, lumbar. Discharged 3 days ago.	Knee replacement, week 2. Cannot travel.

1.1 Before you start

Must exist	Set up by
At least two treatment categories, priced and active	Master Admin
Home visits on , with a service area covering 560038	Master Admin
At least one approved therapist with a roster	Master Admin + Therapist
An admin who can create partners, assign referrals and settle	Master Admin
Razorpay in test mode	whoever set the environment up

The figures this plan quotes assume QA Back & Spine Care at ₹1,999, a home visit at ₹2,499 plus ₹150 travel, and Hospital A on a 15% revenue share.

1.2 How to record a result

Mark every step **Pass**, **Fail**, **Blocked** or **N/A**. Raise a failure with: the step id, what you did, what you expected, what happened, a screenshot, any console error in full, how many times out of how many it reproduced, and **which account you were signed in as**.

Severity. P0 - money, clinical data or access control is wrong: stop and report. **P1** - a main journey is broken with no workaround. **P2** - wrong with a workaround. **P3** - cosmetic.

1.3 Calling a route without a terminal

Several steps call an API directly, because this application enforces its rules twice - once in the screen, once in the route - and a hidden button proves only the first. Sign in as the person the step names, press **F12**, open **Console**, paste and press Enter:

```
const r = await fetch("/api/some/route", {
  method: "POST",
  headers: { "Content-Type": "application/json" },
  body: JSON.stringify({ some: "value" }),
});
({ status: r.status, body: await r.text() });
```

For an **anonymous** call use a private window - running it where you are signed in sends your cookie and proves nothing. For a **different** partner use a second browser profile, not a second tab; tabs share cookies. Never paste the URL in the address bar: that sends a GET, these are POSTs, and you will get 405 and think you found something.

2. Becoming a partner

H0-01 - The enquiry on the public page · P1

Before an account exists, a hospital arrives as a lead.

Do this

1. **Signed out, in a private window**, open `/hospitals`.
2. Read the page, then fill in the enquiry form:

Field	Value
Hospital / clinic name	QA Partner Hospital A
Contact person	QA Hospital Admin A
Email	qa.hospital.a@example.test
Phone	+91 98765 43230
City	Bengaluru
Message	200-bed orthopaedic unit, ~30 post-discharge physio referrals a month.

1. Submit.
2. Submit it again, immediately. And again, and again - a dozen times.

Expect

- Step 3 confirms, with a sentence saying somebody will be in touch. No account is created and nothing signs you in.
- Step 4: after several attempts you are **held off**, with a message that carries **no numbers** (the cap and the window are configuration) and **no blame** - a limit is reached by a shared office address or a retrying connection far more often than by anybody doing anything wrong. "Too many attempts" reads as an accusation: **P3**.
- The wait itself is specific, because it is measured: the screen says roughly how long.
- **This is a real route, not a browser-side database insert.** Confirm in the Network tab that submitting hits `/api/hospitals/inquiry`. A public write with no server-side door has nothing to put a limit in: **P1**.

H0-02 - The admin creates the account · P1

As the Master Admin, open **People → Partners** and create Hospital A from the details in §1, with a **15%** revenue share. Then create Hospital B at **10%**.

Expect

- A **password is generated and shown once**. Write it down now.
- A **referral code** is generated. Write that down too - Step `H0-05` needs it.
- **The generated password stays on screen**. It must not vanish mid-sentence because the screen refreshed for its own write. If it disappears before you have copied it, that is a **P1**: the clinic has just issued a credential nobody has.
- The password does **not** appear in the activity log. The log is readable by every admin - who reset what and when is the part with audit value.

H0-03 - First sign-in · P2

Do this. Sign in at the ordinary sign-in screen as Hospital A with the generated password. Then set your own password through the account screen, and sign in again with the new one.

Expect

- You land on `/hospital/dashboard`.
- Once you have set your own, the clinic's stored copy of the issued password is **cleared**. An admin looking at your row should see you are no longer on a password they issued.
- **No screen anywhere shows you a password you chose yourself.** That value does not exist in the database - only a hash does. A screen offering to display it is a **P0**, because it would mean something is storing it.

3. The hospital's dashboard

H0-04 - Read the Overview · P1

Do this. As Hospital A, open `/hospital/dashboard` and read it top to bottom before tapping anything.

Expect

- A strip of four figures, then the feed, then quick actions - the same shape as every other dashboard in this product.
- The figures cover referrals made, patients converted, sessions delivered and **what is owed to you**.
- The sidebar word for money is **Earnings**. Money owed *to* somebody is Earnings, in the therapist's sidebar and in yours. **"Revenue & Payouts" or any third word for the same thing is a P2** - it reads as a different concept.
- Each figure opens the rows it counted, and the count there matches.
- **Back to Home** is in the sidebar in all three renders: expanded, collapsed rail, and the mobile drawer.

4. Referring a patient

H0-05 - Refer a patient for a video consultation · P1

Do this

1. Open **Refer a patient**.
2. Fill in Referral 1 from the table in §1.
3. Submit.

Expect

- The **phone number is required** and is validated the way every other number in this app is. A referral is the one flow where the clinic must reach somebody who has no account yet - they agree a time by phone and only then send the registration link. **A referral form with no phone field is a P1.**
- The **preferred language** is captured.
- The referral appears in **My Referrals** as awaiting the clinic.

- No account has been created for the patient, and nothing has been emailed to them by this app.

H0-06 - Refer a patient for a home visit · P1

Do this. Refer Referral 2, choosing the **home visit** delivery mode, with the address from §1.

Expect

- The address is collected, and its pincode is checked against the service areas **before** the referral is accepted.
- Try an unserviceable pincode - `560025`: the form says the clinic does not visit that address and does not accept the referral.
- Now drop the connection and try again on a serviceable one.

Expect a third answer: *we could not check*. Not "we do not visit your address". **A failed lookup reported as an unserviceable address is a P1** - it tells a partner the clinic refuses a patient it would happily see.

H0-07 - Withdraw one · P2

Do this. Withdraw Referral 2, then look at the list.

Expect. It is withdrawn, visibly, with its reason if one was asked for. Then try to withdraw it a second time from the console:

```
const r = await fetch("/api/hospital/withdraw-referral", {
  method: "POST",
  headers: { "Content-Type": "application/json" },
  body: JSON.stringify({ referralId: "PASTE_THE_ID" }),
});
({ status: r.status, body: await r.text() });
```

Expect a refusal or a no-op, never a second withdrawal. Then re-refer Referral 2 so the rest of the plan has it.

H0-08 - One partner cannot see another's referrals · P0

As Hospital B, in a second browser profile:

Try	Expect
Open My Referrals	Empty. Hospital A's two referrals are not there
Open one of Hospital A's referrals by URL	Refused, and no patient detail renders
Call <code>/api/hospital/withdraw-referral</code> with Hospital A's referral id	Refused
Open Hospital A's revenue screen by URL	Refused

Any of Hospital A's patients' names, phone numbers or conditions reaching Hospital B is a P0 that stops the run. These are referred patients' identities and medical issues.

5. What the clinic does with a referral

These steps are the admin's, and they are here because the hospital has to be able to see the result.

H0-09 - The admin reads the referral · P1

As the Master Admin, open **People → Partners → Patient Referrals**.

Expect

- Both referrals are listed under Hospital A, with the **patient's phone number and preferred language directly under their name**. That is what the screen is for: the clinic rings before it links.
- The capacity note beside the list renders. If the phone is missing but the note is there, the column is simply not on this database yet - that is tolerated by design, and the rest of the card must still render. **The whole card failing because of one column is a P1.**

H0-10 - Assigning a slot obeys the platform's own rule · P1

Do this. As the admin, assign Referral 1 a session time.

Expect

- The control is the **same compact calendar and hour chips** a patient sees, obeying the **same 12-hour lead time**.
- It is **not a raw date-and-time box**. An admin could otherwise promise a referred patient a slot the platform's own rule refuses - two answers to "when can this be booked", in the one flow where the person choosing is not the person who lives with it. **A native `datetime-local` here is a P1.**
- A time like `6:52` cannot be produced. Slots start on the hour.
- It is **not a dialog**: the slot is chosen against the referral it sits inside.
- Try to assign a slot inside the lead time. **Refused**, by the route and not only by the grid - confirm by calling `/api/admin/assign-referral` directly with an early time.

H0-11 - The registration link · P1

Do this. Have the admin send the registration link for Referral 1. Copy it, and open it **in a private window**.

Expect

- The screen says **registration link**, not "invite link", anywhere it names itself.
 - It carries the patient's details forward - they are not typing their own name and condition again.
 - The patient sets a password and lands in their own dashboard with the agreed session already there.
 - **Open the same link a second time** after it has been used: it does not create a second account.
 - **Open a link with a mangled token**: refused, with a sentence saying the link is not valid.
 - **Now drop the connection and open a good link**. It must say *we could not check*, not *this link has expired*. **A good link reported as expired is a P1** - it sends a patient to ring the hospital about a link that works.
-

6. Money

H0-12 - The share is earned on net revenue · P0

Do this. Have Referral 1's patient pay for and **complete** a session. Then open the hospital's **Earnings**.

Expect

- The commission is **15% of net revenue** on that session, not of the list price and not of the gross before refunds.
- **Travel is not in it.** On Referral 2's home visit, the ₹150 travel fee is a pass-through reimbursement paid to the therapist in full. A commission taken on travel is a **P0**.
- A session that is **paid but not yet delivered** contributes nothing.
- Every figure carries an (i) explaining what it means, and each says whether it moves with the date range or is true right now. **A balance that shrinks when you narrow the date range is a P1** - a debt does not stop existing outside a filter.

H0-13 - A refund reverses the commission · P0

Do this. Have the admin refund Referral 1's session. Then look at Earnings again.

Expect

- The commission is **reversed**. A refunded session was cancelled, so there is nothing to take a share of.
- Check the same figure on the admin's Money screens: the two must agree. **The clinic's own share and the partner's share disagreeing across two screens is a P0** - there is one place this is calculated precisely so they cannot.

H0-14 - What the hospital cannot see about the money · P1

Try	Expect
Look for the therapist's revenue share	Not shown. What the clinic pays its clinicians is not the partner's business
Look for the clinic's own operating costs or profit	Not shown
Look for another partner's share or referrals	Not shown
Look for a control to change your own revenue share	There is none. That is an admin capability, and specifically a money one

Then prove the route agrees, as Hospital A:

```
const r = await fetch("/api/admin/update-hospital-revenue-share", {
  method: "POST",
  headers: { "Content-Type": "application/json" },
  body: "{}",
});
({ status: r.status, body: await r.text() });
```

Expect 403. A partner who can raise their own commission is a P0.

7. The hospital's profile

H0-15 - Edit what you own · P2

Do this. Open the profile screen, change the contact person, the phone and the city, and save. Reload.

Expect. They save and survive the reload. Then confirm what is **not** editable here: the revenue share, the referral code, and the account's own approval state. A partner editing any of those is a **P0**.

8. What a hospital must never be able to do

H0-16 - The wrong dashboards · P0

Each signed in as Hospital A:

Try	Expect
Open <code>/admin/dashboard</code>	Redirected to <code>`/get-started`</code> - never to <code>/admin/login</code> , which would confirm the back office exists and name its door
Open <code>/patient/dashboard</code>	Bounced. One account carries one role
Open <code>/therapist/dashboard</code>	Bounced
Open <code>/book</code>	The wrong-account panel , routing a hospital to refer rather than to book - not a booking form and not a bare error
Open <code>/book-home-visit</code>	The same panel

A hospital that can complete a booking is a P0: that session belongs to no patient dashboard and money has moved.

H0-17 - The route sweep · P0

In the console, as Hospital A:

```
const routes = [
  "/api/admin/approve-account",
  "/api/admin/assign-referral",
  "/api/admin/update-hospital-revenue-share",
  "/api/admin/create-booking",
  "/api/admin/settle-therapist-payout",
  "/api/admin/refund-session-partial",
  "/api/admin/clear-activity-log",
  "/api/therapist/reveal-contact",
  "/api/therapist/suggest-session",
  "/api/patient/condition-profile/export",
  "/api/appointments/create",
  "/api/appointments/complete-session",
];
console.table(await Promise.all(routes.map(async (route) => {
  const r = await fetch(route, {
    method: "POST",
    headers: { "Content-Type": "application/json" },
    body: "{}",
  });
  return { route, status: r.status, body: (await r.text()).slice(0, 90) };
})));
```

Expect 403 on every one. Not 404, not 500, and not a 400 that reads as "give me better arguments" - that is a route that checked the body before it checked who was asking. **Any 200 is a P0 that stops the run.**

HO-18 - The public referral-code door - P0

A referral code identifies a partner, and anybody can type one. Two things must be true.

Do this, in a private window with no session at all:

```
const codes = ["QAH0SPA", "QAH0SPB", "AAAA01", "AAAA02", "AAAA03", "AAAA04",
  "AAAA05", "AAAA06", "AAAA07", "AAAA08", "AAAA09", "AAAA10"];
for (const code of codes) {
  const r = await fetch("/api/hospital/verify-code", {
    method: "POST",
    headers: { "Content-Type": "application/json" },
    body: JSON.stringify({ code }),
  });
  console.log(code, r.status, (await r.text()).slice(0, 120));
}
```

Expect

- A valid code answers with **the partner's name and nothing else** - never a list of their referrals, never a patient's name, never a medical issue.
- After a handful of attempts the door **holds you off**, so codes cannot be enumerated one guess at a time.
- The refusal is a **429 with a wait**, and whatever calls it must treat that as "we could not ask" rather than "that code is invalid". Confirm on the registration screen: a rate-limited check must not tell a real referred patient their link is bad.

HO-19 - Suspension ends the session - P0

Do this

1. **As the admin**, suspend Hospital A.
2. In the hospital's **still-open browser**, reload the dashboard.
3. In the same browser, try to refer a patient from the console.
4. Un-suspend.

Expect

- Step 2: bounced to the suspended screen.
- Step 3: **refused**. A suspended account's own routes refuse it too - the session was ended, not merely redirected away from. **A suspended partner still referring patients or reading referral detail is a P0.**
- Step 4 restores them exactly as they were, with their referrals, their code and their share intact. **Suspending is never deleting** - the partner's id is on every row they wrote.

9. Sign-off

	Should be
Steps run	19
Pass	
Fail	
Blocked	
N/A	
P0 raised	
P1 raised	

Confirm each of these before signing.

The public enquiry went through a route and was rate limited without numbers or blame	☐
The account was created with a password shown once that stayed on screen	☐
Two referrals made, one video and one home visit, with a phone number on both	☐
An unserviceable address refused, and a failed lookup not reported as unserviceable	☐
Hospital B saw nothing of Hospital A's	☐
The slot assignment used the same picker and the same lead time as a patient's	☐
The link is called a registration link everywhere, and works once	☐
Commission on net revenue, never on travel, reversed by a refund	☐
No therapist share, no clinic costs and no other partner visible	☐
403 on all twelve routes, and on changing your own share	☐
Referral codes cannot be enumerated, and a 429 is not read as "invalid"	☐
Suspension ended the session, and un-suspension restored everything	☐

Signed **Date**

Build / commit tested

What a clean run of this document proves. That a partner hospital's own journey - enquiry, provisioning, referring, tracking and commission - behaved on one machine, once, against test payment keys. It does not prove the clinic's own view of those referrals agrees with the partner's; that is the Master Admin's document, and the run-order document is where both are exercised side by side.