
Dr. Pooja's Physio - Master Admin Test Plan

Every screen and every control in the back office

Role

Master Admin

Document version

1.0

Audience

A tester checking this role end to end

Environment

Throwaway Supabase project · Razorpay test mode · npm run dev

Read first

Section 1 - who this is, and what has to exist before you start

Contents

1. Who this is, and what must exist first
2. Getting in, and starting clean
3. Catalog - building what the clinic sells
4. People - the directory and the accounts
5. Sessions
6. Money
7. Discounts
8. Logs - Master Admin's alone
9. Settings
10. Impersonation - the most dangerous control here
11. Today, and the things only this screen shows
12. Across every screen
13. The route sweep, from the top
14. Sign-off

1. Who this is, and what must exist first

The account. The **Master Admin** - the one desk that opens all seven sections of the back office at the level that can change things. Every other admin is a narrowed version of this one, and three of them have documents of their own.

What the sidebar says. The dashboard **names itself**: `Master Admin`, in the sidebar brand above "Admin Panel" and again as the eyebrow over the section heading. Twice, because the sidebar collapses to icons and is a closed drawer on a phone while the header is on every screen at every width. **A dashboard that just says "Admin Panel" is a P2** - four desks that differ only in which sidebar entries are missing make an admin infer which one they are on from an absence.

What this plan covers. All seven sections, every screen in each, and the capabilities that exist nowhere else: impersonation, the activity log and its retention floor, the data reset, scope management, and the money overrides.

The accounts this plan uses.

Label	Email	Password	Note
Master Admin	<code>your existing admin</code>	<code>yours</code>	Survives the reset at <code>MA-02</code>
Operations	<code>qa.admin.ops@example.test</code>	<code>generated at `MA-58`</code>	Created from User Access
Finance	<code>qa.admin.finance@example.test</code>	<code>generated at `MA-58`</code>	
Clinical	<code>qa.admin.clinical@example.test</code>	<code>generated at `MA-58`</code>	

And the non-admin accounts this plan needs, created as the steps reach them. All use `QaTest!2024pass`.

	Email
Patient A	<code>qa.patient.a@example.test</code>
Patient B	<code>qa.patient.b@example.test</code>
Therapist A	<code>qa.therapist.a@example.test</code>
Therapist B	<code>qa.therapist.b@example.test</code>
Hospital A	<code>qa.hospital.a@example.test</code>

1.1 Before you start

You need	Why	How to check
The application running at <code>http://localhost:3000</code>	Everything	The home page renders with a teal splash
A throwaway Supabase project	<code>MA-02</code> empties it	Open its dashboard and confirm nothing in it matters
<code>ALLOW_DEBUG_DATA_RESET=true</code> in the server environment	<code>MA-02</code>	Without it the reset route answers 404 , not 403
One admin account that already exists	The reset keeps admins and deletes everyone else	Sign in at <code>/admin/login</code>

You need	Why	How to check
Razorpay test keys	Every payment step	The Razorpay sheet says <i>Test Mode</i>
Chrome or Edge, and four profiles	Tabs share cookies	F12 opens the console

If money can move for real, stop. Check the key in the server environment starts `rzp_test_` before any payment step, not after.

1.2 How to record a result

Mark every step **Pass**, **Fail**, **Blocked** or **N/A**. Raise a failure with: the step id, what you did, what you expected, what happened, a screenshot, any console error in full, how many times out of how many it reproduced, and **which account you were signed in as**.

Severity. P0 - money, clinical data or access control is wrong: stop and report. **P1** - a main journey is broken with no workaround. **P2** - wrong with a workaround. **P3** - cosmetic.

1.3 Calling a route without a terminal

Many steps call an API directly, because this application enforces its rules twice - once in the screen, once in the route - and a hidden button proves only the first. Sign in as the person the step names, press **F12**, open **Console**, paste and press Enter:

```
const r = await fetch("/api/some/route", {
  method: "POST",
  headers: { "Content-Type": "application/json" },
  body: JSON.stringify({ some: "value" }),
});
({ status: r.status, body: await r.text() });
```

For an **anonymous** call use a private window; for a **different** admin use a second browser profile, not a second tab. Never paste the URL in the address bar: that sends a GET, these are POSTs, and you will get 405.

2. Getting in, and starting clean

MA-01 - The admin door does not announce itself - P0

Try	Expect
Signed out , open <code>/admin/dashboard</code>	The sign-in screen, or bounced - never a rendered dashboard
Signed in as a patient , open <code>/admin/dashboard</code>	Redirected to <code>/get-started`</code> . <b>Never to</b> <code>/admin/login`</code> - that would confirm the back office exists and name its door
View the page source of <code>/admin/login</code>	<code>noindex</code>
Search the public pages' markup for <code>/admin</code>	Only the debug bar, which is removed at launch

Try	Expect
Sign in with a wrong password	A generic refusal that does not say whether the address exists

A non-admin being sent to `/admin/login` is a P1.

MA-02 - Reset the data, and read what it says · P0

Do this

1. Sign in as the Master Admin.
2. Find **Reset data** on the debug bar.
3. Type anything other than the exact phrase, and submit.
4. Type `RESET ALL DATA` exactly, and submit.
5. Read the result line.

Expect

- Step 3 is **refused**.
- Step 4 empties every table and deletes every non-admin account.
- Step 5 **names real numbers** - how many accounts were deleted. A result reading `0 accounts deleted, 0 admins kept` after a wipe that plainly worked is a **P1**: it is indistinguishable from a reset that did nothing, on the one control whose result cannot be checked by looking at the screen behind it.
- **Your admin account still works**. So do any other admins.
- **The treatment categories and their programmes survive**. They are the part an admin builds by hand rather than generates by testing, and emptying them would leave the public site looking like the clinic had shut. Home-visit packages, service areas, FAQs, testimonials and question templates **are** cleared.
- `site_settings` is back to its defaults.

Then try it as somebody else. Sign in as a limited admin and call the route:

```
const r = await fetch("/api/admin/debug-reset", {
  method: "POST",
  headers: { "Content-Type": "application/json" },
  body: JSON.stringify({ confirmation: "RESET ALL DATA" }),
});
({ status: r.status, body: await r.text() });
```

Expect a refusal. Full scope only. **A limited desk wiping the database is a P0.**

3. Catalog - building what the clinic sells

MA-03 - Create the treatment categories · P1

Do this. Open **Catalog → Conditions** and create three:

Name	Price	Duration	Description
QA Back & Spine Care	1999	60	Lower back, disc and posture-driven pain.

Name	Price	Duration	Description
QA Knee & Joint Care	1799	45	Knee, hip and shoulder rehabilitation.
QA Neuro Rehabilitation	2299	60	Stroke, Parkinson's and balance retraining.

Expect

- Each appears on `/` and `/conditions` **immediately** - not in five minutes when a cache lapses. Those pages are cached, so the save has to invalidate them. **An edit invisible on the live site for minutes is a P2**, and is how the same edit gets made twice.
- Money is typed in rupees and rendered in rupees. No screen anywhere says "paise".
- A new category is created **below** the existing ones, not on top of them at the same order number.

MA-04 - Ordering is one save of the whole list - P1

Do this

1. Use the arrows to move QA Knee & Joint Care above QA Back & Spine Care .
2. Look at the **Save order** button before and after moving something.
3. Save.
4. Open `/conditions` .

Expect

- **Save order is always on screen** and only **enabled** once something moved, so saving is visibly the step that publishes.
- Step 3 renumbers the **whole list**, not a pair of rows. Two categories that happened to share an order number and were "swapped" would both keep the same number and nothing would change - the list would show the move and the next render would put it back. **An order that reverts on reload is a P1.**
- Step 4: the public page is in the new order immediately.

MA-05 - Covers: upload, position, and what happens with none - P2

Do this

1. On one category, **upload** a cover image.
2. Move its focal point away from the centre and save.
3. Open `/conditions` , then open that condition's **detail dialog**.
4. Look at a category with **no** cover.
5. Try to upload a file that is too large, and one of the wrong type.

Expect

- Step 1 is an **upload**, not a text box you paste a URL into. Confirm in the Network tab that it posts to `/api/admin/upload-catalog-image` .
- Step 3: the card is **4:3** and the dialog is **16:9**, and **the subject is correctly placed in both**. That is what the focal point is for - a crop would bake one ratio in and make the other wrong. **A head cut off in one of the two is a P2.**
- In the dialog, the photograph has **nothing on top of it** and the heading sits on its own band **below**. Text over a photograph is the layout this replaced, and it needs a scrim dark enough for any image.

- Step 4: a **tinted panel at the same height** with an illustration - a card with no photograph must look like one whose photo has not been chosen yet, never like one whose image failed to load.
- Step 5: both refused, with the limit named.
- Re-upload a **different format** over the same row: there is exactly one cover afterwards, not a stale one of the old format sitting beside it.

MA-06 - Featured: the home page leads with four · P2

Do this

1. Tick **featured** on two categories.
2. Open ☐ / , then ☐ /conditions .
3. Untick everything and open ☐ / again.
4. Tick six and open ☐ / again.

Expect

- ☐ / leads with the ticked ones, up to **four**, with the rest a tap away on ☐ /conditions , which still shows everything.
- Step 3: with nothing ticked it falls back to the **first four**. An empty band reads as the clinic having shut, not as a setting nobody has set.
- Step 4: more than the limit is **not an error**, and the cap is stated on this screen rather than discovered on the live site.
- This is **not** computed from sales. There is no control that says "most bought" - a home page that rearranges itself when a booking lands changes without anybody deciding.

MA-07 - Programmes under a category · P1

Do this. Open **Catalog → Packages** and create, under ☐ QA Back & Spine Care :

Name	Sessions	Price	Validity	Recommendable
☐ QA Recovery Programme - 6	☐ 6	☐ 9999	☐ 90 days	yes
☐ QA Recovery Programme - 12	☐ 12	☐ 18999	☐ 120 days	yes

Set a minimum gap and a maximum per week on the six-session one.

Expect

- The **compare-at price** field exists for bundle pricing and is separate from the discount rules entirely.
- Marking one recommendable is what puts it in front of a therapist writing a care plan.
- **Now open ` / ` and ` /conditions ` as a visitor.** There is **no programme catalogue on the public pages at all** - only treatment categories and their consultation price. **A price list of programmes on a public page is a P0**: treatment volume is never sold before an assessment, and a patient must not be able to shop from one.
- There is **no setting anywhere** to turn programme prices back on. A toggle somebody can flip is not the rule being gone.

MA-08 - Home visits: the master switch, areas and packages · P1

Do this

1. Settings → Programmes & Home Visits: turn **home visits on**.

2. **Catalog → Service Areas:** add 560038 at ₹150 travel, and 560001 at ₹200.

3. **Catalog → Packages:** create home-visit packages:

Name	Visits	Price	Travel included
QA Home Visit - Single	1	2499	no
QA Home Visit - 4 Pack	4	8999	no

1. Open /home-visit as a visitor.

2. Turn the master switch **off** and reload /home-visit , / , and the footer.

Expect

- Step 4: /home-visit shows **single visits only**. The four-pack is not on it - a multi-visit programme comes from a care plan.
- Step 5: /home-visit **404s**, and **every surface that lists the site's pages drops it** rather than linking into a dead end: the header nav, the footer, the home page's connector grid and the "where to go next" strip on the other pages. **A link to a 404 is a P1.**
- Turn it back on.

MA-09 - Deleting a category that has bookings - P1

Do this **after** Part 5 has created bookings.

Do this. Try to delete QA Back & Spine Care .

Expect

- It is **refused**, in a **dialog** - not an 11px line clipped beside the button, which is how a refusal that did fire gets reported as a delete that did nothing.
- The refusal **names what is in the way and counts it**: sessions, purchases, home-visit packages. "It has bookings" alone would send you to delete sessions and be refused a second time by something you were never told about.
- It **offers the alternative**: turn it off instead.
- Now delete an **empty** category you just created. It goes, and the screen says so.
- **A delete that removes nothing and reports success is a P1.** Watch for it: the screen refreshes, is told it worked, and paints the row still sitting there.

MA-10 - Purchases, and the five money actions - P0

Do this **after** a programme has been bought.

Do this. Open **Catalog → Purchases** and open Patient A's programme.

Expect the detail offers: **extend expiry**, **reassign the locked therapist**, **refund**, **restore a session**, and **grant / reverse / revive credits**.

Try	Expect
Extend the expiry to a nonsense date	Refused
Reassign the locked therapist	Future sessions only. A completed session keeps whoever actually ran it - P0 if it does not

Try	Expect
Grant credits with a reason of <code>ok</code>	Refused. Ten characters minimum, enforced by the database and not only by the form
Grant credits with a real reason	Lands, and appears in the ledger
Try to edit a ledger entry	There is no way to. An admin can change any balance and cannot change any history
Refund the purchase	 voids what is available, never what is consumed. A delivered session stays delivered
Open the same modal as Operations	The money controls do not render

4. People - the directory and the accounts

MA-11 - Approve, decline, and what each does · P1

Create Patient A, Patient B, Therapist A, Therapist B by self-registration, then:

Do this. Open **Today** → **Approvals**.

Do	Expect
Approve Therapist A	They reach their dashboard and appear on <code>/team</code> immediately
Decline Therapist B with a reason	They read the reason; they are not on <code>/team</code>
Approve Patient A	They reach their dashboard
Leave somebody pending	The Today count matches the list exactly

Expect also. Approving a **therapist** invalidates `/team`; approving a **patient** does not need to, and should not throw the page away for nothing.

MA-12 - Create an account from the back office · P1

Do this. Open **Settings** → **User Access** and use the **Account type** picker.

Expect

- It is **one dropdown** listing all six in two groups: **Clinic** (Patient, Therapist) and **Back office** (Master Admin, Operations, Finance, Clinical).
- There is **no** "Admin" entry that then reveals a second "Access level" select. Hiring somebody into Operations meant picking a word nobody uses and then finding a control that was not on screen a moment earlier: **P2** if it has come back.
- The four back-office entries read **Master Admin, Operations, Finance, Clinical** - the names of desks people sit at. Not "Full access". Those same four words appear on the dashboard's own brand line and on an existing admin's row: one set of words doing three jobs.
- Creating an account **generates a password and shows it once**, and it **stays on screen** - it must not vanish mid-sentence because the screen refreshed for its own write. **P1** if it does.
- That password is **not** in the activity log.

MA-13 - Patients directory and detail · P2

Do this. Open **People → Patients**, open Patient A, and read the whole page.

Expect

- Sessions, purchases, uploaded documents, notes, and the money controls.
- **The refund state is on every session row it applies to** - a chip saying what happened to the money, with the date and who did it. A refunded session that looks exactly like an unrefunded one is a **P1**: the one question this screen could not answer was whether the patient had had their money back.
- An **unrefunded** session shows **nothing** there, not an empty chip.
- Change the patient's contact email. Then open the log: the entry records **the old value and the new one**, not merely that something changed.
- Write an admin note. The log records its **length**, not its text - this log is readable by every admin and a note about one patient must not be reproduced across the back office.

MA-14 - Reset somebody's password · P1

Do this. Reset Patient A's password from their profile.

Expect

- A password is **generated and shown once**, and stays on screen.
- The log records **who reset what and when**, and **not the password**.
- Sign in as Patient A with it, then set their own. The admin's screen now shows they are **no longer on a password the clinic issued**.
- **No screen ever shows a password somebody chose themselves.** That value is not in the database. A screen offering it is a **P0**.

MA-15 - The therapists directory · P2

Do this. Open **People → Therapists**.

Do	Expect
Set Therapist A's revenue share to 60% online, 65% home visit	Saves, and their own dashboard says Your Revenue Share: 60%
Hide them from /team	They come off the public page immediately
Suspend them	They come off /team immediately too
Look at the "Hide from /team" button while they are suspended	Disabled, naming which of the two is the reason. A control that cannot change what anyone sees says so, rather than offering an action that would do nothing
Un-suspend	They return to whatever visibility the admin had chosen , not to a default
Hide their rating from the public pages	Their own dashboard's rating line ends - hidden from public pages

MA-16 - Partners · P1

Do this. Open **People → Partners** and create Hospital A at a **15%** revenue share.

Expect

- A password and a **referral code** are generated and shown once.
- The revenue-share editor and the two share figures render for you. Open the same screen as **Operations: People is theirs, but the revenue share is a money control and must not render.** A section a desk can open does not mean every control on it is theirs: **P1** if it shows.
- The referral list carries each patient's **phone and preferred language under their name.**

MA-17 - Deleting an account, and why it usually refuses · P1

Do this

1. Try to delete Patient A, who has sessions and payments.
2. Try to delete an account created by mistake with no history at all.
3. Try to delete **yourself**.
4. Try to delete the **last** Master Admin who can still sign in.

Expect

- Step 1 is **refused**, with the reasons **counted and grouped the way a person describes them** - not a list of fifty column names - and **with suspension offered beside them**. Thirty-five tables point at a profile; a "proper" delete would mean deleting the money and the clinical record too.
- Step 2 **succeeds**. That is the whole lawful case: a typo'd email, a duplicate, one created against the wrong person.
- Steps 3 and 4 are **refused**. A single mis-click must not lock everyone out permanently.
- The delete is **full scope only** - try it as Operations, who can manage People, and be refused. **P0** if they can.
- The audit row is written **before** the delete, since afterwards there is no row left to name, and a failed attempt is worth recording on the one action with no undo.

MA-18 - Global search · P2

Do this. Search for a patient's name, a session code and a purchase code.

Expect. Each opens the thing it found. Then sign in as **Clinical** and search a **purchase** code: they are told it does not exist. A result that opens a screen their desk cannot open would be a dead link that looks like it worked.

MA-19 - The detail page behind the overlay · P2

Do this

1. Tap a patient's name from the directory - it opens as an **overlay**.
2. **Reload** that page.
3. Press an action inside the overlay - Mark Done on something.

Expect

- Step 2: the reloaded page **still looks like the back office** - same dark rail, same section list, same header shape. It must not become a bare page with a small "back" link, which reads as being thrown out of the admin dashboard onto a different, plainer site. **P2**.
- Step 3: the confirmation dialog covers the **whole screen**, centred, and **does not slide away as you scroll the panel behind it**. A dialog pinned to the top of scrolled content instead of in front of the reader is a **P2**
- and the dialog itself is fine; it is being measured against the wrong box.

5. Sessions

MA-20 - The queue, and assigning · P1

Do this. With a paid, unassigned session waiting:

1. Open **Today** → **Inbox** and read the unassigned count.
2. Tap it.
3. Assign the session.

Expect

- Step 2 opens **exactly the rows it counted** - not the whole table with you left to filter it by hand.
- It **clears the screen's other filters first**, or a remembered therapist or date range would hide rows the count included.
- Tapping the same figure again **re-applies** it, and moving to another screen **drops** it, so a preset never becomes a filter you cannot find the source of.
- Step 3: where no therapist has ever been assigned, every surface says **Tap to assign**, not "Reschedule / Reassign". Assigning is not reassigning, and the word has to say which: **P2**.
- The assign form **honours the therapist the patient asked for**, if they asked for one.

MA-21 - Auto-assignment, when it fires and when it waits · P1

Do this

1. Settings → turn **auto-assign** on.
2. With **exactly one** therapist rostered and free for a slot, have a patient pay for it.
3. With **two** therapists free, have another pay.
4. With the patient having **requested** a specific therapist who is among the free ones, have a third pay.
5. Turn it off and repeat step 2.

Expect

- Step 2: **assigned automatically**, confirmed, with its meeting link.
- Step 3: **left in your queue**, unassigned, exactly as before. Assigning the wrong clinician is far worse than the wait this removes. **An arbitrary pick between two is a P1.**
- Step 4: **assigned to the requested therapist.**
- Step 5: back to the queue.
- **It does not change the times a patient is offered.** The roster still does not filter the booking picker.

MA-22 - Rescheduling, and the lead time as an override · P1

Do this

1. Open a confirmed session and move it to a slot **inside** the 12-hour window.
2. Open **Sessions** → **New Booking** and book a patient a session inside the window.
3. Tick the "book inside the window anyway" box and try again.
4. Try to book **into the past**, box ticked.

Expect

- Step 1 **succeeds**: moving a session that already exists is not a booking, so the lead time is zero there.
- Step 2 is **refused** by the lead time.
- Step 3 **opens the grid up** and the route accepts it. The two must agree - a grid that offers a slot the route then refuses, or a route that accepts one the grid would not offer, is a **P1**.
- Step 4 is **refused**. Zero lead time still cannot reach into the past.
- Everywhere: the control is the **same calendar and hour chips** the patient sees. A time like `6:52` cannot be produced at all. **A raw ``datetime-local`` on any admin screen that sets a session time is a P1.**

MA-23 - Cancelling, refunding, and stating why · P0

Do this

Cancel	Expect
A session outside the 24-hour window	Full refund , recorded with a reason
A session inside it	No refund , and the forfeiture is recorded with the rule's own sentence naming the window that applied - never the cancellation's reason, because no money moved and the window is what the patient will dispute
A home visit	Its own window applies, not the online one. The no-refund hover quotes that window's hours
A directly-paid home visit	The refund includes the travel fee . Travel is excluded from revenue but the gateway took it, so refunding the service line alone leaves the patient paying for a journey nobody made: P0

And check all four states render: processed, awaiting cash by hand, failed, and not-eligible. A **failed** refund is the most urgent precisely because nothing was watching it - confirm it is a pinned item on the patient's own dashboard and counted on the admin's alerts strip, filed under **Sessions** rather than Money, because that is where it is fixed.

MA-24 - Completing on somebody's behalf · P0

Do this. Complete a session the therapist was refused - one before its window, one with no payment.

Expect. Both **succeed** for you. An admin is subject to neither gate: a backfill or a correction is exactly what the override lane is for.

Then as Finance, try the same. **Refused** - and the two buttons should not render for them either. **Finance completing a session is a P0.**

MA-25 - Reopening · P1

Do this. Reopen a completed session. Then have **two admins** reopen the same one at the same moment from two browsers.

Expect

- Reopening **destroys both sides' ratings** and says so before it does.
- The completion time is **cleared**, not left behind. A row reading `confirmed` with a completion stamp on it is exactly the evidence that should no longer exist.
- Only **one** of the two concurrent reopens takes effect.

MA-26 - Recommendations: the three outcomes · P1

Do this. With a therapist's submission waiting on **Sessions → Recommendations**:

Do	Expect
Read the queue	Oldest first , aged in words rather than dated, each card stating how many sessions that patient already has unused
Approve one, plainly	One tap, no reason required. Taxing an approval with a sentence meaning "fine" is how a reason column fills with "ok" and stops being worth reading
Turn one down with ok	Refused. Ten characters, for the two outcomes that take something away
Turn one down with a real reason	The therapist reads it, in their feed and on the patient's chart
Approve one with different numbers	A new version attributed to the clinician and entered by you. The original stays, superseded. The clinician's version being rewritten is a P0
Approve one whose package has since been re-priced	Blocked , with a sentence naming the drift. Better you catch it than the patient's payment being refused at checkout
Reject one whose package moved	Allowed. Refusing to close a thread because its package moved would trap exactly the recommendation that most needs closing
Withdraw a queued one	Allowed - otherwise the queue holds a thread nobody intends to approve while the patient's one-plan slot stays taken
Withdraw a purchased one	Refused. The patient has paid and the sessions exist; the honest lane is a refund

And the offer window: it is stamped at **approval**, not at authoring. A plan that waited two days must not reach the patient with two days spent. Check the expiry on an approved one.

MA-27 - Writing one on a therapist's behalf · P1

Do this. On that same screen, use the panel that writes a recommendation for a clinician who cannot reach their dashboard.

Expect

- The **same rules as the therapist's own dialog**: the package comes from the whitelist, the source must be a **completed session that therapist ran**, the text is scanned, and **there is no price, session-count or discount field. A price input here is a P0.**
- Programmes are **narrowed to the chosen session's own condition**, and changing the session **drops the draft**, so a package for somebody else's condition cannot be carried across.
- **Whose name it goes out in is stated at the button**, not in a subtitle two screens up.
- A mandatory reason, and an audit row.
- With **no session to write against or no recommendable package**, the panel still renders and **says which of the two is missing**. An admin opens this screen because a patient is waiting; a panel that is simply absent reads as a feature that does not exist. **P2.**

MA-28 - The roster, from the admin's side · P1

Do this. Open **Sessions → Roster**.

Expect

- It opens on a **list of therapists**, not on a calendar date and an eighteen-column grid.

- The editor is the **same one** the therapist uses, working in **periods**.
- **You** can write a **date exception**; a therapist cannot. Set one, and confirm it owns **only its own date** - the weekly template is untouched.
- Set a therapist **on leave**: the schedule survives intact.
- **Nothing here moves a booking**. Remove hours a session sits in: it names who is affected and says the session stays as booked. **P0** if it cancels or moves one.

MA-29 - Schedule, Delivery, and the figures that must agree · P1

Screen	Expect
Schedule	Every session on its own day in clinic time. Tapping a day opens the same drawer the list does, not a parallel screen. An unassigned row carries the same Tap to assign chip
Delivery	No-show rate, cancellation rate, repeat-booking rate, sessions per therapist. Under Sessions, not Money - a no-show rate is about how the clinic runs, not its books

Compare any Delivery figure that also appears on a Money screen. They are computed in one pass, so they **cannot** disagree. **If they do, that is a P1.**

MA-30 - All Sessions, its presets and its export · P0

Do	Expect
Apply filters, leave, come back	The filters are remembered per browser - but not the date range , which goes stale
Use the Refunded payment filter	It returns the refunded rows. It used to match nothing at all, because a refund does not live on the payment status
Export as CSV, then as PDF	Both offered , and the two describe the same rows - the filtered ones you are looking at
Export as Operations or Clinical	The amount and the refund are not in the file. They do not render on screen for those desks either, and a scope enforced in the markup but not in the file the markup produces is not enforced: P0
Look for a JSON export	There is none, anywhere in the back office
Scroll a long list	It pages , and the range total describes the whole filtered set rather than the page

6. Money

MA-31 - Summary, and the two identities · P0

Do this. Open **Money** → **Summary**.

Expect

- Two arithmetic identities hold, every time: **net = gross – refunds**, and **clinic share = splittable net – therapists' share – partners' share**. **Either failing is a P0.**

- A therapist's share is earned by **delivering**: only a completed **and** paid session adds to it. Counting every paid session would deduct a share nobody will be paid and understate the clinic's take on every forfeited late cancellation.
- A home visit's **travel fee is part of the therapist's share and never revenue**.
- A **refund reverses the partner's commission, not the therapist's** - a refunded session was cancelled, so it never earned a therapist share.
- A session whose split is **unknowable** - no therapist share set, or a partner with none configured - is **excluded from the split and surfaced as a named count. A guessed percentage to make the numbers tie is a P0**.
- **Each figure appears once**. Net revenue printed twice on one screen is a **P2**.

MA-32 - Open a total · P2

Do this. Tap **See the sessions** on each of the four split figures.

Expect. Each lists **exactly the rows behind it**, and the rows **sum to the figure that opened them**. A drill-down that disagrees with its own total is worse than none, because it makes a correct figure look wrong: **P1**.

It exports like every other table, both formats, same rows.

MA-33 - Scope chips, and a balance that is not date-filtered · P1

Do this. Narrow the date range and watch each figure.

Expect

- Flows move: revenue, refunds, what was settled.
- **Balances do not**. "Owed to therapists" is **all-time and net of cash held**, matching the Payouts screen and what the Pay button actually transfers. **A debt that reads as nothing because you narrowed to a quiet week is a P1**.
- Every figure carries a **scope chip** saying which it is, so watching one fall while the one beside it holds still does not read as a half-broken screen.

MA-34 - Net revenue against the period before · P2

Expect

- The comparison is the **same number of days immediately before** - never a calendar month against a 30-day window, which would move the figure by the number of days rather than by the business.
- A **zero baseline yields no percentage at all**. **+100%** and **∞** are both lies.
- A move under half a percent reads **level** rather than drawing an arrow over noise.

MA-35 - The alerts strip · P1

Expect it at the top of **all five** Money screens, counting: payout requests waiting, cash a therapist is holding, refunds to hand back by hand, and payments attached to nothing.

Check	Expect
Refunds awaiting cash	Counts both cash visits and sessions. A session refunded by hand used to be work no screen could see
Cash home visits	Counted once , not twice. The home-visit rows are the same table filtered, not a second table

Check	Expect
A failed refund	Counted on its own, as its own row - "go and hand over cash" and "find out why the gateway said no" are different jobs
Each item	Links to the rows it counted
A zero row	Dropped , not shown as a zero

MA-36 - Costs, and the kind of each one · P1

Do this. Open **Money** → **Costs** and add:

Description	Amount	Date	Kind
QA Clinic rent - month 1	40000	this month	fixed
QA Physiotherapy consumables	6000	this month	variable
QA Loan interest	3500	this month	interest

Expect

- Each carries a **kind**, deciding whether it sits above or below the gross-profit line, whether it is inside break-even's fixed costs, and whether EBITDA adds it back. **Nothing is inferred from the wording** - somebody will reword it.
- The **gateway fee** is derived automatically from what was collected online, charged on **gross** (a processor keeps its fee through a refund) and **skipped for cash on visit**, which never touched a gateway.
- It is labelled **Gateway fee %** here - a rate - and the resulting amount is what Summary calls Payment fees. Two figures with one name is the collision this rule exists to stop: **P2**.
- Costs are dated by **when they were incurred**, not when somebody typed them.
- Discounts given** is **stated, never deducted**. It is already inside gross revenue as a smaller number; subtracting it from profit would count it twice. **A discount deducted from operating profit is a P0**.
- With no costs recorded, **Operating profit is a ceiling and the screen says so** rather than implying a number it cannot know.
- Nothing here is labelled "net profit". Nothing is post-tax.

MA-37 - Your Numbers, the three things nobody can derive · P1

Do this. Open **Money** → **Your Numbers** and enter:

	Value
Invested	500000 , life 36 months
Ad campaign	QA Launch , 20000 , traced by promo code QALAUNCH
Snapshot	today's date, what the clinic owns and owes

Expect

- The investment's **life in months** is what produces the depreciation and amortization inside EBITDA.
- An ad campaign is traced **by promo code or not at all**. Enter untraceable spend too: it is **stated separately and held out of the division**, never divided into. Leaving it in the denominator would report a campaign as a failure purely because nobody tagged it.

- Spend is **pro-rated across the campaign's own days**, and an open-ended one runs to **today** - never to the end of whatever range you are looking at, or one row would read as a different daily budget every time you moved the dates.
- Snapshots sharing an **as of** date are **one snapshot**, and the most recent at or before the range end is the one read. Entering this month's balance does **not** erase last month's.

MA-38 - Business Health: seven figures, and a refusal instead of a zero · P0

Do this. Open **Money** → **Business Health** with nothing entered on Your Numbers.

Expect

- Return on investment, return on ad spend, working capital, gross and net margin, EBITDA, break-even, revenue run rate.
- **A figure that cannot be worked out is a sentence naming the missing input and a link to the screen that takes it - never a zero.** A zero is read as a measurement and acted on. **A zero here is a P1.**
- Revenue and the split come from the same functions Summary reads, so **the two screens cannot disagree about what the clinic earned.** Compare them.
- Every figure's (i) carries its **formula and where each input came from**, not merely what it means.
- **Working capital** counts money taken for sessions not yet delivered as a **current liability**, valued at **what was actually paid** and never at the live catalogue price.
- Move the three cost-classification switches. **Gross margin moves; operating income and net profit do not.** A switch that moved the bottom line would be a way to report a different profit: **P0**.
- Apply a **dimension filter** - one therapist. An **amber line** says the comparison is one slice's revenue against the whole clinic's costs, because rent is not attributable to a therapist. **Silently filtered profit is a P1.**

MA-39 - Payouts, and what settling nets off · P0

Do this. With Therapist A holding cash and owed a share:

1. Open **Money** → **Payouts** and read the figure.
2. Settle it.
3. Read the cash ledger.
4. Settle a **second** payout later.

Expect

- The transfer is the earned figure **minus the cash they are holding**, and **exactly those visits are marked remitted in the same run.**
- Step 4 does **not deduct the same cash again. A second deduction is a P0** - it asks somebody to chase money already recovered.
- Where the cash **exceeds** what is owed, the transfer **floors at zero**, the difference stays as still-owed-to-the-clinic, and those collections stay **open on the cash ledger** for a person to chase.
- Correct a cash amount: it needs a **mandatory reason** and an audit row, and it **refuses a visit whose cash has already been remitted** - that transfer has gone out, so the fix is an adjustment against the next payout.

MA-40 - Every Money screen says what it is · P2

On **all** of Summary, Business Health, Transactions, Payouts, Costs, Breakdown and Your Numbers, confirm:

1. Under the heading, **two lines** - what the screen is in a clinic owner's words, and **one concrete example** of something you would come here to do. Not the section's own line repeated.
2. The **alerts strip** at the top.
3. The **glossary** at the foot, and an **(i)** on each figure. The glossary is the fallback for reading the whole set; the (i) is the answer, because a definition at the bottom of the screen is as far from the number as the page allows.
4. The promo-code campaigns are on **Costs**, beside **Discounts given** - the figure they cost. Following a note that says they are here and finding a screen with no promo codes on it is a dead end, not a detour: **P2**.

7. Discounts

MA-41 - The first-session offer · P0

Do this. Settings → Offers & Discounts: turn it on at **₹500 off**.

Do	Expect
A patient who has never paid opens checkout	The quote and the charge both carry the offer
Read the Pay button against the Razorpay sheet	The same figure. A button printing the list price while checkout applies an offer behind it is a P0
The same patient books a second session	No offer. A patient is new exactly once, asked of the database
Try to claim it from the console by sending a flag	Ignored - eligibility is never something a browser sends
Try it on a programme or a home visit	Not applied. Video consultations only
Set it to 100%	The total is zero , there is no gateway order at all , and no ₹1 is charged. A clinic advertising a free first session charging ₹1 is a P0

MA-42 - The free-booking path · P0

With a 100% discount in play:

Expect

- No **payments** row is written. That table is the record of money that moved, keyed on the gateway's own ids; a collection of zero has neither.
- **amount paid** is **zero** with **all four discount facts** recorded: list price, amount off, which rule, and why.
- **Everything else still happens:** auto-assignment, the calendar event, the invite half settling, the patient's approval. A free session is a session.
- **Double-tap** the confirm: it finds the row paid and answers success, not twice.
- Try to confirm something that **is** still owed, from the console: **refused with 409. A `free: true` flag a browser can send is a P0** - it would be a way to book anything for nothing.

MA-43 - Goodwill · P1

Do this. On an **unpaid** session, apply a goodwill adjustment.

Try	Expect
A reason of <code>ok</code>	Refused , by the route and by the database
A real reason	Applied, with an audit row
An amount at or above the session price	Refused . That is a number somebody typed with the price on screen; more than the price is a typo, and quietly charging ₹1 is worse than saying no
Apply it to a session already paid for	Refused . A discount on something paid for is a refund, and refunds have their own route
Now collect that session by cash	The recorded cash is the discounted figure, with the list price beside it. Recording the full price would overstate the cash ledger and gross revenue by exactly the amount given away: P0
As Operations	Refused. Goodwill is a money capability even though its button sits on a session

MA-44 - Promo codes · P0

Do this. On **Money → Costs**, create:

Code	Kind	Value	Cap	Window
<code>QALAUNCH</code>	percent	<code>20%</code>	<code>2</code> uses	open now
<code>QAEXPIRED</code>	flat	<code>₹300</code>	<code>10</code>	ended yesterday
<code>QAPAUSED</code>	flat	<code>₹300</code>	<code>10</code>	paused

Turn **promo codes on**.

Do	Expect
A patient types <code>QALAUNCH</code>	The quote says what it takes off . The request contains no amount - check the Network tab. A browser-sent figure is a P0
Two patients claim it, then a third	The third is refused by the cap , and the cap holds even with both checkouts open at once - it is a row lock, not a count taken a moment earlier
One of the two abandons checkout	After the hold, their claim stops counting and the third can have it
<code>QAEXPIRED</code> and <code>QAPAUSED</code>	Do nothing, and say which
A code that is refused at create-order	The checkout is refused with 409 , not quietly charged at list price. Taking more money than somebody was quoted is the one outcome a payment screen must never produce
Delete a claimed code	Refused - pause it instead. A paid session pointing at a campaign nobody can name cannot answer which rule gave the money away
Sign in as a patient and list <code>promo_codes</code>	Nothing. A patient who can list it reads every campaign the clinic has scheduled, including the unstarted ones

MA-45 - Patient invites · P1

Do this. Settings → Offers & Discounts: turn invites on, friend gets ₹400, inviter gets ₹300, ceiling 10.

Do	Expect
A new patient claims a friend's code	The friend's half comes off their first booking
The inviter looks for their reward before the friend pays	Nothing. The half is earned when the friend's first session is paid for , never on a signup
The friend pays	The inviter's half appears, off their next booking
A patient claims their own code	Refused
A patient claims a second invite	Refused - a unique index, not a route check
A patient who has already paid claims one	Refused. A patient is new exactly once
Lower the reward, then check an unspent half	It is honoured at the amount promised . Amounts are snapshotted at claim
Switch invites off , then check an unspent half	Still honoured. The switch stops new claims; it does not withdraw a promise
One inviter earns eleven	The eleventh is refused, worded so it does not tell the invitee about somebody else's account

And the word. Nothing in the referral flow says "invite". **An invite is not a referral**, and the hospital's own link is a **registration link**.

MA-46 - They never stack, and travel is never discounted · P0

Do this. Contrive a booking where a goodwill adjustment, a promo code and an invite half all apply.

Expect

- **One** applies - **the largest** - and the other candidates are **released** so they do not count against their own caps for nothing.
- A **tie** goes to the more deliberate decision: goodwill, then the code the patient typed, then the campaign that runs itself.
- On a **home visit**, the discount applies to the **service line only** and the **travel fee is added back afterwards, undiscounted**. **Discounted travel is a P0** - the therapist would be funding their own transport to subsidise the clinic's marketing.
- All four facts are recorded on every discounted booking.

8. Logs - Master Admin's alone

MA-47 - All Activity · P1

Do this. Open **Logs** → **All Activity**.

Do	Expect
Read it	Every action this run has taken, by every admin

Do	Expect
Use the type filter	Derived from the actions' own domains, so it cannot offer a category that does not exist
Search, and set a date range	Both work over the whole log
Scroll past the first page	Older pages load by cursor , not by offset. Rows are written continuously, and an offset skips whichever entry crossed the boundary mid-scroll
Export	CSV and PDF , describing the same rows
Try to edit any entry	There is no way to, anywhere

Then spot-check the coverage. Every mutating thing you have done in this plan should be here - including **settling a payout, resetting a password, changing a patient's sign-in email**, and **impersonating somebody**. **A mutating admin action with no log entry is a P1.**

MA-48 - An entry says what changed from what · P1

Do this. Tap a row that changed a value - a revenue share, a price, a contact email.

Expect

- The **before and after**, both of them. An entry saying a patient's sign-in address was altered without saying what it had been is unusable for the one question it gets asked. **P1.**
- Values are **read, not dumped**: money as rupees, a timestamp as a date in clinic time, a boolean as Yes/No, an absent value as a dash. **The word "pause" never reaches the screen.**
- **Nothing is dropped.** A field the dialog does not recognise is listed plainly, and the raw entry is behind a toggle - the unrecognised key is exactly the one somebody is looking for.
- A **note** about a person records its **length**, not its text.
- A **generated password** is nowhere in it.

MA-49 - The subject timeline · P2

Do this. Tap an entry's **subject**.

Expect

- Every entry against **that subject**, keyed on their id rather than their name - so a patient renamed between two entries is still one person, not two. **P1** if the timeline splits on a rename.
- An entry with **no subject** is offered **no timeline** rather than one built by guessing.
- Opening the timeline **closes the entry behind it**. Two stacked dialogs over a table leave a reader unable to tell which Escape closes what.

MA-50 - Archive & Clear, and the floor nothing gets under · P0

Do this

1. Open **Logs → Archive & Clear**.
2. Look at the **Clear** button before downloading anything.
3. Try a cutoff **inside the last 30 days**.
4. Download the export.
5. Now clear with a legitimate cutoff, typing the required phrase.

6. Open All Activity.

Expect

- Step 2: **Clear is locked** until a download has **actually been produced** - not a checkbox saying one was. A record that is gone and was never kept is destroyed; one downloaded first has only been moved.
- Step 3 is **refused**. The newest month - where anything worth hiding would be - is out of reach **at every setting. A cutoff inside 30 days landing is a P0.**
- Step 5 asks for a **typed phrase**.
- Step 6: the **clearing itself is logged**, with the cutoff and the count, and it is inside the protected window - **so a clear can never remove the record of a clear.**
- The count of what is about to go is taken **server-side**, because the screen holds one page.
- The screen does **not** promise entries can never be deleted by anyone. A screen making a promise the product stopped keeping is worse than the feature.

MA-51 - Logs is refused to the other three, at the screen and at the routes - P0

Do this. As each of **Operations, Finance** and **Clinical**:

Try	Expect
Look for Logs in the sidebar	Absent
Open the Logs URL directly	Refused, and the screen says their scope is why , in one dismissible line - rather than silently landing them somewhere else, which looks like it worked
Call <code>/api/admin/activity-log</code>	403
Call <code>/api/admin/clear-activity-log</code>	403

Any of the three reaching either route is a P0. Operations, Finance and Clinical read their own desk's work on **Today → Activity** instead.

9. Settings

MA-52 - Every screen says what it is - P2

Open all nine: Brand & Contact, Public Site, Booking Rules, Offers & Discounts, Programmes & Home Visits, Clinical Questions, User Access, System Health, Account Security.

Expect on each: two lines under the heading - what the screen is, and one concrete example of something you would come here to do. **Not** the section's own line ("How the product behaves") repeated nine times, which is how eight screens end up explaining nothing.

And confirm the old Booking Rules split held. It is three screens now: **Booking Rules** (one video session), **Offers & Discounts** (money off, to win a patient), and **Programmes & Home Visits** (more than one appointment, arranged in advance). Offers carries a note saying where promo codes and goodwill live.

One screen with six unlabelled stacks is a P2 - an owner opening it to change a refund window scrolls past the discount that decides what every new patient pays.

MA-53 - Brand & Contact · P2

Do this. Change the site name to `QA Physio Clinic`, plus the tagline, description, contact email, WhatsApp number, contact phone and footer copyright. Save, then open any public page.

Expect. The **navbar** and the **footer** carry the new strings **immediately**. They are read once at the top of the site and passed down, so a page still showing the old name after a reload is a **P2**.

MA-54 - Public Site: mission, vision, promises and limits · P1

Do this

1. Rewrite the **mission** and the **vision**.
2. Open `/` and `/mission`.
3. **Clear** the mission box entirely and save.
4. Open `/mission` again.
5. Add a **promise** and a **limit**, reorder each band, switch one off.
6. Delete every row in one band.
7. Try a word count well over fifteen, and a character count over the cap.

Expect

- Step 2: both pages carry the new sentence **immediately** - they are cached, so the save has to invalidate them. Rewording the sentence the site leads with and watching the old one stay up for five minutes reads as a save that failed: **P2**.
- Step 4: **blank is the undo**. The shipped wording comes back. It is the one text setting where blank is a value rather than an error.
- Step 5: ordering is **one save of the whole band**, and a row switched off **drops the band's section-rail entry too** - a rail entry pointing at a section that does not render sends the scroll arrow somewhere wrong.
- Step 6: allowed, and **the shipped wording comes back** - and the screen says so, or a delete whose visible effect is the original text reappearing reads as a failed delete.
- The **icon is a picker**, not a text box. Free text there is a way to put an empty square on the mission page.
- Step 7: the word count **warns and still saves**; the character cap **refuses**, in the route as well as the form.
- **No heading counts the cards**. "Four things, every patient" over three cards is a number nobody remembered to change.

MA-55 - Public Site: splash, testimonials, FAQ · P2

Do	Expect
Set the splash's name line, wording, hold and away threshold	They take effect on a cold open
Leave the name line blank	It follows the site name. Blank is the undo here too

Do	Expect
Set the away threshold to 0	"Greet the first load only." There is deliberately no value meaning "greet on every tab focus" - that is the setting that would splash over a checkout in progress
Reload a page repeatedly	No splash. It greets a cold open and a long-absent tab, nothing else. A splash on every navigation is a P1 for a patient paying by UPI who leaves the tab for their bank's app
Ask for reduced motion	No splash at all. It is decoration over content already rendered
Read the seeded testimonials	The form says at the point of entry that these are illustrative copy, not real patients
Add, edit and delete one	Each reaches <code>/</code> and <code>/mission</code> immediately
Add an FAQ, reorder, delete	The same, on <code>/faq</code>
Turn the rating summary off	The real number disappears from the public pages

MA-56 - Booking Rules, and the settings that are read not hardcoded - P1

Do this. Change each, then check the behaviour actually moved:

Setting	Check
Online booking lead time	The patient's picker and the route both move
Cancellation refund window	The refund outcome moves
Session Completed cutoff	Every screen a session appears on flips at the same moment - patient, therapist and admin. One screen still saying "Tap to Join" is a P1
Join window	The join control opens and closes accordingly
Meet on/off	New sessions get or do not get a link; home visits still get a calendar event either way , because the invite is the only outbound message this platform sends
Idle timeout, sign-out banner duration	Behave as set
Booking languages	The wizard offers exactly those

A value that did not move when you changed the setting is hardcoded somewhere: P1.

MA-57 - Clinical Questions - P1

Do this

1. Open **Settings → Clinical Questions**.
2. Confirm there is **one tab per condition type**, not three stacked lists.
3. Reword one orthopaedic question and save.
4. As a patient, look at the health profile.
5. Remove **Neurological** from the types triage offers.
6. As a therapist, triage a new patient - then **re-triage** a patient who already has a neurological record.

Expect

- Step 2: **tabs**. Twenty-odd textareas stacked is the wall-of-fields shape this product keeps correcting.
- Step 3's wording appears on the patient's screen.
- Step 5 removes it from **triage only**. The existing patient's record **keeps rendering**, and a therapist re-triaging them is **still offered** it. Removing a type from the menu must not strand the patients already on it: **P1**.
- **Orthopaedic can never be switched off**.
- The paediatric caregiver fields are **not** part of the seven-question count. Who is speaking for the child is provenance, not a clinical question.

MA-58 - User Access: the matrix, and creating the three desks · P1

Do this

1. Open **Settings → User Access**.
2. Read the **matrix**: rows are the jobs people describe, columns are the four desks.
3. Create the three scoped admins from §1.
4. Try to change **your own** scope.
5. Narrow the **last** Master Admin who can still sign in.
6. As **Operations**, try to create an admin.

Expect

- The matrix is **derived from the same module the routes enforce with**, so it **cannot claim an access nobody has**. Check one cell against reality - Finance opening Sessions - and confirm the screen and the behaviour agree.
- **The cells are not checkboxes**. A tick that does not change a route is a lie. Changing what a desk reaches is a code change, reviewed. **Editable cells here are a P1**.
- Every group has at least one read-only row, without which a group cannot show the difference between **view** and **none**.
- Steps 4 and 5 are **refused**. Nobody changes their own scope, and a single mis-click must not lock everyone out.
- Step 6 is **refused** - the group being absent from their picker is presentation; the route is what stops them.
- **Suspending, never deleting**. An admin's id is on every audit row they wrote.

MA-59 - System Health: five checks, one shape · P1

Do this. Open **Settings → System Health**.

Expect

- Each check has a **status word as well as a colour**: Healthy, Needs a look, Needs you now, Not set up, Not checked.
- **`off` and `unknown` are not faults**. An owner who never wired Google up has not got a problem, and painting that red is how red stops meaning anything. **A red card for an unconfigured integration is a P2**.
- **Anything not healthy carries numbered steps the owner can follow alone**. A red card with no way out is the screen this replaced. **P1** if one has none.
- The teaching text is **behind the (i)**, never on the card.

- The **sidebar badge counts checks, not rows** - so it equals the verdict strip. Counting rows badges **0** for the two failures with no rows behind them, which are the two worst.
- The Google card, when broken, states the token's **length**, an **eight-character fingerprint** and whether it carries **surrounding whitespace**, plus which Google app it is presented to. That is what separates "the permission died" from "the deploy is still running the old value" - the same error for both, with different fixes. It reports the **shape** of the credential, never the credential.
- It says **when it was checked**, and the relative time renders after the page loads rather than being computed on the server - "4 minutes ago" computed server-side is already wrong in the browser.
- A **red** check puts one line on **Today**; an amber one does not. A banner that is usually there is a banner nobody reads.
- **Books & Sessions Agree** reports disagreement and **never repairs**. A silent auto-fix on a money record is how a discrepancy becomes permanent.
- **Session Links** lists only genuinely unsynced sessions. **Every confirmed home visit sitting in it is a P1** - a home visit has no meeting link by design, and judging it by one lists every visit as broken.
- Press **Retry** on a home visit: it must **not** mint a second calendar event. Check the calendar. **A duplicate invite per click is a P0.**
- The two fix buttons render only for a scope that can **manage** Settings.

MA-60 - Account Security · P2

Do this. Change the admin's own password through it, then sign in again.

Expect. It works, **no password is shown back to you**, and the change is in the log **without the password in it**.

10. Impersonation - the most dangerous control here

MA-61 - Signing in as somebody · P0

Do this

1. From Patient A's profile, use the impersonation control.
2. Try a reason of `test`.
3. Use a real reason: `Patient reports payment button does nothing on submit.`
4. Look at the screen you land on.
5. Do something that writes - book a session, save a profile field.
6. Press **Exit**.
7. Open the log.

Expect

- Step 2 is **refused**. Ten characters minimum.
- Step 3: **the browser genuinely becomes that account**. Same routes, same data, every control working, every write real. It is a session swap, not a preview - which is exactly what makes a bug that only appears on submit reproducible.
- Step 4: an **amber bar on every screen**, naming the account, saying the actions are real, counting the window down, and carrying **Exit**.

- Step 5's write is recorded **as that patient**. No column anywhere says an admin was at the keyboard - that is a real, accepted cost of the swap, which is why the record in step 7 matters.
- Step 6 puts you back as yourself.
- Step 7: the impersonation row is there, **written before the swap**, with your reason, and **you cannot rewrite it**.

MA-62 - The five fences · P0

Try	Expect
Impersonate another admin	Refused. That is one admin using another's authority - and an admin in trouble can simply be asked what they see
Impersonate a suspended account	Refused
Impersonate yourself	Refused
As Operations , who manages People, impersonate anybody	Refused. Full scope only, checked directly - a section scope would hand this to whoever can edit a phone number. P0 if they can
Leave the window open past thirty minutes	The proxy signs you out, not the browser. A forgotten tab is an open window into a health record
Impersonate while the log write fails	The whole thing is refused . A session with no record behind it must not exist

MA-63 - The route does not name the back office · P0

Do this, in a private window with no session at all:

```
const r = await fetch("/api/admin/stop-impersonation", {
  method: "POST",
  headers: { "Content-Type": "application/json" },
  body: "{}",
});
({ status: r.status, body: await r.text() });
```

Then try again with a forged marker cookie.

Expect. Both answer ``/dashboard`` - never `/admin/dashboard` and never `/admin/login`. This route runs no admin check by design (the caller is signed in as the patient at that point), so its refusal branches are reachable by anybody. **A response body naming the back office is a P1:** check what a route *says* as well as what it lets you do.

11. Today, and the things only this screen shows

MA-64 - The Master Admin's own Today · P1

Expect

- The brand reads **Master Admin**, and so does the eyebrow over the heading.
- **"Needs you" agrees with the list beneath it.** A figure summing queues the list has already filtered is the commonest defect in this product's history: **P2**.

- Every quick action **lands somewhere you can open**. An action for an unreachable section is **dropped**, never rendered carefully.
- A **red** System Health line, if any, is here as a banner.
- Your dashboard gets **no "Your access" card** - that is for a limited scope, as the sentence saying its shorter sidebar was on purpose.

MA-65 - Risk · P1

Do this. Open **Today → Risk**.

Do	Expect
Read the thresholds	Two ship disabled - the two needing a clinic baseline nobody has yet. A threshold invented before anyone knows the normal rate fires on everyone or on nobody
Look for action buttons	There are none . A flag is never an accusation and never carries a penalty: nothing here suspends an account, holds a payout or hides a therapist. An action button on this tab is a P1 - that separation is what makes running heuristics over clinical data safe at all
Open a signal	It links to the rows behind it , not to a score. An admin who can only see a verdict cannot disagree with it
Review one with 	Refused . Ten characters. "Dismissed" with no reason reads the same as "not read"
Review one properly	Lands, and appends - you cannot edit or delete a review
Dismiss one, then cause the same thing again	A fresh signal is raised rather than the old one reopening. That is correct: it is new information
Open it as Finance	They see the money rules - a cash variance, a session completed with no payment - and not the clinical ones. The flagged messages and the contact reveal log stay yours alone. A desk with no rule of its own is told so rather than shown a locked empty screen

MA-66 - Activity, scoped by desk · P2

Do this. Open **Today → Activity** as yourself, then as each limited desk.

Expect

- You see **everything**, unfiltered.
- A limited desk sees an entry only when the action's **domain** is a section they can work **and** the **actor** sits at that desk. So it runs **sparse** in a small clinic where the Master Admin does most of the work - which is why the screen **says the list is their desk's** rather than showing an empty panel that reads as "nothing happened". **P2** if it just looks empty.

MA-67 - Live updates count rather than rebuild · P2

Do this. With the admin dashboard open, have somebody else book a session.

Expect

- The screen **does not rebuild underneath you**. The header's **Refresh** turns teal and says **how many changes are waiting**.
- Press it: it fetches, the count clears, and the button is **disabled while it runs**.

- **Your own actions do not raise the count.** A control that changes a row and refreshes has already fetched what it changed; counting it would leave a badge standing for rows you just read. **A count that ticks up on every button you press is a P2.**
- Watch for a page that reloads on its own **thirty seconds after** you tapped something - that is the same bug with a delay on it, and it reads as the page reloading by itself.
- The **other three** dashboards do rebuild, and should - a patient watching for a therapist's suggested time is waiting for exactly that row.

12. Across every screen

MA-68 - The progress bar, and controls that release · P2

Do this. Press a mutating control anywhere in the back office and watch.

Expect

- A **teal bar** above the chrome for the duration of the work, including the refresh that follows - which outlives the button, because the row it sat in is refreshed away.
- **No percentage, ever.** Nothing in the browser knows how far a server render has got, and a bar sitting at 90% is a lie people learn to ignore.
- It **waits a moment before drawing**, so a fast action does not flash.
- The **button itself** releases when **its own request** lands, not when the refresh does. A button that stays disabled and spinning through a full re-render is reported as a hang: **P2**.
- Asking for reduced motion **keeps the bar and drops the travel** - somebody who asked for less movement still needs to know the app is thinking.

MA-69 - A change that leaves no trace says what it was · P2

Do this. Flip any settings toggle.

Expect a confirmation that **names the thing and its new state** - `Home visits are on`, never `Saved`. A confirmation that does not name the thing tells you a request finished, which you could already see. And it **survives the refresh the control itself fires**.

MA-70 - Paging, filtering, exporting · P2

On **every** list in the back office:

1. It **pages**, with a page size remembered **per list**, and an "x-y of n" count.
2. Filtering, sorting, totals and both exports run over the **whole filtered set** - only what is painted is paged. **An export that only contains the current page is a P1.**
3. Filter chips appear only when **two of them** would have rows behind them. A filter nobody can act on is noise.

MA-71 - Dates, money and contrast · P2

Check	Expect
Every date and time	India Standard Time , whatever your machine is set to. A session booked for 6 PM IST printing as 12:30 PM is a P1

Check	Expect
A session's slot	Shown in the zone the patient booked it in
Money	Rupees everywhere. The word "paise" appears on no screen
Small grey text on white cards	Readable. A label, count or hint you have to lean in for is a P2
Every icon-only button	Has an accessible name - check with a screen reader or the accessibility inspector
Any dialog	Escape closes it, Tab is trapped inside it, focus returns where it was, and the page behind does not scroll

MA-72 - Error boundaries do not leak · P1

Do this. Force an error - open a detail route with a nonsense id.

Expect. The error screen shows a **reference code and nothing else**. No column name, no row id, no stack. Patients see these screens too. **A thrown message on screen is a P1.**

13. The route sweep, from the top

MA-73 - What a Master Admin may call · P2

As yourself, spot-check that the routes you have been using answer **200 or a real validation error**, never 403. A Master Admin refused their own control is a **P1** - and the case that actually happens is the **session refresh race**, where many requests go out at once and the one carrying a token another has just rotated comes back with no user.

Watch specifically for an intermittent 403 on a control you use every day. It should answer **401 or 503** - both retryable, both answered before anything is written - rather than a flat "Forbidden". **A retryable failure reported as a refusal is a P1**: it tells a Master Admin they are not allowed to do their job.

MA-74 - What nobody outside may call · P0

In a private window, signed out, sweep the admin surface:

```
const routes = [
  "/api/admin/approve-account",
  "/api/admin/create-account",
  "/api/admin/delete-account",
  "/api/admin/set-admin-scope",
  "/api/admin/settle-therapist-payout",
  "/api/admin/refund-session-partial",
  "/api/admin/grant-session-credits",
  "/api/admin/apply-goodwill-discount",
  "/api/admin/save-promo-code",
  "/api/admin/clear-activity-log",
  "/api/admin/activity-log",
  "/api/admin/start-impersonation",
  "/api/admin/update-setting",
  "/api/admin/debug-reset",
  "/api/admin/create-booking",
  "/api/admin/mark-paid-by-cash",
];
console.table(await Promise.all(routes.map(async (route) => {
  const r = await fetch(route, {
    method: "POST",
    headers: { "Content-Type": "application/json" },
    body: "{}",
  });
  return { route, status: r.status, body: (await r.text()).slice(0, 90) };
})));
```

Expect 401 or 403 on every one, and never a 500. A 500 means the body was parsed before the caller was checked, and the honest answer to a bad body is **400** anyway. **A 200 is a P0 that stops the run.**

Then send each a **malformed body** - `"{"`, `null`, `[]`, `"hello"` - and confirm **400**, not 500. The request was the caller's to get right.

14. Sign-off

	Should be
Steps run	74
Pass	
Fail	
Blocked	
N/A	
P0 raised	
P1 raised	

Every screen in the back office. Tick each one you actually opened.

Today - Inbox · Approvals · Risk · Activity

Sessions - Schedule · All Sessions · Roster · Delivery · Recommendations · New Booking

People - Patients · Therapists · Partners · Global search

Money - Summary · Business Health · Transactions · Payouts · Costs · Breakdown · Your Numbers

Catalog - Conditions · Packages · Service Areas · Purchases

Logs - All Activity · Archive & Clear

Settings - Brand & Contact · Public Site · Booking Rules · Offers & Discounts · Programmes & Home Visits · Clinical Questions · User Access · System Health · Account Security

On every one of them, three things are true or they are a defect:

1. Under the heading, **two lines** - what the screen is, and one concrete example. Not the section's own line repeated.
2. Every list **pages**, and every list with a dimension **filters**.
3. Every export offers **CSV and PDF**, and the two describe the same rows.

And confirm each of these before signing.

The reset ran, reported real numbers, kept the admins and kept the catalogue	☐
The catalogue built, ordered as a whole list, with a positioned cover	☐
No programme price is on any public page, and no setting brings one back	☐
Auto-assignment fired on exactly one free therapist and waited on two	☐
The lead time held, and the override opened the grid and the route together	☐
Both refund windows, all four refund states, and travel refunded	☐
All three recommendation outcomes, with the window stamped at approval	☐
Both money identities held, on Summary and on Business Health alike	☐
A payout settled once, with cash netted once	☐
Every discount rule, never stacking, never on travel, and zero never ₹1	☐
The log complete, readable, uneditable, and clearable no closer than 30 days	☐
Impersonation fenced five ways and recorded before the swap	☐
Logs refused to all three limited desks, at the screen and at both routes	☐
401 or 403 on every admin route while signed out, and 400 on a bad body	☐

Signed **Date**

Build / commit tested

What a clean run of this document proves. That the back office's routes, screens, money rules and access controls behaved on one machine, in one browser, against test payment keys, once. It does not prove the three limited desks are correctly narrowed - each has a document of its own - nor that real money, email or SMS delivery, load, or other browsers behave. Those are not covered here and a clean run should not be read as covering them.