

Dr. Pooja's Physio

End-to-End Test Plan & Feature Guide

Manual, click-by-click test plan for the whole application

Personas covered: Patient · Therapist · Admin (Operations) · Finance · Hospital Partner

Version 1.0 · Prepared for a tester with no prior knowledge of this application

Contents

1. **Part 0 — Read this first:** what the app is · vocabulary · prerequisites · the debug bar · **STEP 1: reset all data** · test card data · master test data · factory defaults · how to report a bug · execution order
2. **Part 1 — Admin: set the clinic up.** Login · Brand & Contact · Public Site (splash, walkthrough, testimonials, FAQs) · Booking Rules (lead time, refunds, join window, completed cutoff, timeouts, languages, packages, home visits) · Conditions · Packages · Service Areas · Team & Access (scopes) · Clinical Questions · Costs · Activity Log
3. **Part 2 — As a patient.** Public site · registration & approval · booking wizard (single session) · session packages · home visits · dashboard & tour · sessions and joining · cancellations & refunds · health profile, reports and PDF export · payments · profile & addresses · therapist suggestions · ratings
4. **Part 3 — As a therapist.** Application & approval · availability & leave · delivering sessions, notes and no-shows · triage and the health profile (all three condition types) · Pain Map · access requests · programmes & suggestions · earnings & payout requests · profile
5. **Part 4 — As an admin (operations).** Today & approvals · schedule, all sessions, assignment, reassignment, admin-made bookings, cancel/reopen · roster · delivery metrics · people & partners · catalog upkeep · sync health, activity log, exports, realtime
6. **Part 5 — As finance.** Scope enforcement · Money Summary and its two identities · transactions · payouts and cash netting · costs and operating profit · refunds (full, partial, pro-rata, cash) · breakdown · glossary
7. **Part 6 — As a hospital partner.** Provisioned login · referrals (online and home visit) · assignment · withdrawal · referral code & invite link · partner earnings · profile
8. **Part 7 — Cross-cutting.** Access-control matrix · error/loading/404 · splash, sign-out banner, idle timeout · lists and exports · responsive & accessibility
9. **Appendices.** A: simulated clock cookbook · B: what the clock cannot do · C: coverage checklist · D: bug report template

0. Read this first

0.1 What this application is

Dr. Pooja's Physio is a physiotherapy practice run mostly online. The website sells and delivers physiotherapy in two ways:

- **Video consultation (online)** — the patient books a slot, pays, and joins a Google Meet video call at the appointed time.
- **Home visit** — a physiotherapist travels to the patient's home. The patient's pincode must be inside an admin-configured service area, and a travel fee is added on top of the price.

Around that sit five things you will test:

1. A **public marketing website** of eight pages that explains the practice and funnels visitors into booking.
2. A **patient portal**: book, pay, see sessions, buy multi-session packages, keep a health profile, upload scan reports, cancel and get refunds.
3. A **therapist portal**: set weekly availability, run sessions, write clinical records (triage, health profile, pain map, session notes), see earnings and request payouts.
4. An **admin back office** with six sections (Today, Sessions, People, Money, Catalog, Settings) that runs everything — approvals, assignment, catalog, pricing, refunds, payouts and every product setting.
5. A **hospital (partner) portal**: refer patients to the clinic and earn a share of the revenue those patients generate.

0.2 Vocabulary you need before you start

Term	What it means here
Session / appointment	One booked treatment, either a video call or a home visit.
Programme / package	A bundle of sessions sold at one price (e.g. 6 sessions for ₹9,999) with a validity period.
Treatment category (also "condition")	What the patient needs help with — e.g. "Back & Spine Care". Carries its own price and duration.
Lead time	Minimum notice for a booking. Default 12 hours online, 24 hours for a home visit. Admin-editable.
Refund window	Cancel earlier than this many hours before the slot = full refund; inside it = no refund. Default 24 hours.
Approved / Active	Two flags on every account. A new patient or therapist is <i>not approved</i> until an admin approves them. "Not active" = suspended.
Admin scope	An admin is Full, Operations, Finance or Clinical. The scope decides which of the six sections they can open.
Therapist lock	Once a therapist takes the first session of a programme, the rest of that programme is automatically theirs.
Travel fee	Home-visit-only charge, paid to the therapist in full, never counted as clinic revenue.
Health Profile	The patient's clinical record. A therapist writes the first version; after that the patient can edit it, with admin review.
Pain Map	A body diagram where the therapist records a clinical examination per body region. Orthopaedic patients only.
Paise	Money is stored as integers in paise. ₹1,999 = 199900 paise. Only relevant if you inspect the database.

0.3 What you need before testing

Item	Detail
Application URL	The staging/test URL you were given (referred to below as [SITE]). Locally this is <code>http://localhost:3000</code> .
Browser	Google Chrome, latest. Use one normal window for the patient and a second incognito window for the admin, so two roles can be signed in at once. A third browser (Firefox/Edge) is handy for the therapist.
Admin login	The existing admin email and password supplied by the project owner. This account survives the data reset in section 0.5.
Razorpay mode	The site must run on Razorpay test keys (<code>rzp_test_...</code>). Never test payments against live keys.
Database	A throwaway/test Supabase project. Step 1 of this plan empties it.
Server flag	<code>ALLOW_DEBUG_DATA_RESET=true</code> must be set on the server, or the "Reset data" button in step 1 will report that reset is switched off.
Screen recorder	Optional but recommended. A 10-second clip attached to a bug report saves an hour of back-and-forth.

0.4 The debug bar (your main tool)

Every page of this application currently shows a black **Debug** bar pinned to the very top of the screen. It exists only before launch and carries three controls:

Control	What it does	How to use it
Jump to page (dropdown)	Navigates straight to any route, including protected dashboards.	Click the dropdown, pick e.g. "14b. Admin Dashboard (protected)".
Simulate now (date/time field + Set)	Moves the browser's idea of "now" forward or backward, so time-gated features can be tested without waiting.	Click the field, type/pick a date & time, click Set . The page reloads and runs on the simulated clock. Click Reset to Real Time to undo.
Reset data	Empties every table and deletes every non-admin account.	See step 1 below.

Important limitation of the simulated clock — read this or you will file false bugs. The simulated clock is a *browser-side* override only. It changes what the following surfaces believe the time is:

- the date/time picker in both booking wizards (which dates and hours are offered),
- the **Tap to Join** button (when it opens, and when it turns into **Session Completed**),
- the therapist-suggested-session cards (when a suggestion stops being acceptable).

It does **not** change the server's clock. Refund eligibility, payout maths, package expiry sweeps and the server-side lead-time re-check all use the real server time. So: jumping the clock *forward* to make a session look joinable is fine and expected. Jumping the clock *backward* to book a slot that is really only 2 hours away will be rejected by the server — that is correct behaviour, not a bug.

0.5 STEP 1 — Reset all data (do this once, before anything else)

The plan below assumes an empty database, so that counts, lists and money figures start from zero and every expected result is exact.

1. Open [SITE] in Chrome.
2. In the black Debug bar at the top, click **Reset data** (it may read *Empty the database, keeping admin accounts*).

- 3. A confirmation field appears. Type exactly `RESET ALL DATA` (capital letters, one space between words).
- 4. Click **Reset**.

Expected result: the button shows "Resetting...", then the page refreshes. Every patient, therapist, hospital, booking, payment, package, health record and setting change is gone; admin logins still work; all product settings are back to their factory defaults (listed in section 0.8). If you instead see *"Reset is switched off on this server (ALLOW_DEBUG_DATA_RESET is not set)"*, stop and ask the owner to set that server variable — do not continue, because leftover data will make later expected results wrong.

If you are testing on an environment where the reset button is intentionally disabled, you can still run the plan, but treat every "the list is empty" expectation as "your new row appears at the top of the list".

0.6 Test payment instruments (Razorpay test mode)

When the Razorpay checkout window opens, use these. No real money moves.

Purpose	Instrument	Details
Successful card payment	Card	Number <code>4111 1111 1111 1111</code> · Expiry any future date, e.g. <code>12/30</code> · CVV <code>123</code> · Name <code>Test Patient</code> . On the simulated bank page click Success .
Alternative success card	Mastercard	<code>5267 3181 8797 5449</code> · Expiry <code>12/30</code> · CVV <code>123</code> .
Failed card payment	Card	<code>4000 0000 0000 0002</code> · Expiry <code>12/30</code> · CVV <code>123</code> . If it still reaches the bank page, click Failure there.
Successful UPI	UPI VPA	<code>success@razorpay</code>
Failed UPI	UPI VPA	<code>failure@razorpay</code>
Netbanking	Any bank	Pick any bank, then click Success or Failure on the simulated page.
Abandoned payment	—	Open checkout and close it with the × in the corner, or press <code>Esc</code> .

If a card above is rejected as invalid, Razorpay has rotated its test set — take the current numbers from `razorpay.com/docs/payments/payments/test-card-details/` and note the substitution in your test log.

0.7 Master test data

Use exactly these values. Every expected result in this plan refers to them by name. Password for every account is `Test@1234` unless stated.

People

#	Role	Full name	Email	Phone	Other fields
P1	Patient (online, ortho)	Priya Sharma	priya.sharma@example.com	+91 98765 00011	Referral code: leave blank
P2	Patient (home visit)	Rahul Verma	rahul.verma@example.com	+91 98765 00012	Address in section below
P3	Patient (package buyer)	Anita Desai	anita.desai@example.com	+91 98765 00013	—
P4	Patient (neurological)	Suresh Iyer	suresh.iyer@example.com	+91 98765 00014	—
P5	Patient (paediatric)	Aarav Nair	meera.nair@example.com	+91 98765 00015	Caregiver: Meera Nair, Mother
P6	Patient (hospital referred)	Fatima Khan	fatima.khan@example.com	+91 98765 00016	Registers with the hospital's referral code
T1	Therapist (ortho)	Kavya Menon	kavya.menon@example.com	+91 98765 00021	Credentials: BPT, MPT (Ortho) – Council Reg: PT-100234
T2	Therapist (neuro)	Arjun Rao	arjun.rao@example.com	+91 98765 00022	Credentials: MPT (Neuro) – Council Reg: PT-100987
A1	Admin — Full	(the existing owner account)	supplied to you	—	Scope: Full access
A2	Admin — Operations	Ops Tester	ops.admin@example.com	+91 98765 00031	Scope: Operations
A3	Admin — Finance	Finance Tester	finance.admin@example.com	+91 98765 00032	Scope: Finance
A4	Admin — Clinical	Clinical Tester	clinical.admin@example.com	+91 98765 00033	Scope: Clinical
H1	Hospital partner	Sunrise Multispeciality Hospital	partner.sunrise@example.com	+91 44420 00011	Contact person: Dr. Nisha Pillai · Revenue share: 15%

Catalog and configuration data

Item	Values to enter
Treatment category 1	Title Back & Spine Care · Price 1999 · Duration 60 min · Description "Assessment and rehab for back, neck and spinal pain." · Show on home page: yes
Treatment category 2	Title Knee & Joint Rehab · Price 2499 · Duration 45 min
Treatment category 3	Title Stroke Rehabilitation · Price 2999 · Duration 60 min
Treatment category 4	Title Paediatric Physiotherapy · Price 1799 · Duration 45 min
Session package	Title Back Care 6-Session Programme · Category: Back & Spine Care · Sessions 6 · Price 9999 · Compare-at 11994 · Validity 90 days · Minimum gap 2 days · Max per week 3 · Max purchases per patient 2 · One therapist for the programme: on
Home visit package	Title Home Recovery 4-Visit Pack · Visits 4 · Price 11999 · Validity 60 days
Home visit single	Title Single Home Visit · Visits 1 · Price 2999 · Validity 30 days
Service area 1	Pincode 600020 · Area name Adyar · Travel fee 250
Service area 2	Pincode 600041 · Area name Thiruvanmiyur · Travel fee 350
Unserviceable pincode (negative test)	110001 — never add this one
Patient address (P2 Rahul)	Label Home · Line 1 12 Kasturba Nagar, 2nd Cross Street · Line 2 Flat 3B · Landmark Opposite Adyar Bakery · Pincode 600020 · Contact phone +91 98765 00012 · Access notes Lift to 3rd floor; call on arrival
Business expense	Description Clinic software subscription · Amount 4500 · Date: today
Testimonial	Name Test Reviewer · Quote "Recovered from six months of back pain in eight weeks." · Rating 5
FAQ	Question "Do I need a referral to book?" · Answer "No. You can book directly from the website."

0.8 Factory defaults after a reset (use these to verify the reset worked)

Setting	Default	Where it is edited
Online booking lead time	12 hours	Settings → Booking Rules
Online cancellation refund window	24 hours	Settings → Booking Rules
Join button window	15 minutes before, 15 minutes after	Settings → Booking Rules
Session Completed cutoff	60 minutes after slot start	Settings → Booking Rules
Session timeout (idle)	0 = never	Settings → Booking Rules
Sign-out message duration	6 seconds	Settings → Booking Rules
Auto-create Meet links	On	Settings → Booking Rules
Session packages visible	On	Settings → Booking Rules
Package default validity	90 days	Settings → Booking Rules
One therapist per programme	On	Settings → Booking Rules
Bulk scheduler limit (package)	8 sessions	Settings → Booking Rules
Package expiry reminder	14 days	Settings → Booking Rules
Home Visit master switch	Off	Settings → Booking Rules
Home visit cash payment	On	Settings → Booking Rules
Home visit lead time	24 hours	Settings → Booking Rules
Home visit refund window	24 hours	Settings → Booking Rules
Home visit travel buffer	45 minutes	Settings → Booking Rules
Payment gateway fee	2%	Money → Costs
Booking languages	English	Settings → Booking Rules
Home page walkthrough pace	4 seconds per step	Settings → Public Site
Opening splash	On · phrase "Movement Is Medicine" · hold 1.5s · revisit 15 min	Settings → Public Site
Condition types offered at triage	Orthopaedic, Neurological, Paediatric	Settings → Clinical Questions
Site name	Dr. Pooja's Physio	Settings → Brand & Contact

0.9 How to run a test case and how to report a bug

Each test case below has an **ID**, a **persona** (who is signed in), a **precondition**, numbered **steps**, and an **expected result**. Do the steps in order. Compare what you see against the expected result *literally*: if the expected result says the button reads "Review Booking →" and it reads "Next", that is a bug.

When something does not match, paste this into the chat:

Field	Example
Test case ID	PAT-BOOK-004
Persona / account	Patient — priya.sharma@example.com
What I did	Steps 1–6 of PAT-BOOK-004, chose 12 Feb, 10:00–11:00, English
Expected	"Continue to Medical Details" button appears
Actual	Nothing appears; console shows "TypeError: h is not a function"
Environment	staging URL, Chrome 130, simulated clock OFF
Evidence	screenshot / screen recording / copied error text

Always say whether the simulated clock was on, and what it was set to. Most "wrong time" bugs are actually a clock left set from an earlier case.

0.10 Suggested execution order

Sections are ordered so that each one's data exists by the time you need it. Running them out of order will leave you with an empty catalog and nothing to book.

- 1. **Part 1 — Admin setup.** Creates the catalog, packages, service areas, staff accounts and settings.
- 2. **Part 2 — Patient.** Registration, booking, payment, packages, home visits, health profile, cancellations.
- 3. **Part 3 — Therapist.** Availability, delivery, clinical records, earnings, payout requests.
- 4. **Part 4 — Admin operations.** Approvals, assignment, session management, catalog upkeep, system health.
- 5. **Part 5 — Finance.** Money screens, payouts, refunds, costs, cash ledger.
- 6. **Part 6 — Hospital partner.** Referrals, referral codes, partner earnings.
- 7. **Part 7 — Cross-cutting.** Access control, error states, realtime, responsive, splash, session timeout.

Part 1 — Admin: set the clinic up (run first)

Why this part exists. After the reset the clinic sells nothing: there are no treatment categories, no packages, no service areas and no staff. Every later part depends on this one. You are signed in as the **Full-access admin (A1)** throughout Part 1.

1.1 Signing in to the back office

ADM-001 · Admin login with valid credentials

Persona: Admin (Full) · Precondition: data reset done · Data: the admin email/password you were given

1. Open `[SITE]/admin/login` (or use the Debug bar dropdown → **14. Admin Login**).
2. Click the **Email Address** field, type the admin email.
3. Click the **Password** field, type the password.
4. Click **Sign In**.

Expected: the browser lands on `/admin/dashboard`. A left sidebar shows, top to bottom: **Back to Home**, then six sections — **Today, Sessions, People, Money, Catalog, Settings**. The screen opens on **Today**, showing four headline figures, an activity feed and a quick-actions list. No error banner.

ADM-002 · Admin login with a wrong password

Persona: none · Precondition: signed out

1. Open `[SITE]/admin/login`.
2. Type the correct admin email and the password `WrongPass1`.
3. Click **Sign In**.

Expected: a red error box appears with a credentials message (e.g. "Invalid login credentials"). You stay on the login page. The error must **not** say whether the email exists.

ADM-003 · The back office is not advertised to other roles

Persona: any signed-in non-admin (do this later, after a patient exists) · Precondition: signed in as patient P1

1. Signed in as Priya Sharma, type `[SITE]/admin/dashboard` in the address bar and press Enter.

Expected: you are redirected to `/get-started`. You are **not** sent to `/admin/login` and no message names an admin area.

1.2 Settings → Brand & Contact

What this is. The site's own name, tagline, description and contact details. The public header and footer read these, so a change here is visible on every public page immediately.

ADM-010 · Edit the site name and see it on the public site

Persona: Admin (Full) · Data: Website Name `Dr. Pooja's Physio QA`

1. In the sidebar click **Settings**, then the **Brand & Contact** tab.
2. Find the field labelled **Website Name**. Click its **Edit** control.
3. Clear the field and type `Dr. Pooja's Physio QA`.
4. Click **Save**.
5. Open `[SITE]/` in a second tab.

Expected: the field shows a "Saved." confirmation. On the public home page the header logo/name and the footer both read **Dr. Pooja's Physio QA**. Change it back to `Dr. Pooja's Physio` before continuing.

ADM-011 · Edit tagline, description, contact email, WhatsApp, phone, footer text

Persona: Admin (Full)

1. Settings → **Brand & Contact**.
2. For each of **Tagline**, **Description**, **Contact Email**, **WhatsApp Number**, **Contact Number** and **Footer Copyright Text**: click **Edit**, change the value (e.g. append " QA"), click **Save**.
3. Reload the public home page and scroll to the footer.

Expected: every field saves individually with its own "Saved." confirmation, no full-page reload needed. Footer shows the new copyright text, the new contact email and phone. The WhatsApp link opens `wa.me` with the new number. Restore the originals afterwards.

ADM-012 · A blank brand field falls back to the default

Persona: Admin (Full) · Negative test

1. Settings → Brand & Contact → **Website Name** → **Edit**.
2. Delete everything in the field, click **Save**.
3. Reload the public home page.

Expected: the public site shows the default name **Dr. Pooja's Physio** rather than an empty header. The header must never render blank.

1.3 Settings → Public Site

What this is. Controls for things a visitor sees: the opening splash animation, the home page walkthrough's rotation speed, testimonials and FAQs.

ADM-020 · Opening splash — change the phrase and hold time

Persona: Admin (Full) · Data: phrase `Movement Is Medicine QA`, hold `3` seconds, revisit `15` minutes

1. Settings → **Public Site** → scroll to **Opening Splash**.
2. In the phrase field, replace the text with `Movement Is Medicine QA`.
3. Set **hold seconds** to `3`.
4. Click **Save**.
5. Open a brand-new browser tab and load `[SITE]/`.

Expected: "Saved." appears. In the new tab, a full-screen teal sheet shows the site name and the line **Movement Is Medicine QA**, holds for about 3 seconds, then fades to reveal the home page (which was already rendered underneath). Set the phrase and hold back to their defaults afterwards.

ADM-021 · Splash brand line blank follows the site name

Persona: Admin (Full)

1. Settings → Public Site → Opening Splash. Leave the **name above the line** field **empty**. Click **Save**.
2. Open a new tab on `[SITE]/`.
3. Now set that field to `QA Brand`, save, and open another new tab.

Expected: with the field empty, the splash prints the site name from Brand & Contact. With `QA Brand` set, the splash prints **QA Brand** while the navbar still shows the site name. Blank is a valid value here, not an error.

ADM-022 · Splash off removes it entirely

Persona: Admin (Full)

1. Settings → Public Site → Opening Splash → switch **Opening splash** off. Save.
2. Open a new tab on `[SITE]/`.

Expected: the page paints straight away with no teal sheet and no flash. Switch it back on afterwards.

ADM-023 · Home page walkthrough rotation pace

Persona: Admin (Full) · Data: `2` seconds, then `0`

1. Settings → Public Site → **Home Page Walkthrough**. Set the seconds per step to `2`. Save.
2. Open `[SITE]/` and scroll to the "Booking to recovery" walkthrough (three steps).
3. Watch without moving the mouse over it.
4. Return to the admin, set the value to `0`, save, reload the home page.

Expected: at 2 seconds the steps advance every ~2 seconds; hovering the mouse inside the widget pauses it and moving away resumes. At `0` it never advances on its own and the visitor taps the step names to move. Values below 2 or above 60 (other than 0) are rejected with a validation message.

ADM-024 · Create a testimonial and see it on the public site

Persona: Admin (Full) · Data: the testimonial row in section 0.7

1. Settings → Public Site → **Testimonials** (or the testimonials manager on that screen).
2. Click **Add / New testimonial**.
3. Name: Test Reviewer. Quote: Recovered from six months of back pain in eight weeks. Rating: 5.
4. Click **Save**.
5. Open [SITE]/ and scroll to the reviews band; also open [SITE]/mission .

Expected: the new testimonial appears in the admin list and in the reviews band on both the home page and /mission , with the reviewer's initial shown when no photo is set. The form warns that testimonials need the patient's consent.

ADM-025 · Create, edit and delete an FAQ

Persona: Admin (Full) · Data: the FAQ row in section 0.7

1. Settings → Public Site → **FAQs**. Click **Add**.
2. Question: Do I need a referral to book? Answer: No. You can book directly from the website. Save.
3. Open [SITE]/faq and click the new question.
4. Back in admin, edit the answer to append Payment is taken at booking. and save. Reload /faq .
5. Back in admin, delete the FAQ and confirm. Reload /faq .

Expected: the question appears on /faq and expands to show the answer; the edit is reflected after reload; after deletion it is gone from both the admin list and the public page.

1.4 Settings → Booking Rules (the rules that drive most later tests)

What this is. Every time-based and money-based rule the product enforces. Note the values you set here — Part 2 and Part 5 expected results depend on them.

ADM-030 · Online booking lead time

Persona: Admin (Full) · Data: change to 24 , then back to 12

1. Settings → **Booking Rules** → **Online Booking Lead Time**.
2. Set the value to 24 . Click **Save**.
3. Open [SITE]/book in a second tab (signed out is fine) and look at the date/time picker and the label under **Preferred Date**.
4. Return to admin, set it back to 12 , save, reload /book .

Expected: "Saved." appears. With 24, the helper text under Preferred Date reads "(at least 24 hours from now)" and today/tomorrow slots inside 24 hours are not offered. With 12, it reads 12 hours and more slots appear. A value of 0 or a negative number is rejected.

ADM-031 · Online cancellation refund window

Persona: Admin (Full) · Data: leave at 24 after checking

1. Settings → Booking Rules → **Online Cancellation Refund Window**. Set 48 , save.
2. Open [SITE]/book , go through to step 3 (see PAT-BOOK cases) and read the cancellation line.
3. Set it back to 24 and save.

Expected: the booking review step states free cancellation up to the configured number of hours before the slot. The number on that screen matches the setting.

ADM-032 · Join Button Window

Persona: Admin (Full) · Data: before 15 , after 15

1. Settings → Booking Rules → **Join Button Window**.
2. Confirm the two values (minutes before the slot, minutes after) read 15 and 15 . Change the "before" to 30 and save, then change back to 15 .

Expected: both fields save with "Saved.". This window is verified end-to-end in PAT-SESS-030 using the simulated clock.

ADM-033 · Session Completed cutoff

Persona: Admin (Full) · Data: 60 default; set 30 for the later test

1. Settings → Booking Rules → **Session Completed Cutoff**.
2. Read the current value (should be 60). Set it to 30 and save.

Expected: saves with "Saved."; the helper text explains that past this many minutes from the scheduled start every "Tap to Join" control reads **Session Completed**. Values below 1 are rejected. Leave it at 30 for PAT-SESS-032.

ADM-034 · Auto-create Meet links toggle

Persona: Admin (Full)

1. Settings → Booking Rules → **Google Meet / Calendar** → **Auto-Create Meet Links**.
2. Switch it off, then on again.

Expected: the toggle saves immediately and states its effect. With it off, later confirmed online sessions get a calendar event but no Meet link and no Join button link; home visits still get a calendar event either way.

ADM-035 · Idle session timeout and sign-out message

Persona: Admin (Full) · Data: timeout 1 minute for the test, then back to 0 ; sign-out banner 6 seconds

1. Settings → Booking Rules → **Session Timeout of Inactivity**. Set 1 . Save.
2. Sign in as patient P1 in another browser, open the patient dashboard, and do not touch it for just over a minute.
3. Back in admin, set the timeout to 0 and save.
4. Settings → Booking Rules → **Sign-out message**: confirm 6 seconds.

Expected: with a 1-minute timeout the patient sees an inactivity warning dialog and is then signed out and returned to /patient/login . With 0 nobody is ever timed out. After any sign-out, the public site shows a one-line "signed out" banner that clears itself after ~6 seconds.

ADM-036 · Booking languages

Persona: Admin (Full) · Data: add Hindi and Tamil

1. Settings → Booking Rules → **Booking Languages**.
2. Add Hindi , add Tamil . Save.
3. Open [SITE]/book and look at **Preferred Language** in step 1.
4. Try adding hindi (lower case) in admin.

Expected: the booking wizard offers English, Hindi and Tamil as chips. The duplicate hindi is not added twice (matching is case-insensitive). If every language is removed, the wizard still shows **English** rather than an empty picker.

ADM-037 · Package-wide settings

Persona: Admin (Full) · Data: leave defaults, but exercise each control

1. Settings → Booking Rules → package settings block.
2. Toggle **Session Packages Visible** off; open [SITE]/ and [SITE]/conditions ; toggle it back on.
3. Change **Default Validity** to 60 , save, then back to 90 .
4. Change **Bulk Scheduler Limit** to 3 , save (leave it at 3 for PAT-PKG-030).
5. Confirm **Therapist Lock (site-wide)** is on and **Expiry Reminder Lead Time** is 14 days.
6. Switch **Therapist-Suggested Sessions on** (needed for Part 3).

Expected: with packages hidden, no package cards appear on the home or conditions pages and /book? package=... reports the package is unavailable. Each numeric field saves with "Saved.". Therapist-suggested sessions is off by default and must be switched on deliberately.

ADM-038 · Home Visit settings and master switch

Persona: Admin (Full) · Data: switch **on**; lead time 24h; refund window 24h; travel buffer 45 min; cash on

1. Settings → Booking Rules → **Home Visit** block.
2. With the master switch still **off**, open `[SITE]/home-visit` in another tab.
3. Switch the master switch **on** and save. Reload `[SITE]/home-visit` and also check the site header menu and footer.
4. Confirm **cash payment** is on, **lead time** 24, **refund window** 24, **default validity** 90, **bulk limit** 8, **travel buffer** 45.
5. Edit the page heading to `Physiotherapy at your doorstep — QA`, save, reload the public page.

Expected: while off, `/home-visit` returns a 404 page and "Home Visit" does not appear in the header, footer or the "where to go next" grids. Once on, the page loads, the link appears everywhere, and the heading shows your edited text.

1.5 Catalog → Conditions (treatment categories)

What this is. The list of things the clinic treats. Each row carries its own price and session length, and drives the booking wizard's "What would you like help with?" dropdown and the programme cards on the public site.

ADM-040 · Create the four treatment categories

Persona: Admin (Full) · Data: the four categories in section 0.7

1. Sidebar → **Catalog** → **Conditions** tab.
2. In the create form, **Category Name:** `Back & Spine Care`.
3. Fill the description with `Assessment and rehab for back, neck and spinal pain`.
4. **Price (₹):** 1999 . **Session Length (min):** 60 . **Order:** 1 . **Button Text:** `Book Assessment`.
5. Tick the visibility checkbox so it shows on the public site.
6. Click **Save / Add Category**.
7. Repeat for `Knee & Joint Rehab` (2499 / 45 / order 2), `Stroke Rehabilitation` (2999 / 60 / order 3) and `Paediatric Physiotherapy` (1799 / 45 / order 4).
8. Open `[SITE]/conditions` and `[SITE]/book`.

Expected: four rows appear in the admin list in order 1–4. On `/conditions` each appears as a card with its price. In the booking wizard's step 2 dropdown each option reads e.g. **Back & Spine Care — ₹1,999 / 60 min**. Money is shown in rupees with Indian grouping, never in paise.

ADM-041 · Edit a category's price and see it everywhere

Persona: Admin (Full)

1. Catalog → Conditions → click **Edit** on **Knee & Joint Rehab**.
2. Change **Price (₹)** to 2699 . Save.
3. Reload `[SITE]/conditions` and `[SITE]/book`.

Expected: the new price ₹2,699 appears on the public card and in the wizard dropdown. Change it back to 2499 afterwards.

ADM-042 · Reorder and hide a category

Persona: Admin (Full)

1. Catalog → Conditions. Use the up/down (reorder) control to move **Paediatric Physiotherapy** above **Stroke Rehabilitation**.
2. Reload [SITE]/conditions .
3. Untick the visibility checkbox on **Paediatric Physiotherapy** and save. Reload the public page.
4. Tick it back on.

Expected: the public order matches the admin order. A hidden category disappears from the public pages but stays available in the admin and on any existing bookings that used it.

ADM-043 · Delete a category

Persona: Admin (Full) · Data: create a throwaway category QA Delete Me first

1. Create a category named QA Delete Me , price 999 , length 30 .
2. Click **Delete** on it and confirm.

Expected: a confirmation is required before deleting; after confirming, the row disappears from the admin list and from the public pages. Deleting a category that already has bookings should either be refused with an explanation or leave those bookings intact — note which behaviour you see.

ADM-044 · Add a cover image to a category

Persona: Admin (Full) · Data: any public image URL, e.g. <https://images.pexels.com/photos/4506109/pexels-photo-4506109.jpeg>

1. Catalog → Conditions → Edit **Back & Spine Care**.
2. Paste the URL into the cover image field. Save.
3. Reload [SITE]/conditions .

Expected: the card shows the photograph. Clear the URL and save: the card falls back to a tinted placeholder panel of the same height — it must never look like a broken image.

1.6 Catalog → Packages

What this is. Two catalogs side by side: multi-session **online programmes** and **home-visit packages**. A package is a bundle price plus rules (validity, minimum gap, max per week, max purchases per patient, therapist lock).

ADM-050 · Create the online session package

Persona: Admin (Full) · Data: "Back Care 6-Session Programme" from section 0.7

1. Catalog → **Packages** → in the session-package form click **New package**.
2. **Package Name**: Back Care 6-Session Programme.
3. **Category**: Back & Spine Care.
4. **Subtitle**: 12 weeks, one therapist, measured progress.
5. **Sessions Included**: 6. **Session Duration (min)**: leave blank (uses the category default).
6. **Bundle Price (₹)**: 9999. **Compare-at Price (₹)**: 11994.
7. **Validity (days)**: 90.
8. **Minimum gap between sessions (hours)**: 48. **Maximum sessions per week**: 3. **Maximum purchases per patient**: 2.
9. **What We Promise**: add three lines — One therapist throughout, Written plan after every session, Progress measured, not guessed.
10. **Terms**: Sessions expire 90 days after purchase. Unused sessions are refundable pro-rata.
11. Tick the visibility options for the home page and the conditions page, and make sure the package is **active**.
12. Click **Save**.
13. Open [SITE]/ and [SITE]/conditions.

Expected: the package appears in the admin list, and as a card on both public pages showing 6 sessions, ₹9,999 with ₹11,994 struck through and a savings percentage (roughly 17%). Tapping the card body opens a detail dialog with the description, promises, terms and scheduling rules; a separate **Book package** link sits on the card and again at the foot of the dialog and goes to /book?package=...

ADM-051 · Create the two home-visit packages

Persona: Admin (Full) · Precondition: home visit master switch ON (ADM-038)

1. Catalog → Packages → home-visit package form → **New package**.
2. **Package Name**: Home Recovery 4-Visit Pack. **Condition Category**: Back & Spine Care.
3. **Visits Included**: 4. **Visit Duration (minutes)**: 60.
4. **Package Price (₹)**: 11999. **Validity (days)**: 60.
5. **Minimum gap between visits (hours)**: 48. **Maximum visits per week**: 3. **Maximum purchases per patient**: 2.
6. Turn on **Lock to one therapist**, **Show on the Home Visit page**, **Show in the patient dashboard** and **Active**. Leave **Travel fee included in price** off.
7. Save. Repeat for **Single Home Visit**: 1 visit, ₹2999, validity 30 days.
8. Open [SITE]/home-visit.

Expected: both packages appear as cards on /home-visit, each opening a detail dialog and each with its own **Book** link to /book-home-visit?package=... The card price does **not** include the travel fee; the fee is shown separately once a pincode is known.

ADM-052 · Deactivate a package

Persona: Admin (Full)

1. Catalog → Packages → edit **Single Home Visit** → turn **Active** off → Save.
2. Reload [SITE]/home-visit .
3. Turn it back on.

Expected: the inactive package disappears from the public page, and a direct /book-home-visit? package=... link for it reports that it is unavailable rather than allowing a purchase.

1.7 Catalog → Service Areas (home visits only)

ADM-060 · Add service areas with travel fees

Persona: Admin (Full) · Data: 600020 / Adyar / ₹250 and 600041 / Thiruvanniyur / ₹350

1. Catalog → **Service Areas**.
2. In **Pincodes** type 600020 . **Area name:** Adyar . **City:** Chennai . Travel fee: 250 .
3. Click **Add / Save**.
4. Repeat for 600041 , Thiruvanniyur , Chennai , fee 350 .
5. Now paste several pincodes at once into **Pincodes:** 600028, 600018, 600004 with area South Chennai and fee 300 , and save.

Expected: each pincode becomes its own row with its fee. The bulk paste creates three rows in one action. The list shows each pincode once — adding a duplicate pincode is either rejected or updates the existing row rather than creating a second one.

ADM-061 · Delete a service area and check the public effect

Persona: Admin (Full)

1. Catalog → Service Areas → delete the 600004 row and confirm.
2. Open [SITE]/book-home-visit , enter pincode 600004 and click the check button.

Expected: the row is gone from the admin list, and the public serviceability check answers that the pincode is not covered, offering the waitlist instead of an address form.

1.8 Settings → Team & Access

What this is. Where staff accounts are created and where an admin's **scope** is set. Scope decides which of the six sections that admin can open — and it is enforced on the server, not just in the sidebar.

ADM-070 · Create the three scoped admins

Persona: Admin (Full) · Data: A2/A3/A4 in section 0.7

1. Settings → **Team & Access**.
2. In the create form set **Role** = Admin .
3. **Name**: Ops Tester . **Email**: ops.admin@example.com . **Phone**: +919876500031 .
4. **Scope**: Operations .
5. Click **Create**. Copy the temporary password shown.
6. Repeat for Finance Tester / finance.admin@example.com / scope **Finance**, and Clinical Tester / clinical.admin@example.com / scope **Clinical**.

Expected: each account is created immediately and appears in the admins list with its scope label (Full access / Operations / Finance / Clinical) and blurb. A temporary password is displayed once — record all three. No email is sent.

ADM-071 · Create a patient and a therapist by hand

Persona: Admin (Full) · Data: therapist T2 Arjun Rao

1. Settings → Team & Access → create form → **Role** = Therapist .
2. **Name**: Arjun Rao . **Email**: arjun.rao@example.com . **Phone**: +919876500022 . **Credentials**: MPT (Neuro) — Council Reg: PT-100987 .
3. Click **Create** and record the temporary password.

Expected: the therapist exists straight away and appears under People → Therapists. An admin-created account is already approved (it does not sit in the Approvals queue) — confirm this on People → Therapists.

ADM-072 · An admin cannot change their own scope

Persona: Admin (Full) · Negative test

1. Settings → Team & Access → find your own row in the admins list.
2. Try to change your own scope.

Expected: the control for your own row is disabled or the attempt is refused with an explanation. You can change other admins' scopes.

ADM-073 · The last Full admin cannot be narrowed

Persona: Admin (Full) · Negative test · Precondition: exactly one Full-access admin exists

1. Settings → Team & Access.
2. Attempt to change the only Full-access admin's scope to operations (do this from a second Full admin if one exists; otherwise confirm the control is blocked).

Expected: the change is refused with a message explaining that the last full admin cannot be narrowed. This protects against locking everyone out.

ADM-074 · A non-Full admin cannot mint an admin

Persona: Admin (Operations) — sign in as A2 · Negative test

1. Sign in as `ops.admin@example.com` at `[SITE]/admin/login`.
2. Look at the sidebar.
3. Type `[SITE]/admin/dashboard?section=settings&tab=team` in the address bar.

Expected: the Operations admin's sidebar shows only **Today, Sessions, People, Catalog** — no Money, no Settings. The deep link does **not** open Team & Access; it lands on a section this admin is allowed to see (or shows a not-permitted state). Hiding a section in the sidebar is not the only protection — the server enforces it.

1.9 Settings → Clinical Questions

What this is. The wording of the health-profile questions (one tab per condition type), which of them are mandatory, which condition types the therapist's triage may offer, and the pain-map question bank.

ADM-080 · Edit a health-profile question's wording

Persona: Admin (Full)

1. Settings → **Clinical Questions**.
2. Select the **Orthopaedic** tab.
3. Find the first question (the main complaint) and change its wording to `What is bothering you most right now? (QA)`.
4. Save.

Expected: saves with a confirmation. The new wording appears in the patient's health-profile wizard and in the therapist's triage dialog. Help text and placeholder are **not** editable here — only wording and whether the question is required.

ADM-081 · Make a question required / not required

Persona: Admin (Full)

1. Settings → Clinical Questions → Orthopaedic tab → toggle "required" off for the "other notes" question. Save.
2. Later, in PAT-HP-020, confirm the patient can submit without answering it.

Expected: the required flag is enforced in the patient wizard *and* on the server, not only in the browser.

ADM-082 · Switch a condition type off for triage

Persona: Admin (Full) · Negative test included

1. Settings → Clinical Questions → the condition-type toggles above the tabs.
2. Switch **Paediatric** off. Save.
3. Try to switch **Orthopaedic** off.
4. Switch Paediatric back on.

Expected: with Paediatric off, a therapist's triage dialog no longer offers it as a choice, but any patient already on a paediatric profile keeps rendering normally. Orthopaedic cannot be switched off at all — the control refuses, because triage must always have something to land on.

ADM-083 · Edit the pain-map question bank

Persona: Admin (Full)

1. Settings → Clinical Questions → the Pain Map question bank section.
2. Change the wording of one question and save.
3. Later, in THR-PM-010, confirm the therapist's exam dialog shows the new wording.

Expected: saves with a confirmation; the exam dialog reflects it. Questions are grouped (what they describe · what sets it off · pain on testing · your findings), and nothing in the exam is mandatory.

1.10 Money → Costs (setup only; the maths is tested in Part 5)**ADM-090 · Set the payment gateway fee percentage**

Persona: Admin (Full) · Data: 2 %

1. Sidebar → **Money** → **Costs**.
2. Confirm the gateway fee percentage reads 2 . Change it to 2.5 , save, then set it back to 2 .

Expected: the value saves and the "Payment fees" line on Money → Summary recalculates from it. A value of exactly 0 must be accepted and kept (a clinic on a zero-fee plan), not silently replaced by the default.

ADM-091 · Record a business expense

Persona: Admin (Full) · Data: Clinic software subscription, ₹4,500, today

1. Money → Costs → the expense form.
2. Description Clinic software subscription , amount 4500 , date: today.
3. Save.

Expected: the expense appears in the list with its date, and Money → Summary's "Running costs" figure includes it for a date range covering today. Deleting it removes it from both.

1.11 Settings → Activity Log**ADM-095 · Every admin change you just made is recorded**

Persona: Admin (Full)

1. Settings → **Activity Log**.
2. Read the most recent rows.

Expected: a row exists for each mutating action from Part 1 — settings changed, category created, package created, admin account created — each naming the actor, the action, the subject and a timestamp. The log is append-only: there is no edit or delete control on any row.

Part 2 — As a patient

2.1 The public website

What this is. Eight pages built from one template: `/` (home), `/conditions`, `/how-it-works`, `/home-visit`, `/team`, `/mission`, `/faq`, `/hospitals`. Every page opens with a photograph and one headline, carries the same four reassurances under the hero, and ends with the same "where to go next" grid and closing call to action. A right-hand **section rail** lists the bands on the current page, and a floating arrow at the bottom right scrolls to the next band.

PUB-001 · Every page in the header menu loads

Persona: signed-out visitor · Precondition: home visit master switch ON

1. Open `[SITE]/`.
2. Click each entry in the header navigation one at a time, returning to the home page between clicks:
Conditions, How It Works, Home Visit, Team, Mission, FAQ, Hospitals.

Expected: all eight pages load with no error, each showing a hero photograph, one headline, one sentence, and up to two buttons. No page shows a broken image or an empty band. The footer's "Explore" column lists the same pages as the header.

PUB-002 · Home Visit disappears when the master switch is off

Persona: visitor + Admin · Negative test

1. As admin: Settings → Booking Rules → Home Visit → switch the master switch **off**. Save.
2. As a visitor, reload `[SITE]/`, open the header menu, scroll to the footer, and scroll to the "where to go next" grid on `/conditions`.
3. Type `[SITE]/home-visit` directly.
4. Switch the master switch back **on**.

Expected: "Home Visit" is absent from the header, the footer and every "where to go next" grid, and the direct URL shows the 404 page — never a link into a dead end.

PUB-003 · Section rail and scroll arrow

Persona: visitor

1. Open `[SITE]/conditions` on a desktop-width window.
2. Read the section rail (the list of band names, usually right-hand side).
3. Click the third entry in the rail.
4. Scroll back to the top, then click the floating arrow at the bottom right repeatedly.

Expected: every entry in the rail corresponds to a band that actually exists on the page, in the same order as they appear top to bottom. Clicking an entry scrolls to that band. The arrow moves down the same list one band at a time and never jumps backwards.

PUB-004 · "What we treat" showcase

Persona: visitor

1. Open [SITE]/ and scroll to the areas-of-practice band.
2. Click the arrow buttons to move between areas; then click a name in the picker; on a touch device, swipe the photograph.
3. Watch it for 30 seconds without touching it.

Expected: photograph on the left, explanation with three ticked points on the right, one area at a time. Arrows, picker and swipe all agree about which area is showing. It never advances on its own. Keyboard arrow keys move between the picker's names.

PUB-005 · Programme and package cards open a dialog

Persona: visitor · Precondition: ADM-040 and ADM-050 done

1. Open [SITE]/conditions . Scroll to the programme cards.
2. Click the body of the **Back Care 6-Session Programme** card (not the button).
3. Read the dialog: description, promises, terms, scheduling rules, per-session price comparison.
4. Press Esc to close it.
5. Now click the **Book package** link on the card.

Expected: the card body opens the dialog (it does not navigate). Escape closes it and focus returns to the card. The Book link is a separate control and goes to /book?package=... with the package summary already loaded.

PUB-006 · Team page and "Book with Dr. X"

Persona: visitor · Precondition: therapist T1 approved and visible on the team page (Part 3 / Part 4)

1. Open [SITE]/team .
2. Click the card for **Kavya Menon**.
3. In the dialog, click **Book with Dr. Kavya Menon** (wording may name the therapist).
4. On the booking wizard, complete step 1 and continue to step 2.

Expected: the URL is /book?therapist=... . Step 2 shows a teal panel reading **Requested: Kavya Menon** with a note that they will be booked with them if free, and another specialist otherwise. A **Remove** button clears the request. The wizard must never claim the booking is confirmed with that therapist.

PUB-007 · A hidden or unknown therapist id is ignored

Persona: visitor · Negative test

1. Open [SITE]/book?therapist=000000000-0000-0000-0000-000000000000 .
2. Continue to step 2.

Expected: no "Requested:" panel appears and the booking continues normally with no error. A stale link must not break booking.

PUB-008 · The B2B enquiry form on /hospitals

Persona: visitor · Data: Sunrise Multispeciality Hospital, Dr. Nisha Pillai, partner.sunrise@example.com, +914442000011

1. Open [SITE]/hospitals and scroll to the enquiry form.
2. Fill in organisation name, contact person, email, phone and a short message.
3. Click the submit button.
4. As admin, open **People** → **Partners** and look at the leads list.

Expected: the visitor sees a thank-you confirmation. The lead appears in the admin's partner leads list with status **New**, and its status can be moved to Contacted / Onboarded. A visitor can never read the leads list back.

2.2 Registering as a patient

What this is. Two ways in: a plain sign-up at /patient/register , or signing up inside the booking wizard while paying. A plain sign-up waits for an admin to approve it; a genuine payment attempt approves the account automatically. There is deliberately **no email confirmation step** — nobody has to click a link in an inbox.

PAT-REG-001 · Self-registration, then Pending Approval

Persona: visitor → patient P1 · Data: Priya Sharma, priya.sharma@example.com, +919876500011, Test@1234

1. Open [SITE]/patient/login .
2. Click the **Register Account** tab.
3. **Full Name:** Priya Sharma .
4. **Email:** priya.sharma@example.com .
5. **Phone:** choose country **India (+91)** and type 9876500011 .
6. **Create Password:** Test@1234 .
7. **Confirm Password:** Test@1234 .
8. Leave **Referral Code** empty.
9. Click **Create Account**.

Expected: the button reads "Creating account..." and then the browser lands on /pending-approval — already signed in, with a message that an admin is reviewing the account. You are **not** asked to check your email. Trying to open /patient/dashboard now bounces back to /pending-approval .

PAT-REG-002 · Password mismatch is caught

Persona: visitor · Negative test

1. [SITE]/patient/login → **Register Account**.
2. Fill name QA Mismatch , email qa.mismatch@example.com , phone +91 98765 00099 .
3. Password Test@1234 , Confirm password Test@9999 .
4. Click **Create Account**.

Expected: a red error reads "Passwords do not match. Please re-enter them." No account is created.

PAT-REG-003 · Invalid email and invalid phone are caught

Persona: visitor · Negative test

1. Register tab. Enter email `notanemail`, a valid phone, matching passwords. Submit.
2. Correct the email to `qa.badphone@example.com`, set phone to `12345`. Submit.

Expected: first submit shows "Please enter a valid email address."; second shows "Please enter a valid phone number." Neither creates an account.

PAT-REG-004 · Registering with an email that already exists

Persona: visitor · Negative test · Precondition: PAT-REG-001 done

1. Register tab. Use `priya.sharma@example.com` again with any password.
2. Submit.

Expected: a clear error that the account already exists (or an instruction to sign in). No duplicate account, no crash, no raw database error text on screen.

PAT-REG-005 · Registering with a hospital referral code

Persona: visitor → patient P6 · Precondition: hospital H1 onboarded (Part 6) and its referral code known · Data: Fatima Khan

1. Register tab. Fill Fatima Khan's details from section 0.7.
2. Type the hospital's referral code into **Referral Code**, then click outside the field.
3. Submit.
4. As admin, open **People** → **Patients** and open Fatima's record.

Expected: as soon as focus leaves the field a green line reads "Valid — referred by Sunrise Multispeciality Hospital". After registration the admin's patient record shows she was referred by that hospital, and her sessions later count toward that hospital's revenue share.

PAT-REG-006 · An unknown referral code blocks the submit

Persona: visitor · Negative test

1. Register tab. Fill valid details, type `NOTACODE123` in Referral Code, click outside the field.
2. Click **Create Account**.

Expected: a red line reads "Code not recognized — double-check it or leave blank", and submitting shows an error asking you to fix or clear the code. Clearing the field lets registration proceed.

PAT-REG-007 · Sign in before approval, and after

Persona: patient P1 + Admin

1. Sign out. Open `[SITE]/patient/login`, sign in as `priya.sharma@example.com / Test@1234`.
2. As admin (other window): **Today** → **Approvals**, find Priya Sharma under the **Patients** filter, click **Approve**.
3. Back in the patient window, reload the page.

Expected: before approval the patient always lands on `/pending-approval`. After the admin approves, the same session reaches `/patient/dashboard` with no re-login and nothing further to verify.

PAT-REG-008 · Forgot password

Persona: patient P1

1. [SITE]/patient/login → **Forgot password?**
2. Type `priya.sharma@example.com`, click **Send Reset Link**.
3. Repeat with an email that has no account, e.g. `nobody@example.com`.

Expected: both attempts show the same message ("If an account exists for that email, we've sent a password reset link..."). The wording must not reveal whether the address is registered.

PAT-REG-009 · A suspended patient is blocked

Persona: Admin + patient · Negative test

1. As admin: **People** → **Patients** → open Priya Sharma → switch her account to **suspended / inactive**.
2. In the patient window, reload the dashboard.
3. Re-activate her afterwards.

Expected: the patient is sent to `/account-suspended` and cannot reach any dashboard page. After re-activation, a reload restores normal access.

2.3 Booking a single video session (the booking wizard)

What this is — read before testing. `/book` is a three-step wizard:

- **Step 1 — When.** A calendar of bookable dates, a row of time chips for the chosen date, and a row of language chips. The wizard pre-picks the earliest legal date, the earliest legal hour and the first language, so the step is complete on arrival; each pre-pick is highlighted once until the patient chooses for themselves. Only slots at least **[online booking lead time]** hours ahead are offered (12 by default, set in Settings → Booking Rules).
- **Step 2 — Who and what.** If signed out: full name, email, password, phone, confirm password and an optional referral code — this creates the account. If signed in, it just says "Booking as ...". Then the treatment category ("What would you like help with?"), an optional therapist request, an optional note, and a mandatory telehealth consent tick.
- **Step 3 — Review and pay.** A summary, the cancellation rule, and a payment button that opens Razorpay. The session is only confirmed after the server verifies the payment signature — never on the browser's word.

Admin settings that change this screen: **online booking lead time**, **booking languages**, **online cancellation refund window**, **treatment categories** (which options exist and at what price), **session packages visible** (for `? package=` links).

PAT-BOOK-001 · Book and pay for a single session (happy path)

Persona: patient P1 (signed in, approved) · Data: Back & Spine Care, ₹1,999, card 4111 1111 1111 1111

1. Signed in as Priya, open [SITE]/ and click the **Book** button in the header (or the hero's booking button).
2. Step 1 opens. Read the line "Times shown in *your timezone* — detected automatically".
3. In the calendar, click a date **3 days from today**.
4. In **Preferred Time**, click the chip **10:00 – 11:00** (or any offered chip).
5. In **Preferred Language**, click **English**.
6. Click **Continue to Medical Details** → .
7. Step 2 shows "Booking as Priya Sharma (priya.sharma@example.com)". In **What would you like help with?** choose **Back & Spine Care — ₹1,999 / 60 min**.
8. In **Anything else we should know?** type **Lower back pain since a fall, worse when sitting**.
9. Tick the telehealth consent checkbox.
10. Click **Review Booking** → .
11. Step 3 shows Name, Email, Preferred Time, Language, Concern and **Session Fee ₹1,999 INR**. Read the cancellation line.
12. Click **Request Booking**.
13. The Razorpay window opens. Choose **Card**, enter **4111 1111 1111 1111**, expiry **12/30**, CVV **123**, name **Test Patient**, and pay. On the simulated bank page click **Success**.

Expected:

- Each step header reads "Step 1 of 3", "Step 2 of 3", "Step 3 of 3".
- After payment the wizard shows a tick, the heading **Payment Confirmed**, a line saying the session is booked and paid and the link will follow, and a **Go to Dashboard** button.
- On /patient/dashboard the session appears with the chosen date/time, status **Confirmed** or **Requested** (unassigned), and payment showing as paid.
- In the admin's **Sessions** → **All Sessions** the same session appears with a session code beginning **SS**, the patient's name, the amount ₹1,999 and payment status paid.

PAT-BOOK-002 · Guest books and creates the account in the wizard

Persona: signed-out visitor → patient P3 · Data: Anita Desai

1. Sign out completely (or use a fresh incognito window). Open [SITE]/book .
2. Step 1: pick a date 4 days out, a time chip, and **English**. Click **Continue to Medical Details** → .
3. Step 2: **Full Name** Anita Desai ; **Email** anita.desai@example.com ; **Create Password** Test@1234 ; **Phone** +91 9876500013 ; **Confirm Password** Test@1234 ; leave referral blank.
4. Choose category **Knee & Joint Rehab**, tick consent, click **Review Booking** → .
5. Click **Request Booking** and pay with the success card.
6. Click **Go to Dashboard**.

Expected: the account is created and signed in during the same flow — no "check your email" step at any point. After a successful payment the patient reaches /patient/dashboard directly (not /pending-approval): a genuine payment attempt approves the account automatically. The new session is listed and paid.

PAT-BOOK-003 · Payment abandoned three times offers the escape hatch

Persona: signed-out visitor → new patient · Data: use qa.escape@example.com

1. Open [SITE]/book signed out; complete steps 1 and 2 with a new email qa.escape@example.com, name QA Escape, phone +91 9876500098, password Test@1234, category **Back & Spine Care**, consent ticked.
2. On step 3 click **Request Booking**, then close the Razorpay window with the ×.
3. Click **Pay ₹1,999 Now** and close it again.
4. Click **Pay ₹1,999 Now** a third time and close it again.

Expected: after each dismissal an error reads "Payment was not completed. You can try again below." After the third, an amber panel appears: "Having trouble paying? Your booking is saved as pending — you can come back and pay any time from your dashboard." with a **Go to Dashboard** → link. Following it lands on the patient dashboard (not the pending-approval page) with the session listed as unpaid/pending and a **Pay Now** button on it.

PAT-BOOK-004 · Failed card payment

Persona: patient P1 · Negative test · Data: card 4000 0000 0000 0002

1. Start a new booking as Priya for a date 5 days out, category **Back & Spine Care**.
2. On step 3 click **Request Booking**; in Razorpay use the failure card, or pick **Failure** on the simulated bank page.

Expected: an error explains the payment did not go through; the wizard stays on step 3 with a **Pay ... Now** button to retry. The appointment exists as unpaid and can still be paid later from the dashboard. It must never show as confirmed or paid.

PAT-BOOK-005 · Lead time is enforced

Persona: patient P1 · Negative test · Precondition: lead time = 12 hours

1. Open [SITE]/book.
2. Look at today's date in the calendar and at the time chips offered for today.
3. Note the current clock time.

Expected: no date or time chip is offered that starts less than 12 hours from now — if it is 09:00 today, today's remaining chips are absent and tomorrow's chips before ~21:00 are absent. The label under **Preferred Date** reads "(at least 12 hours from now)".

PAT-BOOK-006 · Lead time change is picked up

Persona: Admin + patient P1

1. As admin, set the online booking lead time to 48 hours. Save.
2. As the patient, reload [SITE]/book.
3. Set it back to 12 and reload again.

Expected: at 48 hours the first bookable date moves two days out and the helper text reads 48 hours. At 12 the earlier dates come back. The picker and the server always agree — a slot the calendar offers is never rejected on submit.

PAT-BOOK-007 · Double-booking the same time is refused

Persona: patient P1 · Negative test · Precondition: PAT-BOOK-001 booked a slot

1. Start a new booking as Priya and choose **exactly the same date and time** as the session booked in PAT-BOOK-001.
2. Complete step 2 and click **Request Booking** on step 3.

Expected: an error reads "You already have a session scheduled around this time. Please pick a different slot, or check your dashboard for existing bookings." No second appointment is created and no payment window opens.

PAT-BOOK-008 · Consent is mandatory

Persona: patient P1 · Negative test

1. Start a booking, complete step 1, choose a category on step 2, leave the consent checkbox **unticked**.
2. Click **Review Booking** → .

Expected: the wizard stays on step 2 with "Please agree to the telehealth consent terms to continue."

PAT-BOOK-009 · Category is mandatory

Persona: patient P1 · Negative test

1. Start a booking, complete step 1, tick consent but leave the category dropdown on "— Select what you need help with —".
2. Click **Review Booking** → .

Expected: "Please select what you'd like help with." No category is silently chosen for the patient — the price must never be decided by a default.

PAT-BOOK-010 · Only a patient account can book

Persona: therapist / hospital / admin · Negative test

1. Sign in as therapist `kavya.menon@example.com` .
2. In the same browser open `[SITE]/book` .
3. Repeat signed in as the hospital partner, and again as an admin.

Expected: instead of the wizard, a panel explains this account cannot book and points each role at what is theirs — a hospital is sent to **Refer a Patient**, an admin to the back office's own booking screen, and any clinician wanting therapy is told to sign out and use a separate patient account. Every "go to my dashboard" link on that panel points at `/dashboard` , never at an admin URL.

PAT-BOOK-011 · Pay later from the dashboard

Persona: patient P1 · Precondition: an unpaid session exists (PAT-BOOK-003 or -004)

1. Open `/patient/dashboard/sessions`.
2. Find the unpaid session and click **Pay Now**.
3. Pay with the success card.

Expected: the Razorpay window opens with the correct amount; after success the card refreshes to show the session as paid, and the admin's list shows the same. No duplicate appointment is created.

PAT-BOOK-012 · Continue with the same therapist

Persona: patient P1 · Precondition: at least one past session with Kavya Menon

1. Start a new booking as Priya. On step 2 look for **Continue with the same therapist?**
2. Select **Kavya Menon**, finish the booking and pay.
3. As admin, open the new session in **Sessions** → **All Sessions** and open the assign form.

Expected: the dropdown lists only therapists this patient has actually seen, plus "No preference — any available specialist". In the admin's assign form, Kavya Menon is preselected and marked (**requested**). The admin can still choose someone else.

2.4 Buying and using a session package

What this is. A package is a bundle of sessions at one price, valid for a set number of days, normally delivered by a single therapist ("therapist lock"). Buying one uses the same wizard with the category step replaced by a read-only package summary, and step 1's date/time becomes **session 1**. Later sessions are scheduled from the patient dashboard, one at a time or several at once with the bulk scheduler.

PAT-PKG-001 · Buy the 6-session programme

Persona: patient P3 Anita Desai · Data: Back Care 6-Session Programme, ₹9,999

1. Signed in as Anita, open `[SITE]/conditions`, find the package card and click **Book package**.
2. Step 1: choose a date 3 days out, a time chip and **English**. Continue.
3. Step 2 shows a teal **Your package** panel: title, "6 sessions • ₹9,999 bundle", a savings percentage, and "One therapist for your whole programme". Tick consent. Continue.
4. Step 3 shows Session 1 Preferred Time, Package, Sessions Included **6**, Valid For **90 days**, the promise list, Bundle Price ₹9,999 with ₹11,994 struck through, and the terms.
5. Click **Pay ₹9,999 for Package** and pay with the success card.

Expected: the wizard shows **Package Purchased** and says the package is paid for and session 1 is booked. On `/patient/dashboard/packages` the purchase shows **1 of 6 used**, days remaining ≈90, and a **Schedule sessions** button. The admin's **Catalog** → **Purchases** lists the purchase with ₹9,999 collected.

PAT-PKG-002 · Package hidden site-wide cannot be bought

Persona: Admin + patient · Negative test

1. As admin, Settings → Booking Rules → switch **Session Packages Visible** off.
2. As the patient, open the package's `/book?package=...` URL directly.
3. Switch it back on.

Expected: the wizard reports "This package isn't available right now." with a link to book a single session instead. The payment button stays disabled — the rule is enforced on the server, not only by hiding cards.

PAT-PKG-010 · Schedule the remaining sessions one at a time

Persona: patient P3 · Precondition: PAT-PKG-001 done

1. Open `/patient/dashboard/packages`.
2. Click **Schedule sessions** on the purchase.
3. Select one date/time at least 48 hours after session 1 (the package's minimum gap) and confirm.

Expected: the session is booked and the counter moves to **2 of 6 used**. Because the programme is therapist-locked and a therapist is already assigned, the new session is auto-assigned to that therapist, auto-confirmed (payment was collected up front) and gets its own video link.

PAT-PKG-011 · The minimum gap rule is enforced

Persona: patient P3 · Negative test · Data: minimum gap 48 hours

1. Open the bulk scheduler again and pick a slot **24 hours** after an already-booked session.
2. Confirm.

Expected: that slot is refused with a message naming the minimum gap, and the counter does not move. Slots that satisfy the rule in the same request still go through, and the result says exactly which ones were booked and which were not.

PAT-PKG-012 · The max-per-week rule is enforced

Persona: patient P3 · Negative test · Data: max 3 per week

1. In the bulk scheduler, select four slots inside the same calendar week (respecting the 48-hour gap where possible).
2. Confirm.

Expected: at most three are booked; the fourth is reported as refused with the reason. The counter increases by exactly the number actually booked.

PAT-PKG-013 · The bulk scheduler limit is enforced

Persona: patient P3 · Negative test · Precondition: bulk limit set to 3 in ADM-037

1. Open the bulk scheduler and try to select **4** slots.

Expected: the fourth selection is refused in the UI (or the request is refused server-side) with a message naming the limit of 3 per request.

PAT-PKG-014 · Cannot schedule more sessions than the package holds

Persona: patient P3 · Negative test

1. Schedule sessions until the counter reads **6 of 6 used**.
2. Click **Schedule sessions** again.

Expected: the scheduler reports that no sessions remain (or the button is gone). No seventh session can be created against the purchase.

PAT-PKG-015 · Package detail modal, viewer-scoped

Persona: patient P3, then therapist T1

1. As the patient, open `/patient/dashboard/sessions` and click the package chip on any package-covered session card.
2. Read the modal; close it with Esc.
3. As the locked therapist, open the same programme from **My Patients** → **Programmes** and open its detail.

Expected: the patient's view shows what they paid, sessions used/remaining, validity and the locked therapist. The therapist's view shows the clinical picture and progress but **not** the money. Escape closes the dialog and focus returns to the chip.

PAT-PKG-016 · Expiry warning appears inside the reminder window

Persona: Admin + patient P3 · Data: reminder window 14 days

1. As admin, open **Catalog** → **Purchases**, find Anita's purchase and use **Extend expiry** to set the expiry date to **7 days from today**.
2. As the patient, reload `/patient/dashboard/packages`.

Expected: the package widget shows a highlighted "expiring soon" warning with the days remaining, and the admin's package screen counts it under "expiring within N days".

PAT-PKG-017 · An expired package cannot be scheduled against

Persona: Admin + patient P3 · Negative test

1. As admin, set the purchase's expiry to **yesterday** (Catalog → Purchases → extend/edit expiry).
2. As the patient, reload the dashboard and try **Schedule sessions**.

Expected: the purchase now reads **Expired** (the status flips the next time a dashboard loads — there is no background job) and scheduling is refused. Restore a future expiry afterwards so later tests can use the package.

2.5 Booking a home visit

What this is. A four-step wizard at `/book-home-visit`: **1 Where** (pincode serviceability check, then the address), **2 When**, **3 About you**, **4 Review and pay**. Home visits have their own lead time (24 h), their own refund window, a travel fee per pincode, and can be paid by card or in cash at the door. A home visit produces a calendar event but no video link, and its session code starts `HV`.

PAT-HV-001 · Serviceability check — covered pincode

Persona: patient P2 Rahul Verma · Data: pincode 600020

1. Sign in as Rahul (register him first exactly as in PAT-REG-001 with his own details, and have the admin approve him).
2. Open [SITE]/home-visit and click **Book** on **Home Recovery 4-Visit Pack**.
3. Step 1: type 600020 into the pincode field and click the check button.

Expected: the wizard confirms the area is covered, names it (**Adyar**) and shows the travel fee ₹250. Only then does the address form appear.

PAT-HV-002 · Serviceability check — uncovered pincode

Persona: patient P2 · Negative test · Data: pincode 110001

1. On step 1, type 110001 and click check.

Expected: the wizard says the area is not covered yet and offers to take the patient's details for a waitlist. No address form, no package price, and no way to continue to payment for that pincode.

PAT-HV-003 · Book and prepay a home visit package

Persona: patient P2 · Data: Rahul's address in section 0.7; card 4111 1111 1111 1111

1. Step 1: pincode 600020, check, then fill **Address line 1** 12 Kasturba Nagar, 2nd Cross Street, **line 2** Flat 3B, **landmark** Opposite Adyar Bakery, **contact phone** +91 98765 00012, **access notes** Lift to 3rd floor; call on arrival, label Home. Continue.
2. Step 2 (**When suits you?**): pick a date at least **2 days** ahead and a time chip. Continue.
3. Step 3 (**About you**): confirm name/email are prefilled; in the concern field type Lower back pain since a fall; tick consent. Continue.
4. Step 4 (**Review and pay**): check the breakdown — package price ₹11,999 **plus** travel fee ₹250 = ₹12,249 total.
5. Choose **Pay now** (prepaid) and pay with the success card.

Expected: the wizard confirms the purchase; the patient dashboard shows a **Your Home Visit Packages** widget reading **1 of 4 used** with the address and the days remaining. The first visit appears under Sessions with a home-visit badge, an address (not a Meet link) and a session code starting HV. The admin's Catalog → Purchases shows the purchase, and Money screens treat the ₹250 travel fee as the therapist's, never as clinic revenue.

PAT-HV-004 · Book a home visit with cash at the door

Persona: patient P2 · Precondition: home visit cash payment ON · Data: Single Home Visit ₹2,999 + ₹250

1. Open [SITE]/home-visit → **Single Home Visit** → Book.
2. Complete steps 1–3 using the saved address.
3. On step 4 choose **Pay cash at the visit** and confirm.

Expected: the visit is booked immediately with no Razorpay window. It shows as **unpaid** with a cash badge and is **not** auto-confirmed — the admin assigns a therapist before anyone travels. The admin's Cash Ledger shows the expected cash amount as outstanding.

PAT-HV-005 · Cash switched off removes the option

Persona: Admin + patient · Negative test

1. As admin, Settings → Booking Rules → Home Visit → switch **cash payment** off.
2. As the patient, start a home-visit booking and reach step 4.
3. Switch it back on.

Expected: only the prepaid option is offered; the cash choice is absent and cannot be forced through.

PAT-HV-006 · Home visit lead time (24 h) is enforced

Persona: patient P2 · Negative test

1. Start a home-visit booking and look at step 2's date/time options.

Expected: nothing inside 24 hours from now is offered — this is deliberately stricter than the 12-hour online rule, because a therapist has to travel.

PAT-HV-007 · Schedule remaining visits in bulk

Persona: patient P2 · Precondition: PAT-HV-003 done

1. Open `/patient/dashboard/packages` → **Your Home Visit Packages** → **Schedule visits**.
2. Select two dates respecting the 48-hour gap and confirm.

Expected: both visits are booked against the same saved address, the counter moves to **3 of 4 used**, and each new visit is auto-assigned to the locked therapist where they are free. A clash does not cost the patient a visit — that visit lands unassigned in the admin queue instead.

PAT-HV-008 · Editing a saved address does not rewrite past visits

Persona: patient P2

1. Open `/patient/dashboard/profile` → **My Addresses**.
2. Edit the saved Home address: change line 2 to `Flat 5C`. Save.
3. Open a home visit booked *before* the edit and read its address.

Expected: the already-booked visit still shows **Flat 3B** — the address was snapshotted onto the visit. Only visits booked after the edit use **Flat 5C**.

2.6 The patient dashboard

What this is. Every dashboard in this app opens on the same **Overview**: four headline figures, a "what needs you" feed, and quick actions. The sidebar shows only sections the patient can actually use — Sessions, Packages and Payments appear once they have one; **Book a Session** is always there.

PAT-DASH-001 · Overview layout and figures

Persona: patient P1 · Precondition: at least one paid session

1. Open `/patient/dashboard`.
2. Read the four figures at the top, then the feed, then the quick actions.

Expected: four figures including the next session and the health-profile completeness, then a feed with the newest items and anything still needing the patient pinned to the top with a count ("N things need you"), then quick actions. There is no read/unread state anywhere.

PAT-DASH-002 · Sidebar hides sections that would be empty

Persona: a brand-new approved patient with no bookings

1. Register a fresh patient (`qa.empty@example.com`), approve them, sign in.
2. Read the sidebar.

Expected: Overview, Book a Session, Health Profile and Edit Profile are present. **Your Sessions, Packages** and **Payments** are absent until the patient actually has one. Book a Session is always shown.

PAT-DASH-003 · First-visit guided tour

Persona: the fresh patient from PAT-DASH-002

1. On the first load of the dashboard, follow the spotlight tour through its steps using **Next**.
2. Click **Skip** on a second account, and reload both dashboards.

Expected: the tour highlights real sidebar entries in sequence, can be skipped, and never appears again after finishing or skipping (even after a reload). It is separate from the persistent "complete your health profile" banner.

PAT-DASH-004 · Back to Home

Persona: patient P1

1. On any dashboard page, click **Back to Home** at the top of the sidebar.
2. Repeat on the collapsed sidebar rail and, at mobile width, inside the drawer menu.

Expected: each takes you to the public home page while staying signed in. The link is present in all three renders — expanded sidebar, collapsed rail and mobile drawer.

2.7 Sessions, joining, and the clock-dependent rules

PAT-SESS-001 · Sessions screen filters

Persona: patient P2 (has both video sessions and home visits)

1. Open `/patient/dashboard/sessions`.
2. Click through the filters **Upcoming**, **Past**, **Cancelled**.
3. Use the **Video / Home visit** filter.
4. Switch the view from **List** to **Calendar** and back.

Expected: one screen lists both delivery modes. The Video/Home visit filter only appears for a patient who has both. The calendar view shows the same sessions as the list — the two can never disagree. At the bottom, a pager offers "Show N per page" with Previous/Next greying out at the ends and an "x–y of n" count.

PAT-SESS-030 · Join button opens inside its window (simulated clock)

Persona: patient P1 · Precondition: a confirmed video session with a Meet link; join window 15/15

1. Note the exact date and time of a confirmed upcoming session, e.g. **12 Feb, 10:00**.
2. In the Debug bar's **Simulate now** field set **12 Feb, 09:30** (30 minutes before) and click **Set**.
3. Look at the session card.
4. Set the clock to **09:50** (10 minutes before) and click **Set**.
5. Set the clock to **10:20** and click **Set**.

Expected: at 09:30 the join control is inert and typically shows a countdown or "opens 15 minutes before". At 09:50 it reads **Tap to Join** and is clickable, opening the Meet link in a new tab. At 10:20 (inside the 15-minute grace after the slot) it is still joinable.

PAT-SESS-031 · Session Completed cutoff (simulated clock)

Persona: patient P1 · Precondition: ADM-033 set the cutoff to 30 minutes

1. With the same session (slot 10:00), set the simulated clock to **10:45**. Click **Set**.
2. Read the join control on the patient dashboard.
3. Check the same session on the therapist dashboard and in the admin's session list.
4. Click **Reset to Real Time** when done.

Expected: past 30 minutes from the slot start, every "Tap to Join" control for that session reads **Session Completed** and is inert — on the patient's, therapist's and hospital's dashboards *and* in the admin's own lists. A cancelled session reads **Session Cancelled** instead, never "completed".

PAT-SESS-032 · Meet links off

Persona: Admin + patient

1. As admin, switch **Auto-Create Meet Links** off.
2. Have a new online session confirmed (admin assigns a therapist to one).
3. As the patient, look at that session card inside the join window.
4. Switch the setting back on.

Expected: no video link is attached; the card explains the link is not available rather than showing a dead button. A calendar event is still created for home visits regardless of this setting.

2.8 Cancelling and refunds (patient side)**PAT-CANCEL-001 · Cancel outside the refund window → full refund**

Persona: patient P1 · Precondition: a paid session more than 24 hours away

1. Open `/patient/dashboard/sessions`, find a paid session at least 2 days out.
2. Click **Cancel**.
3. In the prompt ("Cancel this session? You can add a reason (optional):") type `Travelling that week` and confirm.

Expected: the session moves to **Cancelled**. A refund is issued through Razorpay and the card/receipt shows a refunded amount of the full session fee. In the admin's Money → Transactions the refund appears as processed, and Money → Summary's "Refunded" figure increases by ₹1,999.

PAT-CANCEL-002 · Cancel inside the refund window → no refund

Persona: patient P1 · Negative test · Precondition: a paid session less than 24 hours away

1. Book and pay for a session roughly 13–20 hours from now (allowed: lead time is 12 hours).
2. Cancel it.

Expected: the cancellation is accepted but no refund is issued, and the screen says so plainly before or after confirming. The admin's Money screens show no refund for it. (This is where the admin's *partial refund* tool exists as the manual override — see FIN-REF-002.)

PAT-CANCEL-003 · Cancelling an unpaid session

Persona: patient P1

1. Cancel a session that was never paid.

Expected: it cancels cleanly with no refund attempted and no error.

PAT-CANCEL-004 · Cancelling a home visit uses the home-visit window

Persona: patient P2 · Data: home visit refund window 24 hours (ADM-038)

1. As admin, set the **home visit** refund window to 48 hours; leave the online one at 24.
2. As the patient, cancel a prepaid home visit that is **36 hours** away.

Expected: no refund, because a home visit uses its own 48-hour rule — even though an online session 36 hours out would have been refunded. The two windows are independent. Set it back to 24 afterwards.

PAT-CANCEL-005 · Cancelling a cash home visit already collected

Persona: patient P2 · Precondition: a cash visit where the therapist recorded cash collected

1. Cancel that visit while still eligible for a refund.
2. As admin, open **Money** → **Payouts / Cash Ledger**.

Expected: because there is no card payment to reverse, the refund is marked **manual pending** and appears on the admin's Cash Ledger as an action ("cash to hand back") until an admin marks it returned.

2.9 The Health Profile (patient side)

What this is. The patient's clinical record. Crucially, **the therapist writes the first version**: until a therapist has triaged the patient and filled in the first record, the patient's health profile is read-only. Before that the only thing the patient can do there is upload test reports and scans. Once the therapist's record is live, the patient can correct and extend it — their edits go to an admin for review.

PAT-HP-001 · Before onboarding the profile is read-only

Persona: patient P1, before any therapist has triaged her

1. Open `/patient/dashboard/health-profile`.

Expected: the page explains what happens next (a therapist will complete the first record after the first session). There is **no** "start filling" button and **no** "0 of 7 answered" counter — those are absent, not greyed out. There is no amber nag banner. The overview figure for the profile reads —, not **0%**. The **reports and scans uploader is open** and usable.

PAT-HP-002 · Upload a test report

Persona: patient P1 · Data: any PDF under 10 MB, e.g. a 1-page "MRI report"

1. On the health profile, find the reports/scans panel and click **Upload**.
2. Choose a PDF. Give it a label such as `Lumbar MRI Jan` if asked. Confirm.
3. Click the uploaded file to open it.

Expected: the file uploads, appears in the list with its name, type and size, and opens in a new tab through a short-lived signed link. Copy that link, wait ~3 minutes and open it again: it must have expired. The assigned therapist and the admin can open the same file from their side; nobody else can.

PAT-HP-003 · Upload limits

Persona: patient P1 · Negative test

1. Try to upload a file larger than 10 MB.
2. Try to upload a `.docx` or `.exe`.
3. Upload files until 20 are on file, then try one more.

Expected: the oversized file is refused naming the 10 MB limit; the unsupported type is refused naming the allowed types (PDF and photos); the 21st upload is refused naming the 20-file limit. A photographed report is compressed in the browser before upload.

PAT-HP-004 · Delete an uploaded report

Persona: patient P1

1. Delete one uploaded file and confirm.

Expected: it disappears from the patient's list and from the therapist's and admin's view of the chart. There is no "edit" for a report — correcting one means deleting and re-uploading.

PAT-HP-020 · After onboarding, fill in the profile (one question at a time)

Persona: patient P1 · Precondition: therapist T1 has triaged Priya as **orthopaedic** and submitted the first record (THR-HP-010)

1. Open `/patient/dashboard/health-profile`.
2. Read the summary card — it should show the therapist's answers as a chart, not as empty inputs.
3. Click the button that opens the questions (e.g. **Update my answers**).
4. Answer one question, click **Next**. Repeat through the set, using the progress bar to track position.
5. Close the pop-up half way through, then reopen it.
6. Finish the questions and submit on the review step.

Expected: questions appear **one per screen** in a pop-up with plain-language help text and a progress bar — never seven fields on one page. Closing mid-way keeps the answers (autosaved as a draft) and reopening resumes where you were. Submitting queues the change for the clinic's review; the live record does not change until it is approved. Wording addresses the patient in their own voice ("your answers"), never a clinician.

PAT-HP-021 · Attribution: the patient is never told they did something they did not do

Persona: patient P1

1. Have the therapist start (but not finish) an edit on this patient's profile, leaving a draft behind.
2. As the patient, open the health profile.

Expected: the patient is **not** told "you left off part-way through" for a draft the therapist wrote. Counters and banners must not credit the patient with answers a clinician supplied.

PAT-HP-022 · Pain scale is consistent on screen

Persona: patient P1 · Precondition: therapist has recorded a Pain Map exam

1. Open the health profile and read the snapshot strip and the body map figures.

Expected: every pain figure on screen is out of ten. You must never see "6/10" beside "34%" describing the same kind of measurement.

PAT-HP-023 · Export the health profile as a PDF

Persona: patient P1

1. On the health profile, click **Export / Download PDF**.
2. Open the downloaded file.

Expected: a typeset PDF named like Priya_Sharma_PT0042.pdf containing the intake answers, every Pain Map examination and the list of uploaded reports. Its header names the condition type. **Session notes are not included**. For a non-orthopaedic patient the examinations section is omitted entirely rather than printed empty; for a re-triaged patient the previous condition type's answers appear under "Earlier profile".

PAT-HP-024 · Neurological and paediatric profiles look different

Persona: patients P4 Suresh (neuro) and P5 Aarav (paediatric) · Precondition: triaged accordingly in Part 3

1. Sign in as Suresh and open the health profile.
2. Sign in as Meera (Aarav's caregiver account) and open the health profile.

Expected: the neurological profile asks about condition and onset, affected side, indoor mobility, a 0–10 *independence* score, symptoms, falls in three months and the main goal — with independence as its headline figure and **no body map and no pain scale**. The paediatric profile asks about the main concern, birth history, milestones, diagnosis, equipment, hardest part of the day and the goal, plus a caregiver pre-step ("who is answering") that is **not** counted among the seven questions. Neither shows the Pain Map. Both still show a progress line built from previous submissions.

2.10 Payments and receipts**PAT-PAY-001 · Payments screen lists everything paid**

Persona: patient P1

1. Open `/patient/dashboard/payments`.
2. Read the list and open a receipt.

Expected: every session fee, package purchase and refund is listed with a date, amount and status. Amounts match what was actually charged (₹1,999, ₹9,999, ₹12,249 including travel where relevant). Refunds show as negative or clearly labelled refunds. The list pages with the standard pager.

2.11 Profile, addresses and security

PAT-PROF-001 · Edit personal details (queued for review)

Persona: patient P1

1. Open `/patient/dashboard/profile`.
2. In **Personal Details**, change the full name to `Priya Sharma R` and save.
3. As admin, open **Today** → **Approvals**.
4. Approve the change; then reload the patient's profile.

Expected: the patient sees that the change is awaiting the clinic's review. It appears in the admin's approvals queue as a profile change request, and only takes effect on the patient's record after the admin approves it. Declining it leaves the old value and tells the patient.

PAT-PROF-002 · Upload a profile photo

Persona: patient P1 · Data: any JPG/PNG under a few MB

1. Profile → **Photo** → upload an image.

Expected: the avatar updates in the sidebar/header immediately after upload.

PAT-PROF-003 · Add, edit and remove an address

Persona: patient P2

1. Profile → **My Addresses** → **Add address**.
2. Label `Office`, line 1 `4th Floor, Tidel Park`, pincode `600041`, phone `+91 98765 00012`. Save.
3. Edit it, then remove it.

Expected: the address book holds several addresses; each is selectable when booking a home visit; removing one does not change any visit already booked against it.

PAT-PROF-004 · Change password

Persona: patient P1

1. Profile → **Account Security** → change the password to `Test@5678`.
2. Sign out, sign in with the new password, then set it back to `Test@1234`.

Expected: the change succeeds, the old password no longer works, and the new one does.

2.12 Therapist-suggested sessions (patient side)

What this is. With the feature switched on (ADM-037), a therapist can *propose* the next session on a programme they own. Nothing is scheduled and no session is spent until the patient accepts. A suggestion holds no slot: the therapist's calendar is only re-checked when the patient accepts.

PAT-SUG-001 · Accept a suggestion

Persona: patient P3 · Precondition: therapist T1 suggested a slot (THR-SUG-001)

1. Open `/patient/dashboard`.
2. Find the suggestion card ("your therapist suggests ..." with the date and time).
3. Click **Accept**.

Expected: the session is booked against the package, the counter increases by one, the session appears under Sessions with the therapist assigned and a video link, and the suggestion card disappears. Accepting is what spends the session — never the suggestion itself.

PAT-SUG-002 · Decline a suggestion

Persona: patient P3

1. With a second suggestion pending, click **Decline**.

Expected: the card clears, no session is booked, and the package counter does **not** change. The therapist sees it was declined.

PAT-SUG-003 · Button spam and a dropped connection

Persona: patient P3 · Negative test

1. With a suggestion pending, click **Accept** five times as fast as you can.
2. On another suggestion, open the browser's developer tools → Network → set it to "Offline", click **Accept**, then set it back online.

Expected: rapid clicking books exactly **one** session (the control locks on the first click, not a render later). With the network down the card stays exactly as it was with an error — it must not clear optimistically and lose the suggestion.

PAT-SUG-004 · A suggestion inside the lead time stops being acceptable

Persona: patient P3 · Simulated clock

1. With a suggestion for, say, 14 Feb 10:00 pending, set the simulated clock to **14 Feb 06:00** (inside the 12-hour lead time) and click **Set**.
2. Look at the suggestion card. Then click **Reset to Real Time**.

Expected: the card explains the slot is now too soon to book and Accept is not offered. Nothing anywhere marks it "expired" — it simply stops being acceptable.

2.13 Rating a session

PAT-FB-001 · Rate a completed session

Persona: patient P1 · Precondition: therapist marked a session complete

1. Open `/patient/dashboard/sessions` → **Past**.
2. On the completed session click the rating control, choose **5** stars, type `Very clear explanation and a plan I can follow.` and submit.

Expected: the rating is saved and the card shows it. The therapist's average rating updates, and (unless the admin has hidden ratings) the public team page's rating summary reflects it.

Part 3 — As a therapist

What a therapist does in this app. Applies for an account, waits for the admin to approve it, publishes a weekly availability grid, is assigned sessions by the admin (or automatically for a locked programme), delivers them, marks them complete, writes the clinical record (triage, health profile, pain map, session notes), collects cash on home visits, and requests payouts against their revenue share.

3.1 Application and approval

THR-REG-001 · Apply to join

Persona: visitor → therapist T1 · Data: Kavya Menon, kavya.menon@example.com, +919876500021, credentials BPT, MPT (Ortho) — Council Reg: PT-100234, password Test@1234

1. Open [SITE]/therapist/login.
2. Click the **Apply to Join** tab.
3. **Full Name:** Kavya Menon.
4. **Email:** kavya.menon@example.com.
5. **Phone:** India (+91) 9876500021.
6. **Qualifications & License / Council Reg No.:** BPT, MPT (Ortho) — Council Reg: PT-100234.
7. **Create Password and Confirm Password:** Test@1234.
8. Click **Submit Application**.

Expected: the application is submitted and the therapist lands on /pending-approval, already signed in, with no email-confirmation step. Attempting /therapist/dashboard bounces back to pending approval.

THR-REG-002 · Admin approves the therapist

Persona: Admin (Full) then therapist T1

1. As admin: **Today** → **Approvals**, filter **Therapists**, find Kavya Menon.
2. Read the row: name, email, credentials, applied date.
3. Click **Approve**.
4. As the therapist, reload the page.

Expected: the queue count on Today drops by one; the therapist's session immediately reaches /therapist/dashboard. The therapist now also appears under **People** → **Therapists**.

THR-REG-003 · Declining an application

Persona: Admin · Negative test · Data: apply as qa.reject@example.com first

1. Create a throwaway therapist application.
2. As admin, Today → Approvals → **Decline** it, giving a reason if asked.
3. Try to sign in as that therapist.

Expected: the row leaves the queue; the declined applicant cannot reach the therapist dashboard and sees the pending/declined state instead.

3.2 Availability

What this is. A weekly grid of day × hour. What the therapist switches on is what the clinic can book them for. On top of the weekly template sit per-date overrides and a leave flag, and a conflict check stops double-booking. For home visits the conflict check is padded by the travel buffer (45 minutes by default) on both sides of a visit.

THR-AVL-001 · Set the weekly availability

Persona: therapist T1

1. Open `/therapist/dashboard/availability`.
2. In **Your Weekly Availability**, click the cells for **Monday to Friday, 09:00 to 17:00** so they switch on.
3. Click **Save**.
4. Reload the page.

Expected: the button shows "Saving..." then the grid persists after reload with exactly the cells you selected. In the admin's **Sessions** → **Roster** this therapist now shows as available in those hours.

THR-AVL-002 · Remove an hour

Persona: therapist T1

1. Click **Wednesday 13:00** to switch it off. Save. Reload.

Expected: that hour is off and the admin's roster no longer offers it. Any session already booked in that hour is unaffected.

THR-AVL-003 · Go on leave

Persona: therapist T1 + Admin

1. On the availability screen, switch the **on leave** toggle on.
2. As admin, open **Sessions** → **Roster** and try to assign this therapist to a new unassigned session.
3. Switch the leave toggle back off.

Expected: while on leave the therapist is shown as unavailable and the admin is warned (or prevented) when assigning them. Turning it off restores normal availability.

THR-AVL-004 · Admin sets a per-date override

Persona: Admin · Data: next Tuesday, unavailable

1. As admin, **Sessions** → **Roster** → find Kavya Menon → set an availability override for next Tuesday marking her unavailable.
2. As the therapist, reload the availability screen and look at upcoming overrides.

Expected: the override shows on the therapist's screen, the weekly template is unchanged, and the admin cannot assign a session to her on that date without a warning.

3.3 Delivering sessions

THR-SESS-001 · See assigned sessions

Persona: therapist T1 · Precondition: admin assigned Priya's session to Kavya (ADM-OPS-020)

1. Open `/therapist/dashboard/sessions`.
2. Read a session card: patient name, date/time, duration, mode (video / home visit), status, and any note the patient left.
3. Use the **Upcoming / Past / Cancelled** filters and the **List / Calendar** switch.

Expected: the assigned session appears with the correct patient and slot. Video sessions show a join control; home visits show the address, a working map link, the patient's phone and any access notes — and **no** join button.

THR-SESS-002 · Join a session (simulated clock)

Persona: therapist T1

1. Set the simulated clock to 10 minutes before an upcoming confirmed video session. Click **Set**.
2. Click **Tap to Join**.
3. Click **Reset to Real Time**.

Expected: the join control activates inside the window and opens the Meet link in a new tab — the same link the patient sees.

THR-SESS-003 · Mark a session complete

Persona: therapist T1

1. On a session whose slot time has passed, click **Mark complete** (or similar).
2. Read the confirmation: "Mark this session as done? You'll be asked to rate it next." Confirm.
3. Rate the session and submit.

Expected: the session moves to **Completed** in one tap; a rating prompt follows but nothing is blocked on it. The therapist's Overview figure "sessions to mark complete" drops by one, and their earnings now include this session (only *completed*, *paid* sessions earn a share).

THR-SESS-004 · Mark a no-show

Persona: therapist T1

1. On a past session, use the **No show** control and confirm.
2. As admin, open **Sessions** → **Delivery**.

Expected: the session is recorded as a no-show and counts toward the admin's no-show rate on the Delivery screen. It does not count as a delivered session for earnings.

THR-SESS-005 · Write a session note

Persona: therapist T1 · Precondition: a completed session

1. On the completed session card click **Write note** / the notes control.
2. Fill in what was treated (L4-L5 mobilisation, glute activation), how the patient responded (Good tolerance, pain 6→4), home exercise (Cat-camel x10, twice daily), plan for next time (Progress to loaded hinge), anything to watch (Night pain), and free text.
3. Save.
4. Reopen the note and edit one field, save again.
5. Ask the patient (other window) to look for the note in their dashboard and their exported PDF.

Expected: the note opens as a pop-up from the session card (no page navigation). It saves and shows on the therapist's card and on the admin's view of the patient. It stays editable for **24 hours**, and each edit inside that window keeps a copy of the previous version. **The patient can never see it** — not on any screen, not in the PDF export, not in the JSON export. The dialog says so to the writer.

THR-SESS-006 · Session notes lock after 24 hours

Persona: therapist T1 · Precondition: a note written more than 24 hours ago (use a session from an earlier test day, or ask the owner to back-date one)

1. Try to edit a note older than 24 hours.

Expected: editing is refused with an explanation of the 24-hour window. The note is still readable.

THR-SESS-007 · Home visit delivery and cash collection

Persona: therapist T1 · Precondition: a cash home visit assigned to them (PAT-HV-004)

1. Open the home visit card on /therapist/dashboard/sessions .
2. Click the map link and confirm it opens the right location.
3. Mark the visit complete.
4. Click the cash-collection control and record the cash collected (₹2,999 + ₹250 travel as configured).

Expected: the address, phone and access notes are all visible; the map link works. After recording collection the visit shows cash collected with a timestamp, and the admin's **Cash Ledger** shows this therapist as holding that cash until it is remitted.

3.4 Clinical records: triage, health profile, pain map

What this is — the most important rule in this area. A patient's health profile does not exist until the therapist creates it. The therapist answers four **triage** questions, which *suggest* a condition type (orthopaedic / neurological / paediatric) with the reason shown; the therapist confirms or overrides it, then fills that condition type's own seven questions in the same pop-up. This **goes live immediately with no review queue**, and it is what unlocks the patient's own access. Later *edits on the patient's behalf* are different: those need an admin-approved access grant and go through review.

THR-HP-001 · The onboarding queue

Persona: therapist T1 · Precondition: assigned to Priya Sharma, whose profile has never been filled

1. Open `/therapist/dashboard` and read the feed.
2. Open `/therapist/dashboard/health-profile` (My Patients).

Expected: a "Patient onboarding" task appears in the Overview feed. On My Patients, Priya sorts to the very top with an amber **Needs onboarding** chip, above patients whose sessions are sooner. Patients with no approved edit-access grant yet are flagged **New**.

THR-HP-010 · Triage and write the first record (orthopaedic)

Persona: therapist T1 · Patient: Priya Sharma

1. My Patients → open Priya Sharma's chart.
2. Click the onboarding / triage control.
3. Answer the four triage questions: age band `26-40`, presenting problem `musculoskeletal pain`, neurological signs `no`, developmental concern `not applicable`.
4. Read the suggested condition type and its stated reason. Accept **Orthopaedic**.
5. The dialog continues into the orthopaedic questions, all visible at once with headings. Fill: complaint `Lower back pain`; how long `3 months`; severity `6`; painful areas — tap **lower back** and **left hip** on the body map; what worsens it `Sitting, bending`; what helps `walking, heat`; other notes `Desk job, 8h seated`.
6. Submit.

Expected:

- Triage *suggests* and never auto-accepts — the therapist can override the suggestion.
- The therapist's form shows all questions at once (unlike the patient's one-at-a-time wizard) and addresses a clinician, not a patient.
- Submitting goes live immediately: no approval queue, no waiting.
- The amber "Needs onboarding" chip disappears; the patient's own health profile unlocks (verify in PAT-HP-020) and they get a feed item telling them so.
- The action still appears in the admin's **Review History** for this patient as an already-approved change.

THR-HP-011 · Triage a neurological patient

Persona: therapist T2 Arjun Rao · Patient: Suresh Iyer

1. Assign Suresh to Arjun (admin action) and open his chart from My Patients.
2. Triage: age band `60+`, presenting problem `after a stroke`, neurological signs `yes`.
3. Accept **Neurological**, then fill: condition and onset `Left MCA stroke, 4 months ago`; affected side `Right`; indoor mobility `walks with a stick`; independence `5`; symptoms `weakness, stiffness`; falls in three months `1`; main goal `walk to the gate unaided`.
4. Submit and open the resulting profile.

Expected: the neurological question set is used (no pain scale, no body map). The profile's headline figure is **independence**. The Pain Map section is **absent entirely** — not merely hidden — and there is no way to record a pain exam for this patient.

THR-HP-012 · Triage a paediatric patient

Persona: therapist T2 · Patient: Aarav Nair (caregiver Meera)

1. Triage: age band 0–12 , developmental concern yes . Accept **Paediatric**.
2. Fill the caregiver pre-step: name Meera Nair , relationship Mother .
3. Fill the seven paediatric questions (main concern Delayed walking , birth history Term , normal delivery , milestones reached , diagnosis , equipment Ankle-foot orthosis , hardest part of the day Stairs , goal walk independently).
4. Submit and read the summary card and the exported PDF header.

Expected: the caregiver questions are ordinary fields but are **excluded from the seven-question count**. The headline figure is milestones reached. The PDF header names the condition type and, for a child, who answered.

THR-HP-013 · Re-triage keeps the earlier answers

Persona: therapist T1 · Patient: Priya Sharma

1. Open Priya's chart and use the re-triage control.
2. Change the condition type to **Neurological** and fill the neurological questions.
3. Submit, then export the patient's PDF (from the admin or patient side).
4. Re-triage back to **Orthopaedic** and check the previously entered orthopaedic answers.

Expected: switching condition type does **not** delete the previous set's answers. The PDF prints them under "**Earlier profile**". Switching back shows the original orthopaedic answers still intact. This is the single most damaging failure to miss — if the old answers are gone, report it immediately.

THR-PM-010 · Record a Pain Map examination

Persona: therapist T1 · Patient: Priya Sharma (orthopaedic)

1. Open Priya's chart and scroll to the body map.
2. Click **Record an exam**, or tap the **lower back** point on the figure.
3. The exam dialog opens with the region named in its header, alongside what that area scored last time.
4. Answer questions across the four groups (what they describe · what sets it off · pain on testing · your findings) — leave some blank.
5. Set the pain percentage for the region and submit.
6. Record a second exam on the same region a moment later with a lower score.

Expected: the exam posts live with no review step (a therapist assigned to the patient may record one; no access grant is needed). The region is chosen by tapping the figure or a chip — never a dropdown. Nothing in the exam is mandatory. The second exam is a **new entry**, not an edit: the region's popup shows a history list, a trend sparkline, who posted the latest entry, and an improvement arrow against the previous exam. Every pain figure on screen is out of ten.

THR-PM-011 · Pain Map is refused for a non-orthopaedic patient

Persona: therapist T2 · Patient: Suresh Iyer (neurological) · Negative test

1. Open Suresh's chart and look for a body map or a "record an exam" control.

Expected: there is none. The page shows the neurological progress line instead (independence over time), built from the submissions already on file. Any attempt to submit an exam for this patient is refused by the server.

THR-HP-020 · Request access to edit the patient's own answers

Persona: therapist T1 + Admin

1. On Priya's chart, find the "request access to edit" card — it sits inside the section it unlocks, and states what is readable regardless.
2. Click **Request access**, add a reason (Patient asked me to correct their history) and submit.
3. As admin, open **People** → **Patients** → **Patient Conditions** (or the access requests queue) and **approve** it.
4. Back as the therapist, edit one of the patient's answers and submit.
5. As admin, review and approve that edit.

Expected: reading the chart never required a request. Editing the patient's own answers does: the request appears for the admin, and only after approval can the therapist submit an edit — which then goes to review like any patient submission. Approving a second therapist's request for the same patient automatically revokes the first therapist's grant (only one at a time).

THR-HP-021 · Approving a change merges, never replaces

Persona: Admin + therapist · Critical regression check

1. Ensure Priya has both orthopaedic answers (from THR-HP-010) and, after a re-triage, neurological answers.
2. Have the therapist submit a change to one neurological answer, and have the admin approve it.
3. Re-triage Priya back to orthopaedic and read her answers; also export the PDF.

Expected: approving the neurological change must not wipe the orthopaedic answers. Both sets are still on file, and the PDF still prints the earlier profile.

3.5 Programmes and suggesting sessions**THR-PRG-001 · Programme patients view**

Persona: therapist T1 · Precondition: locked to Anita Desai's package

1. Open `/therapist/dashboard/health-profile` (My Patients).
2. Switch the view from **Patients** to **Programmes**.

Expected: the same people, grouped by package purchase, showing sessions used and remaining, validity and progress — with the money hidden. It is a view switch on the same screen, not a separate sidebar entry.

THR-SUG-001 · Suggest the next session

Persona: therapist T1 · Precondition: therapist-suggested sessions ON (ADM-037)

1. My Patients → Programmes → open Anita's programme.
2. Click **Suggest next session**, choose a date/time at least 12 hours ahead, add a short note, and submit.

Expected: the suggestion is recorded and shown as pending. **No session is scheduled and the package counter does not move.** No slot is held.

THR-SUG-002 · Only one suggestion may be pending per programme

Persona: therapist T1 · Negative test

1. With a suggestion pending, try to create a second one on the same programme (including by double-clicking the submit control).

Expected: refused — at most one pending suggestion per purchase, enforced even against a fast double tap.

THR-SUG-003 · Withdraw a suggestion

Persona: therapist T1

1. Click **Withdraw** on the pending suggestion.
2. Check the patient's dashboard.

Expected: the suggestion disappears from both sides; nothing was booked and nothing was spent.

THR-SUG-004 · The feature switch actually gates it

Persona: Admin + therapist · Negative test

1. As admin, switch **Therapist-Suggested Sessions** off.
2. As the therapist, reload Programmes.

Expected: the suggest control is gone. Turn the setting back on for later tests.

3.6 Earnings and payouts (therapist side)

What this is. Each therapist has a revenue share percentage. They earn on sessions actually **delivered** (completed and paid) — never on a session merely booked. A home visit's travel fee is added to their share in full. Cash they are holding from home visits is netted off what a payout actually transfers.

THR-PAY-001 · Earnings screen

Persona: therapist T1 · Precondition: at least one completed paid session; revenue share set by admin (e.g. 60%)

1. Open `/therapist/dashboard/earnings`.
2. Read the figures and the per-session list.

Expected: only completed, paid sessions appear. For a ₹1,999 session at 60% the therapist's share is ₹1,199.40 (check how it is rounded and note it). A cancelled or no-show session earns nothing. A home visit shows the travel fee separately and in full.

THR-PAY-002 · Request a payout

Persona: therapist T1

1. On the earnings screen click **Request Payout**.
2. Confirm.
3. Click the button again immediately.

Expected: the button changes to **Request Pending**, then to **Under Review** once an admin starts reviewing. A second click while a request is pending does not create a second request. The admin's **Money** → **Payouts** shows the request.

THR-PAY-003 · Payout receipts

Persona: therapist T1 · Precondition: admin settled a payout (FIN-PAY-002)

1. Reload `/therapist/dashboard/earnings`.
2. Open the settled payout's receipt.

Expected: the settled amount, its date and the sessions it covered are listed, and a downloadable receipt is available. Anything the therapist was holding in cash has been deducted, and the receipt makes that deduction visible rather than silently reducing the total.

3.7 Therapist profile

THR-PROF-001 · Edit public details

Persona: therapist T1

1. Open `/therapist/dashboard/profile`.
2. Update the public bio to `Orthopaedic physiotherapist focused on spine and knee rehabilitation`. and save.
3. Upload a profile photo.
4. As admin, approve the change if it is queued, then open `[SITE]/team`.

Expected: changes that appear publicly are reviewed by an admin before they go live (they show as pending on the therapist's screen). Once approved, the bio and photo appear on the public team page — provided the admin has that therapist visible on the team.

Part 4 — As an admin (operations)

What this covers. The daily running of the clinic: what is waiting, assigning therapists to sessions, changing and cancelling bookings, managing people and the catalog, and keeping the system healthy. Sign in as the **Full** admin unless a case says otherwise; every case here is also runnable by an **Operations** admin except those under Money.

4.1 Today — the queue

ADM-OPS-001 · Today screen and the action inbox

Persona: Admin (Full) · Precondition: Parts 2 and 3 have created real data

1. Open `/admin/dashboard` (it opens on **Today**).
2. Read the four figures, the feed, then the inbox queue rows beside it.
3. Click one queue row, e.g. **Pending approvals**.

Expected: the figures are sessions today, queue totals, unassigned sessions and cash to remit. Every inbox row shows a count, a one-line hint of what to do, and links to the exact screen where that work is done — no row leads to an empty or wrong tab. Rows representing money at risk render in red.

ADM-OPS-002 · Approvals queue: patients and therapists

Persona: Admin (Full)

1. Today → **Approvals**.
2. Use the filter chips **Therapists** / **Patients**.
3. Approve one and decline another.

Expected: both queues live here, not on the People directory. Counts on Today update immediately after an action (or after the automatic refresh). Filter chips only appear when at least two of them would have rows behind them.

ADM-OPS-003 · Profile change requests

Persona: Admin (Full) · Precondition: PAT-PROF-001 submitted a change

1. Today → Approvals → find the profile change request from Priya Sharma.
2. Read the before/after values, then click **Approve**.
3. Submit another change from a patient and **Decline** it with a reason.

Expected: the old and new values are both shown. Approving writes the new value onto the profile; declining leaves it unchanged and the patient is told. Both actions appear in the activity log.

4.2 Sessions

ADM-OPS-010 · Schedule (calendar) view

Persona: Admin (Full)

1. Sidebar → **Sessions** → **Schedule**.
2. Move between months, then click a day with sessions.
3. Click a session in the day panel.

Expected: days show their session counts; the day panel lists that day's sessions; clicking one opens the same **session detail drawer** used everywhere else in the back office.

ADM-OPS-011 · All Sessions list, filters and paging

Persona: Admin (Full)

1. Sessions → **All Sessions**.
2. Filter by status, by delivery mode (video / home visit), by therapist, and by date range.
3. Set the pager to "Show 10 per page" and click Next / Previous to the ends.
4. Reload the page.

Expected: one list covers every session — video and home visit, past and future. Previous/Next grey out at the ends and the count reads "x–y of n". The filters (but not the date range) are remembered after a reload. Totals and exports always cover the whole filtered set, never just the visible page.

ADM-OPS-012 · Session detail drawer

Persona: Admin (Full)

1. Open any session from All Sessions.
2. Read every panel: patient, therapist, slot, status, payment, session code, notes; for a home visit also address, travel fee and cash state.

Expected: home-visit specifics are a panel **inside this drawer**, not a separate screen. Session codes read **SS####** for online and **HV####** for home visits.

ADM-OPS-020 · Assign a therapist to an unassigned session

Persona: Admin (Full) · Precondition: Priya's paid session is unassigned

1. Open the session's drawer → the assign form.
2. Note whether a therapist is preselected and marked **(requested)**.
3. Choose **Kavya Menon** and confirm.

Expected: the session becomes **Confirmed** and assigned. A Google Calendar event with a Meet link is created (unless Meet links are switched off), and both the patient's and the therapist's dashboards show the session with a join control. If the calendar call fails, the booking still succeeds and the failure is recorded for retry — a calendar problem must never block a booking.

ADM-OPS-021 · Assignment respects availability and conflicts

Persona: Admin (Full) · Negative test

1. Try to assign Kavya Menon to a session in an hour she has switched off, or one that overlaps a session she already has.

Expected: the admin is warned about the conflict or unavailability, with enough detail to decide. For a home visit the conflict check is padded by the travel buffer (45 minutes each side), so a visit that ends 20 minutes before another begins is flagged.

ADM-OPS-022 · Reassign a whole programme

Persona: Admin (Full) · Precondition: Anita's programme is locked to Kavya and has completed and future sessions

1. Catalog → **Purchases** → open Anita's purchase → **Reassign therapist**.
2. Choose **Arjun Rao** and confirm.
3. Look at the programme's completed and future sessions.

Expected: only **future** sessions move to Arjun. Completed sessions keep Kavya, who actually delivered them, and her earnings for those are unchanged.

ADM-OPS-023 · Admin books on a patient's behalf

Persona: Admin (Full) · Data: patient Priya Sharma, Back & Spine Care, tomorrow 15:00

1. Sessions → **New Booking**.
2. **Patient:** choose Priya Sharma .
3. **Treatment:** choose Back & Spine Care .
4. **Date and Time:** tomorrow, 15:00.
5. **Therapist:** choose Kavya Menon (or leave unassigned to send it to the queue).
6. Set the payment state explicitly (e.g. unpaid / paid by cash) as offered.
7. Add a note: Booked by phone .
8. If the slot is inside the lead time, tick the override checkbox and confirm.
9. Click the create/confirm button.

Expected: the session is created with the same conflict check and calendar sync as a patient's own booking. A lead-time override is logged. Home visits cannot be booked here (they need an address and a serviceable pincode) and the screen says so.

ADM-OPS-024 · Change a session's time

Persona: Admin (Full)

1. Open a confirmed session's drawer → edit the slot to a different hour → save.
2. Check the patient's and therapist's dashboards.

Expected: both sides show the new time, the calendar event is updated (or a sync failure is recorded for retry), and the change appears in the activity log.

ADM-OPS-025 · Admin cancels a session with a refund

Persona: Admin (Full)

1. Open a paid session more than 24 hours out → **Cancel** → give a reason → confirm.

Expected: the session is cancelled, the refund is issued and stamped on the session, and Money → Transactions shows the refund as processed. Cancelling twice in quick succession must never issue two refunds.

ADM-OPS-026 · Reopen a session / restore a package session

Persona: Admin (Full)

1. On a cancelled session, use **Reopen** and confirm.
2. On a package purchase where a session was forfeited, use **Restore session**.

Expected: reopening returns the session to an active state; restoring gives the patient the session back and the counter drops by one (e.g. from 3 of 6 used to 2 of 6). Both are logged.

ADM-OPS-027 · Roster

Persona: Admin (Full)

1. Sessions → **Roster**.
2. Read each therapist's weekly availability, leave state and upcoming overrides; set and remove an override.

Expected: the roster matches what the therapist set in THR-AVL-001, and an override added here appears on the therapist's own screen.

ADM-OPS-028 · Delivery metrics

Persona: Admin (Full)

1. Sessions → **Delivery**.
2. Read no-show rate, cancellation rate, repeat-booking rate and sessions per therapist. Change the date range.

Expected: these operational figures live under Sessions, **not** under Money. They recompute for the chosen range and are consistent with what you did in Parts 2 and 3 (e.g. one no-show recorded in THR-SESS-004 shows here).

4.3 People

ADM-OPS-030 · Patient directory and detail

Persona: Admin (Full)

1. People → **Patients**. Search for `Priya`; use the Active/Suspended filter.
2. Click her row.
3. Read the detail: contact, sessions, packages, payments, referral source, severity signal, notes.
4. Open the same record by pasting `/admin/dashboard/patients/<id>` in the address bar.

Expected: clicking the row opens an overlay; the direct URL renders the same content as a full page. The severity signal (self-reported severity and number of painful areas) is visible here without a separate trip.

ADM-OPS-031 · Suspend and reactivate a patient

Persona: Admin (Full)

1. On a patient's detail, switch the account to suspended, then back to active.

Expected: as in PAT-REG-009: a suspended patient is bounced to `/account-suspended` immediately (on their next navigation) and restored on reactivation.

ADM-OPS-032 · Reset a patient's or therapist's password

Persona: Admin (Full)

1. On a patient's detail click the password-reset control and confirm.
2. Repeat on a therapist.

Expected: a temporary password is produced (or a reset is triggered) and the action is logged. Signing in with it works, and the user is prompted to set their own.

ADM-OPS-033 · Therapist detail: revenue share, visibility, ratings

Persona: Admin (Full) · Data: revenue share 60%, home-visit share 65%

1. People → **Therapists** → open Kavya Menon.
2. Set **revenue share** to `60` and save.
3. Set the separate home-visit revenue share to `65` and save.
4. Toggle **visible on the team page** off, reload `[SITE]/team`, then toggle it back on.
5. Hide one individual rating, then hide this therapist's ratings entirely, then restore both.

Expected: the shares save and immediately drive the earnings and Money figures. A therapist hidden from the team page disappears from `/team` and can no longer be requested by a `?therapist=` link. Hidden ratings drop out of the public average.

ADM-OPS-034 · Partners (hospitals)

Persona: Admin (Full) · Data: Sunrise Multispeciality Hospital, 15% share

1. People → **Partners** → onboard a hospital.
2. Organisation `Sunrise Multispeciality Hospital`, contact `Dr. Nisha Pillai`, email `partner.sunrise@example.com`, phone `+914442000011`, revenue share `15`.
3. Create it and record the temporary password and the referral code.
4. Later, change the revenue share to `12` and check Money → Breakdown.

Expected: the hospital account is created with no self-signup, its referral code is shown, and its share drives the "partners' share" figure on the Money screens.

4.4 Catalog upkeep

ADM-OPS-040 · Purchases screen

Persona: Admin (Full)

1. Catalog → **Purchases**.
2. Read both tables (session packages and home-visit packages): patient, package, amount, sessions used, expiry, status.
3. Open one purchase's detail.

Expected: counts match what the patient sees (sessions *claimed*, not just completed). Every table offers **CSV** and **PDF** export.

ADM-OPS-041 · Extend a purchase's expiry

Persona: Admin (Full)

1. Open a purchase → **Extend expiry** → add 30 days → confirm.

Expected: the new expiry shows on both the admin and patient screens; if it was expired, it becomes active again and scheduling works.

4.5 System health, sync and audit

ADM-OPS-050 · Sync Health panel and manual retry

Persona: Admin (Full)

1. Settings → **System Health**.
2. Read the sync health list: sessions whose calendar/Meet creation failed, with the error and the number of attempts.
3. If any row is marked **Needs attention**, click **Retry**.
4. Click Retry twice quickly on the same row.

Expected: a retry re-attempts the calendar event and re-arms the automatic attempts. A second click while one is running answers "already running, try again in a moment" rather than creating a second calendar event. Rows that have used up their attempts stay flagged for a person.

ADM-OPS-051 · Activity log completeness

Persona: Admin (Full)

1. Settings → **Activity Log**.
2. Filter/scan for today's actions: approvals, assignment, cancellation, refund, settings changes, payouts.
3. Export it as CSV and as PDF.

Expected: every mutating admin action from Parts 1–4 has a row naming the actor, the action, the subject, the amount where relevant, and the time. The CSV and the PDF contain exactly the rows on screen with the filters applied, and the PDF prints what it was scoped to.

ADM-OPS-052 · Exports agree with the screen

Persona: Admin (Full)

1. On **All Sessions**, apply a status filter and a date range so the list shows, say, 7 rows.
2. Click **CSV** and open the file; click **PDF** and open that.

Expected: both files contain exactly those 7 rows with the same columns and the same values — never the unfiltered set, never just the visible page if paging is on. The PDF names the range/filters it was scoped to. Nothing in the admin exports JSON.

ADM-OPS-053 · Realtime refresh

Persona: Admin (Full) + patient

1. Open the admin dashboard on **Today** and leave it untouched.
2. In another window, have a patient book and pay for a session.
3. Watch the admin screen for up to a minute.

Expected: the admin screen refreshes on its own and the new session appears in the figures/queues without a manual reload. A burst of changes does not cause a storm of refreshes.

Part 5 — As finance

Who this persona is. An admin whose scope is **Finance** (account A3, `finance.admin@example.com`). They can open **Today**, **People** and **Money** — and nothing else. Everything in this part except the scope tests can also be done by a Full admin.

5.1 Scope enforcement

FIN-SCOPE-001 · The Finance admin sees only their sections

Persona: Admin (Finance) · Data: `finance.admin@example.com` + temporary password from ADM-070

1. Sign in at `[SITE]/admin/login` as the finance admin.
2. Read the sidebar.

Expected: the sidebar shows **Today**, **People** and **Money** only. Sessions, Catalog and Settings are absent.

FIN-SCOPE-002 · Deep links to forbidden sections are blocked server-side

Persona: Admin (Finance) · Negative test

1. Paste `[SITE]/admin/dashboard?section=settings&tab=booking` into the address bar.
2. Paste `[SITE]/admin/dashboard?section=catalog&tab=packages`.

Expected: neither opens the forbidden screen. You land on a section this admin is allowed to see. Hiding a section in the sidebar is presentation only — the server must refuse it too.

FIN-SCOPE-003 · The Clinical admin has no Money

Persona: Admin (Clinical) · Negative test

1. Sign in as `clinical.admin@example.com`.
2. Read the sidebar; then try `?section=money&tab=payouts`.

Expected: sidebar shows Today, Sessions and People. The Money deep link does not open payouts.

5.2 Money → Summary and the two identities

What this is. Every figure on Money comes out of one calculation, so the strip, the cards and the chart can never disagree. Two identities must always hold:

- `net revenue = gross revenue - refunds processed`
- `clinic share = splittable net - therapists' share - partners' share`

Three rules to check against: a therapist's share is earned only on a **completed** paid session (not on a booked-and-forfeited one); a home visit's **travel fee is part of the therapist's share** and is never revenue; and a refund reverses the **partner's** commission but not a therapist's share (a refunded session was never delivered).

FIN-SUM-001 · Read the summary and verify the identities by hand

Persona: Admin (Finance) · Precondition: Parts 2–4 produced real bookings, one refund, one completed session and one home visit

1. Money → **Summary**.
2. Set the date range to cover all the test bookings.
3. Write down: Gross revenue, Refunded, Net revenue, Therapists' share, Partners' share, Clinic share, Payment fees, Running costs, Operating profit.
4. Compute `gross - refunds` and compare with Net.
5. Compute `splittable net - therapists - partners` and compare with Clinic share.

Expected: both identities hold exactly (to the rupee). Any session whose split cannot be known (therapist with no share set, or a partner with no share configured) is **excluded from the split and named as a separate count/amount** — never guessed at. The glossary at the bottom defines every word used.

FIN-SUM-002 · A booked-but-not-delivered session earns no therapist share

Persona: Admin (Finance)

1. Find a paid session that was **cancelled inside the refund window** (PAT-CANCEL-002) — the money was kept, the session was never delivered.
2. Look at the Therapists' share figure for a range that includes it.

Expected: that session's fee is in gross revenue, but **no therapist share is deducted for it** — so the clinic's share for that forfeited session is the whole net amount.

FIN-SUM-003 · A home visit's travel fee goes to the therapist, never to revenue

Persona: Admin (Finance) · Precondition: a completed home visit with a ₹250 travel fee

1. Note the visit's package price and its travel fee.
2. Check gross revenue for the range, then the therapists' share.

Expected: gross revenue includes the visit price but **not** the ₹250; the therapist's share includes the ₹250 **in full** on top of their percentage. If the travel fee shows up inside the clinic's share, that is a bug worth reporting immediately.

FIN-SUM-004 · A balance is not date-filtered

Persona: Admin (Finance)

1. Note the "Owed to therapists" figure.
2. Narrow the date range to a quiet single day with no sessions.
3. Read "Owed to therapists" again, and read the range-scoped figures (revenue, refunds, settled).

Expected: "Owed to therapists" does **not** change with the range — it is an all-time balance, already net of cash therapists are holding, and it matches the Payouts screen and what the Pay button would transfer. Every other figure does change with the range, and each label says which kind it is.

5.3 Money → Transactions

FIN-TXN-001 · Every payment and refund is listed

Persona: Admin (Finance)

1. Money → **Transactions**.
2. Filter by patient, by status, and by date range.
3. Export CSV and PDF.

Expected: every session fee, package purchase and refund from Parts 2–4 appears with its amount, method and Razorpay reference. Failed payment attempts are visible as failures, not as revenue. Exports match the filtered rows exactly.

5.4 Money → Payouts

FIN-PAY-001 · Review a payout request

Persona: Admin (Finance) · Precondition: THR-PAY-002 requested a payout

1. Money → **Payouts**.
2. Find Kavya Menon's request and click **Start review**.
3. Read the breakdown: completed paid sessions in the period, her share on each, travel fees, cash held, and the net transferable amount.

Expected: the therapist's screen now shows **Under Review**. The amounts match her earnings screen exactly. Cash she is holding is shown as a deduction, not silently netted with no explanation.

FIN-PAY-002 · Settle a payout

Persona: Admin (Finance)

1. On the same request click **Settle / Pay** and confirm.
2. Open the receipt.
3. Check the Cash Ledger for the visits whose cash was netted off.
4. Immediately request and settle again to see what remains owed.

Expected: the transfer amount equals earnings minus cash held. Exactly those cash visits are marked **remitted** in the same action, so the **same rupees are never deducted twice** on the next payout, and they leave the Cash Ledger's "chase this" list. "Owed to therapists" drops by the settled amount. A receipt is downloadable.

FIN-PAY-003 · A therapist holding more cash than they are owed

Persona: Admin (Finance) · Data: arrange a therapist with, say, ₹3,000 cash held and ₹1,000 earned

1. Have the therapist collect cash on visits worth more than their current earnings (PAT-HV-004 + THR-SESS-007).
2. Open their payout on Money → Payouts.

Expected: the transfer floors at **zero** (never negative), the difference is shown as still owed *to the business*, and those cash collections stay open on the Cash Ledger for someone to chase.

FIN-PAY-004 · Double-settling is prevented

Persona: Admin (Finance) · Negative test

1. Open a payout request in two browser tabs.
2. Click **Settle** in the first tab and confirm.
3. Click **Settle** in the second tab.

Expected: the second attempt is refused with a message that it has already been settled. There is exactly one settlement, one receipt and one deduction.

5.5 Money → Costs and operating profit**FIN-COST-001 · Gateway fee is derived, not typed**

Persona: Admin (Finance) · Data: fee 2%

1. Money → **Costs**. Confirm the gateway percentage is 2.
2. Money → Summary: note "Payment fees" for a range where you know exactly what was collected online.
3. Compute 2% of the gross **online** collections in that range and compare.

Expected: the fee equals 2% of what was collected online, taken on **gross** (a processor keeps its fee through a refund). Cash-on-visit collections are excluded, because they never touch a gateway.

FIN-COST-002 · Add and delete an expense

Persona: Admin (Finance) · Data: Clinic software subscription ₹4,500, dated today

1. Money → Costs → add the expense (ADM-091 if not already done).
2. Add a second expense dated **last month**: Rent , 25000 .
3. Set the range to this month only and read Running costs and Operating profit.
4. Widen the range to include last month and read them again.
5. Delete the rent expense.

Expected: costs are dated by **when they were incurred**, not when they were typed in — so the rent only counts in a range covering last month. Operating profit = clinic share – payment fees – running costs. Deleting the expense removes it from both.

FIN-COST-003 · Operating profit with no costs recorded says so

Persona: Admin (Finance)

1. Set the date range to a period with revenue but no recorded expenses.
2. Read the Operating profit figure and its caption.

Expected: the screen states that with no costs recorded the figure is a **ceiling**, not the real number. Nothing anywhere is labelled "net profit" — nothing here is post-tax.

5.6 Refunds

FIN-REF-001 · Full refund on a cancellation outside the window

Persona: Admin (Finance) · Precondition: PAT-CANCEL-001

1. Money → Transactions → find the refund.
2. Open the session and confirm the refund is stamped on it.

Expected: the refund amount equals the full session fee, is marked processed, and appears in the Refunded figure on Summary.

FIN-REF-002 · Partial (manual) refund on a paid session

Persona: Admin (Finance) · Data: refund ₹500 of a ₹1,999 session, reason "Goodwill — late therapist"

1. Open a paid session's drawer → the partial refund control.
2. Enter 500 and the reason Goodwill — late therapist. Confirm.
3. Try to refund 5000 on the same session.
4. Try to submit a refund with no reason.

Expected: ₹500 is refunded, marked as a **manual** refund, and logged with the reason. The over-amount attempt is capped at what is still refundable and refused with an explanation. A reason is mandatory.

FIN-REF-003 · Pro-rata refund of an unused package balance

Persona: Admin (Finance) · Precondition: Anita's programme with, say, 2 of 6 used

1. Catalog → Purchases → open Anita's purchase → the refund control.
2. Read the computed refundable amount (the unused balance) and confirm.
3. Check her still-scheduled future sessions.

Expected: the refund covers the unused sessions only, and any still-scheduled future sessions on that purchase are cancelled by the same action. The purchase is closed out. The figure matches $(\text{unused} \div \text{total}) \times \text{amount paid}$ — check the arithmetic by hand.

FIN-REF-004 · Cash refund becomes a manual pending action

Persona: Admin (Finance) · Precondition: PAT-CANCEL-005

1. Money → Payouts / **Cash Ledger**.
2. Find the cancelled cash visit with a pending manual refund.
3. Click **Mark cash returned** and confirm.

Expected: until it is marked, the row stays on the ledger as an outstanding action. After marking, it leaves the queue and is recorded in the activity log. There was never a Razorpay refund to reverse for it.

5.7 Money → Breakdown and partner share

FIN-BRK-001 · Breakdown chart agrees with Summary

Persona: Admin (Finance)

1. Money → **Breakdown** with the same date range as FIN-SUM-001.
2. Compare each slice with the figures you wrote down.

Expected: the chart's slices equal the Summary's figures exactly — they come from one calculation, so any difference is a bug.

FIN-BRK-002 · A refund reverses the partner's commission

Persona: Admin (Finance) · Precondition: a hospital-referred patient's paid session, then refunded

1. Note the partners' share before the refund.
2. Refund the referred patient's session.
3. Read the partners' share again, and the therapist's share.

Expected: the partner's commission is reduced by their percentage of the refunded net. The **therapist's** share is unaffected, because a refunded (cancelled) session was never delivered and therefore never earned one.

FIN-BRK-003 · Unknown splits are named, not guessed

Persona: Admin (Finance) · Data: create a therapist with **no** revenue share set and complete a paid session with them

1. Create therapist QA NoShare via Team & Access, leave the revenue share unset.
2. Book, pay, assign and complete a session with them.
3. Read Money → Summary.

Expected: that session counts in gross/net revenue but is **excluded from the split**, and the screen names how many sessions and how much money are excluded. No percentage is invented to make the numbers tie.

5.8 Money glossary

FIN-GLS-001 · The glossary is on every Money screen

Persona: Admin (Finance)

1. Visit Summary, Transactions, Payouts, Costs and Breakdown and scroll to the bottom of each.

Expected: the same money glossary appears on every Money screen, defining gross, net, refunds, package cash collected, recognised revenue, therapists' share, partners' share, clinic share, payment fees, running costs and operating profit. No two figures share a word with two different meanings.

Part 6 — As a hospital partner

What this is. Hospitals do not sign up: an admin provisions them. They refer patients (by form, by sharing a referral code, or by an invite link) and earn a configured share of the net revenue those patients generate.

HOSP-001 · First sign-in with the temporary password

Persona: hospital H1 · Precondition: ADM-OPS-034 created the account

1. Open [SITE]/hospital/login.
2. Sign in with partner.sunrise@example.com and the temporary password.
3. Set a new password when prompted (Test@1234).

Expected: the partner reaches /hospital/dashboard, which opens on the same Overview shape as every other role: four figures, a feed and quick actions. The sidebar reads Overview · Refer a Patient · Your Referrals · **Earnings** · Edit Profile.

HOSP-002 · Refer a patient for an online session

Persona: hospital H1 · Data: patient Vikram Rao, +91 98765 00051, issue "Post-op knee stiffness"

1. Sidebar → **Refer a Patient**.
2. **Patient Full Name:** Vikram Rao.
3. **Session Type:** choose the online/video option.
4. Fill contact details and **Medical Issue:** Post-op knee stiffness, 6 weeks after ACL repair.
5. Submit.

Expected: the referral is submitted and appears under **Your Referrals** with status **Needs triage** (pending review). The admin sees it in their referrals queue.

HOSP-003 · Refer a patient for a home visit

Persona: hospital H1 · Data: pincode 600020

1. Refer a Patient → **Session Type:** home visit.
2. Fill the address and **Pincode** 600020.
3. Submit; then try again with pincode 110001.

Expected: the serviceable pincode is accepted and carries the address through to the eventual visit. The unserviceable one is refused or flagged, rather than creating a visit nobody can deliver.

HOSP-004 · Admin assigns a referral

Persona: Admin → hospital

1. As admin, open the referrals queue (People → Partners, or Today's inbox row).
2. Assign a therapist and a slot to Vikram Rao's referral and confirm.
3. As the hospital, reload **Your Referrals**.

Expected: the referral moves to **Therapist assigned**, then to **Booked** once the session exists. Assigning the same referral twice from two tabs must produce one booking, not two. Home-visit referrals get the travel-buffer conflict padding.

HOSP-005 · Withdraw a referral

Persona: hospital H1

1. Your Referrals → pick a referral still awaiting triage → **Withdraw** → confirm.

Expected: its status becomes **Withdrawn** and it leaves the admin's action queue. A referral already converted into a booking cannot be withdrawn this way.

HOSP-006 · Referral code and invite link

Persona: hospital H1 → patient P6

1. On the hospital dashboard, find the referral code and the invite link.
2. Open the invite link in an incognito window and register Fatima Khan (PAT-REG-005).
3. Have Fatima book and pay for a session; the admin assigns and the therapist completes it.
4. As the hospital, open **Earnings**.

Expected: the invite link pre-fills the referral code. Fatima's account is permanently attributed to Sunrise. Her completed paid session appears in the hospital's earnings with 15% of the net as their share.

HOSP-007 · The hospital cannot book therapy for itself

Persona: hospital H1 · Negative test

1. Signed in as the hospital, open `[SITE]/book`.

Expected: the wrong-account panel appears and points the hospital at **Refer a Patient** / its referral code, not at a booking form.

HOSP-008 · Partner earnings screen

Persona: hospital H1

1. Open `/hospital/dashboard/revenue` (sidebar: **Earnings**).
2. Read the figures and the per-session list; change the date range.

Expected: the screen is called **Earnings** (never "Revenue & Payouts"), lists only this hospital's referred patients' sessions, and agrees with the partners' share the admin sees on Money → Breakdown for the same range.

HOSP-009 · Edit Profile is admin-reviewed

Persona: hospital H1

1. Open `/hospital/dashboard/profile`.
2. Change the organisation name to `Sunrise Multispeciality Hospital (QA)` and save.
3. As admin, approve it.

Expected: organisation details are reviewed before they change (patients are told who referred them).
Contact preferences and password changes apply immediately.

Part 7 — Cross-cutting checks (every role)

7.1 Access control matrix

Sign in as each role in turn and type each URL into the address bar. Record what happens. This is the single most important security check in the plan.

URL	Signed out	Patient	Therapist	Hospital	Admin (Full)
/patient/dashboard	→ patient login	opens	bounced away	bounced away	bounced away
/therapist/dashboard	→ therapist login	bounced away	opens	bounced away	bounced away
/hospital/dashboard	→ hospital login	bounced away	bounced away	opens	bounced away
/admin/dashboard	→ admin login	→ /get-started	→ /get-started	→ /get-started	opens
/dashboard	→ /get-started	→ patient dashboard	→ therapist dashboard	→ hospital dashboard	→ admin dashboard
/book	wizard (guest)	wizard	wrong-account panel	wrong-account panel	wrong-account panel
/book-home-visit	wizard (guest)	wizard	wrong-account panel	wrong-account panel	wrong-account panel
/pending-approval	→ login	opens if unapproved	opens if unapproved	—	—

SEC-001 · Run the matrix

Persona: all five · Critical

1. For each column, sign in as that role in a clean browser window.
2. Type each URL from the table and note the outcome.

Expected: every cell behaves as the table says. In particular a signed-in non-admin reaching /admin/dashboard must land on /get-started — never on /admin/login, which would confirm the back office exists and name its door.

SEC-002 · A patient cannot read another patient's data

Persona: patient P1 · Negative test

1. As Priya, copy the URL of one of her own sessions or her patient id from the dashboard.
2. Sign in as Anita (P3) in another window and try to open Priya's session/health-profile URL.

Expected: nothing of Priya's is shown — an error, an empty state, or a redirect. Never another patient's name, session or medical document.

SEC-003 · A signed-out visitor cannot open a medical document link

Persona: visitor · Negative test

1. As Priya, open an uploaded report and copy the file URL from the new tab.
2. Sign out (or use incognito) and paste that URL after ~3 minutes.

Expected: the link has expired and access is refused. Medical files must never be readable from a permanently public URL.

SEC-004 · The debug bar's reset needs all four gates

Persona: various · Negative test

1. Signed out, click **Reset data** in the debug bar and try to type the phrase.
2. Signed in as a non-Full admin (Operations), try the same.
3. As a Full admin, type `reset all data` in lower case and submit.

Expected: the reset only proceeds for a signed-in **Full** admin, with the server flag set, and with the phrase typed exactly as `RESET ALL DATA`. Anything else is refused.

7.2 Error, loading and not-found states

ERR-001 · Unknown URL

Persona: any

1. Open `[SITE]/this-page-does-not-exist`.

Expected: a styled 404 page with a way back to the site, not a raw stack trace.

ERR-002 · No raw error text ever reaches a patient

Persona: any · Check while running every other part

1. Whenever an error screen appears anywhere in the app, read it carefully.

Expected: error screens show a short human message and at most a short reference/digest code. They must never print a database column name, a row id, a table name, an SQL string, or a "row-level security policy" message. Report any that does.

ERR-003 · Dashboard loading state keeps the chrome

Persona: patient / therapist / hospital

1. Throttle the network (DevTools → Network → Slow 3G) and navigate between two dashboard screens.

Expected: a skeleton appears **with** the sidebar rail still drawn — the chrome must not blank out on every navigation.

7.3 Splash, sign-out banner and idle timeout

UX-001 · Splash shows on a cold open only

Persona: visitor · Precondition: splash on, revisit 15 minutes

1. Open a brand-new tab on [SITE]/ — note the splash.
2. Navigate to /conditions from the menu.
3. Press F5 to reload that page.
4. Switch to another tab for 10 seconds and come back.
5. Switch away for more than 15 minutes and come back.

Expected: splash on step 1 only, **not** on internal navigation, **not** on reload, **not** on a quick tab flick — and again on step 5 after the long absence. This matters because a patient approving a UPI payment leaves the tab and comes back mid-checkout.

UX-002 · Splash with "first load only"

Persona: Admin + visitor · Data: revisit minutes = 0

1. As admin, set the splash revisit minutes to 0. Save.
2. As a visitor, open a new tab, then leave it in the background for 20 minutes and return.

Expected: the splash shows on the first load and never again in that tab, however long you are away. There must be no setting meaning "greet on every tab focus".

UX-003 · Reduced motion skips the splash

Persona: visitor

1. In Chrome DevTools open the Command Menu (Ctrl/Cmd+Shift+P), run "Emulate CSS prefers-reduced-motion: reduce".
2. Open a new tab on [SITE]/.
3. Also check the home page walkthrough and the care-area showcase.

Expected: no splash at all, and no self-advancing animation anywhere. Content is fully usable.

UX-004 · Sign-out banner

Persona: patient · Data: 6 seconds (default)

1. Sign out from the patient dashboard.
2. Time how long the confirmation banner stays.
3. As admin set the duration to 0, then sign out again.

Expected: at 6 seconds the banner clears itself after roughly six seconds; at 0 it stays until dismissed. On a shared machine the default must not leave the previous person's goodbye on screen indefinitely.

7.4 Lists, filters, paging and exports (spot check across the app)

LIST-001 · Every long list behaves the same

Persona: admin, patient, therapist, hospital

1. Visit at least six lists across the app: admin All Sessions, admin Activity Log, admin Purchases, patient Sessions, therapist Earnings, hospital Referrals.
2. On each: change "Show N per page", click Previous/Next to the ends, read the count, and apply a filter chip if present.

Expected: the same control everywhere: a page-size field, Previous/Next greying out at the ends, an "x–y of n" count. Page size is remembered per list, per browser. Filters, totals and exports always run over the whole filtered set, never just the page in view. Filter chips only appear when at least two of them would have rows.

7.5 Responsive and accessibility spot checks

RESP-001 · Phone width

Persona: patient · Device: DevTools device toolbar, iPhone 14 width (390px)

1. Walk through: home page, /book steps 1–3, patient dashboard, sessions, health profile.
2. On the health profile, tap points on the body map.

Expected: nothing scrolls sideways; wide tables scroll inside their own box. The booking calendar's cells stay tappable. The body map's front and back views stack vertically so tap targets stay finger-sized rather than shrinking.

A11Y-001 · Keyboard and dialogs

Persona: any

1. Open a catalog detail dialog with the keyboard (Tab to the card, press Enter).
2. Press Tab repeatedly inside it, then Esc.
3. Repeat for the package detail modal and the therapist popup on /team.

Expected: focus stays inside an open dialog, Escape closes it, focus returns to the control that opened it, and the page behind does not scroll while it is open.

Appendix A — Simulated clock cookbook

What you want to test	Set "Simulate now" to	Then look at
Join button not yet open	20+ minutes before the slot	Session card — control inert / countdown
Join button open	10 minutes before the slot	Session card — Tap to Join active
Late arrival still allowed	10 minutes after the slot	Still joinable (15-minute grace)
Session Completed cutoff	Cutoff + 5 minutes after the slot	All four dashboards read Session Completed
Suggestion no longer acceptable	Inside the booking lead time before the suggested slot	Patient's suggestion card — no Accept
Booking calendar's lead-time edge	A time that makes a known slot exactly 11h59m away	That slot is not offered

Always click "Reset to Real Time" before moving to a different test area. A clock left in the future makes unrelated screens look broken, and the server is still on real time regardless.

Appendix B — What the simulated clock cannot do

These need either real waiting or an admin action, because they are decided on the server:

Rule	How to test it instead
Package expiry	Admin → Catalog → Purchases → set the expiry to a past date, then reload a dashboard (the sweep runs on page load, there is no background job)
Home-visit purchase expiry	Same, on the home-visit purchase
Refund eligibility (24-hour window)	Book a real session inside/outside the window (12-hour lead time makes a 13-hour-out session easy to create), or change the admin's refund-window setting
Session note 24-hour edit lock	Ask the owner to back-date a note, or test it the next day
Meet-sync automatic retry	Reload the admin dashboard — the sweep runs at the top of that render
Payout maths	Complete real sessions; the maths never reads the browser clock

Appendix C — Coverage checklist

Tick each area only when every case in it has been run and its result recorded.

Area	Cases	Run	Passed	Bugs raised
Admin setup (Part 1)	ADM-001 ... ADM-095			
Public site	PUB-001 ... PUB-008			
Patient registration	PAT-REG-001 ... 009			
Booking wizard	PAT-BOOK-001 ... 012			
Session packages	PAT-PKG-001 ... 017			
Home visits	PAT-HV-001 ... 008			
Patient dashboard & sessions	PAT-DASH-*, PAT-SESS-*			
Cancellation & refunds (patient)	PAT-CANCEL-001 ... 005			
Health profile & documents	PAT-HP-001 ... 024			
Suggestions (patient)	PAT-SUG-001 ... 004			
Therapist onboarding & availability	THR-REG-*, THR-AVL-*			
Therapist delivery & notes	THR-SESS-001 ... 007			
Clinical records	THR-HP-*, THR-PM-*			
Therapist earnings	THR-PAY-001 ... 003			
Admin operations	ADM-OPS-001 ... 053			
Finance	FIN-*			
Hospital partner	HOSP-001 ... 009			
Security & cross-cutting	SEC-*, ERR-*, UX-*, LIST-*, RESP-*, A11Y-*			

Appendix D — Bug report template (copy this)

Field	Your entry
Test case ID	
Persona / account used	
Steps taken (which numbered steps)	
Expected result (copy from the case)	
Actual result	
Simulated clock: on/off, and value	
Browser + window size	
Any red text in the browser console (F12 → Console)	
Screenshot / recording attached?	
How often it happens (always / sometimes / once)	

Paste this filled-in table into the chat and the failing behaviour will be investigated and fixed. One bug per table, please — two bugs in one report almost always means one of them is missed.