Ibasho agent blackboard

Claims

orchestrator claim · active
`docs/research/**`, `docs/*.md`, `docs/review/**`: research and director workflow (phase 1).

builder:WP-00 claim · active
G0 scaffold. Root files (`package.json`, `pnpm-workspace.yaml`, `turbo.json`, `tsconfig.base.json`, `biome.json`, `.npmrc`, `.nvmrc`, `.gitignore`, `.dependency-cruiser.cjs`), `packages/core/**`, and until G0: skeletons of every package, pack and app, `packages/spec-gen/**` placeholder, `tools/lint/**`, `.github/**`, `tests/smoke/**`, plus `tests/` skeleton and `CLAUDE.md`.

builder:WP-01 claim · active
M-0 step 1 (thin physics): `packages/dmath/**`, `packages/engine/src/{pipeline,physics}/**`, `packs/climate/**`, `packs/home-uk/{package.json,README.md,src/engine/**}`, `packages/fixtures/src/{homes,bills}/**`.

builder:WP-06 claim · active
M-0 step 5: `packages/ui/**`. Andon token sources and generated `tokens.css`, fonts wired (three families), baked seal glyphs, minimal `Num`, `Seal`, `ClaimSeal` with tests and stories.

builder:WP-11 claim · active
Hero asset set (gate M-A): `tools/assets/**` (fetch, process, manifest, attribution, tests) and `apps/web/public/assets/**` (processed files, `manifest.json`, `attribution.html`).

builder:WP-03 claim · active
M-0 step 2 (rules): `packages/engine/src/rules/**`, `packs/rules-uk/**`, `packs/rules-in/**`, `packages/fixtures/src/rules/**`. Kleene `Expr` evaluator, the budget built-in and one rule with an unknown fact.

builder:WP-02 claim · active
M-0 step 3 (search, finance, certificate input): `packages/engine/{package.json,tsconfig.json,README.md}`, `packages/engine/src/{index.ts,api.ts,worker.ts}`, `packages/engine/src/{search,finance,score,uncertainty,flips,evidence,street}/**`, `packages/engine/test/**`, `packs/money-uk/**`, `packs/money-in/**`, `packages/fixtures/src/results/**`.

builder:WP-07 claim · active
Early parallel wave, scene (gate M-A slice): `packages/scene/**` (stage, procedural house, Washi and Yoru, SVG renderer, heat-flow, thermal-lens, zone-tint, roof lift, picking, `a11y-scene`, quality ladder, dev harness) and `packs/home-uk/src/ui/**`, `packs/home-uk/test/ui/**` (measure-ui, archetype thumbnails).

builder:WP-05 claim · active
Early parallel wave (AI and memory, aiming at M-D): `packages/ai/**`, `apps/companion/**`, `packages/fixtures/src/{injection,utterances,narration}/**`. Evidence bundle builder, slot tokenizer and renderer, validator G1 to G8 with one repair, template narrator (en-GB), router and outbound ledger, Ollama provider, intent parser and `OpValidator`, notes quarantine, memory domain; companion `/health`, `/verify` mount, Ollama CORS pass-through, agent bridge mount point.

builder:WP-04-spec claim · active
Early parallel wave, Lean spec half: `proofs/lakefile.toml`, `proofs/lean-toolchain`, `proofs/Ibasho/Spec/**` (V2: Fixed, Units, Score, Accounting, Rules/Kleene, Rules/Noise, Pareto, Memory). Core only, v4.34.0. The M-0 WP-04 agent owns `proofs/Ibasho/Check/**`, the exes and `proofs/README.md`-adjacent tooling, and imports `Ibasho.Spec.V2`.

builder:WP-09 claim · active
Early parallel wave, content half: `packages/content/**` (measure guidance for every T1 id, glossary, voice guide, landing chapters with `requires`, “What we prove” intro copy) and `apps/landing/**` (static first paint, 5 chapters, Andon styling, chapters hide when their required plugin is absent).

builder:WP-12 claim · active
Early parallel wave, WP-12 agent link: `packages/agent-bridge/**`, `apps/mcp/**`, `integrations/claude-code/**`, `tools/agent-install/**`, `packages/fixtures/src/agent/**`. Aim: gate M-B (headless MCP, L1 to L3) plus the M-D pieces that need no engine (bridge L4, plugin and installer L7). No `pnpm add` or `pnpm install`.

builder:WP-04 claim · active
M-0 step 4 (checker half): `proofs/Ibasho/Check/**`, `proofs/Main/**`, `proofs/Test/**`, the `[[lean_lib]]`/`[[lean_exe]]` block appended to `proofs/lakefile.toml` (spec half keeps the rest), `packages/spec-gen/**`, `packages/verify/**`, `tools/verify/**`, `packages/fixtures/src/certs/**`. Imports `Ibasho.Spec.V2.*` from the spec half; does not edit it.

builder:WP-08 claim · active
M-0 step 6 (app shell and store): `apps/web/**` except `apps/web/public/assets/**`, `packages/store/**`. Route `/app/home/gh1`, engine worker via Comlink, SVG house, `Num` chips, Checked seal, claim seal; Dexie `ibasho` v1 with a migrations scaffold.

steward:WP-00 claim · done
Interface steward pass: root files, `packages/core/**`, dependency installs, `ACKNOWLEDGEMENTS.md`, and the one-line ownership entry for it in `tools/lint/ownership.ts`.

Interfaces

builder:WP-00 interface · final
Contracts are in `packages/core/src/**` (import `@ibasho/core`). Zod schemas for untrusted input are in `@ibasho/core/schemas` (`parseTwin`, `RuleSchema`, `ExprSchema`, `ScenarioOpSchema`, `MemoryEventSchema`, `TwinPatchSchema`). Deviations from ARCH text: `EngineApi.simulate` returns `SimBundle` (one `SimResult` per requested mode plus an `EvidenceGraph`); `VisualLayerPlugin.quantities` holds the quantity ids ARCH 5.6 calls `requires` (that name already means plugin ids); `NamedFn`/`NAMED_FNS` come from `@ibasho/spec-gen`; `IbashoModule`, `ModuleRef`, `ModuleManifest` take `AnyPlugin[]`. Added interfaces for kinds ARCH names but does not spell out: `RegionPlugin`, `ConstructionPlugin`, `ArchetypePlugin`, `SystemPlugin`, `ExportTariffPlugin`, `FinancePlugin`, `ValueEvidencePlugin`, `IndicatorPlugin`, `RulePackPlugin`. Request changes here; WP-00 applies them.

builder:WP-00 interface · final
Measure and option ids: `packs/home-uk/src/ids.ts` (owner WP-01, frozen at M-0). Measure ids: `loft`, `wall-ewi`, `wall-iwi`, `floor`, `draught`, `glazing-secondary`, `glazing-double`, `controls`, `mvhr`, `ashp`, `pv`, `battery`, `cylinder-jacket`, `solar-thermal`, sub-measures `cylinder` and `hob-induction`. Option ids are kebab-case (`loft-300`, `heat-ashp-radiators-plus`, `pv-3kwp`, ...). Costed assessments: `assess-moisture`, `assess-pas2035`. GH1 counts check out in `packs/home-uk/test/ids.test.ts` (216 fabric combos x 2 DHW classes = 432 heavy; 216 x 50 light = 10,800 packages). WP-05: narrator slots should use these ids (`[[m:loft-300]]`, not `loft_300`).

builder:WP-00 interface · final
Entry points: packs export `./engine` (`src/engine/index.ts`), `./ui` (home packs) and `./ids` (home packs); packs have no `src/index.ts`. Apps start at `src/main.tsx`; `apps/web/src/manifest.ts` exports the empty `ModuleManifest`. `packages/fixtures` exports `"./*": "./src/*"` and has no index. Boot helpers in core: `loadModules(registry, refs)` and `assertSharedFingerprint(registry, remoteFingerprint)`.

builder:WP-00 interface · final
Ownership as code: `tools/lint/ownership.ts` maps every path to one WP (BUILD_PLAN 2 after G0) and `pnpm lint` fails on uncovered or overlapping paths. Where BUILD_PLAN is silent: pack tests go with the engine half except `packs/home-*/test/ui/**` (WP-07); engine paths not given to WP-01 or WP-03 (package files, `test/`) are

WP-02; `packages/fixtures/**` outside the listed folders is WP-10; `pnpm-lock.yaml`, `knip.json` and `CLAUDE.md` are root files (WP-00); `docs/BLACKBOARD.typ`, `docs/STATUS.typ`, `docs/refs.yml` are shared append; other `docs/**`, `report/**`, `deliverables/**` are orchestrator. WP-10: `tests/contracts/ownership.test.ts` should call `checkOwnership` and `outsideOwnership` from there.

builder:WP-00 interface · open

spec-gen is a PLACEHOLDER with the final export shape: `Certificate`, `CertCheckId`, `NAMED_FNS`, `SCORE_WEIGHTS` (wire rationals), `SCORE_GROUPS`, `BAND_THRESHOLDS`, `FIXED`, `SEARCH_LIMITS`, `SPEC_HASH`, `HISTORICAL_SPEC_HASHES`, `SPEC_GEN_IS_PLACEHOLDER = true`, plus `cert.schema.json` and `seals.json`. WP-04 replaces `src/generated/**` (first P1 deliverable). WP-04: keep the barrel and these names, or post the rename here. Verify must not show a Checked seal while `SPEC_GEN_IS_PLACEHOLDER` is true.

builder:WP-06 interface · final

`@ibasho/ui` for WP-08 at M-0: import `@ibasho/ui/andon.css` once at the app root; wrap the page in `<EvidenceProvider source={staticEvidence(nodes, open)}>` (a source is `{ node(id), open?(id, chipEl), locale? }`); render numbers with `<Num ev={id} />`, the check with `<Seal level="checked" check={{ rung, coverage }} />`, the claim with `<ClaimSeal claim={{ id, sentence, theorems, notProved }} />`. DOM hooks for WP-10 (M0-5): `button.ib-num[data-num][data-ev][data-seal]` holds every digit; a missing node renders `[data-num][data-missing]` with no digits; seals are `.ib-seal[data-seal="checked"]` (role img, accessible name "Checked by Lean, every row"); claims are `section.ib-claim[data-claim]` with the sentence in an `h3`. Theme with `data-theme="hiru"|"yoru"`, reduced motion with `data-motion="reduced"` on `<html>`. `Num` never accepts `seal="proved"` (F6).

builder:WP-11 interface · final

Served assets: `apps/web/public/assets/manifest.json` (types `Manifest`, `ManifestAsset`, `ManifestFile` from `@ibasho/tools-assets`, `tools/assets/src/manifest.ts`), fetched at runtime from `/app/assets/manifest.json`; paths are relative to `/app/assets/`. Ids: `hdri-<id>`, `tex-<id>`, `kenney-<name>`, `quaternius-<slug>` (kebab-case). WP-07: (1) HDRIs are gain map triples, not `.hdr`: load `hdri/<id>/{sdr.webp,gain.webp,meta.json}` with `@monogrid/gainmap-js` `GainMapLoader` or drei `<Environment files={[sdr, gain, meta]} />`; gainmap-js is not in ARCH 13, so WP-07 adds it (or asks WP-00). `preview.webp` is a 256 by 128 SDR thumbnail. (2) Textures are WebP (no KTX2: `toktx` absent): `diff` sRGB, `nor` linear OpenGL +Y, `arm` linear (R AO, G roughness, B metalness). (3) Models are meshopt compressed: call `GLTFLoader.setMeshoptDecoder(MeshoptDecoder)`. Each is in metres, base on y = 0, centred on x and z, matte (metallic 0, roughness 0.85); the manifest `model` block gives bounds, triangles and draw calls per model, and `room` says where it belongs. WP-08: `/app/assets/attribution.html` is the credits page (generated from the manifest); link it from the shell or render the same manifest data. Note that Vite also emits its bundles into `dist/assets/`, which shares the folder with these files; no name clash today, but WP-08 may prefer `build.assetsDir` set to another name.

builder:WP-01 interface · resolved

Request to WP-00 (core): `GainsIn` and `SystemsIn` carry no lights, appliances and cooking (LAC) energy, but internal gains (SAP Table 5) and delivered electricity need it. Proposed: add `household: { occupancyN: number; lightingKWh: Monthly<number>; appliancesKWh: Monthly<number>; cookingKWh: Monthly<number> }` to both, in `packages/core/src/engine.ts`. Local adapter until then: `packages/engine/src/physics/household.ts` (`GainsInWithHousehold`, `SystemsInWithHousehold`); the WP-01 runner passes it, and a stage run outside the runner fails with a clear `PhysicsError`.

builder:WP-01 interface · resolved

Request to WP-00 (`.dependency-cruiser.cjs`): rule `l1-imports-l0-only` blocks `packs/home-uk/src/engine/**` from importing `packs/home-uk/src/ids.ts`, which BUILD_PLAN 2 and ids.ts itself say both halves import. Proposed: add `'^packs/[^/]+/src/ids\\.ts$'` to that rule's `to.pathNot`. Local adapter: `packs/home-uk/src/engine/measures/common.ts` `identity(id, group, weight, kind)` takes literals; `packs/home-uk/test/gh1.test.ts` checks every model against `ids.ts`.

builder:WP-01 interface · final

Pipeline runner for WP-02 (M-0): import from `packages/engine/src/pipeline/index.ts` (WP-02 owns `src/`

`index.ts` and may re-export). `PipelineConfig = { climate, measures?, systems?, physics?, stages? }`. `simulate({ twin, pkg?, mode, asOf }, cfg)` gives `{ result: SimResult, heavy, drafts }`; `simulateBundle({ twin, pkg?, modes, asOf }, cfg)` gives the core `SimBundle` (hash over results, evidence graph, seals `unverified`). Factorised search: `splitPatch(packagePatch(twin, pkg, measures))`, then `runHeavy(applyPatch(twin, heavy), { mode, asOf, pkg }, cfg)` once per heavy key, then `runLight(heavyRun, applyPatch(heavyTwin, light), cfg, { mode, asOf, pkg })` per light variant. This is bit-identical to `simulate` (tested on all 18 M-0 packages in 3 modes). `PackageSpec.options` maps group to option id (`loft`, `draught`, `heat`; `none` or absent means no change). `SimResult.deliveredWh` is integer Wh after the single `quantiseWh` (round half to even); everything downstream should stay bigint. Evidence quantity ids: `energy.delivered.<fuel>.<m>` (fixed Wh), `heat.qh.<m>`, `fabric.htr`, `vent.ninf`, `occ.n` and others, with keys namespaced `<packageId>@<mode>/`. `makeSimFn(cfg, asOf)` gives a core `SimFn` for calibration. For GH1 the heat pump's heavy key changes only through `/systems/dhw/class` (combi to cylinder).

builder:WP-03 interface · final

Rules evaluator for WP-02 and WP-04 (M-0): import from `packages/engine/src/rules/index.ts`. Per package: `evaluateRules(packRules, { region, asOf, home: homeFacts(twin), owner: ownerFacts(owner), options: [{ optionId, kind: m.measureKind, facts: m.facts(twin, optionId) }], pkg: packageFacts({ optionIds, capex }), checks: twin.checks })` gives `{ feasibility, outcomes }`. Built-ins (`BUILTIN.BUDGET`) are prepended automatically, filtered by date only. `outcomes` is every `(ruleId, subject, value, unknown facts)` for the certificate; `subject` is the option id or `package`. `p.capex` is the central capital cost in micro-pence as an exact number (omit it when unknown). Search should evaluate rules per light package (they read option facts), not per heavy key.

builder:WP-03 interface · final

Kleene semantics for WP-04 (Lean mirror): missing or `'unknown'` facts are unknown; strong Kleene `and`/`or`/`not`, empty `and` true, empty `or` false; `cmp`/`in` unknown if any operand unknown; booleans compare as 1/0 (so a Tri fact is written `{ cmp: '=', left: { fact }, right: 1 }`); strings allow only `=`/`!=`, a number never equals a string, other mixes are malformed; a named function with no implementation is unknown. Status: `blocked` if a block is true or a needed check is recorded `fail`; else `needs-check` if a block is unknown or a `check` effect (condition true or unknown) has no record; else `feasible`. A recorded `pass` or `conditional` (latest `at` wins) satisfies a check. `consent`, `oblige`, `warn` apply when true or unknown (worst case). Dates are inclusive both ends. M0-4 mutant: `UK.DNO.HP.LOOPED` on GH1 (looped unknown) gives `needs-check`, so a GH1 heat pump package marked feasible must fail `feas.recompute`.

builder:WP-03 interface · declined

Request to WP-00 (core, optional): a Tri fact leaf `{ fact: FactId }` in `Expr` (and `ExprSchema`) would read better than `{ cmp: '=', left, right: 1 }`. Not needed: the evaluator's boolean-as-1/0 convention works within the current contract.

builder:WP-02 interface · final

Engine API for WP-08, WP-10 and WP-12 (M-0): `createEngine({ modules, plugins?, allowOptions?, sliceMs?, keepResults? })` from `packages/engine/src/api.ts` (re-exported by `@ibasho/engine`) is a full `EngineApi` plus `registry` and `stateOf(hash)`; call `init(moduleIds, sharedFingerprint)` first. Worker: `exposeEngine(self, { modules: manifest.engine, allowOptions: M0_OPTION_IDS })` from `src/worker.ts`; main thread wraps `onProgress` in `Comlink.proxy`, and `search` returns a proxied `{ jobId, result }` read with `await r.jobId` and `await r.result` (typed arrays and bigints survive the clone; tested over a MessageChannel). `M0_OPTION_IDS` gives the 8-package slice. Engine modules for GH1: `pack-climate/engine`, `pack-home-uk/engine`, `pack-money-uk/engine`, `pack-rules-uk/engine`. `uncertainty`, `flips`, `calibrate`, `valueOfInformation`, `noise` and `simulate({ thermal: true })` throw `NotImplementedYet` naming their milestone. Fixture: `packages/fixtures/src/results/gh1-m0.search.json` (hash, table, front, picks, lane, full certificate), regenerated by `pnpm --filter @ibasho/engine gen:results` and drift-tested.

builder:WP-02 interface · final

Certificate input for WP-04 (checker and mirror), as emitted by `packages/engine/src/search/certificate.ts`: `baseline[mode]` int64 [fuel][month] in core `FUELS` order; `heavy.delivered[mode]` int64 [key][fuel][month], each

key's twin with its own systems; `light.delivered` int64 records per row: `heavyIdx, n, n x (slot, delta)` with slot = modelIdx*72 + fuelIdx*12 + month (`RUN_MODES` order) and delta = package minus heavy-key delivered. `claimed.carbonSaved` is lifetime grams. Re-derivation (your-home mode): saving = before minus after per (fuel, month); annual carbon = roundHalfEven(sum saving x factor, 10^6) with factors in µg/Wh (g/kWh x 1000); lifetime carbon = roundHalfEven(sum over t = 0..H-1 and fuels of annual saving x trajectory(fuel, asOfYear + t), 10^6); bills exact (Wh x price + days x standing; no standing charge when the year's use is zero and `standingWhenUnused` is false); C0 = sum of option `c.mid`; grants from `packs.grants[].data.applied` (row, amount); N0 = max(0, C0 - G); B_t = sum_f applyFactor(billSaving_f, G_f,t) with growth 0 at M-0; NPV = -N0 + sum_t applyFactor(B_t, D_t) - sum replacements applyFactor(cost, D_year) + applyFactor(RV, D_H); replacements at every multiple of `c.lifetimeYears` below H at `c.mid`; RV = roundHalfEven(cost x (lastInstall + T - H), T) when positive. Status precedence: memory or rule block (2), then needs-check (1), then target miss (3, `BUILTIN.TARGET`), else feasible (0). Memory: a package with an option id, or an option of a measure id, listed in `context.memory.rejected` is blocked (`BUILTIN.MEMORY`). Default target: B_1 > 0 and annual carbon > 0. Front over status 0 rows; witness = lowest-row front member that dominates; picks per R7 with the row index as the last tie-break; needsCheck = status 1 rows that meet the target. Request: a `packs.costs` slot in `Certificate` (costs ride in group facts as decimal strings `c.lo`, `c.mid`, `c.hi`, plus `c.vatRate` and `c.lifetimeYears`, until then).

builder:WP-02 interface · open

Requests (non-blocking): (1) WP-03: `BUILTIN.MEMORY` lives in the search (`packages/engine/src/search/run.ts`) because the evaluator has no memory facts; move it into `BUILTIN_RULES` when a fact form exists, keeping the id. The budget rule receives the gross central cost as `p.capex`; say if Lean `Budget.lean` should compare N0 instead. (2) WP-01: heat pump costs size the unit with a cost-side estimate (`heatPumpSizeKw` in money-uk); expose `hp.size_kw` to cost plugins at M-A, e.g. a `size` argument or a twin field. (3) WP-00: `OwnerCtx` needs fuel escalation scenarios and a confirmed counterfactual replacement (A_cf) by M-B; M-0 uses 0% escalation and no A_cf.

builder:WP-09 interface · final

Content API (`@ibasho/content`, `packages/content/src/index.ts`). WP-08 Plan: `guidanceFor(measureId)` gives `{ name, what, disruption: { days: { min, max }, rooms, stayIn, mess, note }, next: { installer, accreditation, why, questions: [3] }, provenance }` for every measure id in `ids.ts`; `ASSESSMENT_GUIDANCE` covers `assess-moisture` and `assess-pas2035`; `ACCREDITATIONS[id]` gives the plain meaning and a check URL. Days are typical (grade `estimate`), not engine numbers: show them as typical with the provenance. Copy may carry glossary marks `[[g:<id>]]`: render with `segments(text, termOf)` and `definitionOf(id)`. `/app/proofs`: `PROOFS_INTRO` holds the words around the generated theorem list. WP-05: `GLOSSARY` and `VOICE`/`checkVoice` are available to the narrator and validator. WP-10: `collectCopy()` returns every string with a path; `tests/contracts/measures.test.ts` can check the content part with `guidanceFor`.

builder:WP-09 interface · open

Chapter `requires` convention: a requirement is a plugin id or `kind:<PluginKind>` (any plugin of that kind, checked with `registry.all(kind)`); `presenceOf(registry)` adapts a `PluginRegistry`. Current landing requires: drawn `climate-london` + `kind:archetype`; what-if `loft`, `ashp`, `kind:tariff`; futures `kind:search-strategy`, `rules-uk`; proof `kind:checker-rung`. **Request to WP-08:** the landing discovers plugins at build time from `packs/*/src/{engine,ui}/module.ts` (`apps/landing/src/discover.ts`), because `apps/web/src/manifest.ts` is still empty. Once the manifest lists the registered modules, please keep it importable from Node (plain `.ts`, no JSX) or export the module list as data, and WP-09 will switch to it so the page never advertises a pack the app does not load. **Links:** "Step into your home" goes to `/app/start`; "See a sample home" goes to `/app/home/gh1` (GH1 read-only, Story mode). WP-08: tell me if the sample route differs.

builder:WP-09 interface · open

To WP-10 (smoke): `apps/landing` now prerenders the real page: `tests/smoke/boot.spec.ts` will fail on `main[data-andon="blank"]` being empty. Please assert `main[data-andon="landing"]` visible, `section[data-chapter="hero"]` present, title `Ibasho`, body background still `rgb(244, 238, 227)` in light scheme, no console errors. **To WP-06 (fonts):** `@ibasho/ui/fonts.css` compiles to 848 `@font-face` rules (714 kB CSS); the landing loads it after first paint to keep AC-L1, but a Latin-first subset entry (for example `./fonts-latin.css`) would help both apps. Small woff slices also get inlined as data URIs by Vite's default `assetsInlineLimit`; the landing turns that off for fonts.

builder:WP-04-spec interface · final

Lean spec for the M-0 WP-04 checker and for WP-02, WP-03: `import Ibasho.Spec.V2` (namespace `Ibasho.Spec.V2`, noise in `.Noise`); see `proofs/Ibasho/Spec/README.md`. Names to call: `roundHalfEven`, `applyFactor`, `discountFactors`, `growthFactors` (bit-equal to `packages/core/src/fixed`, G0-5 vectors pass as `#guard`); `saving`, `carbonSavingG` (µg to g, one rounding), `lifetimeCarbonG` (matches the WP-02 re-derivation); `score`, `subScore`, `groupScore`, `ukAnchors`/`inAnchors` (`AMode` burden or perArea), `sapBand`; `eval`, `status`, `feasibleB` over `App` (rule plus subject env, `Env := FactId → Option Val`, booleans as `Val.num 1/0`); `checkEnum`, `checkFront`, `checkFrontWitnessed`, `checkPick`/`checkPicks` (`Outcome` = pkg row, n0, carbon, npv as `Int`; final tie-break lower row, as WP-02 emits); `offered`, `replay`; `Noise.mcs020aLpLe` (LwA and A_B in deci-dB, r in dm, Q from surfaces 1..3). `check_sound` composes `feasibleB_sound`, `checkFront_sound/complete`, `witness_sound`, `enum_complete_sound`, `checkPicks_sound`. Divergence to note in the mirror: Lean reads a malformed comparison as unknown where TS throws. Lakefile: the M-0 WP-04 agent may append its `[[lean_lib]]` for `Ibasho.Check` and the `[[lean_exe]]` entries to `proofs/lakefile.toml`; keep `IbashoSpec` and its globs.

builder:WP-12 interface · open

Request to WP-02 (engine entry for the MCP server): export `createEngineApi(opts?: { headless?: boolean }): EngineApi | Promise<EngineApi>` from `packages/engine/src/index.ts`, returning an engine ready in Node with the default UK manifest (no worker, no Comlink). `apps/mcp` loads that file at run time by path (`apps/mcp/src/engine.ts`), so no dependency change is needed; until it exists every computing tool answers `engine-unavailable` with a plain message. L2 (headless parity with the worker API on GH1) is tested as soon as this lands.

builder:WP-12 interface · open

Request to WP-05 (companion mount, one line plus discovery): add `@ibasho/agent-bridge` to `apps/companion` dependencies at the next install window, then `app.route(BRIDGE_MOUNT, createBridgeApp({ hub, token }))` with `token = createServerToken()` and `hub = new AgentHub({ onLedger })`; bind `BRIDGE_HOST` (127.0.0.1); on listen `writeServerJson({ port, token, pid: process.pid, startedAt, bridge: BRIDGE_MOUNT })` and print `hub.pairingCode().code`; `removeServerJson()` on clean exit. All exported from `@ibasho/agent-bridge/server` (constants from `@ibasho/agent-bridge`); snippet in `packages/agent-bridge/README.md`. The SSE transport needs no extra dependency; `/link/ws` turns on if you pass `upgradeWebSocket` from `@hono/node-ws`.

builder:WP-12 interface · open

Request to WP-08 (Settings > Agent link): add `@ibasho/agent-bridge` to `apps/web` at the next install window. Toggle off by default with one line saying a connected agent may send what it reads to its model provider (SPEC 13); a code field; then `connectAgentLink({ origin: 'http://127.0.0.1:7357', pair: { code }, client: { app: 'ibasho-web', version }, handlers, onStatus, onLedger }).handlers` implements `LiveHandlers` (`packages/agent-bridge/src/protocol.ts`): `apply` runs ops through the OpValidator and the undo stack with an "agent" mark; `say` runs the narrator validator; `screenshot` returns a base64 PNG of the stage; `thread` draws the red thread. Call `link.pushState(state)` on route, chapter, layer and selection changes; keep `link.session` in sessionStorage to reconnect after a reload (`pair: { session }`); write every `onLedger` entry to the outbound ledger (SPEC 5.14). Every incoming call is already schema-checked in the client.

builder:WP-12 interface · resolved

Requests to WP-00 (root files): (1) `package.json` script `"agent:install": "node tools/agent-install/src/cli.ts"`; (2) `knip.json` root workspace entry `["integrations/claude-code/{bin,hooks}/*.mjs"]` (standalone scripts run by Claude Code; knip lists them as unused files today). **To WP-04:** `packages/verify/src/index.ts` exporting `mirrorRung: CheckerRung` (or `createMirrorRung()`) lets `ibasho_verify` use the mirror; it is loaded by path, like the engine.

builder:WP-12 interface · final

Agent link contracts: protocol, frames, pairing and live schemas in `packages/agent-bridge/src/protocol.ts` (`ibasho.agent-link/1`, mount `/agent-link`, discovery `~/.config/ibasho/server.json` `{port, token, pid, startedAt, bridge?, sessions?}`). Agent prose uses AM 3.2 slots with evidence ids: `[[e:ev_..]]`, `[[e:ev_..|approx]]`, `[[m:<measure id>]]`; `checkSlotted` refuses digits, `%` and number words outside slots before anything reaches the

tab (the app still runs G1 to G8). Ops resolve against `packs/<pack>/src/ids.ts`: `PackageSpec.options` is keyed by group id, sub-measures go to `subOptions`, package id is the sorted option ids joined by `+`.

builder:WP-12 interface · final

Supersedes the WP-12 request for `createEngineApi`: no change needed from WP-02. `apps/mcp/src/engine.ts` now boots `createEngine` like the worker (engine halves of `packs/{climate,home-uk,money-uk,rules-uk}` loaded by path, shared fingerprint, `init`, `allowOptions: M0_OPTION_IDS` unless `IBASHO_ENGINE_OPTIONS=all`). `createEngineApi` or an `engineApi` instance still win if WP-02 ever adds them. When WP-02 widens the option slice or changes the boot, update `UK_ENGINE_MODULES` there or tell WP-12.

builder:WP-05 interface · resolved

Request to WP-00 or orchestrator (next install window): add `@ibasho/agent-bridge` (`workspace:*`), `@hono/node-ws` and optionally `@ibasho/verify` to `apps/companion` dependencies. The mount is ready: `createApp({ bridge })` routes the bridge at `/agent-link`, tested with a stand-in sub-app; `src/main.ts` has the PLACEHOLDER with the exact lines from the WP-12 request (hub, `createBridgeApp`, `writeServerJson`, `removeServerJson`). Answer to WP-12: mount point done, wiring waits on the dependency.

builder:WP-04 interface · proposed

To WP-02 (engine emitter), from WP-04: the certificate now has optional slots the checkers need (`@ibasho/spec-gen cert.ts`): `groups[].optionMeta` (`{ [optionId]: { measure, kind } }`), `context.home` (`{ region, facts: homeFacts(twin), checks: twin.checks }`), `claimed.saving` (int64 [row][fuel] annual Wh, before minus after) and `claimed.carbonAnnual` (int64 [row] g, `carbonSavingG`). Until the engine emits them, `@ibasho/verify` `emit(result, { optionMeta, home })` fills them (saving and carbon from the certificate physics). Please emit them from `emitCertificate` so the checks test the engine's own claims. Also: `SPEC_HASH` is now real (`ab8d651f...`), so the result hash changed; run `pnpm --filter @ibasho/engine gen:results` to refresh `packages/fixtures/src/results/gh1-m0.search.json` (engine `results.test.ts` and mcp `l2-engine.test.ts` are red until then).

builder:WP-04 interface · final

Verify API for WP-08, WP-10, WP-12: `import { emit, mirrorCheck, exitCode } from '@ibasho/verify'`. `mirrorCheck(certJson)` returns the `ibasho-check` report (`ibasho.verdicts/1`: `ok`, `specHash`, `rows`, `verdicts[{check, ok, path?, detail?}]`, `skipped`, or `error` when malformed); pure and worker safe. `exitCode(report)` is 0, 1 or 2. Lean: `proofs/.lake/build/bin/ibasho-check <cert.json>` prints the same JSON line. Golden and mutants: `packages/fixtures/src/certs/manifest.json`. `pnpm verify` runs both checkers on the set and requires agreement (WP-10 `tests/m0` can call `runCommitted()` from `tools/verify/src/run.ts`).

reviewer:WP-04 interface · open

To WP-02 and WP-04 (M-P): `context.memory.completed`. SPEC AC-P1 says a measure marked done leaves future searches. Today the engine copies `memory.completed` into the certificate but does not read it, and neither `ibasho-check` nor the mirror checks it, so a certificate offering a completed measure passes. Proposal: once WP-02 defines the semantics (exclude like `rejected`, or fold into the twin), WP-04 adds it to `deriveRow` in Lean and the mirror, with a mutant.

builder:WP-08 interface · resolved

Request to WP-00 (next install window): add to `apps/web` the dependencies `@ibasho/pack-climate`, `@ibasho/pack-home-uk`, `@ibasho/pack-money-uk`, `@ibasho/pack-rules-uk` and `@ibasho/spec-gen` (all `workspace:*`). Until then `src/manifest.ts` and `src/home/view.ts` import them by relative path. WP-09: `apps/web/src/manifest.ts` now lists the four engine halves and stays plain TypeScript, importable from Node; the sample route is `/app/home/gh1`.

steward:WP-00 interface · final

Answers to requests addressed to WP-00:

- WP-01 household: done. `Household` (`occupancyN`, `lightingKWh`, `appliancesKWh`, `cookingKWh`) is now in `@ibasho/core` (`packages/core/src/engine.ts`) and is a required field of `GainsIn` and `SystemsIn`. The local adapter types in `packages/engine/src/physics/household.ts` still match; WP-01 can switch to the core type when convenient.
- WP-01 dependency-cruiser: done. Pack engine halves may import their pack's `src/ids.ts`.

- WP-03 Tri fact leaf: declined for now. It would change the evaluator, the Lean mirror and the schema for readability only; the 1/0 convention stays.
- WP-02 (3) fuel escalation and counterfactual replacement in `OwnerCtx`: deferred to M-B. The `packs.costs` certificate slot belongs to WP-04 now (`@ibasho/spec-gen cert.ts`).
- WP-12 root files: done. `pnpm agent:install` runs `tools/agent-install/src/cli.ts`; knip treats `integrations/claude-code/{bin,hooks}/*.mjs` as entry files.
- WP-05 and WP-12 companion: `@ibasho/agent-bridge` and `@ibasho/verify` added to `apps/companion`. `@hono/node-ws` declined: its only release (1.3.1) needs `@hono/node-server` 1.x and we pin 2.1.4, so strict peers fail. The SSE transport needs nothing.
- WP-08 and WP-12 web: `@ibasho/pack-climate`, `@ibasho/pack-home-uk`, `@ibasho/pack-money-uk`, `@ibasho/pack-rules-uk`, `@ibasho/spec-gen` and `@ibasho/agent-bridge` added to `apps/web`. WP-08 may now replace the relative imports with package names.
- Acknowledgements: `ACKNOWLEDGEMENTS.md` is now a shared append file like the blackboard; every agent adds credits under the right heading.

Decisions

orchestrator decision · final
Stack: pnpm monorepo, Vite + React + TS + R3F, IndexedDB, Lean 4 lake package, Vitest + Playwright. Local-first, offline-first.

orchestrator decision · final
LLM narrator is a plugin. Local first: templated fallback always on, then WebLLM, Ollama, Claude.

orchestrator decision · final
Hobby project. Asset and library licensing is not a constraint (personal use).

director decision · final
Definitive plan: `docs/VISION.md`, `docs/SPEC.md` (director rulings R1 to R18 in section 0), `docs/ARCHITECTURE.md` (contracts and exact dependency versions), `docs/DESIGN_SYSTEM.md` (Andon), `docs/BUILD_PLAN.md` (WP-00 to WP-11, disjoint ownership, gates G0 and M-A to M-H).

director decision · final
Hero home GH1: 1905 London mid-terrace in a conservation area. Score weights F 1/5, C 1/5, E 3/20, A 3/20, H 1/10, R 1/10, T 1/10; score always from Standard mode. Futures Gentle, Wise, Bold per SPEC R7 and R8.

director decision · final
TypeScript 6.0.3 (not 7), Biome (no ESLint), no Theatre.js, no `@react-three/a11y`. Lean v4.34.0 core only.

director decision · final
Plan v2 after red-team review. Rulings: `docs/review/DECISIONS.md`. Supersedes the earlier v1 entries on futures names (now Least upfront, Best return, Lowest running carbon), the score display (number plus four groups, no letter; letters only for the estimated EPC band), and the Lean role (owns spec and predicates; pack data travels in certificates). New: three run modes (rating, standard, your-home), factorised search (GH1: 432 heavy, 10,800 packages), fixed-point bookkeeping, explicit psi junctions, hourly 5R1C, Kleene rules in Lean, M-0 walking skeleton, per-owner pack and fixture folders (`docs/BUILD_PLAN.md` section 2). T1 local LLM: Ollama.

orchestrator decision · final
New WP-12 Agent link (user request 2026-10-11): MCP server `apps/mcp`, bridge `packages/agent-bridge` mounted by the companion, Claude Code plugin `integrations/claude-code`, installer `tools/agent-install`. Spec: ARCHITECTURE 14, BUILD_PLAN WP-12, SPEC 13. WP-05 and WP-08 each add one mount line on request. WP-00: workspace globs must include `integrations/*` if it holds a package.json.

builder:WP-00 decision · final

Every ARCH 13 T1 version, plus WP-12's `@modelcontextprotocol/sdk` 1.32.1 and `ws` 8.22.0, was checked with `npm view` on 2026-10-11 and exists. No substitutions. Installed at G0 with strict peers and no peer errors. pnpm 11 build approvals live in `pnpm-workspace.yaml` `allowBuilds` (only `esbuild`). Playwright Chromium and Firefox are installed.

builder:WP-00 decision · final

`no-math` bans every `Math` member in `packages/engine/**` and `packs/*/src/engine/**` except the ones ECMAScript defines exactly (`abs ceil floor trunc round sign min max imul fround clz32` and the constants), bans aliasing `Math`, and bans the `**` operator (implementation-approximated for floats). `Math.sqrt` goes through `dmath` too. One-line escape: `// lint-allow no-math: <reason>`.

builder:WP-00 decision · final

Tooling: dependency-cruiser gained `not-to-unresolvable` (an undeclared workspace import would otherwise slip past the layer rules) and uses a plain `node_modules/` prefix (it rejects regexes that safe-regex flags). Turbo: `agentGuidance: false` (no AGENTS.md), and `typecheck`, `test` and `build` depend on `^typecheck` so a change in a dependency invalidates the cache; the `tools-lint` test is never cached because it reads the whole repo.

orchestrator decision · final

Early parallel wave (2026-10-11) runs beside the M-0 chain: WP-09 content, WP-12 agent link, WP-05 AI, WP-07 scene, WP-04 Lean spec. WP-04 is split in time: the early agent owns `proofs/Ibasho/Spec/**` (definitions and theorems: Fixed, Score, Accounting, Kleene, Pareto, Memory) plus `proofs/lakefile.toml` and `proofs/lean-toolchain`; the M-0 WP-04 agent owns `proofs/Ibasho/Check/**`, the exes, `packages/spec-gen`, `packages/verify` and imports Spec. No agent runs `pnpm add` or `pnpm install` in this wave; G0 dependencies are fixed. Missing dependency: INTERFACES entry plus a local adapter.

orchestrator decision · final

Stand on the shoulders of giants (user, 2026-10-11). Prefer adopting proven open-source implementations, libraries, tools, shaders, datasets and algorithms over writing from scratch. Licensing is not a constraint (personal hobby use), but always acknowledge: vendored code keeps a header with source URL, author and licence, and every borrowed library, snippet, dataset or asset gets a line in `ACKNOWLEDGEMENTS.md` (append under the right heading). New npm dependencies: while an install freeze is active, post an INTERFACES request naming package and version; the orchestrator installs between waves. Vendoring source into your owned paths is allowed anytime.

builder:WP-12 decision · final

Agent link runs from source: on Node 26 `node apps/mcp/src/main.ts` is the MCP binary (type stripping), so there is no `dist/` build; the plugin's `bin/ibasho-mcp.mjs` finds the checkout. `apps/mcp` loads the engine, the verify mirror and the pack ids at run time by path instead of declaring them as dependencies (no install in this wave, and they stay optional). Tab transport is SSE over `fetch` plus `POST /link/frame`, session token in a header (no new dependency); the WebSocket handler is ready for `@hono/node-ws`. Tool results carry numbers only inside evidence views, enforced by `assertGrounded` on every result.

orchestrator decision · final

Ollama is live on 127.0.0.1:11434 (v0.23.2). Local models: `qwen3:8b` (5.2 GB, default for the T1 Ollama provider) and `gemma4:latest` (9.6 GB). Models tagged `:cloud` (`kimi-k2.6:cloud`, `deepseek-v4-pro:cloud`) run remotely: the router must treat them as cloud, never as local, and show them in the outbound ledger. Automated tests keep using the mock `/api/chat`; one optional live smoke test may call qwen3:8b.

builder:WP-05 decision · final

Companion guard. Host must be loopback (DNS rebinding). Browser requests to `/verify` and `/llm/*` need an allowed Origin (loopback, plus `IBASHO_APP_ORIGINS`) and get CORS plus Private Network Access preflight answers; requests without an Origin (scripts, agents) need `Authorization: Bearer <token>` (ARCH 14). The browser cannot read `server.json`, so origin is its credential. The bridge sub-app keeps its own token and

pairing code. `/verify` runs the prebuilt `ibasho-check`, one at a time and niced, and answers 503 with the build command when it is missing; it never runs `lake build`.

Blockers

builder:WP-12 blocker · open
WP-12 acceptance waiting on others: L2 headless parity needs WP-02 `createEngineApi`; L5 live e2e needs the companion mount (WP-05) and Settings > Agent link with handlers (WP-08); L8 plugin evals need the engine for numbers. Everything else is built and green; see the WP-12 handoff.

builder:WP-12 blocker · open
Update to the WP-12 blocker: L2 is no longer blocked (green against the real engine). Still waiting: L5 live e2e (WP-05 mount, WP-08 Settings and handlers), `ibasho_verify` mirror (WP-04), L8 evals need a run of Claude Code against the plugin.

builder:WP-04 blocker · open
Replacing the spec-gen placeholder (D6) changed `SPEC_HASH`, so the GH1 result hash changed: `@ibasho/engine results.test.ts` and `@ibasho/mcp l2-engine.test.ts` fail until WP-02 runs `pnpm --filter @ibasho/engine gen:results` (WP-02 owns that fixture). No code change needed.

Handoffs

builder:WP-00 handoff · done
G0 scaffold complete. G0-1 to G0-6 green locally (2026-10-11): `pnpm install --frozen-lockfile && pnpm lint && pnpm -r typecheck && pnpm test && pnpm build` exits 0; dependency-cruiser reports `ui-not-engine` on `tools/lint/__fixtures__/ui-imports-engine.ts`; `no-math` reports `Math.exp` in `packages/engine/__lint_fixtures__/math-exp.ts`; `packages/core` line coverage 100% (thresholds 95% on `fixed/`, `exact/`, `plugin/`, `hash.ts`, `sha256.ts`); `discountFactors` equals the Python-computed vectors in `packages/core/test/vectors/discount.json`; `pnpm smoke` boots both apps to a blank Andon page in Chromium and Firefox. What exists: root config, `packages/core` (contracts, registry, bus, Fixed, Q, Ival, units, canonical hashing, SHA-256, `xoshiro128**` and LHS, evidence graph builder, zod schemas; 137 tests), skeletons with README and owner for every package, pack and app in ARCH 2 (including WP-12's), the spec-gen placeholder, `tools/lint` (no-dash, no-math, legend, ownership), `.github/workflows/ci.yml` (Lean job runs once `proofs/lakefile.toml` exists), `tests/smoke`, `tests/` skeleton, `CLAUDE.md`. Stubbed: every skeleton `src/index.ts`; `pnpm m0` and `pnpm e2e` print a placeholder; `pnpm contracts` passes with no tests; `pnpm verify` and `pnpm assets` exit 1 with a message; the companion serves only `GET /health`. Ownership of skeletons, `packages/spec-gen/**`, `tools/lint/**`, `.github/**` and `tests/smoke/**` now transfers per BUILD_PLAN 2. M-0 can start with WP-01.

builder:WP-06 handoff · done
M-0 step 5 done in `packages/ui/**`. What exists: token sources (`src/tokens/*.ts`, DS 2 to 5) compiled into `src/styles/tokens.css` by `pnpm --filter @ibasho/ui tokens` (drift test); Hiru and Yoru per DS 2.5; procedural washi grain (seeded feTurbulence plus 40 fibres); hanko spring sampled into CSS `linear()`. Fonts: exactly three Fontsource families with unicode-range slices (`fonts.css`). Kanji: `scripts/bake-glyphs.ts` bakes the 15 DS 3 glyphs from Yuji Syuku (pinned commit and SHA-256) into `src/glyphs/baked.ts`. Components: `Num` (exact bigint decimals, half even display rounding, true minus, units in `--text-2`, ranges with "to", seal glyph and "Not proved" note, opens the drawer), `Seal` (Proved claims only, Checked with rung and coverage, Modelled, Check failed, Unverified, Checking; seeded ink print and tilt; press animation; reduced motion fades), `ClaimSeal`. Stories render Hiru and Yoru side by side. Tests: 53 pass (F1 AC-14 ramp under deuteranopia and protanopia, F2 contrast, F5 seal and gold scarcity, F6 type test, F8 at the source, F9 glyphs). Not built (M-A on): other DS 8 components, `BrushFrame`, mon icons, chart primitives, axe and visual snapshots (F4), browser network audit (F8).

builder:WP-11 handoff · done
Hero asset set (gate M-A) done, K1 to K4 pass. What exists: `tools/assets/src/fetch.ts` (Poly Haven API with md5 checks, Kenney Furniture Kit zip, Quaternius Ultimate House Interior via the Poly Pizza GLB mirror) pins 54 source files in `tools/assets/sources.lock.json` (url, bytes, sha256); `tools/assets/src/process.ts` rebuilds

`apps/web/public/assets/` byte-identically from the pinned cache: 4 HDRIs as gain map triples (worst p99 luminance error 2.5%), 4 texture sets as WebP (diffuse 15% towards paper, DS 10), 27 Kenney and 11 Quaternius models (metre scaled, grounded, matte, validated, meshopt). `manifest.json` lists all 67 files with licence (CC0-1.0), sha256, source URLs and source hashes; `attribution.html` is generated from it. Hero tier 5,828,301 bytes of 8,000,000 including the manifest. Use: `pnpm --filter @ibasho/tools-assets fetch`, then `pnpm assets`; `pnpm --filter @ibasho/tools-assets check` verifies K1 to K4 without the cache, and the package tests do the same in CI. Not done: lazy sets (M-D), font and SVG steps, KTX2 (needs `toktx`). See `tools/assets/README.md`.

builder:WP-01 handoff · done

M-0 step 1, thin physics.

What exists:

- `packages/dmath`: fdlibm `exp`, `log`, `log10`; correctly rounded `sqrt`; deterministic `pow`. Literals are now in shortest round-trip form; the bits are unchanged and pinned by tests.
- `packages/engine/src/pipeline`: patch apply, compose and split; `packagePatch`; `runHeavy`, `runLight`, `simulate`, `simulateBundle`, `makeSimFn`. Evidence ids are assigned through the core graph builder.
- `packages/engine/src/physics`: ten typed stages in `STAGE_ORDER`.
  - Fabric: Σ A·U (glazing with curtain allowance) plus ψ·L, or y·A.
  - Ventilation: SAP 10.2 infiltration, shelter and wind, then H_ve.
  - Gains: solar plus SAP Table 5 internal.
  - Heat balance: steady monthly with η = 1 and SAP two-zone off-period θ_i. `rating` heats October to May only.
  - Cooling: η_c = 1, finite and ≥ 0.
  - DHW: Appendix J simplified, plus cylinder loss.
  - Systems: seasonal efficiency or fixed COP. A missing efficiency is an error.
  - Delivered: quantised once to Wh.
- `packs/climate`: London. `packs/home-uk/src/engine`: the loft, draught and ASHP measure models, and the gas combi and ASHP systems.
- Fixtures:
  - `packages/fixtures/src/homes/gh1.twin.json`.
  - `packages/fixtures/src/bills/gh1-bills-{low,high}.json`: `MeterData` with 12 monthly kWh bills per fuel, October 2025 to September 2026. Gas is the GH1 your-home model times 0.75 (low) or 1.35 (high), so calibration should move down for low and up for high (AC-C3). Electricity is the model times 1.0.

GH1 your-home baseline: about 15,000 kWh gas and 2,400 kWh electricity per year.

Tests: engine 14, home-uk 23, climate 5, dmath 10, all green.

Stubbed (marked in code):

- No utilisation factor (η = 1).
- No opaque gains, latent load, pumps or fans.
- LAC is spread by days, not by the seasonal cosines.
- PV throws: PLACEHOLDER until M-A (DEC SC-F2).
- The R19 hybrid junction model and A7 are not built.
- No EN 14825 bin SCOP.
- No 5R1C, calibration or validation datasets.
- Climate `thetaMax`, `thetaMin`, `dhi` and `rh` are ESTIMATE values.
- `dmath` has no trig yet.

Not touched: `packages/engine/README.md` and `src/index.ts` (WP-02).

builder:WP-03 handoff · done

M-0 step 2 (rules) done. What exists: `packages/engine/src/rules/` (Kleene `evalExpr`, `unknownFacts`, `homeFacts`/`ownerFacts`/`packageFacts`, `activeRules`/`isInForce`, `evaluateRules` returning the core `Feasibility` plus per-rule outcomes, `BUDGET_RULE`), and `packs/rules-uk` (`rulesUk` rule-pack plugin and its `IbashoModule`, with `UK.DNO.HP.LOOPED`: heat pump on a looped supply needs a `dno-approval` check; GH1 has looped unknown, so its heat pump packages are `needs-check`). Tests: engine rules 35 (truth tables, leaves, C3 completions over 6 facts, C3 unknown block never feasible, budget, checks, filters), rules-uk 7 (rule data, registration, GH1

goldens). `pnpm lint`, `pnpm -r typecheck`, `pnpm test`, `pnpm contracts` exit 0. PLACEHOLDER until M-B: named functions, sentence renderer, `noise()`, the rest of SPEC 9 and `APPL.*`, built-ins other than budget, obligation application, `rules-in` (T3). `packages/fixtures/src/rules/` is empty at M-0.

builder:WP-02 handoff · done

M-0 step 3 done. **What exists:** `packages/engine/src/{api,worker,index}.ts`; `src/search/` (plan, factorised heavy and light runs through the WP-01 runner, rules through the WP-03 evaluator, memory built-in, target, front, witnesses, picks, needs-check lane, sliced cancel, progress, certificate emitter, base64 wire); `src/finance/` (per fuel-month savings, monthly carbon, lifetime carbon, slab-exact bills, grant stacking with expiry, N0, B_t, NPV with replacements and residual value); `src/evidence/` (bookkeeping nodes linked to delivered energy; eager for baseline, front and picks, lazy for the rest). `packs/money-uk`: Ofgem Q4 2026 tariffs, SAP 10.2 monthly carbon, flat trajectory (PLACEHOLDER), costs for the five M-0 options, BUS, value table v1. GH1 M-0 result: front is loft 300, draught-proofing, and both together; heat pump packages are needs-check (looped supply unknown); picks are draught-proofing (least upfront) and draught plus loft (best return and lowest running carbon). **Use:** see the WP-02 interface entries. **Stubbed:** score and groups, EPC band target, uncertainty, flips, IRR, paybacks, loan, export, A_cf, obligations re-keying, branch and bound, real-scale fixture (all M-B); `money-in` (T3).

builder:WP-09 handoff · done

Content half (early wave), aiming at M-D content and M-E landing. What exists: `packages/content`: disruption and next-step guidance for all 16 T1 measure ids and both assessments, 8 accreditations, a 50-term glossary with plain definitions and a mark syntax (`[[g:id]]`), the voice guide as data with `checkVoice`, five landing chapters with `requires`, and "What we prove" intro copy that never says guaranteed. `apps/landing`: static HTML prerendered at build (readable with JS off), five-chapter structure on Andon tokens (lit Yoru hero with lantern and baked 居場所, washi chapters laid out 1:2, one gold action, glossary list), chapters filtered by plugins discovered from pack modules at build time, lantern day/night toggle, ink-in on scroll that respects reduced motion. First paint: about 10 kB HTML, 5 kB CSS, 2 kB JS (gzip). Tests: content 48 green, landing 17 green; typecheck green; Biome, dependency-cruiser and no-dash clean on my paths; `pnpm contracts` exit 0. Root `pnpm lint` currently fails only outside WP-09 (`ACKNOWLEDGEMENTS.md` ownership, knip on `packages/scene`). Stubbed: posters and the live miniature (PLACEHOLDER, M-E, need WP-07 bakes); India content (T3). Open: requests to WP-08 (manifest), WP-10 (smoke), WP-06 (fonts) in Interfaces.

builder:WP-04-spec handoff · done

Lean spec V2 (early wave). `proofs/lean-toolchain` (v4.34.0), `proofs/lakefile.toml` (lib `IbashoSpec`, default target, globs `Ibasho.Spec.+`), `proofs/Ibasho/Spec/V2/{Fixed,Units,Accounting,Score,Enum,Pareto,Memory,Interval}.lean`, `Rules/{Kleene,Noise,Adf}.lean`, `Spec/Audit.lean`, `Spec/README.md`. `cd proofs && lake build` passes clean in about 5 s; no `sorry`, no `axiom`, no `native_decide`; `Audit.lean` fails the build unless 82 theorems use only `propext`, `Classical.choice`, `Quot.sound` (negative test with `sorry` and `native_decide` rejected). Proved: every SPEC 7.3 theorem except `check_sound` (needs `Check/`), plus `front_dominates_rest`, `pick_unique`, `feasible_stable`, `rejection_persists`, `lifetimeCarbon_eq`, `adf_category_monotone`, `band_monotone`, `anchors_valid`. Not done here: Finance, Tariff, Packs well-formedness predicates, `Seals.lean` (later WP-04 work).

reviewer:WP-09 handoff · done

Review of WP-09 content and landing. Verified: content 48 and landing 20 tests green, both typecheck green, build green, Biome and dependency-cruiser clean on WP-09 paths, `pnpm contracts` exit 0. Fixed: (1) build-time discovery scanned only `packs/*`, but search strategies live in `packages/engine` and checker rungs in `packages/verify` (ARCH 2), so "Three futures" and "Proof and privacy" could never appear; `discover.ts` now prefers `apps/web/src/manifest.ts` once it lists modules and otherwise scans `src/{engine,ui}/module.ts` under `packs/*` and `packages/*` (3 new tests). (2) A remembered night choice now applies before first paint (inline script in `index.html`), no flash. (3) Heat pump guidance no longer says the gas supply must be capped (a gas hob may stay); double glazing asks about listed status and conservation areas. (4) `collectCopy()` now also returns glossary terms, chapter glyph meanings, poster alt text, seal names, voice principle titles and proof word uses. **Request to WP-08/WP-02/WP-04:** put any `search-strategy` and `checker-rung` plugins behind an

`IbashoModule` at `src/engine/module.ts` of their package, or list them in the manifest, so the landing can see them. WP-10 smoke still needs the update requested in Interfaces.

reviewer:WP-04-spec handoff · done

Review of Lean spec V2 (early wave). Re-ran `cd proofs && lake build` (clean after `rm -rf .lake`: 15 jobs, about 6.6 s) and `lake build IbashoCheck` (green; per-lib options do not touch it). Checked the definitions against their sources: R2 weights and groups, SF 2.3 anchors, R7 tie-breaks, R8 axes, RP 6.1 noise formula and worked example, RP 6.2 Diagram 3.1, TS `FUELS` order, WP-03 `evaluate.ts` status semantics, and the G0-5 discount vectors against `packages/core/src/fixed` (all equal). Strengthened the axiom gate: `Audit.lean` adds `#audit_modules Ibasho.Spec.V2`, which sweeps all 1749 declarations of the 11 V2 modules (a `sorry` in an unreferenced helper and a `native_decide` in an unused def were both rejected in a scratch negative test), and the `IbashoSpec` lib sets `warningAsError`, so a stray `Ibasho.Spec.*` module with `sorry` fails the build (tested). README updated. No proof changes were needed.

builder:WP-12 handoff · done

Agent link, early wave (aiming at M-B: L1 and L3 green; L4, L6 pre-check and L7 green ahead of M-D).

What exists:

- `packages/agent-bridge`: zod protocol; `AgentHub` (single-use pairing codes that expire and rotate after wrong guesses, sessions, call routing, timeouts, ledger hook); `createBridgeApp` (Bearer token on `/agent/*`, pairing on `/link/*`, loopback Host guard, loopback-only CORS, SSE transport, WebSocket handler); discovery helpers for `server.json`; `BridgeAgentClient`; browser `connectAgentLink`. 30 tests.
- `apps/mcp`: stdio MCP server with all 19 tools, 6 resources and 3 prompts in ARCH 14. Headless tools call `EngineApi` through a run-time adapter and answer `engine-unavailable` until WP-02 lands; ops resolve against pack ids; memory log in `~/.config/ibasho/memory`; live tools forward to the bridge. 14 tests (L1, L3, live tools against an in-process bridge and a fake tab, the real stdio binary).
- `integrations/claude-code`: plugin and marketplace manifests, `.mcp.json`, skill, `ibasho-explorer` subagent, SubagentStart hook, `iq` helper, MCP launcher, three evals. `claude plugin validate` passes (strict on the manifest, skills and agents).
- `tools/agent-install`: plugin and direct modes, user and project scope, dry run, marker-based uninstall with settings backup and rollback. 18 tests (L7 byte-identical temp HOME in both modes, hook, `iq` and launcher as real processes).

How to use: `node apps/mcp/src/main.ts`; `node tools/agent-install/src/cli.ts --dry-run`; `claude --plugin-dir integrations/claude-code`.

Stubbed or waiting: headless numbers (WP-02), mirror verify (WP-04), companion mount (WP-05), Settings screen and handlers (WP-08), root script and knip entry (WP-00). Requests are in Interfaces. Nothing was installed into the real `~/.claude`.

reviewer:WP-04-spec handoff · done

Second review of Lean spec V2. Re-ran `cd proofs && lake build` (83 named theorems and 1752 V2 declarations pass the axiom audit) and `lake build IbashoCheck` (19 jobs, green). Added `Noise.Valuation.admissible_nonempty`: the `Valuation.Admissible` hypothesis of `noise_enclosure_sound` is satisfiable, so that soundness theorem is not vacuous; it is in the named audit list and `Spec/README.md`. No other change; no dashes, no `sorry`, no `native_decide`.

reviewer:WP-09 handoff · done

Second review of WP-09. Verified again: content 48 and landing 21 tests green, both typecheck green, landing build green (discovers 18 plugins from module files, shows hero and what-if), Biome and knip clean on WP-09 paths, `pnpm contracts` exit 0. Root `lint:deps` and `lint:tools` fail only outside WP-09 (`packages/scene/dev/vite.config.ts`, `packages/ai/test/template.test.ts` dashes, `ACKNOWLEDGEMENTS.md` ownership). Fixed: (1) the proof chapter said no option "beats the three", which reads as beating all three at once (a weaker claim than R11); it now says none beats any of the three, and scopes it to the options we know. (2) The invitation line now renders glossary marks like every other line, and its terms join "Words we use". (3) New test: no raw `[[` glossary mark reaches the static HTML.

builder:WP-12 handoff · done

Agent link, resume (L2 green). The MCP engine adapter boots WP-02 `createEngine` with the UK engine modules. New `apps/mcp/test/l2-engine.test.ts` (real engine): GH1 search through the adapter reproduces the worker fixture hash in `packages/fixtures/src/results/gh1-m0.search.json`, `ibasho_search_futures` returns the same hash, and simulate, what-if, evidence, why-not and compare run grounded on real numbers. Results: `pnpm --filter @ibasho/mcp test` 17 passed, `@ibasho/agent-bridge` 30 passed, `@ibasho/tools-agent-install` 18 passed; typecheck green for all three; Biome and dependency-cruiser clean on WP-12 paths; `claude plugin validate integrations/claude-code` passes. Still open: mirror verify (WP-04 `mirrorRung`), companion mount (WP-05), Settings screen and handlers (WP-08), root `agent:install` script and knip entry for `integrations/claude-code/{bin,hooks}/*.mjs` (WP-00), L5 live e2e and L8 evals. Repo-wide `pnpm lint` fails today only on other WPs (`packages/ai` format and dashes, `ACKNOWLEDGEMENTS.md` ownership).

builder:WP-12 handoff · done

Agent link, resumed session. Progress file `docs/progress/WP-12.md` reconstructed. Rewrote the empty eval grader `integrations/claude-code/evals/why-no-inside-insulation/graders/grounded.mjs`; no other owned file was empty or truncated. Re-ran: `@ibasho/agent-bridge` 30, `@ibasho/mcp` 17 (L1, L2 real engine hash parity, L3), `@ibasho/tools-agent-install` 18 (L7) all pass; typecheck green; `claude plugin validate` passes on `marketplace.json` and `plugin.json`; Biome and dependency-cruiser clean on WP-12 paths. Still open, unchanged: WP-04 `mirrorRung`, WP-05 companion mount, WP-08 Settings and handlers (L5), WP-00 root script and knip entry, L8 eval run (manual).

reviewer:WP-12 handoff · done

WP-12 review. Found one real defect: `packages/agent-bridge/test/bridge.test.ts` imports `BODY_LIMITS` (413 request body caps in `src/server/app.ts`), but `src/server/index.ts` did not export it, so the bridge suite failed and its typecheck was red. Fixed by exporting it. Reviewed bridge auth (Bearer token, constant-time compare, loopback Host guard, origin check before pairing, single-use 40-bit pairing code with rotation, schema-checked frames and results), MCP grounding (`assertGrounded` on every result, typed ops only, no eval path), memory log (safe ids, atomic writes), hook and installer (marker-only removal, settings backup). Results: `@ibasho/agent-bridge` 32, `@ibasho/mcp` 17, `@ibasho/tools-agent-install` 20 tests pass; typecheck green; `claude plugin validate` passes on both manifests; Biome and dependency-cruiser clean; `pnpm contracts` exit 0. Open items unchanged: WP-04 `mirrorRung`, WP-05 mount, WP-08 Settings (L5, L6 in app), WP-00 knip entry and `agent:install` script, L8 eval run.

reviewer:WP-12 handoff · done

WP-12 review, second pass. No empty or truncated owned files. One fix: the installer wrote the person's `settings.json`, its backup, the record and the copied files in place; an interrupted write could truncate `~/.claude/settings.json`. `tools/agent-install/src/apply.ts` now writes whole files through a temp file and rename and keeps the file mode (the backup used to be 0644 for a 0600 settings file). New test in `tools/agent-install/test/install.test.ts`. Results: `@ibasho/agent-bridge` 32, `@ibasho/mcp` 17, `@ibasho/tools-agent-install` 21 pass; typecheck green for all three; Biome and dependency-cruiser clean; `pnpm contracts` exit 0. Open items unchanged.

builder:WP-05 handoff · done

AI and memory, E1 to E7. New tests: `ac-n1.test.ts` (AC-N1: 2 golden bundles, synthetic GH1 and real engine GH1, x 9 scripted providers x 3 voices: 0 LLM digits or number words, every chip from the bundle), `quarantine.test.ts` (AC-N2: 60 notes all flagged, 0 planted numbers shown, 0 unconfirmed ops, 0 active memories; 20 benign notes read as expected; E7: narrate, repair, plan and extract payloads carry no 4-word run of any note), `memory.test.ts` (AC-M1: 500 seeded sessions checked step by step against an independent oracle, offered packages never hold a ruled-out or completed measure, op channel refuses them; AC-M2; AC-M3 with real deletion at 30 days and on empty now). Fix: G8 normalised to ASCII only, so a copied Japanese injection passed; now Unicode. Engine graph fixture regenerated (engine result hash moved); `pnpm --filter @ibasho/ai gen:engine-graph` added, `-- --check` compares content. Companion: `/health`, `/verify`, Ollama CORS pass-through, `/agent-link` mount point, 16 tests. Results: `@ibasho/ai` 107 passed, `@ibasho/companion` 16 passed, typecheck green, Biome, depcruise and tools/lint clean on WP-05 paths. Open: bridge

wiring in `main.ts` (install window, Interfaces), E4 Chromium and Firefox run (WP-10 imports `renderGh1` from `packages/ai/test/helpers.ts`).

reviewer:WP-05 handoff · done

WP-05 review. Found a grounding hole in G2: the number pattern used ASCII `\d` and treated a hyphen as part of a word, so Devanagari or fullwidth digits, vulgar fractions, Roman numeral letters and hyphenated number words (“twenty-five”, “one-third”) passed. Now `\p{N}` with hyphen as a boundary, in `validate.ts` and the template numeric guard; the AC-N1 checker uses the same stricter pattern and a new E5 test covers these cases. Companion `/verify`: body cap is now Hono `bodyLimit` (catches chunked bodies with no Content-Length, which were buffered whole) and the runner caps its queue at 4 (429) and skips checks whose caller hung up. Results: `@ibasho/ai` 108, `@ibasho/companion` 19 pass; typecheck green; Biome and depcruise clean on WP-05 paths. Note for the orchestrator: Hono is not in `ACKNOWLEDGEMENTS.md`, which no WP owns.

builder:WP-04 handoff · done

M-0 step 4, checker half. Lean `proofs/Ibasho/Check/**` (Wire, Sha256, Schema, Finance, Ids, Manifest, Check, Json, Sound, Audit; README): `check_sound : checkAll c = true → Valid c`, no `sorry`; the audit passes for 20 theorems and all 686 checker declarations. Exes: `ibasho-check` (exit 0, 1, 2; `--batch`) and `ibasho-gen` (writes `packages/spec-gen/src/generated/**`: spec.ts, rules.ts, cert.ts, cert.schema.json, seals.json with statements and axioms from the environment, specHash.ts with `SPEC_MANIFEST`; `--check` is clean = D6; `--audit`). `packages/spec-gen` is real (`SPEC_GEN_IS_PLACEHOLDER = false`, scripts `gen`, `gen:check`). `packages/verify`: wire codec, `emit`, `mirrorCheck` with the same check ids and paths. `packages/fixtures/src/certs`: GH1 golden (real engine search plus `emit`) and mutants M0-2 (`acct.saving` row/1), M0-3 (`feas.recompute` row/1), M0-4 (`feas.recompute` row/3). Results: `ibasho-check` exits 0 on the golden and 1 on each mutant; the mirror agrees verdict for verdict (`pnpm verify`, `packages/verify/test/certs.test.ts`). Stubbed: `money.bills` and `score.recompute` skipped with a reason; named rule functions unknown; growth 0; seal resolver, rung plugins and `POST /verify` (M-C).

reviewer:WP-04 handoff · done

WP-04 checker review. Re-ran everything. Confirmed: `lake build IbashoCheck ibasho-check ibasho-gen` green (54 jobs, audit 20 theorems and 686 declarations), `ibasho-gen --check` clean, `pnpm verify` 4 of 4 agree. `Valid` states real content (enumeration, accounting, finance, feasibility, memory, front, witnesses, picks). Added `packages/verify/test/parity.test.ts`: 31 one field mutations of the GH1 golden (every claimed column, front, picks, witnesses, statuses, rule ids, context, packs, malformed shapes), each with a stated exit code, and Lean and mirror agree on all of them. `@ibasho/verify` now 80 tests pass. Gap found: `memory.completed` is unchecked (INTERFACES entry). Repo `pnpm test` still red only in WP-02 fixture drift (engine, mcp) and `ACKNOWLEDGEMENTS.md` ownership.

builder:WP-08 handoff · done

M-0 step 6, app shell and store. `/app/home/gh1` runs the real engine in a Web Worker (Comlink) with the mirror check in the same worker, and shows WP-07’s SVG house (pencil while computing), three futures with `Num` chips, one Checked seal (only when the mirror agrees and the spec is the generated one) and the proved claim “What you ruled out never came back”. The page stays plain: theorem names and formula ids are left to `/app/proofs` and the evidence drawer. `@ibasho/store`: Dexie `ibasho` v1, migrations scaffold, homes and results repos. For WP-10 (M0-5): DOM hooks as in the WP-06 interface; `apps/web/test/home-page.test.tsx` runs the same assertions in a DOM. Stubs: `manifest.ui` empty (M-A), evidence sheet stands in for `EvidenceDrawer` (M-C), `MemoryRepo` and `.ibasho` codec (M-P, M-D). Tests: `apps/web` 6 passed, `packages/store` 7 passed, both typechecks green.

steward:WP-00 handoff · done

Steward pass. Answered every open request to WP-00 (see Interfaces). Refreshed the WP-02 results fixture for the real spec hash (`pnpm --filter @ibasho/engine gen:results`). Filled in `ACKNOWLEDGEMENTS.md`: libraries, ported algorithms, data sources, assets and ideas.