Recording Modes_Test Suite_001

Execution Environment

Host name	HP - DESKTOP-06KVD7C
Local OS	Windows 10 64bit
Katalon version	9.2.0.212
Browser	Chrome 121.0.0.0

Summary

ID	Test Suites/Recording Modes_Test Suite/Recording Modes_Test Suite_001		
Description			
Total	4		
Passed	4	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	30-01-2024 08:08:39	End	30-01-2024 08:13:25
Elapsed	4m - 45.585s		

#	ID	Description	Status
1	Test Cases/Amazon_Automation/TC_Add_To_Cart_Record_001		PASSED
2	Test Cases/Amazon_Automation/TC_LoginRe_Manual_001		PASSED
3	Test Cases/Amazon_Automation/TC_Registration_Record_And_Playback_001		PASSED
4	Test Cases/Amazon_Automation/TC_Search_Item_Script_Mode_001		PASSED

TC_Add_To_Cart_Record_001

Information

ID	Test Cases/Amazon_Automation/TC_Add_To_Cart_Record_001		
Description			
Tag			
Start	30-01-2024 08:08:40	End	30-01-2024 08:12:54
Elapsed	4m - 13.548s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: ''	9.539s	PASSED
2	navigateToUrl("https://www.amazon.com/") Navigate to 'https://www.amazon.com/' successfully	13.019s	PASSED

TC_Add_To_Cart_Record_001

#	Description	Elapsed	Status
3	click(findTestObject("Object Repository/Page_Amazon.com. Spend less. Smile more/span_Sign in"))	3.568s	PASSED

Unable to click on object 'Object Repository/Page_Amazon.com. Spend less. Smile more/span_Sign in' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_Amazon.com. Spend less. Smile more/span_Sign in'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)
        at TC_Add_To_Cart_Record_001.run(TC_Add_To_Cart_Record_001:24)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)
        at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
        at TempTestSuite1706582306746.run(TempTestSuite1706582306746.groovy:36)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable
  (Session info: chrome=121.0.6167.85)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-06KVD7C', ip: '192.168.23.51', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.85, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:

#	Description	Elapsed	Status
	{debuggerAddress: localhost:50845}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension: credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2184da6eb18a71cb3d42eeb5ef9feacc at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events. EventFiringWebDriver$EventFiringWebElement.lambdanew0(EventFiringWebDriver.java:404) at jdk.proxy2/jdk.proxy2.$Proxy24.click(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver$EventFiringWebElement.click(EventFiringWebDriver.java:417) at org.openqa.selenium.WebElement$click.call(Unknown Source) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword. clickUntilSuccessWithTimeout(ClickKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1. doCall(ClickKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call (ClickKeyword.groovy)		

#	Description	Elapsed	Status

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)

at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)

at Script1706537778909.run(Script1706537778909.groovy:24)

... 15 more

)

TC_Add_To_Cart_Record_001

#	Description	Elapsed	Status
4	setText(findTestObject("Object Repository/Page_Amazon Sign-In/input_email"), "nagarajunitheesh@gmail.com")	32.451s	PASSED

Unable to set text 'nagarajunitheesh@gmail.com' of object 'Object Repository/Page_Amazon Sign-In/input_email' (Root cause: com.kms.katalon.core. exception.StepFailedException: Unable to set text 'nagarajunitheesh@gmail.com' of object 'Object Repository/Page_Amazon Sign-In/input_email'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)
        at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)
        at TC_Add_To_Cart_Record_001.run(TC_Add_To_Cart_Record_001:26)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)
        at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
        at TempTestSuite1706582306746.run(TempTestSuite1706582306746.groovy:36)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.InvalidElementStateException: invalid element state (Session info: chrome=121.0.6167.85)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-06KVD7C', ip: '192.168.23.51', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.85, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50845}, javascriptEnabled: true, networkConnectionEnabled:

#	Description	Elapsed	Status
	false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension: credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}		

Session ID: 2184da6eb18a71cb3d42eeb5ef9feacc
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
    at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19)
    at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285)
    at org.openqa.selenium.remote.RemoteWebElement.clear(RemoteWebElement.java:124)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
    at org.openqa.selenium.support.events. EventFiringWebDriver$EventFiringWebElement.lambdanew0(EventFiringWebDriver.java:404)
    at jdk.proxy2/jdk.proxy2.$Proxy24.clear(Unknown Source)
    at org.openqa.selenium.support.events. EventFiringWebDriver$EventFiringWebElement.clear(EventFiringWebDriver.java:436)
    at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:53)
    at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)
    at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)
    at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)
    at Script1706537778909.run(Script1706537778909.groovy:26)
    ... 15 more

#	Description	Elapsed	Status
	)		

| 5 | click(findTestObject("Object Repository/Page_Amazon Sign-In/inputcontinue")) | 33.896s | PASSED |

Object: 'Object Repository/Page_Amazon Sign-In/inputcontinue' is clicked on

TC_Add_To_Cart_Record_001

#	Description	Elapsed	Status
6	setEncryptedText(findTestObject("Object Repository/Page_Amazon Sign-In/input_password"), "eFExo21GW0EEOBpKNxbY/Q==")	31.856s	PASSED
	Unable to set encrypted text for object 'Object Repository/Page_Amazon Sign-In/input_password' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set encrypted text for object 'Object Repository/Page_Amazon Sign-In/input_password'		

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
  at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword. setEncryptedText(SetEncryptedTextKeyword.groovy:65)
  at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword. execute(SetEncryptedTextKeyword.groovy:34)
  at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setEncryptedText (WebUiBuiltInKeywords.groovy:1050)
  at TC_Add_To_Cart_Record_001.run(TC_Add_To_Cart_Record_001:30)
  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)
  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)
  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)
  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
  at TempTestSuite1706582306746.run(TempTestSuite1706582306746.groovy:36)
  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.InvalidElementStateException: invalid element state (Session info: chrome=121.0.6167.85)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-06KVD7C', ip: '192.168.23.51', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.85, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50845}, javascriptEnabled: true, networkConnectionEnabled:

TC_Add_To_Cart_Record_001

#	Description	Elapsed	Status

false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension: credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 2184da6eb18a71cb3d42eeb5ef9feacc
        at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method)
        at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
        at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
        at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
        at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
        at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)
        at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)
        at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)
        at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285)
        at org.openqa.selenium.remote.RemoteWebElement.clear(RemoteWebElement. java:124)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
        at org.openqa.selenium.support.events. EventFiringWebDriver$EventFiringWebElement.lambdanew0(EventFiringWebDriver.java: 404)
        at jdk.proxy2/jdk.proxy2.$Proxy24.clear(Unknown Source)
        at org.openqa.selenium.support.events. EventFiringWebDriver$EventFiringWebElement.clear(EventFiringWebDriver.java:436)
        at com.kms.katalon.core.webui.keyword.builtin. SetEncryptedTextKeyword$_setEncryptedText_closure1.doCall(SetEncryptedTextKeyword. groovy:54)
        at com.kms.katalon.core.webui.keyword.builtin. SetEncryptedTextKeyword$_setEncryptedText_closure1.call(SetEncryptedTextKeyword. groovy)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)
        at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword. setEncryptedText(SetEncryptedTextKeyword.groovy:65)
        at com.kms.katalon.core.webui.keyword.builtin.SetEncryptedTextKeyword. execute(SetEncryptedTextKeyword.groovy:34)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setEncryptedText (WebUiBuiltInKeywords.groovy:1050)

#	Description	Elapsed	Status
	at Script1706537778909.run(Script1706537778909.groovy:30) ... 15 more)		
7	click(findTestObject("Object Repository/Page_Amazon Sign-In/inputsignInSubmit")) Object: 'Object Repository/Page_Amazon Sign-In/inputsignInSubmit' is clicked on	33.984s	PASSED
8	selectOptionByValue(findTestObject("Object Repository/Page_Amazon.com. Spend less. Smile more/select_All Departments Arts Crafts _135c92"), "search-alias=stripbooks-intl-ship", true) All options with value 'search-alias=stripbooks-intl-ship' are selected in object 'Object Repository/Page_Amazon.com. Spend less. Smile more/select_All Departments Arts Crafts _135c92' using regular expression	3.096s	PASSED
9	setText(findTestObject("Object Repository/Page_Amazon.com. Spend less. Smile more/input_field-keywords"), "Da vinci code") Text 'Da vinci code' is set on object 'Object Repository/Page_Amazon.com. Spend less. Smile more/input_field-keywords'	1.132s	PASSED
10	click(findTestObject("Object Repository/Page_Amazon.com. Spend less. Smile more/inputnav-search-submit-button")) Object: 'Object Repository/Page_Amazon.com. Spend less. Smile more/inputnav-search-submit-button' is clicked on	4.939s	PASSED

TC_Add_To_Cart_Record_001

| #	Description	Elapsed	Status
11	doubleClick(findTestObject("Object Repository/Page_Amazon.com Da vinci code/img_s-image")) Object: 'Object Repository/Page_Amazon.com Da vinci code/img_s-image' is double clicked on	10.296s	PASSED
12	click(findTestObject("Object Repository/Page_The Da Vinci Code (Large Print) Brown,_a09dbd/input_submit.add-to-cart")) Object: 'Object Repository/Page_The Da Vinci Code (Large Print) Brown,_a09dbd/input_submit.add-to-cart' is clicked on	6.256s	PASSED

TC_Add_To_Cart_Record_001

#	Description	Elapsed	Status
13	doubleClick(findTestObject("Object Repository/Page_The Da Vinci Code (Large Print) Brown,_a09dbd/input_submit.add-to-cart"))	31.760s	PASSED

Unable to double click on object 'Object Repository/Page_The Da Vinci Code (Large Print) Brown,_a09dbd/input_submit.add-to-cart' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to double click on object 'Object Repository/Page_The Da Vinci Code (Large Print) Brown,_a09dbd/input_submit.add-to-cart'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.DoubleClickKeyword.doubleClick (DoubleClickKeyword.groovy:87)
        at com.kms.katalon.core.webui.keyword.builtin.DoubleClickKeyword.execute (DoubleClickKeyword.groovy:67)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.doubleClick (WebUiBuiltInKeywords.groovy:766)
        at TC_Add_To_Cart_Record_001.run(TC_Add_To_Cart_Record_001:45)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)
        at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
        at TempTestSuite1706582306746.run(TempTestSuite1706582306746.groovy:36)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable: [object HTMLInputElement] has no size and location
  (Session info: chrome=121.0.6167.85)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-06KVD7C', ip: '192.168.23.51', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.85, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions:

TC_Add_To_Cart_Record_001

#	Description	Elapsed	Status
	{debuggerAddress: localhost:50845}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension: credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2184da6eb18a71cb3d42eeb5ef9feacc		

    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)
    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)
    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)
    at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)
    at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver. java:618)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
    at org.openqa.selenium.support.events.EventFiringWebDriver.lambdanew1 (EventFiringWebDriver.java:105)
    at jdk.proxy2/jdk.proxy2.$Proxy23.perform(Unknown Source)
    at org.openqa.selenium.support.events.EventFiringWebDriver.perform (EventFiringWebDriver.java:360)
    at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:639)
    at com.kms.katalon.core.webui.keyword.builtin. DoubleClickKeyword$_doubleClick_closure1.doCall(DoubleClickKeyword.groovy:80)
    at com.kms.katalon.core.webui.keyword.builtin. DoubleClickKeyword$_doubleClick_closure1.call(DoubleClickKeyword.groovy)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)
    at com.kms.katalon.core.webui.keyword.builtin.DoubleClickKeyword.doubleClick (DoubleClickKeyword.groovy:87)
    at com.kms.katalon.core.webui.keyword.builtin.DoubleClickKeyword.execute (DoubleClickKeyword.groovy:67)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.doubleClick (WebUiBuiltInKeywords.groovy:766)
    at Script1706537778909.run(Script1706537778909.groovy:45)
    ... 15 more
)

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Page_Amazon.com Shopping Cart/a_Go to Cart")) Object: 'Object Repository/Page_Amazon.com Shopping Cart/a_Go to Cart' is clicked on	3.783s	PASSED
15	doubleClick(findTestObject("Object Repository/Page_Amazon.com Shopping Cart/a_Go to Cart")) Object: 'Object Repository/Page_Amazon.com Shopping Cart/a_Go to Cart' is double clicked on	32.059s	PASSED
16	closeBrowser() Browser is closed	0.900s	PASSED

TC_LoginRe_Manual_001

Information

ID	Test Cases/Amazon_Automation/TC_LoginRe_Manual_001
Description	
Tag	

Start	30-01-2024 08:12:54	End	30-01-2024 08:12:54
Elapsed	0.252s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	return null	0.002s	PASSED

TC_Registration_Record_And_Playback_001

Information

ID	Test Cases/Amazon_Automation/TC_Registration_Record_And_Playback_001
Description	
Tag	

Start	30-01-2024 08:12:54	End	30-01-2024 08:13:06
Elapsed	11.744s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("")	1.994s	PASSED
	Browser is opened with url: ''		
2	navigateToUrl("https://www.amazon.com/")	8.626s	PASSED
	Navigate to 'https://www.amazon.com/' successfully		
3	closeBrowser()	0.794s	PASSED
	Browser is closed		

TC_Search_Item_ Script_Mode_001

Information

ID	Test Cases/Amazon_Automation/TC_Search_Item_ Script_Mode_001			
Description				
Tag				
Start	30-01-2024 08:13:06	End	30-01-2024 08:13:22	
Elapsed	16.415s			
Status	PASSED			

Details

#	Description	Elapsed	Status
1	openBrowser("http://www.amazon.com", OPTIONAL)	9.030s	PASSED
	Browser is opened with url: 'http://www.amazon.com'		
2	navigateToUrl("http://www.amazon.com")	2.788s	PASSED
	Navigate to 'http://www.amazon.com' successfully		

TC_Search_Item_ Script_Mode_001

#	Description	Elapsed	Status
3	selectOptionByValue(findTestObject("A_Manual_Search_OR/Page_Amazon.com. Spend less. Smile more/CC"), "search-input=stripsbooks-intl-", false)	1.388s	PASSED

Unable to select option by value 'search-input=stripsbooks-intl-' of object 'Object Repository/A_Manual_Search_OR/Page_Amazon.com. Spend less. Smile more/CC' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to select option by value 'search-input=stripsbooks-intl-' of object 'Object Repository/A_Manual_Search_OR/Page_Amazon.com. Spend less. Smile more/CC'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword. selectOptionByValue(SelectOptionByValueKeyword.groovy:99)
        at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword. execute(SelectOptionByValueKeyword.groovy:71)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. selectOptionByValue(WebUiBuiltInKeywords.groovy:1207)
        at TC_Search_Item_ Script_Mode_001.run(TC_Search_Item_ Script_Mode_001: 24)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)
        at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
        at TempTestSuite1706582306746.run(TempTestSuite1706582306746.groovy:36)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.support.ui.UnexpectedTagNameException: Element should have been "select" but was "div"
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-06KVD7C', ip: '192.168.23.51', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: driver.version: unknown
        at org.openqa.selenium.support.ui.Select.<init>(Select.java:48)
        at com.kms.katalon.core.webui.keyword.builtin.

| #	Description	Elapsed	Status
	SelectOptionByValueKeyword$_selectOptionByValue_closure1.doCall (SelectOptionByValueKeyword.groovy:87) at com.kms.katalon.core.webui.keyword.builtin. SelectOptionByValueKeyword$_selectOptionByValue_closure1.call (SelectOptionByValueKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword. selectOptionByValue(SelectOptionByValueKeyword.groovy:99) at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword. execute(SelectOptionByValueKeyword.groovy:71) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. selectOptionByValue(WebUiBuiltInKeywords.groovy:1207) at Script1706582199898.run(Script1706582199898.groovy:24) ... 15 more)		

TC_Search_Item_ Script_Mode_001

#	Description	Elapsed	Status
4	setText(findTestObject("A_Manual_Search_OR/Page_Amazon.com. Spend less. Smile more/div_Search Amazon_nav-right"), "Da vinci code")	1.513s	PASSED

Unable to set text 'Da vinci code' of object 'Object Repository/A_Manual_Search_OR/Page_Amazon.com. Spend less. Smile more/div_Search Amazon_nav-right' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'Da vinci code' of object 'Object Repository/A_Manual_Search_OR/Page_Amazon.com. Spend less. Smile more/div_Search Amazon_nav-right'
       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64)
       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)
       at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText(SetTextKeyword.groovy:66)
       at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute(SetTextKeyword.groovy:37)
       at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)
       at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText(WebUiBuiltInKeywords.groovy:1019)
       at TC_Search_Item_ Script_Mode_001.run(TC_Search_Item_ Script_Mode_001:27)
       at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
       at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)
       at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)
       at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)
       at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)
       at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)
       at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)
       at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65)
       at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148)
       at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)
       at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)
       at TempTestSuite1706582306746.run(TempTestSuite1706582306746.groovy:36)
       at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
       at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
       at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.InvalidElementStateException: invalid element state
  (Session info: chrome=121.0.6167.85)
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-06KVD7C', ip: '192.168.23.51', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:

#	Description	Elapsed	Status
	121.0.6167.85, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\HP\AppData\Local\T...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51176}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension: credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ccc93947de72b49835108c06ade32fa4		

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
at org.openqa.selenium.remote.RemoteWebElement.clear(RemoteWebElement.
java:124)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
at org.openqa.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.lambdanew0(EventFiringWebDriver.java:
404)
at jdk.proxy2/jdk.proxy2.$Proxy24.clear(Unknown Source)
at org.openqa.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.clear(EventFiringWebDriver.java:436)
at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:53)
at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:66)
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText

#	Description	Elapsed	Status
	(WebUiBuiltInKeywords.groovy:1019) at Script1706582199898.run(Script1706582199898.groovy:27) ... 15 more) 		
5	click(findTestObject("A_Manual_Search_OR/Page_Amazon.com. Spend less. Smile more/input_Search Amazon_field-keywords")) Object: 'Object Repository/A_Manual_Search_OR/Page_Amazon.com. Spend less. Smile more/input_Search Amazon_field-keywords' is clicked on	0.705s	PASSED
6	closeBrowser(OPTIONAL) Browser is closed	0.580s	PASSED