

Administrator: C:\Windows\system32\cmd.exe

C:\Users\user>ipconfig

Windows IP Configuration

Ethernet adapter Local Area Connection:

Connection-specific DNS Suffix	:	:
Link-local IPv6 Address	:	:
IPv4 Address	:	fe80::35fd:cc8:9b31:c87e%11
Subnet Mask	:	50.0.0.20
Default Gateway	:	255.0.0.0

Tunnel adapter isatap.{42A1F8B7-30A8-4EF7-81AF-C694F5F3D81B}:

Media State	:	Media disconnected
Connection-specific DNS Suffix	:	:

Tunnel adapter 6T04 Adapter:

Connection-specific DNS Suffix	:	:
IPv6 Address	:	2002:3200:14::3200:14
Default Gateway	:	:

C:\Users\user>

Kiwi Syslog
Server Co...

Administrator: C:\Windows\system32\cmd.exe

C:\Users\user>ipconfig

Windows IP Configuration

Ethernet adapter Local Area Connection:

```
Connection-specific DNS Suffix . :  
Link-local IPv6 Address . . . . . : fe80::2ceb:ccb5:788:1e35x1f  
IPv4 Address. . . . . : 50.0.0.10  
Subnet Mask . . . . . : 255.0.0.0  
Default Gateway . . . . . :
```

Tunnel adapter isatap.{42A1F8B7-30A8-4EF7-81AF-C694F5F3D81B}:

```
Media State . . . . . : Media disconnected  
Connection-specific DNS Suffix . :
```

Tunnel adapter 6T04 Adapter:

```
Connection-specific DNS Suffix . :  
IPv6 Address. . . . . : 2002:3200:a::3200:a  
Default Gateway . . . . . :
```

C:\Users\user>