Hygiene Solutions

A Clean Room Concept

















ABOUT US

Hygiene Solutions emphasizes on a 'Clean Room Concept' by engaging in the supply of both active and passive sanitation, sanitary and regulatory equipment to most of the industries across India. Our clients are majorly from the following industrial sectors:

- **Pharmaceutical**
- **Food Processing**
- **Manufacturing**
- **Paint & Chemicals**
- **Warehouse/Cold Storage**
- **Sea Foods/Fisheries**
- **Dairy Processing**
- **Aeronautics/Aerospace**

We were founded in the year 2007 with the vision and astute guidance of Mr. R. Ravi along with the industrial expertise & supervision of Mr. R. Upender and Mr. K. S. Rao, with the motto of providing global quality products, prompt service and most of all, reliability to the market. stringent quality control, persistent follow-up, scheduled delivery, efficient installation and prompt customer service has enabled us to become a sought after name in the market within a very short span of time.

OUR RANGE OF PRODUCTS:

- PVC STRIP

Curtains
Flap Doors
Roll-up Doors
Magnetic-Seal Doors

- AIR-CURTAINS
- FLY-CATCHERS

Electrostatic
Glue Pad

- SHOE-COVER DISPENSERS
- SHOE SHINING MACHINES
- WRINGER BUCKETS
- QUEUE MANAGERS
- DUST/WASTE BINS
- PLANTERS
- SIGNAGE

- WASHROOM EQUIPMENT

Hand Dryers
Soap/Sanitizer Dispensers
Aerosol Dispensers
Tissue Paper Dispensers
Sensor Operated Taps
Elbow/Foot Operated Taps

- SCRUBBING STATION

AIR CURTAINS

Compact type, specially designed, AIR CARE - air curtains are useful in preventing the entry of unwanted elements like insects, dust, fumes & heat into the clean environment.





- Aerodynamically designed radial flow fan impellers with polished stainless steel blades. Double sealed ball bearing supporting end pin ensure low turbulent displacement of air at low noise level.
- Cold forming techniques of manufacturing renders outer cabinet to be strong and tough yet light in weight.
- Air Curtains are available in four series with single phase/three phase and outlet velocities ranging from 10 m/sec to 25 m/sec. In each series, models are available to suit door widths from 0.9 m to 2 m.
- Improved design of suction grill profile maintains ideal air entry configuration with radial flow fans by reducing pressure loss at entry point to a negligible level
- Air Care-air curtains are also available with Flame Proof Motor in SS Cabinets and CRCA Cabinets across all the series.
- Compact powerful motor for smooth starting, trouble-freee running and continuous operation with low power consumption.
- Fixed guide vanes inside the fan scroll eliminate short cycling of the air and enable air displacement at optimum energy consumption.
- Resilient suspension mounting system for installing the unit ensures ease of installation, prevents transfer of vibration from unit to mounting structure and simplifies removal of equipment for servicing.

CENTRIFUGAL TYPE



Outer Cabinet: Stainless Steel 304 Casing
Impellers: Plastic blower with plastic housing



Outer Cabinet: CRCA Powder Coated Casing
Impellers: Plastic blower with plastic housing

S No	Unit Size	3' ft	4' ft	5' ft	6' ft
1	Velocity-Mtrs/Sec	18-21	18-21	18-21	18-21
2	Air flow (m3 /h)	1520	2027	2534	2534
3	Dimensions (mm)	900 x 230 x 212	1200 x 230 x 212	1500 x 230 x 212	1800 x 230 x 212
4	Motor - RPM	2800	2800	2800	2800
5	Motor Phase	Single	Single	Single	Single
6	Motors	1 single shaft 1 double shaft (2 motors)	2 double shaft (2 motors)	2 double shaft 1 single shaft (3 motors)	3 double shaft (3 motors)
7	No of Blowers	3 nos	4 nos	5 nos	6 nos
8	Power Supply	220 v / 50 Hz	220 v / 50 Hz	220 v / 50 Hz	220 v / 50 Hz
9	Power watts	450 w	600 w	750 w	750 w
10	Noise Level	> 70 db	> 70 db	> 70 db	> 70 db

PVC STRIP CURTAINS / DOORS

PVC Strip Curtains/Doors supplied and installed by us are highly transparent or non-transparent strips, overlapping as per requirement provide protection to your work force and goods against insects, fumes, noise, humidity and dust but allow the passage of light. In addition to hygiene, the PVC strip door/curtain provides an excellent thermal barrier, by maintaining the cool/warm air humidity as required during track movement through the door and thus reducing the energy costs dramatically. These strips are fixed or installed on aluminum or SS/MS powder coated channels.


THE AVAILABLE RANGE OF PVC STRIPS CURTAINS/DOORS

Standard (Transparent)	: Normal Temperature (+5°C to +60°C)
Amber (Anti-Insect)	: Insect Repellent (+5°C to +60°C)
Polar	: Cold Storages up to -25°C
Super-Polar	: Cold Storages up to -40°C
Double Ribbed (Transparent)	: Impact Resistant (+5°C to +60°C)
Opaque (Grey, Black, Blue, Orange)	: Sight Barrier (+5°C to +60°C)
Thickness Variants	: 2mm, 3mm, 5mm
Width Variants	: 200mm, 300mm

ADVANTAGES:

- Restricts movement of smoke, fumes and dust.
- Reduces hot or cool air loss/reduces electricity bill by 40%
- Allows natural light to pass through.
- Isolates noisy machinery.
- Increases employee's comforts.
- Excellent strength & durability
- Restricts birds and flying insects.
- Minimum maintenance.











SALIENT FEATURES:

- PVC strips are soft, transparent and have unique see-through quality which prevents collision of personnel, fork – lifts or moving vehicles.
- The strip door gets back to original position after passage in a fraction of a second due to its excellent flexibility and visibility. Hence it increases productivity .
- These doors are manufactured with rounded edges for easy and comfortable passage of the personnel.
- PVC strip doors help in saving energy through temperature retention and control of hot/cold airflow
- Reduces noise level up to 15 db depending upon the thickness of the strips. PVC strip Curtains are made up of self extinguishing material and therefore are flame resistant.
- It is easy to clean PVC strips by using mild soap and water. For deep cleaning 5% ethanol mixed with 95% water can be applied with soft cloth or sponge.









MAGNETIC STRIP

FOGGER MACHINE



HS-FM SS



HS-FM ABS



ROTATING STAND

We would like to introduce ourselves as the manufacturers and supplier of Fogger machine, which are used in clean rooms in pharmaceutical companies as well as operation theatre rooms for room sterilization.

We also manufacture accessories like oscillating systems (turntable) to oscillate the fogger as per client's choice. Broadly the models are as below:

Rotostand : To oscillate the fogger @ max. 120 degrees.
Roto-360 : To oscillate the fogger @ full 360 degrees.

FEATURES:

- Dry Fog, Uniform Sub-Micron Size Liquid Particles.
- Adjustable Flow Rate Of 0-50 Ml/Minute.
- Digital Timer To Set The Fogger On For 1-99 Minutes
- High Speed FHP Motor For Maximum Thrust OfSpray.
- Advance Thrust Design Of Air-Jet Nozzle. Fog Thrust Of 50 >Feet.
- Highly Portable & Can Be Carried Or Moved Easily.
- Cover An Area Of > 20.000 Cubic Feet.
- Portable Turn Table Which Rotates 360° Optional.

SPECIFICATIONS	BX 8P	BX 6.5S
Timer Devices	Digital Timer(1-99 Min)	
Working Hours Counter	Available (Digital)	
Particle Size	Uniform Sub Microns	
Liquid Flow Rate	1-3 Ltrs. / Hr. (Adjustable)	
Flow Control Mechanism	Available SS 316	
Nozzle System	SS 316 Grade, Air-Jet Nozzle (Advance Thrust Design)	
Tank Capacity	8 Ltrs	6.5 Ltrs
Tank MOC	HDPE	SS 316L
Noise Level	<88DB @ I Meter	
Air Filter	Triple Stage WIth Clamp	
Area Coverage	>20,000 Cubic Fts.	
Motor Speed	24,000 RPM (Approx)	
Power Supply	230 VAC, 50/60 Hz	
Material Of Construction	Hardware:- SS 304, Strainer Nipples:- SS 316	
(MOC)	Tubing's:- Silicon Grade (FDA & UPS CLASS VI Complient	
Dry Weight	7-8Kgs.	

FLY CATCHERS



GLUE PAD

* Machine size: 20" X 15"
* Body: Fiber
* Glue Paper Size: 16" x 12" (L x H)
* Input Voltage: 230 VAC + - 5%



ELECTRIC SS

* Material: S. Steel (304G)
* Dimensions: 16" X 24"
* Power: 230v, 60watts



ELECTRIC POWDER COATED

* Material : CRCA Powder Coated
* Dimensions: 16" X 24"
* Power: 230v, 60watts

SHOE-COVER DISPENSER



MANUAL SHOE COVER MACHINE

* Model: HS-002
* Material: Aluminum
* Dimensions: w 45 x d 26 x h 16 cm
* Color: Silver
* Weight: 4 Kg
* Bag contains: 100 pcs (50 pairs)



AUTOMATIC SHOE COVER DISPENSER

* Model: HYG/LD-01
* Size: 77 x 33.7 x 64 cm
* Weight: 20 Kg
* Voltage: 12v
* UV Light : Disinfect function
* 1 cartridge contains 100 pcs

SHOE-SHINE MACHINE



AUTO SHOE SHINE MACHINE WITH SOLE CLEANER

* Model: HYG-XD-I
* Size: 510 x 320 x 495 mm
* Weight: 17 Kg
* Power: 105 W
* Noise: < 50 DB
* Speed: 800n
* IR Sensor: Available
* Sole Cleaner: Available



SHOE SHINING MACHINE

* Model: HYG-XD-2
* Dimension : L - 14.5" x D - 8" x H - 11"
* Weight : 7.5 Kg
* Power (Watts) : 45
* Speed (n) : 1400
* Auto Cut Off: 60 sec
* Motor : Single

WRINGER BUCKETS



HS-WB01



HS-WB02



HS-WB03



JANITORIAL CART

BINS



PUSH BIN



SWING BIN



ASHTRAY BIN



PERFORATED OPEN



PEDAL BINS



3 CP BIN



2 CP BIN



BIO WASTE BIN

QUEUE MANAGERS



Q UP STAND (ECONOMY)

* 2 Meter Single Belt
* Pole Size : 34 X 2.5 Inch.
* Thickness : 0.8 Mm
* Base Size: 12 Inch Dia
* Weight: 7kg
* Strap Color: Blue, Yellow Red & Black



Q UP STAND (PREMIUM)

* 2.75 Meter Single Belt
* Pole Size :- 39 X 2.5 Inch.
* Thickness :- 1 Mm
* Base Size: 14 Inch Dia Curved
* Weight: 10kg
* Strap Color :Blue, Yellow Red & Black



GOLDEN COATED Q MANAGER WITH ROPE

* Pole Size :- 34 X 2 Inch.
* Thickness :- 1 Mm
* Base Size: 12 Inch Dia Curved
* Weight: 9kg
* Stainless Steel 202 Grade
* Velvet Rope
* Rope Color : Yellow, Black Red & Blue



A4 SIGN HOLDER STAND

* A4 Acrylic 3 Mm Frame
* Pole Size :- 34 X2 Inch
* Thickness:- 1 Mm
* Base Size: 12 Inch Dia Curved
* Weight: 6kg
* Stainless Steel 202 Grade
* Horizontal & Vertical



RETRACKABLE Q MANAGER BELTS IN MULTI COLOR

SIGNAGES



PVC TRAFIC CONE



EXPANDABLE CONE BAR



ELASTIC POLE



CONE CAUTION SIGN



SIGN BOARD

JET HAND DRYERS



HS-JHD001 S.S
* Material: S.S 304 grade
* Blowing Rate: 65 Mtrs / Sec
* Drying Time: 6 to 12 Secs
* RPM: 27000
* Power: 2000 w
* Power Supply: 220 V / 50 Hz
* 730(H)*400(W)*350(D)mm



HS-JHD001 ABS
* Material: ABS
* Motor Type: Brush Motor
* Display: LCD Screen
* Colour: White, Silver
* Blowing Rate: 95 Mtrs / Sec
* Drying Time: 6 to 12 Secs
* RPM: 24000
* Power: 2000 w
* Power Supply: 220-240 V
* 730(H)*400(W)*350(D)mm



HS-JHD002 ABS
* Material: ABS
* Blowing Rate: 95 Mtrs / Sec
* Drying Time: 6 to 10 Secs
* RPM: 24000
* Motor: Brushless
* Motor power: 700 w
* Colour: White
* Filter: HEPA
* Power: 1850 w
* Power Supply: 220-240 V
* Noise level: 70 db
* 305(W)*200(D)*655(H)mm



HS-JHD003 ABS
* Material: ABS
* Blowing Rate: 95 Mtrs / Sec
* Drying Time: 6 to 10 Secs
* RPM: 24000
* Motor: Brushless
* Motor power: 700 w
* Colour: White
* Filter: HEPA
* Power: 1850 w
* Power Supply: 220-240 V
* Noise level: 70 db
* 305(W)*200(D)*655(H)mm




HS-JHD004 ABS
* Material: ABS
* Motor Type : Brushless motor
* Voltage : 220V/50Hz
* Water Splash : IPX4
* Air Speed : 95-100 m/s
* Power: 1650W
* Drying Time: <7Sec
* RPM: 24000
* Noise Level : 70db
* Hepa Filter: Yes
* Dimensions: 300*200*625mm

MINI-JET HAND DRYER



HS-MJHD ABS
* Voltage: 220 V - 50/60hz
* Rated Power: 1650w
* Rpm: 22000
* Blowing Rate: 106m/s
* Material: ABS
* Product Size: 488x300 X210 M
* Drying Time: 10 Secs



HS-MJHD SS
* Voltage: 220v - 50/60hz
* Rated Power: 1650w
* Rpm: 22000
* Blowing Rate:106m/s
* Material: S.S
* Product size: 48 X300 X210 M
* Drying Time: 10secs

METEORIC-JET HAND DRYER



HS-MTJHD
* RPM: 25000
* Blowing Rate: 100 Mtrs / Sec
* Drying Time: 5 to 9 Secs
* Colour: White
* Power: 950W
* Power Supply: 220 V / 50 Hz
* Dimensions: W457 x D279 x H229mm

S.S HAND DRYERS



HS -HD01 SS
* Material: S.S (304G)
* Motor Power : 400W
* Rated Power: 400-950W
* Hot/Cold Switch Option
* Power Supply: AC220V-50Hz
* Air Speed : 95m/s
* RPM: 35000
* Drying Time: <15 seconds
* Noise Level: 74 db
* 275(W)*300(H)*100(D)mm



HS -HD02 SS
* Material : S.S (304G)
* Power: 1800 W
* Power Supply: AC220V-50Hz
* Air Speed : 100 m/s
* RPM: 26000
* Drying Time: 7-10 seconds
* Noise Level: 75 db
* 295(W)*175(D)*325(H) mm



HS -HD03 SS
* Material : S.S (304G)
* Power: 1800 W
* Power Supply: AC220V-50Hz
* Air Speed : 100 m/s
* RPM: 26000
* Drying Time: 7-10 seconds
* Noise Level: 75 db
* 240(W)270(H)*174(D) mm



HS -HD04 SS
* Material: S.S (304G)
* Power: 2100 W
* Power Supply : 220V/50Hz
* Air Speed : 30m/s
* RPM: 9000
* Drying Time : <20 Sec
* Noise Level: 40 db
* 235(W)*200(D)*245(D) mm



HS -HD05 SS
* Material: S.S(304G)
* Power: 2500 W
* Power Supply: 230V/50Hz
* Air Speed: 30m/s
* RPM: 12000
* Drying Time: <15Sec
* Noise Level: 45 db
* 275(H)*200(D)*230(W) mm

S.S HAND DRYERS




HS-HD06 SS

* Material: S.S 304G
* Motor Type: Brushed
* Power: 1650 W
* Power Supply : 220V (50Hz - 60 Hz)
* Air Speed: 16 m/s
* RPM: 2100
* Drying Time: 35 db
* Noise Level: <50sec
* 225(W)*160(D)*282(H) mm



HS-HD07 SS

* Material: Iron
* Power: 1500 W
* Power Supply: 220 (50Hz - 60 Hz)
* Air Speed: 16 m/s
* RPM: 2100
* Drying Time: <50sec
* Noise Level: 30 db
* 265(H)*125(D)*205(W) mm



HS-HD08 SS


* Material: S.S 304 grade
* Power: 500 W
* Power Supply: 220 V / 50 Hz
* Air Speed: 100 Mtrs / Sec
* RPM: 30000
* Drying Time : < 15 Sec
* Dimensions: 183 x 275 x 162 mm
* Noise Level : 72 db



HS-HD09 SS

* Material: S.S 304 grade
* Power: 550 W
* Power Supply: 220 V / 50 Hz
* Rated power: 1800 w
* Air Speed: 110 Mtrs / Sec
* RPM: 26000
* Drying Time: < 15 Sec
* Dimensions: 295 x 325 x 180 mm
* Noise Level: 72 db

ABS HAND DRYERS



HS-HD01 ABS

* Material: ABS
* Power: 1000W
* Power Supply: AC220V-50Hz
* Air Speed: 75m/s
* RPM: 25000
* Drying Time: <10 seconds
* Noise Level: 95 db
* 410(H)*240(W)*135(D) mm



HS-HD02 ABS

* Material: Abs
* Voltage:ac220v 50/60hz
* Rated Power: 1000w
* Water Splash Proof:Ipx4
* Blowing Rate:90m/s
* Motor Speed:25000r/min
* Dryingtime: 12 Secs



HS-HD03 ABS

* Material Used: Abs Plastic
* Power :1500w
* Voltage:220v/50hz
* Dry Time : 30 Sec-1min
* Rpm : 2800
* Dimension :290*158*300mm



HS-HD04 ABS

* Material: Anti-bacterial ABS
* Power: 1300W
* Power Supply: 220V/50Hz
* Air Speed: 100m/s
* RPM: 25000
* Drying Time: 15 sec
* Noise Level : 72db
* 240(W)*250(H)*165(D)* mm



HS-HD05 ABS

* Material: ABS
* Power: 1000 W
* Air Speed: 30m/s
* RPM: 22000
* Drying Time: <15 Sec
* 248(W)*175(D)*250(H) mm



HS-HD06 ABS

* Material : ABS
* Power: 1200 W
* Power Supply: 50Hz/60Hz
* Air Speed: 80 m/s
* RPM: 25000
* Drying Time: 10-15 Sec
* Noise Level : 48 db
* 205(W)* 272(D)*185(H) mm
* With Hot & Cold Option



HS-HD07 ABS

* Material: ABS
* Power. 2000 W
* Power Supply: 220(50Hz-60Hz)
* Air Speed: 16 m/s
* RPM: 2300
* Drying Time: <50Sec
* Noise Level: 25 db
* 240(W)*240(D)*230(H)mm



HS-HD08 ABS

* Material: ABS
* Power: 2000 W
* Power Supply : 220V/50Hz
* Air Speed: 16m/s
* RPM: 2500
* Drying Time: <10 Sec
* 410(H)*240(W)*135(D) mm



HS-HD09 ABS

* Material : ABS
* Power: 1500 W
* Power Supply : 220V/50Hz
* Air Speed : 16m/s
* RPM: 2800
* Drying Time: <20 Sec
* Noise Level : 25 db
* 240(W)*205(D)*255(H) mm



HS-HD10 ABS

* Material : ABS (White)
* Power : 1200 W
* Power Supply: 220V/50Hz
* Air Speed : 15 m/s
* RPM: 2400
* Drying Time: <40 Sec
* Noise Level : 25 db
* 205(W)*135(D)*290(H) mm

MANUAL SOAP DISPENSERS



HS-MSD01 ABS

* Material: ABS
* Capacity: 1000ml
* Drop: 0.6 ml
* Key Lock System
* 230 (H)*115(D)*110(W) mm



HS-MSD02 ABS

* Material: ABS
* Colours: White, Black
* Capacity: 350ml
* Drop : 1.2 ml
* 220(W)*70(H)*65(D) mm



HS-MSD03 ABS

* Material: 304G S. Steel
* Capacity: 800 ml
* 95(W)*150(H)*57(D) mm



HS-MSD04 ABS

* Material: ABS Body
* Capacity: 500ml, 1000ml
* Drop: 1ml
* 105(D)*110(W)*275(H) mm



HS-MSD05 ABS

* Material: Abs
* Capacity: 1000 Ml
* Colour: White



HS-MSD06 ABS

* Material: Abs
* Capacity: 750 Ml
* Colour: White & grey



HS-MSD07 ABS

* Material: Abs
* Capacity: 500 Ml
* Colour: White & Blue



HS-MSD08 ABS

* Material: Abs
* Capacity: 400ml X 2
* Colour: White & Clarity



HS-MSD01 SS

* Material: S. Steel (304G)
* Capacity: 1000ml
* Drop: 1ml
* 190(W)*65(H)*121(D) mm



HS-MSD02 SS

* Material: S.Steel (304G)
* Capacity: 500ml, 800ml
* Drop : 1ml
* 100(W)*151(H)*52(D)mm

AUTOMATIC SOAP/SANITIZER DISPENSERS



HS-ASD01 ABS

* Material: ABS
* Capacity: 1000ml
* Detection Zone: 2-10 cms
* 130(W)*250(H)*100(D) mm
* Battery: 4*C Alkaline Battery



HS-ASD02 ABS

* Material: ABS
* Capacity: 2400ml
* AC 220-240V 50/60Hz
* Sensing Range: 5-12 cm
* Spray: 10ml - 100ml
* 205(W)*220(H)*90(D) mm



HS-ASD03 ABS

* Material : ABS Plastic
* Capacity: 1000 ml
* Power: AC & DC (*Adapter)
* Battery : 4*C Battery
* 145(W)*110(D)*252(H) mm



HS-ASD04 ABS

* Material: ABS
* Capacity: 1000 ml
* Battery: 4*AA Alkaline Battery



HS-ASD05 ABS

* Material: ABS
* Capacity: 1000 ML
* Colour: White



HS-ASD06 ABS

* Material: ABS
* Capacity: 500 ML
* Colour: White & Grey



HS-ASD07 ABS

* Material: ABS
* Capacity: 1000 ML
* Colour: White



HS-ASD08 ABS

* Material: ABS
* Capacity: 500 ML
* Colour: White



HS-ASD01 SS

* Material: S.Steel 304 grade
* Capacity: 700ml
* Detection Zone: 10-15 cms
* 0.8 ml - 2.5 ml
* 110(W)*220(H)*100 (D) mm
* 6*AA Alkaline Battery



HS-ASD02 SS

*Material : S.Steel 304 Grade
*Capacity : 1100ml
*Detection Zone: 10-15 cms
* 0.8 ml - 2.5ml
* 130(W)*260(H)*80(D) mm
* 4*AA Alkaline Battery

AEROSOL DISPENSER


HS-AD01


HS-AD02


HS-AD03


HS-AD04


HS-AD05

TISSUE PAPER DISPENSER


HS-TPD01 ABS


HS-TPD02 ABS


HS-TPD03 ABS


HS-TPD04 ABS


HS-TPD05 ABS


HS-TPD06 ABS


HS-TPD07 ABS



HS-TPD08 ABS


HS-TPD01 SS


HS-TPD02 SS

JUMBO-ROLL TISSUE DISPENSER


HS-JRT01 SS


HS-JRT02 SS


HS-JRT01 ABS


HS-JRT02 ABS


HS-JRT03 ABS


HS-JRT04 ABS


HS-JRT05 ABS



HS-JRT06 ABS


HS-JRT07 ABS


HS-JRT08 ABS

HARD-ROLL TISSUE DISPENSER


HS-HRT01


HS-HRT02


HS-HRT03


HS-HRT04


HS-HRT05


HS-HRT06


HS-HRT07


HS-HRT08


HS-HRT09

SENSOR TAPS


HS-ST01


HS-ST02


HS-ST03


HS-ST04


HS-ST05


HS-ST06


HS-ST07


HS-ST08


HS-ST09


HS-US01

FOOT-OPERATED TAPS



HS-FT01

HSN Code: 84818020
CP Foot control valve
PVC connection 1.5 mtr long
CP Spout for foot control valve

SCRUBBING STATION



HS-197



HS-198

- Wash station made of stainless steel 304 grade, 20 & 18 guage construction provided with matte finish length 5'0" with internal curved corners, with floor mounting, with drainpipe & leveling jacks
- SS Manual / Automatic Soap Dispensers, Hand Dryers, Sensor Taps, Foot Operated Taps can be added to the above stations as per requirement

CONSUMABLES



AEROSOL-1



AEROSOL-2



AEROSOL-3



AEROSOL-4



LIQUID SOAP




SHOE POUCH



NON-WOVEN SHOE POUCH



SANTIZER STAND



URINAL SCREEN-1



URINAL SCREEN-2



C-FOLD



M-FOLD



JUMBO ROLL



HRT ROLL



NAPKINS

OUR ESTEEMED CUSTOMERS LIST

PHARMA INDUSTRIES

Divis Laboratories Ltd
Dr Reddy Laboratories Ltd
Emcure Pharmaceuticals Ltd
Hindustan Latex Ltd
Indian Immunological Ltd
Natco Pharma Ltd
SKM Siddha & Ayurveda Company
Gland Pharma Ltd
Micro Labs Ltd
Shilpa Pharma Lifesciences Ltd
Aragen Lifesciences Pvt Ltd
Intas Pharmaceuticals Ltd
Neuland Laboratories Ltd
Aurbindo Pharma Ltd
Sai Lifesciences Ltd

GOVERNMENT SECTOR

ECIL
Indian Oil Corporation Ltd
NFC
ONGC
South Central Railway-Hyd

CORPORATE SECTOR

Aditya Birla Retail Pvt Ltd
Bluestar Ltd
Carrier Air-conditioning & Refrigeration Ltd
Emami Group
Metro Cash & Carry India Pvt Ltd
Walmart India Pvt Ltd (all India)

FOOD INDUSTRIES

Capricorn Food Products India Pvt Ltd
Chitale Agro Industries Pvt Ltd
Foods and Inns Ltd
Jain Farm Fresh Foods Ltd
Modern Food Enterprises Pvt Ltd
Saj Food Products Pvt Ltd (Nagpur, Bangalore, Uluberia)
Capital Food Ltd
3F Industries

BEVERAGES

Cavinkare Ltd
Hector Beverages Pvt Ltd
Hindustan Coco Cola Beverages Pvt Ltd
PepsiCo India Holding Pvt Ltd
United Spirits Ltd

CONFECTIONERY

Anmol Snacks Pvt Ltd
Campco Ltd
Dukes Consumer Care Ltd
Lotte India Corporation Ltd

SPICES PROCESSING

Aachi Masala Foods Pvt Ltd
Badshah Masala Pvt Ltd(Dabur)
Everest Masala (S.Narendra Kumar & Company)
Gandhi Spices Pvt Ltd
Granny's Spices India LLP
Pagariya Consumer Foods Private Limited
ITC Ltd Spices Division

COFFEE & TEA INDUSTRIES

CCL Products India Ltd
TATA Coffee Ltd
Indus Coffee Ltd

CHIKEN PROCESSING UNITS

Sneha Forms Pvt Ltd
Godrej tyson foods Ltd
SH proteins Ltd
Licious chicken

MEAT PROCESSING UNITS

Al-Kabeer Exports Pvt Ltd
Allana sons Pvt Ltd

DIARY INDUSTRIES

Dakshina Kannada Co-Op Milk Producers
Hatsun Agro Product Ltd
Heritage Foods India Pvt Ltd
Karimnagar Dairy
Mother Dairy Fruits & Vegetables, Mumbai
Parag Milk Foods Ltd
Prabhat Dairy Ltd
Sangam Dairy
Sri Visakha Dairy
Tamilnadu Dairy
Valsad Dist Co Operate Milk Producers

SEA FOOD PROCESSING UNITS

Apex Frozen Foods Ltd
Bheemraj Exports Pvt Ltd
Devi Fisheries Ltd
Devi Sea Foods Ltd
Gadre Marine Exports Pvt Ltd
Nekkanti Mega Food Park Pvt Ltd
Sai Marine Exports Pvt Ltd
Sprint Exports Pvt Ltd
Theva & Company
Kadeer Exports Pvt Ltd
Veerabadhra Exports Pvt Ltd
Goan Fresh Marine Exports Pvt Ltd

COLD STORAGE UNITS

Gubba Cold Storage

PACKAGING INDUSTRIES

Manjushree Technopack
Parekhplast India Ltd
Positive Packaging Industries
Tetra Pak India

ENGINEERING INDUSTRIES

Tata Advanced Systems Ltd
Tata Boeing Aerospace Ltd
Tata Lockheed Martin Aerostructures Ltd

OTHER INDUSTRIES

Kokuyo Camlin Ltd
Signode India Ltd

Our Esteemed Clientelle

Biological E. Limited
Celebrating Life Every Day

Dabur

Himalaya
SINCE 1930

Mylan

asianpaints

Flipkart

TATA

BAMBINO

gsk GlaxoSmithKline

ITC Limited

JUBILANT FOODWORKS

Mondelēz International

Amul

Hindustan Unilever Limited

FOR HEALTHIER LIFE
DODLA DAIRY

Thirumala
SOURCE OF PURITY

Contact Us

www.hygienesol.in

BN-212, Street No-2, Balaram Nagar,
Safilguda, Malkajgiri, Hyderabad,
Telangana, India - 500047

info@hygienesol.in

040 - 40271101

+91 99590 91102
+91 99590 91104
+91 99590 91105

HYGIENE SOLUTIONS
A Clean Room Concept