

DOM IN JAVASCRIPT

Create Element in JavaScript

Dynamically create HTML elements using the DOM. This is useful for adding content without refreshing the page.

```
const div = document.createElement('div');  
div.textContent = 'Hello World!';
```

 This creates a new `<div>`, sets its text to *"Hello World!"*, and adds a class `custom-box` for styling. The element is not yet added to the page—just created in memory.

Insert Element into the DOM

After creating an element, you can insert it into the page using methods like `appendChild()` or `append()`.

```
const container = document.getElementById('root');  
container.appendChild(div);
```

 This finds an element with the ID `root` and inserts the previously created `div` inside it, making it visible on the page.

Modify Contents in the DOM

Change the text, HTML, or attributes of an element using JavaScript.

```
const heading = document.querySelector('h1');
heading.textContent = 'Updated Heading';
heading.style.color = 'blue';
```

 This selects the first `<h1>`, updates its text to *"Updated Heading"*, and changes its text color to blue using inline styles.

Replace Elements in the DOM

Swap one element with another using `replaceChild()` or `replaceWith()`.

```
const oldEl = document.getElementById('old');
const newEl = document.createElement('p');
newEl.textContent = 'I replaced the old element!';
oldEl.replaceWith(newEl);
```

 This finds an element with ID `old`, creates a new `<p>` element, and replaces the old one with the new content in the DOM.

Remove Elements from the DOM

Use `remove()` or `removeChild()` to delete elements from the DOM.

```
const box = document.querySelector('.box');
box.remove();
```

 This selects the first element with class `box` and removes it completely from the page.

Update Elements in the DOM

Update elements by changing their properties, attributes, or inner HTML.

```
const button = document.getElementById('submitBtn');  
button.textContent = 'Submitting...';  
button.disabled = true;
```