



Amazon Inspector - Assessment Report

Findings Report

Report generated on 2020-06-03 at 22:16:01 UTC

Assessment Template: Assessment-Template-Default

Assessment Run start: 2020-06-03 at 22:12:45 UTC

Assessment Run end: 2020-06-03 at 22:13:15 UTC

Section 1: Executive Summary

This is an Inspector assessment report for an assessment started on 2020-06-03 22:12:45 UTC for assessment template 'Assessment-Template-Default'. The assessment target included 1 instances, and was tested against 1 Rules Packages.

The assessment target is defined using the following EC2 tags

Key	Value
Name	Web Service Instance - C3

The following Rules Packages were assessed. A total of 79 findings were created, with the following distribution by severity:

Rules Package	High	Medium	Low	Informational
Network Reachability-1.1	0	0	0	79

Section 2: What is Tested

This section details the Rules Packages included in this assessment run, and the EC2 instances included in the assessment target.

2.1: Rules Packages - Count: 1

2.1.1: Network Reachability-1.1

Description: These rules analyze the reachability of your instances over the network. Attacks can exploit your instances over the network by accessing services that are listening on open ports. These rules evaluate the security your host configuration in AWS to determine if it allows access to ports and services over the network. For reachable ports and services, the Amazon Inspector findings identify where they can be reached from, and provide guidance on how to restrict access to these ports.

Provider: Amazon Web Services, Inc.

Version: 1.1

2.2: Assessment Target - Assessment-Template-Default

2.2.1: EC2 Tags:

The following EC2 tags (Key/Value pairs) were used to define this assessment target.

Key	Value
Name	Web Service Instance - C3

2.2.2: Instances - Count 1

Instance ID
i-0bd08c461ad01eee8

Section 3: Findings Summary

This section lists the rules that generated findings, the severity of the finding, and the number of instances affected. More details about the findings can be found in the "Findings Details" section. Rules that passed on all target instances available during the assessment run are listed in the "Passed Rules" section.

3.1: Findings table - Network Reachability-1.1

Rule	Severity	Failed
TCP port 111 (NFS) is reachable from the internet	Informational	1
TCP port 111 (RPC) is reachable from the internet	Informational	1
TCP port 1110 (NFS) is reachable from the internet	Informational	1
TCP port 135 (RPC) is reachable from the internet	Informational	1
TCP port 137 (NetBIOS) is reachable from the internet	Informational	1
TCP port 139 (NetBIOS) is reachable from the internet	Informational	1
TCP port 1433 (SQLServer) is reachable from the internet	Informational	1
TCP port 1512 (WINS) is reachable from the internet	Informational	1
TCP port 1521 (Oracle) is reachable from the internet	Informational	1
TCP port 1630 (Oracle) is reachable from the internet	Informational	1
TCP port 20 (FTP) is reachable from the internet	Informational	1
TCP port 2049 (NFS) is reachable from the internet	Informational	1
TCP port 21 (FTP) is reachable from the internet	Informational	1
TCP port 22 (SSH) is reachable from the internet	Informational	1
TCP port 23 (Telnet) is reachable from the internet	Informational	1
TCP port 27017 (MongoDB) is reachable from the internet	Informational	1
TCP port 27018 (MongoDB) is reachable from the internet	Informational	1
TCP port 27019 (MongoDB) is reachable from the internet	Informational	1
TCP port 28017 (MongoDB) is reachable from the internet	Informational	1
TCP port 3268 (Global Catalog LDAP) is reachable from the internet	Informational	1
TCP port 3269 (Global Catalog LDAP over TLS) is reachable from the internet	Informational	1
TCP port 3306 (MySQL) is reachable from the internet	Informational	1
TCP port 3389 (RDP) is reachable from the internet	Informational	1
TCP port 389 (LDAP) is reachable from the internet	Informational	1
TCP port 4045 (NFS) is reachable from the internet	Informational	1

TCP port 42 (WINS) is reachable from the internet	Informational	1
TCP port 443 (HTTPS) is reachable from the internet	Informational	1
TCP port 445 (SMB) is reachable from the internet	Informational	1
TCP port 464 (Kerberos) is reachable from the internet	Informational	1
TCP port 515 (Print Services) is reachable from the internet	Informational	1
TCP port 530 (RPC) is reachable from the internet	Informational	1
TCP port 543 (Kerberos) is reachable from the internet	Informational	1
TCP port 5432 (PostgreSQL) is reachable from the internet	Informational	1
TCP port 544 (Kerberos) is reachable from the internet	Informational	1
TCP port 546 (DHCP) is reachable from the internet	Informational	1
TCP port 547 (DHCP) is reachable from the internet	Informational	1
TCP port 601 (Syslog) is reachable from the internet	Informational	1
TCP port 636 (LDAP over TLS) is reachable from the internet	Informational	1
TCP port 67 (DHCP) is reachable from the internet	Informational	1
TCP port 68 (DHCP) is reachable from the internet	Informational	1
TCP port 749 (Kerberos) is reachable from the internet	Informational	1
TCP port 751 (Kerberos) is reachable from the internet	Informational	1
TCP port 80 (HTTP) is reachable from the internet	Informational	1
TCP port 88 (Kerberos) is reachable from the internet	Informational	1
TCP port 9200 (Elasticsearch) is reachable from the internet	Informational	1
TCP port 9300 (Elasticsearch) is reachable from the internet	Informational	1
UDP port 111 (NFS) is reachable from the internet	Informational	1
UDP port 111 (RPC) is reachable from the internet	Informational	1
UDP port 1110 (NFS) is reachable from the internet	Informational	1
UDP port 135 (RPC) is reachable from the internet	Informational	1
UDP port 137 (NetBIOS) is reachable from the internet	Informational	1
UDP port 138 (NetBIOS) is reachable from the internet	Informational	1
UDP port 1434 (SQLServer) is reachable from the internet	Informational	1
UDP port 1512 (WINS) is reachable from the internet	Informational	1
UDP port 20 (FTP) is reachable from the internet	Informational	1
UDP port 2049 (NFS) is reachable from the internet	Informational	1
UDP port 21 (FTP) is reachable from the internet	Informational	1
UDP port 22 (LDAP) is reachable from the internet	Informational	1
UDP port 22 (SSH) is reachable from the internet	Informational	1
UDP port 23 (Telnet) is reachable from the internet	Informational	1
UDP port 3389 (RDP) is reachable from the internet	Informational	1
UDP port 4045 (NFS) is reachable from the internet	Informational	1
UDP port 42 (WINS) is reachable from the internet	Informational	1
UDP port 443 (HTTPS) is reachable from the internet	Informational	1

UDP port 445 (SMB) is reachable from the internet	Informational	1
UDP port 464 (Kerberos) is reachable from the internet	Informational	1
UDP port 514 (Syslog) is reachable from the internet	Informational	1
UDP port 515 (Print Services) is reachable from the internet	Informational	1
UDP port 530 (RPC) is reachable from the internet	Informational	1
UDP port 546 (DHCP) is reachable from the internet	Informational	1
UDP port 547 (DHCP) is reachable from the internet	Informational	1
UDP port 67 (DHCP) is reachable from the internet	Informational	1
UDP port 68 (DHCP) is reachable from the internet	Informational	1
UDP port 749 (Kerberos) is reachable from the internet	Informational	1
UDP port 750 (Kerberos) is reachable from the internet	Informational	1
UDP port 751 (Kerberos) is reachable from the internet	Informational	1
UDP port 752 (Kerberos) is reachable from the internet	Informational	1
UDP port 80 (HTTP) is reachable from the internet	Informational	1
UDP port 88 (Kerberos) is reachable from the internet	Informational	1

Section 4: Findings Details

This section details the findings generated in this assessment run, and the instances that generated the finding. If an instance is not listed here, that means it was checked and passed.

4.1: Findings details - Network Reachability-1.1

TCP port 111 (NFS) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 111

Failed Instances

i-0bd08c461ad01eee8

TCP port 111 (RPC) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 111

Failed Instances

i-0bd08c461ad01eee8

TCP port 1110 (NFS) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 1110

Failed Instances

i-0bd08c461ad01eee8

TCP port 135 (RPC) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 135

Failed Instances

i-0bd08c461ad01eee8

TCP port 137 (NetBIOS) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 137

Failed Instances

i-0bd08c461ad01eee8

TCP port 139 (NetBIOS) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 139

Failed Instances

i-0bd08c461ad01eee8

TCP port 1433 (SQLServer) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 1433

Failed Instances

i-0bd08c461ad01eee8

TCP port 1512 (WINS) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 1512

Failed Instances

i-0bd08c461ad01eee8

TCP port 1521 (Oracle) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 1521

Failed Instances

i-0bd08c461ad01eee8

TCP port 1630 (Oracle) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 1630

Failed Instances

i-0bd08c461ad01eee8

TCP port 20 (FTP) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 20

Failed Instances

i-0bd08c461ad01eee8

TCP port 2049 (NFS) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 2049

Failed Instances

i-0bd08c461ad01eee8

TCP port 21 (FTP) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 21

Failed Instances

i-0bd08c461ad01eee8

TCP port 22 (SSH) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 22

Failed Instances

i-0bd08c461ad01eee8

TCP port 23 (Telnet) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 23

Failed Instances

i-0bd08c461ad01eee8

TCP port 27017 (MongoDB) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 27017

Failed Instances

i-0bd08c461ad01eee8

TCP port 27018 (MongoDB) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 27018

Failed Instances

i-0bd08c461ad01eee8

TCP port 27019 (MongoDB) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 27019

Failed Instances

i-0bd08c461ad01eee8

TCP port 28017 (MongoDB) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 28017

Failed Instances

i-0bd08c461ad01eee8

TCP port 3268 (Global Catalog LDAP) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 3268

Failed Instances

i-0bd08c461ad01eee8

TCP port 3269 (Global Catalog LDAP over TLS) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 3269

Failed Instances

i-0bd08c461ad01eee8

TCP port 3306 (MySQL) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 3306

Failed Instances

i-0bd08c461ad01eee8

TCP port 3389 (RDP) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 3389

Failed Instances

i-0bd08c461ad01eee8

TCP port 389 (LDAP) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 389

Failed Instances

i-0bd08c461ad01eee8

TCP port 4045 (NFS) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 4045

Failed Instances

i-0bd08c461ad01eee8

TCP port 42 (WINS) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 42

Failed Instances

i-0bd08c461ad01eee8

TCP port 443 (HTTPS) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 443

Failed Instances

i-0bd08c461ad01eee8

TCP port 445 (SMB) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 445

Failed Instances

i-0bd08c461ad01eee8

TCP port 464 (Kerberos) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 464

Failed Instances

i-0bd08c461ad01eee8

TCP port 515 (Print Services) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 515

Failed Instances

i-0bd08c461ad01eee8

TCP port 530 (RPC) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 530

Failed Instances

i-0bd08c461ad01eee8

TCP port 543 (Kerberos) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 543

Failed Instances

i-0bd08c461ad01eee8

TCP port 5432 (PostgreSQL) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 5432

Failed Instances

i-0bd08c461ad01eee8

TCP port 544 (Kerberos) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 544

Failed Instances

i-0bd08c461ad01eee8

TCP port 546 (DHCP) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 546

Failed Instances

i-0bd08c461ad01eee8

TCP port 547 (DHCP) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 547

Failed Instances

i-0bd08c461ad01eee8

TCP port 601 (Syslog) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 601

Failed Instances

i-0bd08c461ad01eee8

TCP port 636 (LDAP over TLS) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 636

Failed Instances

i-0bd08c461ad01eee8

TCP port 67 (DHCP) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 67

Failed Instances

i-0bd08c461ad01eee8

TCP port 68 (DHCP) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 68

Failed Instances

i-0bd08c461ad01eee8

TCP port 749 (Kerberos) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 749

Failed Instances

i-0bd08c461ad01eee8

TCP port 751 (Kerberos) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 751

Failed Instances

i-0bd08c461ad01eee8

TCP port 80 (HTTP) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 80

Failed Instances

i-0bd08c461ad01eee8

TCP port 88 (Kerberos) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 88

Failed Instances

i-0bd08c461ad01eee8

TCP port 9200 (Elasticsearch) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 9200

Failed Instances

i-0bd08c461ad01eee8

TCP port 9300 (Elasticsearch) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 9300

Failed Instances

i-0bd08c461ad01eee8

UDP port 111 (NFS) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 111

Failed Instances

i-0bd08c461ad01eee8

UDP port 111 (RPC) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 111

Failed Instances

i-0bd08c461ad01eee8

UDP port 1110 (NFS) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 1110

Failed Instances

i-0bd08c461ad01eee8

UDP port 135 (RPC) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 135

Failed Instances

i-0bd08c461ad01eee8

UDP port 137 (NetBIOS) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 137

Failed Instances

i-0bd08c461ad01eee8

UDP port 138 (NetBIOS) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 138

Failed Instances

i-0bd08c461ad01eee8

UDP port 1434 (SQLServer) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 1434

Failed Instances

i-0bd08c461ad01eee8

UDP port 1512 (WINS) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 1512

Failed Instances

i-0bd08c461ad01eee8

UDP port 20 (FTP) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 20

Failed Instances

i-0bd08c461ad01eee8

UDP port 2049 (NFS) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 2049

Failed Instances

i-0bd08c461ad01eee8

UDP port 21 (FTP) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 21

Failed Instances

i-0bd08c461ad01eee8

UDP port 22 (LDAP) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 22

Failed Instances

i-0bd08c461ad01eee8

UDP port 22 (SSH) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 22

Failed Instances

i-0bd08c461ad01eee8

UDP port 23 (Telnet) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 23

Failed Instances

i-0bd08c461ad01eee8

UDP port 3389 (RDP) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 3389

Failed Instances

i-0bd08c461ad01eee8

UDP port 4045 (NFS) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 4045

Failed Instances

i-0bd08c461ad01eee8

UDP port 42 (WINS) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 42

Failed Instances

i-0bd08c461ad01eee8

UDP port 443 (HTTPS) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 443

Failed Instances

i-0bd08c461ad01eee8

UDP port 445 (SMB) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 445

Failed Instances

i-0bd08c461ad01eee8

UDP port 464 (Kerberos) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 464

Failed Instances

i-0bd08c461ad01eee8

UDP port 514 (Syslog) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 514

Failed Instances

i-0bd08c461ad01eee8

UDP port 515 (Print Services) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 515

Failed Instances

i-0bd08c461ad01eee8

UDP port 530 (RPC) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 530

Failed Instances

i-0bd08c461ad01eee8

UDP port 546 (DHCP) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 546

Failed Instances

i-0bd08c461ad01eee8

UDP port 547 (DHCP) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 547

Failed Instances

i-0bd08c461ad01eee8

UDP port 67 (DHCP) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 67

Failed Instances

i-0bd08c461ad01eee8

UDP port 68 (DHCP) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 68

Failed Instances

i-0bd08c461ad01eee8

UDP port 749 (Kerberos) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 749

Failed Instances

i-0bd08c461ad01eee8

UDP port 750 (Kerberos) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 750

Failed Instances

i-0bd08c461ad01eee8

UDP port 751 (Kerberos) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 751

Failed Instances

i-0bd08c461ad01eee8

UDP port 752 (Kerberos) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 752

Failed Instances

i-0bd08c461ad01eee8

UDP port 80 (HTTP) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 80

Failed Instances

i-0bd08c461ad01eee8

UDP port 88 (Kerberos) is reachable from the internet

Severity

Informational

Description

On this instance, recognized port(s) are reachable from the internet. You can install the Inspector agent on this instance and re-run the assessment to check for any process listening on this port.

Recommendation

You can edit the Security Group sg-0d7d24d295dbfdee5 to remove access from the internet on port 88

Failed Instances

i-0bd08c461ad01eee8