50Days-coding-challenge

Day-34[Python]

Built in Function Python

Name:M NITHIN

Remove Duplicates & Preserve Order

Concepts: set(), list, loop

Problem:
Given a list of student IDs, remove duplicates **without changing**

order. ids = [101, 102, 101, 103, 102, 104]

Expected Output:

[101, 102, 103, 104]



Frequency Counter (Real-time analytics)

Concepts: dict, get(), loop

Problem:
Count how many times each product is sold. products = ["apple",

"banana", "apple", "orange", "banana", "apple"]

Expected Output:

{'apple': 3, 'banana': 2, 'orange': 1}



Find Top Scorer

Concepts: max(), dict

Problem:
Find the student with highest marks.

marks = {"A": 85, "B": 92, "C": 88}

Expected Output:

B

Common Elements in Two Lists

Concepts: set(), intersection()

Problem:
Find common skills between two candidates.

skills1 = ["Python", "SQL", "Excel"]
skills2 = ["SQL", "Power BI",
"Python"]

Expected Output:

['Python', 'SQL']



Sort Dictionary by Values

Concepts: sorted(), lambda

Problem:
Sort products by price. prices = {"apple": 50,

"banana": 20, "orange": 30}

Expected Output:

[('banana', 20), ('orange', 30), ('apple', 50)]


Project
helloworld C:\Users\NITHIN\Py
.venv library root
Lib
Scripts
.gitignore
Day25.py
pyvenv.cfg
Day22.py
Day23.py
Day24.py
Day26.py
Day27.py
Day28.py
C:\...\Day31.py
Day32.py
C:\...\Day32.py
Day33.py
C:\...\Day33.py
Day34.py
print(common)
# Sort products by price
prices = {"apple": 50, "banana": 20, "orange": 30}
sorted_prices = sorted(prices.items(), key=lambda x: x[1])
print(sorted_prices)
Run
Day34
C:\Users\NITHIN\PycharmProjects\helloworld\.venv\Scripts\python.exe C:\Users\NITHIN\PycharmProjects\helloworld\Day34.py
[101, 102, 103, 104]
{'apple': 3, 'banana': 2, 'orange': 1}
B
['Python', 'SQL']
[('banana', 20), ('orange', 30), ('apple', 50)]
Process finished with exit code 0
Day34.py
40:1 CRLF UTF-8 4 spaces Python 3.13 (helloworld)