



Architecture diagram style guide

Updated_V2.5 - Mar 2023

Accessibility recap:

Solutions architecture accessibility audit

Must have

Normal text must have a contrast ratio of 4.5:1 (AA)

Large text must have a contrast ratio of 3:1

(Large text = 14pt (18.66px) and bold or larger, or 18pt (24px) or larger) (AA)

Non decorative graphical objects must have a contrast ratio of 3:1,

such as nesting zone boundaries, pathway arrows, cards, and icons (AA)

Graphical objects like nesting zones and pathways must

have another visual means of conveying information
outside of color alone (A)

If possible, diagrams should include alt text. PDF documents should be tagged to ensure proper reading order. (A)

Nice to have

Normal text must have a contrast ratio of 7:1. (AAA)

Large text must have a contrast ratio of 4.5:1

(Large text = 14pt (18.66px) and bold or larger, or 18pt (24px) or larger) (AAA)

All icons should have labels, especially ones which are not commonly recognizable to prevent them from being misinterpreted.

Ensure that users have access to the expanded form of abbreviations. (AAA)

Template components

Diagram elements

Product cards,
Service cards,
User & Device cards

The card system
is designed to provide
structure and flexibility

All cards work with a base
height of 70px to provide
legibility and room for layout.
Height and width are variable
and can be increased to
accommodate long descriptions
or multiple products.

Type and card borders specs:
Color: Google Gray 900
(#202124),
Border weight: 2pt,
Border radius: 6pt

See the following page for
detailed notes on visual padding
and icon sizing.

Priority product cards



Compute Engine



Analytics backend
Compute Engine



Analytics backend
Cloud SQL



Dynamic content
Cloud Datastore

Product card stacks



Analytics backend
Compute Engine

Expanded product cards



Batch processing
Compute Engine
Multiple instances



Compute Engine
10 GB PD





Analytics backend
Compute Engine

/root
/user/sap
/sapmnt
/hana/data

Service cards



Local compute



Push notification service



Virtual file system



Document storage

Category product cards

Every product will be assigned to just one category.
Review [priority products and product categories](#) to verify product category.



Cloud NAT



Public NAT gateway
Cloud NAT

User and Device cards



User



Mobile



iPhone



TV



Motion sensor



Laptop



Gateway



Mobile devices

Diagram elements

Typography

Typography specs for product cards:

Primary text / Caption:
Vertically centered, aligned flush-left
14pt, Google Sans Text Bold, Google Gray 900 #202124

Secondary text / Subtext:
12pt, Google Sans Text Normal, Google Gray 900 #202124


Tertiary text / Additional text:
12pt, Google Sans Text Bold, Google Blue 700 #1967D2

Code text:
12pt, Roboto Mono Normal, Google Gray 900 #202124


Card border:
Border weight: 2pt
Border radius: 6pt

Use a monospace typeface for code to help visually distinguish between what's code and what's not


Note: Example cards are shown at 2x scale




Primary text / Caption:
Vertically centered, aligned flush-left
14pt, Google Sans Text Bold, Google Gray 900 #202124



Secondary text / Subtext:
12pt, Google Sans Text Normal, Google Gray 900 #202124



Tertiary text / Additional text:
12pt, Google Sans Text Bold, Google Blue 700 #1967D2



Code text:
12pt, Roboto Mono Normal, Google Gray 900 #202124

Diagram elements

Card composition and Specs

General specifications for sizing cards

All product and service cards conform to a planned layout that ensures easy comprehension when viewed together on a page.

For best results, observe these dimensions when building cards for your layouts.


Important notes:

Card height and width are adjustable.


70px is the minimum recommended height and border radius is 6pt fixed for all cards.

User cards make use of tighter spacing than Product and Service cards to allow for their use in tight spaces.


Note: Example cards are shown at 2x scale




Product card:
Icon: 35px wide **Padding:** 15px, **Gutter:** 10px,
Caption:
Vertically centered, aligned flush-left
14pt, Google Sans Text Bold, Google Gray 900 #202124




Expanded caption:
Vertically centered, aligned flush-left
Primary text: 14pt, Google Sans Text Bold, Google Gray 900 #202124
Subtext: 12pt, Google Sans Text Normal, Google Gray 900 #202124



Expanded caption with addition text:
Vertically centered, aligned flush-left
Primary text: 14pt, Google Sans Text Bold, Google Gray 900 #202124
Subtext: 12pt, Google Sans Text Normal, Google Gray 900 #202124
Additional: 12pt, Google Sans Text Bold, Google Blue 700 #1967D2



Service card:
Caption: 14pt, Google Sans Text Bold, Google Gray 900 #202124
Icon: 25px wide,
Padding: 15px,
Gutter: 10px



User card:
Caption: 14pt, Google Sans Text Bold, Google Gray 900 #202124
Icon: 25px wide, Vertical
Padding: 15px,
Gutter: 10px

Diagram elements

Priority product cards

See [go/cloud-icons](#) for the latest list priority product icons

Type and card borders specs:









Color: Google Gray 900 (#202124),
Border weight: 2pt,
Border radius: 6pt
Card height: 70px
Left and right margin: 15px

Expanded caption:

Vertically centered, aligned flush-left

Primary text: 14pt, Google Sans Text Bold, Google Gray 900 #202124
Include product role as the primary text (i.e Frontend application)

Subtext: 12pt, Google Sans Text Normal, Google Gray 900 #202124
Product name should be captured as the subtext, not primary text to highlight the role of the product in the architecture.



Expanded caption:

Vertically centered, aligned flush-left
Primary text: 14pt, Google Sans Text Bold, Google Gray 900 #202124
Subtext: 12pt, Google Sans Text Normal, Google Gray 900 #202124




Diagram elements

Category product cards

Every product will be assigned to just one category. Review [priority products and product categories](#) to verify product category.

Type and card borders specs:














Color: Google Gray 900 (#202124),
Border weight: 2pt,
Border radius: 6pt
Card height: 70px
Left and right margin: 15px

Expanded caption:

Vertically centered, aligned flush-left


Primary text: 14pt, Google Sans Text Bold, Google Gray 900 #202124
Include product role as the primary text (i.e Frontend application)

Subtext: 12pt, Google Sans Text Normal, Google Gray 900 #202124
Product name should be captured as the subtext, not primary text to highlight the role of the product in the architecture.



Expanded caption:

Vertically centered, aligned flush-left
Primary text: 14pt, Google Sans Text Bold, Google Gray 900 #202124
Subtext: 12pt, Google Sans Text Normal, Google Gray 900 #202124






A2A

ADK

Diagram elements

Additional icons

For a full list of icons, see [go/icons](#) or [go/logos](#)



Type and card borders specs:

Color: Google Gray 900
(#202124),
Border weight: 2pt,
Border radius: 6pt
Card height: 10px
Margins: 15px

**_

Type specifications

Apply these type and color specifications when building new layouts

Type sizing has been specified to prioritize legibility and contrast between regions, zones and cards. For best results, adhere to these sizing guidelines across all charts.

Use sentence case for text.

Use a monospace typeface for code (Roboto Mono Normal) to help visually distinguish between what's code and what's not.




Diagram elements

User paths

Use path weights that are appropriate for your delivery method.

Must have:
Line stroke weight : 1pt

Nice to have:
Line stroke weight : 2pt

Path sizing options will vary depending upon your design tool. Use these examples as a starting point for striking a balance between appropriate visual scale and easy comprehension.

Color paths are appropriate in limited situations. Please make use of these recommended combinations for accessibility compliance.

Important note:
All color options on this page satisfy WCAG accessibility best practices. Using colors outside of these specifications may result in visuals that fail accessibility standards.

[For details about usage see the accessibility section.](#)

Preferred usage

Primary path
Solid path, 2pt, Google Gray 900 #202124



Secondary path
Dashed path, 2pt, Google Gray 900 #202124



Tertiary path
Dotted path, 2pt, Google Gray 900 #202124



Success status
Solid path with icon, 2pt, Google Gray 900 #202124



Failure status
Solid path with icon, 2pt, Google Gray 900 #202124



Numbered path, Google Blue 700
Solid path with icon, 2pt, Blue 700 #1967D2



Numbered path, Google Green 600
Solid path with icon, 2pt, Green 600 #1E8E3E



Color options (Limited usage only*)

Google Blue 700
Solid path, 2pt, Google Blue 700 #1967D2



Google Green 600
Solid path, 2pt, Google Green 600 #1E8E3E



Google Red 700
Solid path, 2pt, Google Red 700 #C5221F



Google Yellow 600
Solid path, 2pt, Google Yellow 600 #F9AB00














Diagram elements

Project areas, regions and zone specs

Use accessible color combinations to create contrast between project layers and areas.

It is recommended to use shades of *Google Gray* and *Google Blue* as the primary colors for expressing separations in chart hierarchy.

[For details about usage see the accessibility section.](#)



Exporting assets

How to export assets

File > Export...

Select format: PNG/ SVG

Select export area: current canvas or entire document as per the requirement


Background: Deselect the **Transparent background** checkbox.

Select resolution:
72 dots per inch

Export sizes:
1x PNG: 100% , 2x PNG: 200%
SVG: 100% (As SVG file is a resolution independent, so there is no need to mention % while exporting as SVG)

Recommendation:
SVG (scalable vector graphics) file format is preferred for assets. As SVGs are scalable, resolution independent and responsive.

Note: Convert all connecting lines/arrows in to shapes and also make sure that in font section auto-kern is off before exporting SVG assets.



Note: While the icons in the example diagram are outdated, the overall diagram style remains consistent with current standards.


Diagram elements

Project areas, regions and zone specs.

Use accessible color combinations to create contrast between project layers and areas.

It is recommended to use shades of *Google Gray* and *Google Blue* as the primary colors for expressing separations in chart hierarchy.

For details about usage see the accessibility section.



Note: While the icons in the example diagram are outdated, the overall diagram style remains consistent with current standards.

Diagram elements

Project frame usage



Use a project frame with title only when needed

Depending on use case and audience, a project frame with title can be a useful method for distinguishing chart content from other elements on a page.

Project frames are not required and may not be preferred for certain purposes.

Chart without project frame

Suggested for the majority of uses where chart is surrounded by generous white space



Accessibility

AAA safe color combinations for chart content

Use only these color combinations to ensure AAA contrast and adherence to Google Cloud brand standards.

[Color accessibility tool](#) →

[Contrast checker extension in Cider-V](#) →

Google Gray series

Aa	Background: Gray 400 Foreground: Gray 900 Contrast: 8.9
Aa	Background: Gray 300 Foreground: Gray 900 Contrast: 11.73
Aa	Background: Gray 200 Foreground: Gray 900 Contrast: 13.36
Aa	Background: Gray 100 Foreground: Gray 900 Contrast: 14.46
Aa	Background: Gray 100 Foreground: Red 900 Contrast: 7.07
Aa	Background: Gray 100 Foreground: Blue 900 Contrast: 7.05

Google Blue series

Aa	Background: Blue 900 Foreground: Gray 100 Contrast: 7.05
Aa	Background: Blue 300 Foreground: Gray 900 Contrast: 7.64
Aa	Background: Blue 200 Foreground: Gray 900 Contrast: 9.75
Aa	Background: Blue 100 Foreground: Gray 900 Contrast: 12.37
Aa	Background: Blue 50 Foreground: Gray 900 Contrast: 14.05

Google Yellow series

Aa	Background: Yellow 500 Foreground: Gray 900 Contrast: 9.43
Aa	Background: Yellow 400 Foreground: Gray 900 Contrast: 10.38
Aa	Background: Yellow 300 Foreground: Gray 900 Contrast: 11.48
Aa	Background: Yellow 200 Foreground: Gray 900 Contrast: 12.63
Aa	Background: Yellow 100 Foreground: Gray 900 Contrast: 14.07

Google Green series

Aa	Background: Green 300 Foreground: Gray 900 Contrast: 8.22
Aa	Background: Green 200 Foreground: Gray 900 Contrast: 10.24
Aa	Background: Green 100 Foreground: Gray 900 Contrast: 12.55
Aa	Background: Green 50 Foreground: Gray 900 Contrast: 14.18

Google Red series

Aa	Background: Red 900 Foreground: Gray 100 Contrast: 7.07
Aa	Background: Red 200 Foreground: Gray 900 Contrast: 8.85
Aa	Background: Red 100 Foreground: Gray 900 Contrast: 11.64
Aa	Background: Red 50 Foreground: Gray 900 Contrast: 13.66

Note: While the icons in the example diagram are outdated, the overall diagram style remains consistent with current standards.

Diagram elements


Color accessibility tool (Googlers Only) →

Applying AAA color to prioritize accessibility

Contrast and color use are vital to accessibility and comprehension. We recommend the following approach for applying color.


Recommended approach

Use a single color family to express distinctions between chart levels. Use luminosity, not hues, to create visual contrast.




Using color to draw visual contrast

If there's a need to distinguish between regions or zones with color, use darker, AAA-approved shades to provide contrast.



Not recommended

Avoid using combinations of pale shades. This risks being confusing or inaccessible to someone who is colorblind.



Accessibility


Scale considerations for accessibility

This guide presumes a desktop viewing environment and favorable viewing conditions.


In cases where live viewing space is constrained by a limited viewing area, e.g. mobile video or mobile-optimized sites we’ve supplied guidance for balancing design and minimum viewing requirements.

Note: While the icons in the example diagram are outdated, the overall diagram style remains consistent with current standards.

Presentation & web scale (see slide #17)
Optimized for typical viewing conditions.
Unacceptable at small size.




Video scale (see slide #18)
Optimized for small screens and cases where variable screen sizes must be presumed. *Not intended for consumption under typical viewing conditions.*



Note: While the icons in the example diagram are outdated, the overall diagram style remains consistent with current standards.

Example diagrams


Example: Presentation & web scale



Note: While the icons in the example diagram are outdated, the overall diagram style remains consistent with current standards.

Example diagrams


Example: Video scale



Example diagrams


Example diagrams

Diagram 1



Example diagrams

Diagram 1: how to highlight content



Suggested method to for isolating visual focus


Creating visual focus for step-by-step guides or animations, use a translucent shape to pull selected areas and zones into the foreground.

Note: This diagram state should not exist without the fully visible diagram, i.e. online, this should be a second state of the fully visible diagram.

Translucent shape: pure white, 90% opacity


Example diagrams

Diagram 1: video scale




Example diagrams

Diagram 2: revised




Example diagrams

Diagram 2: video scale




Example diagrams

Diagram 3: revised




Example diagrams

Diagram 3: video scale




Example diagrams

Diagram 4



Example diagrams


Diagram 4: video scale



Note: While the icons in the example diagram are outdated, the overall diagram style remains consistent with current standards.

Example diagrams

Diagram 5



Example diagrams

Diagram 5: video scale







Diagram #6

Standard paths





Diagrams #7, #8

Flow chart



Diagrams #9, #10

Flow chart





Thank you