

```
(root@vbox)-[/home/nithin]
# ifconfig
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 10.0.2.15 netmask 255.255.255.0 broadcast 10.0.2.255
    inet6 fd17:625c:f037:2:a00:27ff:fe48:7eda prefixlen 64 scopeid 0<global>
    inet6 fe80::a00:27ff:fe48:7eda prefixlen 64 scopeid 0<link>
    inet6 fd17:625c:f037:2:a189:28bd:b77a:40fa prefixlen 64 scopeid 0<global>
    ether 08:00:27:48:7e:da txqueuelen 1000 (Ethernet)
    RX packets 6188 bytes 430400 (420.3 KiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 7260 bytes 444981 (434.5 KiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    inet6 ::1 prefixlen 128 scopeid 0<host>
    loop txqueuelen 1000 (Local Loopback)
    RX packets 4032 bytes 171752 (167.7 KiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 4032 bytes 171752 (167.7 KiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
```

```
(root@vbox)-[/home/nithin]
# nmap -sS 10.0.2.15/24
Starting Nmap 7.95 ( https://nmap.org ) at 2025-11-13 01:38 EST
Nmap scan report for 10.0.2.2
Host is up (0.0011s latency).
Not shown: 998 filtered tcp ports (no-response)
PORT      STATE SERVICE
135/tcp   open  msrpc
445/tcp   open  microsoft-ds
MAC Address: 52:55:0A:00:02:02 (Unknown)

Nmap scan report for 10.0.2.3
Host is up (0.00044s latency).
All 1000 scanned ports on 10.0.2.3 are in ignored states.
Not shown: 999 filtered tcp ports (net-unreach), 1 filtered tcp ports (no-response)
MAC Address: 52:55:0A:00:02:03 (Unknown)

Nmap scan report for 10.0.2.15
Host is up (0.0000030s latency).
All 1000 scanned ports on 10.0.2.15 are in ignored states.
Not shown: 1000 closed tcp ports (reset)

Nmap done: 256 IP addresses (3 hosts up) scanned in 6.64 seconds
```

```
—(root@vbox)-[/home/nithin]
-# nmap -sS -sV -O -oN scan_results.txt 10.0.2.15/24
Starting Nmap 7.95 ( https://nmap.org ) at 2025-11-13 01:39 EST
Nmap scan report for 10.0.2.2
Host is up (0.0017s latency).
Not shown: 998 filtered tcp ports (no-response)
PORT      STATE SERVICE      VERSION
135/tcp    open  msrpc        Microsoft Windows RPC
145/tcp    open  microsoft-ds?
MAC Address: 52:55:0A:00:02:02 (Unknown)
Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port
Device type: VoIP adapter|general purpose|bridge
Running (JUST GUESSING): AT&T embedded (99%), QEMU (95%), Oracle Virtualbox (94%), Slirp (94%)
OS CPE: cpe:/a:qemu:qemu cpe:/a:oracle:vm_virtualbox cpe:/a:danny_gasparovski:slirp
Aggressive OS guesses: AT&T BGW210 voice gateway (99%), QEMU user mode network gateway (95%), Oracle Virtualbox Slirp NAT bridge (94%)
No exact OS matches for host (test conditions non-ideal).
Network Distance: 1 hop
Service Info: OS: Windows; CPE: cpe:/o:microsoft:windows

Nmap scan report for 10.0.2.3
Host is up (0.00074s latency).
All 1000 scanned ports on 10.0.2.3 are in ignored states.
Not shown: 999 filtered tcp ports (net-unreach), 1 filtered tcp ports (no-response)
MAC Address: 52:55:0A:00:02:03 (Unknown)
Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port
Device type: general purpose
```

```
1 # Nmap 7.95 scan initiated Thu Nov 13 01:39:43 2025 as: /usr/lib/nmap/nmap -sS -sV -O -oN scan_results.txt 10.0.2.15/24
2 Nmap scan report for 10.0.2.2
3 Host is up (0.0017s latency).
4 Not shown: 998 filtered tcp ports (no-response)
5 PORT      STATE SERVICE        VERSION
6 135/tcp    open  msrpc          Microsoft Windows RPC
7 445/tcp    open  microsoft-ds?
8 MAC Address: 52:55:0A:00:02:02 (Unknown)
9 Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port
10 Device type: VoIP adapter|general purpose|bridge
11 Running (JUST GUESSING): AT&T embedded (99%), QEMU (95%), Oracle Virtualbox (94%), Slirp (94%)
12 OS CPE: cpe:/a:qemu:qemu cpe:/a:oracle:vm_virtualbox cpe:/a:danny_gasparovski:slirp
13 Aggressive OS guesses: AT&T BGW210 voice gateway (99%), QEMU user mode network gateway (95%), Oracle Virtualbox Slirp NAT bridge (94%)
14 No exact OS matches for host (test conditions non-ideal).
15 Network Distance: 1 hop
16 Service Info: OS: Windows; CPE: cpe:/o:microsoft:windows
17
18 Nmap scan report for 10.0.2.3
19 Host is up (0.00074s latency).
20 All 1000 scanned ports on 10.0.2.3 are in ignored states.
21 Not shown: 999 filtered tcp ports (net-unreach), 1 filtered tcp ports (no-response)
22 MAC Address: 52:55:0A:00:02:03 (Unknown)
23 Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port
24 Device type: general purpose
25 Running: QEMU
26 OS CPE: cpe:/a:qemu:qemu
27 OS details: QEMU user mode network gateway
28 Network Distance: 1 hop
29
30 Nmap scan report for 10.0.2.15
31 Host is up (0.000071s latency).
32 All 1000 scanned ports on 10.0.2.15 are in ignored states.
33 Not shown: 1000 closed tcp ports (reset)
34 Too many fingerprints match this host to give specific OS details
35 Network Distance: 0 hops
36
37 OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
38 # Nmap done at Thu Nov 13 01:40:02 2025 -- 256 IP addresses (3 hosts up) scanned in 18.53 seconds
39
```