Status	Finished
Started	Wednesday, 21 October 2026, 11:34 PM
Completed	Wednesday, 21 October 2026, 11:37 PM
Duration	3 mins 10 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Incorrect

Mark 0.00 out of 1.00

To open a file c:\scores.txt for writing, we use ____

a. outfile = open("c:\scores.txt", "w")

b. outfile = open(file = "c:\\scores.txt", "w")

c. outfile = open("c:\\scores.txt", "w")

d. outfile = open(file = "c:\scores.txt", "w") ✗

The correct answer is:
outfile = open("c:\\scores.txt", "w")

Question **2**

Correct

Mark 1.00 out of 1.00

How can you read a file line by line efficiently in Python?

a. Using a for loop ✓

b. Using the read() method

c. Using the readlines() method

d. Using the readline() method

The correct answer is: Using a for loop

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following is true about the readlines() method?

a. It reads the file and returns it as a dictionary
b. It reads the entire file and returns it as a list of lines ✓
c. It reads the entire file and returns it as a string
d. It reads a single line from the file

The correct answer is: It reads the entire file and returns it as a list of lines

Question **4**

Correct

Mark 1.00 out of 1.00

What will be the output of the following code if the file "example.txt" contains "Python Programming"?

```
f = open("example.txt", "r")
print(f.read(6))
f.close()
```

a. An error is raised
b. Python Programming
c. Program
d. Python ✓

The correct answer is: Python

Question **5**

Correct

Mark 1.00 out of 1.00

What does the buffering parameter in the open() function control?

a. The buffer size for the file operations ✓
b. The file's read/write position
c. The access mode of the file
d. The encoding of the file

The correct answer is: The buffer size for the file operations

Question **6**

Correct

Mark 1.00 out of 1.00

Select the incorrect file access mode

a. ab+
b. r
c. wb+
d. rw+ ✓

The correct answer is: rw+

Question **7**

Correct

Mark 1.00 out of 1.00

To open a file a.txt for reading, we use _____

a. infile = open(file = “a.txt”, “r”)
b. infile = open(“a.txt”, “r”) ✓
c. infile = open(file = “a.txt”, “r”)
d. infile = open(file, “a.txt”, “r”)

The correct answer is:
infile = open(“a.txt”, “r”)

Question **8**

Correct

Mark 1.00 out of 1.00

file_object.seek(offset [, reference_point])

What is the default, the value of reference_point?

a. 1

b. 2

c. garbage

d. null

e. 0 ✓

The correct answer is:
0

Question **9**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
f = open("data.txt", "a")
f.write("Adding new data\n")
f.close()
```

a. Appends "Adding new data" to the end of the file ✓

b. Opens the file in read mode

c. Overwrites the file with "Adding new data"

d. Raises an error because the file is opened in append mode

The correct answer is: Appends "Adding new data" to the end of the file

Question **10**

Correct

Mark 1.00 out of 1.00

The readlines() method returns _____

a. a list of single characters

b. a list of integers

c. a list of lines ✓

d. str

The correct answer is:
a list of lines

Question **11**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
f = open("test.txt", "w")
f.write("Hello, world!")
f.close()
f = open("test.txt", "r")
print(f.read())
f.close()
```

a. Hello, world! ✓

b. world

c. An error is raised

d. Hello

The correct answer is: Hello, world!

Question **12**

Incorrect

Mark 0.00 out of 1.00

Which method is used to sets the position of a file pointer

a. ftell()
b. fseek() ✕
c. tell()
d. seek()

The correct answer is: seek()

Question **13**

Correct

Mark 1.00 out of 1.00

Select the correct output of the following code

```
fp.seek(5, 1)
```

a. • Move file pointer five characters behind ahead from the end of a file.

b. Move file pointer five characters ahead from the beginning

c. • Move file pointer five characters behind from the current position.

d. • Move file pointer five characters ahead from the current position. ✓

The correct answer is:

- Move file pointer five characters ahead from the current position.

Question **14**

Correct

Mark 1.00 out of 1.00

What does the encoding parameter in the open() function specify?

- a. The encoding format of the file ✓
- b. The size of the file
- c. The mode of the file
- d. The buffer size

The correct answer is: The encoding format of the file

Question **15**

Correct

Mark 1.00 out of 1.00

What will the read() method return if used on an empty file?

- a. 0
- b. None
- c. EOFError
- d. An empty string ✓

The correct answer is: An empty string