Status	Finished
Started	Wednesday, 21 October 2026, 11:46 PM
Completed	Wednesday, 21 October 2026, 11:51 PM
Duration	4 mins 44 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Both keys and values are unique in dictionary.

a. True
b. False ✓

Question **2**

Correct

Mark 1.00 out of 1.00

Choose the correct statement, in reference to the following code: D1.update(D2) #D1 and D2 are dictionaries

a. None of the mentioned
b. It will merge all the elements of dictionary ‘D1’ in dictionary ‘D2’.
c. It will create a new dictionary.
d. It will merge all the elements of dictionary ‘D2’ in dictionary ‘D1’. ✓

Question **3**

Correct

Mark 1.00 out of 1.00

Write a statement to retrieve the value corresponding to the key 7 in dictionary 'D1'.

a. D1.disp(7)
b. D1.pop(7)
c. D1.get(7) ✓
d. D1.values(7)

Question **4**

Correct

Mark 1.00 out of 1.00

Which function/statement delete all the items of the dictionary?

- a. clear( ) ✓
- b. pop( )
- c. delete( )
- d. del

Question **5**

Correct

Mark 1.00 out of 1.00

Dictionary is a ____ data type.

- a. None of the mentioned
- b. Sequence
- c. Ordered
- d. Mapping ✓

Question **6**

Correct

Mark 1.00 out of 1.00

1,2,3 are the ____ in the following dictionary. D = {1 : "One", 2 : "Two", 3 : "Three"}

- a. Keys ✓
- b. Items
- c. None of the mentioned
- d. Values

Question **7**

Incorrect

Mark 0.00 out of 1.00

clear() method is used to delete the dictionary.

- a. False
- b. True ✗

Question **8**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

a. A dictionary can have two same keys with different values.

b. A dictionary can have two same keys or same values but cannot have two same key-value pair

c. A python, a dictionary can neither have two same keys nor two same values.

d. A dictionary can have two same values with different keys. ✓

Question **9**

Correct

Mark 1.00 out of 1.00

A = {"A" : "Apple", "B" : "Ball", "C" : "Cat"} Which of the following statement will return : dict_items([('A', 'Apple'), ('B', 'Ball'), ('C', 'Cat')])

a. print(A.Items) ✓

b. print(A.keys)

c. print(A.values)

d. print(A.get)

Question **10**

Incorrect

Mark 0.00 out of 1.00

Which statement is used to create an empty dictionary?

a. d1 = [ ]

b. d1 = { }

c. d1 =

d. d1 = dict{ } ✗

Question **11**

Correct

Mark 1.00 out of 1.00

What will be the Output of the following code?
dl={1:10, 2:20, 3:30, 4:40}
d2={5:50, 6:60, 7:70}
dl.update (d2)
print (dl)

a. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)]
b. {1:10, 2: 20, 4: 40, 5: 50, 6: 60, 7: 70}
c. {1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70} ✓
d. [1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70]

Question **12**

Correct

Mark 1.00 out of 1.00

Which of the following is used to delete an element from Dictionary?

a. remove
b. None of the mentioned
c. delete
d. pop ✓

Question **13**

Correct

Mark 1.00 out of 1.00

Which of the following is an example of dictionary?

a. D = { } ✓
b. C = ( )
c. L = [ ]
d. None of the mentioned

Question **14**

Correct

Mark 1.00 out of 1.00

The key-value pair in dictionary is called ____.

a. paired value
b. value
c. item ✓
d. pair item

Question **15**

Correct

Mark 1.00 out of 1.00

Following statement return values in the form of: D1.keys() # D1 is a dictionary

a. dictionary
b. tuple
c. list ✓
d. string