

CO 1

Assessment Tool - 1

Pseudocode Writing

Name: Nithish Raju.V

Reg No: 192411016

Course: Programming in
Java

Code: ~~CSA~~CSA-0925

Date: 26/07/2026

1) → Person

* Name

* Age

→ student inherits person

* Register Number

* Marks (5 subjects)

* calculateAverage()

→ ResearchStudent inherits Student

* Research Area

* DisplayCompleteDetails()

2) BEGIN

READ N

READ ARRAY A

FOR $i \leftarrow 0$ TO $N-1$

FOR $j \leftarrow \underline{i+1}$ TO $N-1$

IF $A[i] == A[j]$

$A[j] = -1$

ENDIF

ENDFOR

ENDFOR

PRINT Modified Array

END

3) CLASS Area

METHOD area(length)

Return length * length

END METHOD

METHOD area(length, breadth)

Return length * length

END METHOD

END CLASS

4)

i	Even/odd	Operation	Sum
Start	-	Sum = 0	0
1	odd	$0 - 1$	-1
2	even	$-1 + 2$	1
3	odd	$1 - 3$	-2
4	even	$-2 + 4$	2
5	odd	$2 - 5$	-3

Output 1

-3

```
5) BEGIN
  READ N
  READ ARRAY A
  First  $\leftarrow -\infty$ 
  Second  $\leftarrow -\infty$ 
  FOR  $i \leftarrow 0$  TO  $N-1$ 
    IF  $A[i] > \text{first}$  THEN
      Second  $\leftarrow \text{first}$ 
      first  $\leftarrow A[i]$ 
    ELSE IF  $A[i] > \text{second}$  AND
       $A[i] \neq \text{first}$  THEN
      Second  $\leftarrow A[i]$ 
    End if
  END FOR
  Print Second
END
```

6) Begin

interface Payment
 method pay (amount)

end interface

class CreditCard implements
Payment

 method pay (amount)

 print "payment using
CreditCard :", amount

 end method

end class

Class up1 implements payment

method pay (amount)

Print "payment using UPI", amount

End method

End class

class Netbanking implements

Payment

method pay (amount)

Print "payment using net Banking", amount

End method

end class

read choice

read amount

if choice == 1

P ← credit card

elif if choice = 2

P ← UPI

else

P ← net banking

endif

call P.pay(amount)

end

```
7) class Animal
    method speak()
    print "Animal"
end method
end class

class Dog inherits Animal
    method speak()
    print "Barks"
end method
end class

Animal obj ← new Dog()
obj.speak()
```


8) Corrected constructor:

class employee

Data

id

name

Constructor (id, name)

this.id ← id

this.name ← name

end constructor

end class.

incorrect lines

constructor()

id ← id

name ← name

9) Begin

class vehicle

vehicle, ownerName

Method display()

end class

class car inherits vehicle

fuel type

method display()

end class

class truck inherits vehicle

load capacity

method display()

end class

read N

for i ← 1 to N

read type

if type = "car"

create car object

else

create truck object

end if

store object

end for

for each object

object.display()

end for

end