

Bhumika

Given react code
Total react packages
solve the issue
groovy sandbox
password
wrapper
stylesheet
will it show
the given code
done in typescript
of this program50
As Generic class
class data
relationship pattern
it to compile 2
exception message
string builder
the given program - 36
given program's output - 53
synchronize the hashmap
thread(this.name)
T extends numbe
java feature
box obj1
java feature
learning java arrays
know as cursor
design principle strategy
speed up ratio
the following table-2
the following table
nosql object storage-2
nosql store data
able to access
generator
many hibernate
a nosql database
are imported here
the correct approach
global http session
http request methods
need of
actuator II
following exception
add to pom.xml
auth() dashboard project

dispatchservlet
crossorigin at the class level
is oriented
the entity class
is oriented
microservices design principle
communication depends upon
the main branch
statements(S) is/Are True
Multiple containers
compute service
high throughput
managing hardware Requirements
page in react
function as prop
React Application

NANDITA

15 best annotations
13 appropriate number format
12 Exception message
10 code fragment
11 compile time error
8 the below class
9 relationship java
6 components
7 the following code
5 kevin needs to console
2 used for this
3 default font-size is
1 password
44 entity class
23 api search user
24 the exception
25 check handlers
26 commands
27 need of
28will be beneficiary
29 process of controller
30 by default beans are
31 actuator II
32 are imported here
33 student and marks
34 entity
35 no sql database
36 of no sql database
37 generator
38 of json xml
39 nosql object storage
40 the following table
41 redundancy schema
42 java based projects

43 known as cursor
44 speed up ratio
45 learning java arrays
49 class box created
50 all above
51 sandboxing
52 similar behaviour
55 enable triggering
57 prop to it
58 life cycle methods
60 react application
61 amazon ec2
62 mymessage
63 prescient scaling functionalities
64 multiple containers
65 and its metadata
66 microservices
68 the modules
69 to microservices architecture
70 for the other
73 thread(this,name)
74 collection
78 given program's output-53
79 best annotations
80 below:import java-2

PAVITHRA

2 class findme
4 the following code-2
5 collection
6 code fragement's output
9 class multithread
12 of this method
13 to get output
15 arraylist's internal array
16 is the output -252
17 relationship java
18 as generic class
20 of this program50
23 will you do
26 class is used
28 the above example
29 one of many choices
31 human detail
32 exception
33 check handlers
34 scenario regarding origins
35 of springboot framework
36 a single dependency
37 valid annotation spring mvc

38 annotation
39 spring applicationcontext
40 actuator ll
41 entity
43 are imported here
45 embeddedid is available under which package
45 many hibernate
46 nosql store data
47 of json xml
48 nosql database
49 was functionally dependent
50 the following table
51 for object storage
52 inheritance design principle
53 dependency principle inversion
54 java based projects
55 box objt
56 class featuring
59 all above
61 jenkins domain
62 solve the issue
66 from the state
67 life cycle methods
68 react component
69page in react
71 storing of objects
73 and computing capacity
74 container is this
75 command do
76 communication depends upon
77 static storage environment
78 for autonomous microservices
80 of monolithic architecture
81 humandetail
82 to microservices architecture

VISHWADEV

1 learning java arrays
2 over a collection
3 code on genetics
4 given code fragment -78
7 best annotations
8 synchronize the hashmap
11 mentioned below
12 code fragements output
13 of this method
16 the following options
17 of this program - 6
18 the below class
19 for defining encapsulation
20 extend

21 emily is making
22 will it show
24 block scoped only
25 stylesheet
28 one of many choices
30 for autonomus microservices
32 to microservices architecture
33 microservices design principle
34 the exceptions
35 auth() dashboard project
36 human detail
37 check handlers
38 a single dependency
39 add to pom.xml
41 http request
42 annotation
43 time when requested
44 for this instance
45 an entitymanagerfactory object
46 of control (ioc)
47 generator
48 student and marks
49 models
50 of json xml
51 nosql database
52 for object storage
53 the following table
55 redundancy schema
56 design principle strategy
57 pattern is
58 be used if
63 pass message
65 in physical hardware
67 prescient scaling functionalities
69 storing of objects
70 the main branch
71 microservices
73 class featuring