## 1

## Quiz 4

## S Nithish

Abstract—This document contains the solution of the question from NCERT 11th standard chapter 10 exercise 10.1 problem 6

## 1 Exercise 10.1

1) Without using the Pythagoras theorem, show that the points (4, 4), (3, 5) and (-1, -1) are the vertices of a right angled triangle.




Fig. 1: Triangle ABC

We need to show that points (4,4), (3,5) and (-1,-1) are vertices of a right triangle. Let,

$$\mathbf{A} = \begin{pmatrix} 4 \\ 4 \end{pmatrix}, \mathbf{B} = \begin{pmatrix} 3 \\ 5 \end{pmatrix}, \text{ and } \mathbf{C} = \begin{pmatrix} -1 \\ -1 \end{pmatrix}$$
 (1.0.1)

To check whether the points A, B, C form a triangle we find the rank of the matrix  $(A \ B \ C)$ 

$$\begin{pmatrix} 4 & 3 & -1 \\ 4 & 5 & -1 \end{pmatrix} \tag{1.0.2}$$

$$\stackrel{R_2 \leftarrow R_2 - R_1}{\longleftrightarrow} \tag{1.0.3}$$

$$\begin{pmatrix} 4 & 3 & -1 \\ 0 & 2 & 0 \end{pmatrix} \tag{1.0.4}$$

(1.0.5)

The rank of the matrix is 2 and the points are in 2-Dimensional space. So the points A, B, C form a triangle.

$$\mathbf{B} - \mathbf{A} = \begin{pmatrix} 3 \\ 5 \end{pmatrix} - \begin{pmatrix} 4 \\ 4 \end{pmatrix} = \begin{pmatrix} -1 \\ 1 \end{pmatrix} \quad (1.0.6)$$

$$\mathbf{C} - \mathbf{A} = \begin{pmatrix} -1 \\ -1 \end{pmatrix} - \begin{pmatrix} 4 \\ 4 \end{pmatrix} = \begin{pmatrix} -5 \\ -5 \end{pmatrix} \quad (1.0.7)$$

$$(\mathbf{B} - \mathbf{A})^{\mathsf{T}} (\mathbf{A} - \mathbf{C}) = \begin{pmatrix} -1 \\ 1 \end{pmatrix} \begin{pmatrix} -5 \\ -5 \end{pmatrix} = 5 - 5 = 0 \quad (1.0.8)$$

 $(\mathbf{A} - \mathbf{B})^{\mathsf{T}} (\mathbf{A} - \mathbf{C}) = 0 \Rightarrow \text{angle between } \mathbf{A} - \mathbf{B}$  and  $\mathbf{B} - \mathbf{C}$  is 90 degrees.

Hence,  $\triangle ABC$  is a right triangle with right angle at vertex A(4,4).