

## Functional Design Document

### Retail Management

#### eThekwini Municipality

#### Oracle Revenue Management System (C2M)

---

*This template is used for technical documentation on Oracle consulting projects. See section Use of This Document for style guidance.*

April 2024, Version 1.0  
Copyright © 2026, Oracle and/or its affiliates  
Confidential – Oracle Internal Use Only

# 1 Contents

|          |                                                     |           |
|----------|-----------------------------------------------------|-----------|
| <b>1</b> | <b>Contents</b>                                     | <b>ii</b> |
| <b>2</b> | <b>Introduction</b>                                 | <b>1</b>  |
| 2.1      | Document Purpose                                    | 1         |
| 2.2      | Scope                                               | 1         |
| 2.3      | Related Work / Dependencies                         | 1         |
| <b>3</b> | <b>Assumptions &amp; Open Items</b>                 | <b>2</b>  |
| 3.1      | Assumptions                                         | 2         |
| 3.2      | Open Items                                          | 2         |
| <b>4</b> | <b>High Level Approach</b>                          | <b>3</b>  |
| 4.1      | Background                                          | 3         |
| 4.2      | To Be Solution                                      | 3         |
| 4.2.1    | Solution Overview                                   | 3         |
| 4.2.2    | Business Process Flow Diagram (whenever applicable) | 4         |
| 4.2.3    | Business Process Description (whenever applicable)  | 4         |
| 4.3      | Major Build Components                              | 5         |
| <b>5</b> | <b>Build Component Design</b>                       | <b>8</b>  |
| 5.1      | Business Object                                     | 8         |
| 5.1.1    | CM_RetailManagement                                 | 8         |
| 5.1.2    | CM-RetailAccountPriceMgmt                           | 12        |
|          | CM-RetailAccountPriceMgmt                           | 12        |
| 5.1.3    | CM-MaintainItemPriceList                            | 14        |
| 5.1.4    | CM-OrderRetailManagement                            | 17        |
| 5.1.5    | CM-MaintainOrderInvoice                             | 20        |
| 5.1.6    | CM-MaintainDeliveryNote                             | 22        |
| 5.2      | BO Case Lifecycle                                   | 24        |
| 5.2.1    | Maintain Orders                                     | 24        |
| 5.2.2    | Maintain Invoice                                    | 27        |
| 5.2.3    | Maintain Delivery Note                              | 29        |
| 5.3      | Zone                                                | 31        |
| 5.3.1    | CM-RTLMGMACT                                        | 31        |
| 5.3.2    | CMRTPRRICEMG                                        | 31        |
| 5.4      | Portal                                              | 32        |
| 5.4.1    | CMACTRTM                                            | 32        |
| 5.4.2    | CMORDMGM                                            | 32        |
| 5.5      | Menu                                                | 34        |
| 5.6      | Script                                              | 35        |

|           |                                                           |                              |
|-----------|-----------------------------------------------------------|------------------------------|
| 5.6.1     | CMActRetMain                                              | 35                           |
| 5.6.2     | CM-ZoneAlwVI                                              | Error! Bookmark not defined. |
| 5.6.3     | CMActRtlPrcM                                              | 37                           |
| 5.6.4     | CM-ZoneBrcVI                                              | 37                           |
| 5.6.5     | CMOrdMgmMtAt                                              | 37                           |
| 5.6.6     | CM_RMMOVALID                                              | 39                           |
| 5.6.7     | CM_RMBBRTORD                                              | 40                           |
| 5.6.8     | CM_RMPROFINV                                              | 40                           |
| 5.6.9     | CM_RMMROVALD                                              | 40                           |
| 5.6.10    | CM_RMMROMAIL                                              | 41                           |
| 5.6.11    | CM_RMMRVALID                                              | 41                           |
| 5.6.12    | CM_RMOINCALC                                              | 41                           |
| 5.6.13    | CM_OrdMgmMt                                               | 42                           |
| 5.6.14    | CM_PrintOrdr                                              | 42                           |
| 5.6.15    | CM_PrnItmLst                                              | 43                           |
| 5.7       | Algorithm Type                                            | 43                           |
| 5.8       | Algorithms                                                | 46                           |
| 5.9       | UI MAP                                                    | 48                           |
| 5.9.1     | CM-RetialAccountPriceMgmtDisp                             | 48                           |
| 5.9.2     | CM-RetialOrderMgmtActions                                 | 52                           |
| 5.9.3     | CM-RetailManagementDisplay                                | 55                           |
| <b>6</b>  | <b>Solution Specific Configuration</b>                    | <b>60</b>                    |
| 6.1       | Message                                                   | 60                           |
| 6.1.1     | Message                                                   | 60                           |
| 6.2       | Administrative Activities                                 | 60                           |
| 6.2.1     | Characteristics Type                                      | 60                           |
| 6.2.2     | Lookup                                                    | 63                           |
| <b>7</b>  | <b>Data Requirements</b>                                  | <b>64</b>                    |
| <b>8</b>  | <b>Security Requirements</b>                              | <b>65</b>                    |
| 8.1       | Users and Security                                        | 65                           |
| <b>9</b>  | <b>Performance Considerations</b>                         | <b>66</b>                    |
| <b>10</b> | <b>Testing Requirements</b>                               | <b>67</b>                    |
| 10.1      | Test Scenarios                                            | 67                           |
| <b>11</b> | <b>Appendix: Document Control</b>                         | <b>68</b>                    |
| <b>12</b> | <b>Appendix: Definitions, Acronyms, and Abbreviations</b> | <b>70</b>                    |



## 2 Introduction

### 2.1 Document Purpose

The purpose of the Functional Specification is to outline how the system or product can be configured, extended, modified, localized, and integrated to address specific business requirements.

This document is to address the eThekwini Municipality's business requirement regarding Community Residential Units .

### 2.2 Scope

In-scope: This includes but not limited to the following significant areas of interest for this component:

- Architecture design considerations for component
- Component behavior designs
- Component data designs necessary for component
- User interface designs required for component

Out-of-scope: The following design areas of interest are not considered in-scope for this project:

- Application setup considerations for component
- Software detailed designs for component
- Changes to logical database design in order to support component design

### 2.3 Related Work / Dependencies

| # | Work product / Artifact | Description/Reference link          | Document date and version | Artifact dependency (Y/N) |
|---|-------------------------|-------------------------------------|---------------------------|---------------------------|
| 1 | Foundation Design       | ethekwini_DSW_026_Foundation_Design | current                   | Y                         |

### 3 Assumptions & Open Items

#### 3.1 Assumptions

This Functional Specification assumes the following:

1. Only Authorized users will be able to add, modify the Orders, Maintain PriceList, retailers Details

#### 3.2 Open Items

| #   | Issue/action item                  | Resolution                                                                                   | completion date |
|-----|------------------------------------|----------------------------------------------------------------------------------------------|-----------------|
| 001 | Security access                    | This should be considered when discussion and design of User, access roles will be designed. |                 |
| 002 | Print Functions,Reports and Emails | Depends on BI, Integration Design                                                            |                 |

## 4 High Level Approach

### 4.1 Background

In eThekwini, The Hostels are getting converted in to CRUs. Each management area will have more than one trading area. Existing Data from GIS will be used to create the CRUs. The CRU will further have Blocks, Family Units, and Rooms. These will be maintained as Child Premise to the CRU with different Premise types.

Further the Application for renting the Family Units/Blocks/Beds will be handled in the in C2M using Campaign via Order creation. And once the Application approved Service Agreement will be activated.

Business requirement is to maintain these mentioned Informal trade components in the C2M:

1. Create and Maintain CRUs.
2. Create and Maintain CRU Blocks.
3. Create and Maintain CRU Family Units.
4. Create and Maintain Beds.
5. Maintaining the Customer Application.

**Note to Developer:** the following technical detail in document is only for reference purpose and might not contain exact details. This needs to be taken care during development phase.

### 4.2 To Be Solution

#### 4.2.1 Solution Overview

The entities CRUs, Blocks, Home units and rooms will be defined as premises within Oracle C2M. For these, dedicated Business Objects will be created using the Premise Maintenance Object and respective Premise type will be created. All relevant attributes will be stored within the premise's data area or as premise characteristics These premises will serve as the foundational units for managing CRUs.

Access to CRU Premise Management Portal, Creation of Order using the relevant Campaign will be handled exclusively by authorized users through dedicated application service.

Furthermore, dedicated portals will be developed for Maintaining Block, Home Units, Rooms and beds - These portals will be accessible only to authorized business users, providing them with a secure and user-friendly interface to maintain and manage CRUs Sites efficiently. Portals will help the user to query the existing details and allow them to add /update the details for respective entity.

##### 4.2.1.1 Campaign and SP Details overview

A new campaign has been introduced to register enrolment requests from customers for beds, rooms, and family units. For each incoming request, an Order will be created under this campaign.

#### Registration Form Requirements

All required and optional questions necessary for completing the registration form are predefined at the campaign level. These questions must be populated for every Order created.

### Package Eligibility Validation

Package eligibility rules have been configured to validate whether a customer qualifies for the requested service based on the form details captured in the Order.

- If all eligibility rules pass, the Order will be created successfully.
- A new Service Agreement (SA) will then be created and linked to the existing Bed Service Point (SP).

### Premise Handling

No new premise will be created as part of this process. An existing premise will always be used for creating the Order.

### Person and Account Handling

- If a Person and/or Account is provided in the request, the existing records will be used.
- If not provided, the process will automatically create a new Person and Account.

The system will maintain one Service Point (SP) for each bed allocated within a Family Unit or Room.

- If the Service Point already exists for the corresponding premise, it will be reused.
- If the Service Point does not exist, it will be created during Order completion, along with the creation of the associated Service Agreement (SA).

The entities CRUs, Blocks, Home units and rooms will be defined as premises within Oracle C2M. For these, dedicated Business Objects will be created using the Premise Maintenance Object and respective Premise type will be created. All relevant attributes will be stored within the premise's data area or as premise characteristics. These premises will serve as the foundational units for managing CRUs.

Access to CRU Premise Management Portal, Creation of Order using the relevant Campaign will be handled exclusively by authorized users through dedicated application service.

Furthermore, dedicated portals will be developed for Maintaining Block, Home Units, Rooms and beds - These portals will be accessible only to authorized business users, providing them with a secure and user-friendly interface to maintain and manage CRUs Sites efficiently. Portals will help the user to query the existing details and allow them to add /update the details for respective entity.

## 4.2.2 Business Process Flow Diagram (whenever applicable)

n/a

## 4.2.3 Business Process Description (whenever applicable)

n/a



### 4.3 Major Build Components

| Component type | Component Name           | Description                                                                                                                                               |
|----------------|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| UI Maps        | CM-PremCharTypeInfoMaint | To Maintain Characteristic type maintenance.                                                                                                              |
|                | CM-PremCharMaint         | Input Map to capture characteristic type                                                                                                                  |
|                | CM-PremCharDisp          | Display map to display characteristic Type captured data                                                                                                  |
| Zone           | CM-CRUBLDT               | Zone to retrieve the CRU BLOCK details using Block Address ID                                                                                             |
|                | CM-CRUBLDT1              | Zone to retrieve the CRU BLOCK details using CRU Premise ID                                                                                               |
|                | CM-CRUFUDT               | CRU Family Unit should be searched by using the Family Unit- name/address                                                                                 |
|                | CM-CRUFUDT1              | CRU Family Unit should be searched by using the CRU block premise ID                                                                                      |
|                | CM-CRURMDT               | CRU Family Unit should be searched by using the room unit name/address                                                                                    |
|                | CM-CRURMDT1              | CRU Room should be searched by using House unit premise ID/ CRU block premise ID                                                                          |
|                | CM-CRUBDDT               | CRU bed SP should be searched using the room unit/Family unit premise                                                                                     |
|                | CM-CRUBDDT1              | CRU BED should be searched by using the bed number                                                                                                        |
|                | CM-CRUBLUQ               | Zone will be utilized to search the CRU block using the query zone/SQL added to it and provide option to edit details using a button/hyper link.          |
|                | CM-CRUFUQ                | Zone will utilize to search the CRU home unit using query zone/SQL added to it provide option to edit selected premise details using a button/hyper link. |
|                | CM-CRURUQ                | Zone will utilize to search the CRU room unit using the Query zone/SQL added to it                                                                        |

|                 |                    |                                                                                                                                                                       |
|-----------------|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                 |                    | and provide option to edit the selected premise details using a button/hyper link.                                                                                    |
|                 | CM-CRUBDQ          | Zone will utilize to search the CRU room unit using the Query zone/SQL added to it and provide option to edit the selected premise details using a button/hyper link. |
| Portal          | CM_CRUBLK          | Block portal to add display block details.                                                                                                                            |
|                 | CM_CRUFU           | Family unit portal it displays family unit details.                                                                                                                   |
|                 | CM_CRURU           | Rooms unit portal it displays rooms unit details.                                                                                                                     |
|                 | CM-CRUBD           | Beds unit portal it displays CRU Beds details                                                                                                                         |
| Business object | CM-CRUBlockBO      | CRU block unit is Block business object                                                                                                                               |
|                 | CM_CRUFamilyUnitBO | CRU family unit business object                                                                                                                                       |
|                 | CM_CRURoomBO       | CRU Room BO                                                                                                                                                           |
|                 | CM_CRUBedSPBO      | CRU bed SP Business Object                                                                                                                                            |
| Script          | CM-CRUBUMain       | This BPA script is used to rendered block BO and attached to the block Navigation option                                                                              |
|                 | CM-CRUBOProc       | This Script should be used to invoke this script to process BO Object                                                                                                 |
|                 | CM-CRUFUMain       | This script is used to render CRU family unit details for add/edit and it is attached to the block navigation.                                                        |
|                 | CM-CRUFUProc       | This script should be used to invoke this script to process BO object.                                                                                                |
|                 | CM-CRURUMain       | This script is used to render CRU Room Unit details for add/edit and it is attached to the block navigation option.                                                   |
|                 | CM-CRURUProc       | This script should be used to invoke this script to process BO object                                                                                                 |
|                 | CM-CRUBDMain       | This script is used to render Bed SP details for add/edit and it is attached to the block navigation option.                                                          |

|                |              |                                                                                                 |
|----------------|--------------|-------------------------------------------------------------------------------------------------|
|                | CM-CRUBDProc | This script should be used to invoke this script to process BO object                           |
|                | CM-CRUSTVal  | This script is attached to the relevant business object and executed during creation or update. |
| Algorithm Type | CM-SNDWL     | This algorithm type is used to send welcome letter                                              |
|                | CM-SIGNTD    | This algorithm type is used to create to do to initiate signing process                         |
|                | CM-ISSKEYTD  | This algorithm type is used to create to do to issue the keys.                                  |
|                | CM-UPDPMST   | This algorithm type is used to update allocation status on premise                              |
|                | CM-CHCKPMST  | This algorithm type is used to check premise status.                                            |
|                | CM-CRTSASP   | This algorithm type is used to create SA and SP .                                               |
| Algorithm      | CM-SNDWL     | This algorithm type is used to send welcome letter                                              |
|                | CM-SIGNTD    | This algorithm type is used to create to do to initiate signing process                         |
|                | CM-ISSKEYTD  | This algorithm type is used to create to do to issue the keys.                                  |
|                | CM-UPDPMST   | This algorithm type is used to update allocation status on premise                              |
|                | CM-CHCKPMST  | This algorithm type is used to check premise status.                                            |
|                | CM-CRTSASP   | This algorithm type is used to create SA and SP .                                               |

## 5 Build Component Design

This section provides detailed information about all the new and existing Software Components which are getting updated as part of this Functional Specification

### 5.1 Business Object

#### 5.1.1 CM\_RetailManagement

This BO will be used to hold the Retailer data. This includes searchable characteristics for the retailer type, retailer name, retailer code, department, retailer status. These characteristics needs to be protected and accessible only by DSW users. This BO also holds the branch code/name, delivery address, "GRN required?" policy for invoice authorization, and status.

| Property            | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Business Object     | CM_RetailManagement                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Description         | Retail Management Menu                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Maintenance Object  | ACCOUNT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Application Service | F1-DFLT5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Instance Control    | Allow new instances                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Schema              | <pre>&lt;schema xmlns:uiHint="http://oracle.com/ouafUIHints"&gt;   &lt;accountId fkRef="ACCT" mapField="ACCT_ID" dataType="string"/&gt;   &lt;departmentName label="Department Name" mapField="CHAR_VAL"&gt;     &lt;row mapChild="CI_ACCT_CHAR"&gt;       &lt;CHAR_TYPE_CD is="CM-DPTNM"/&gt;       &lt;EFFDT is="%effectiveDate"/&gt;     &lt;/row&gt;   &lt;/departmentName&gt;   &lt;retailerFlag label="Retailer Flag" mapField="CHAR_VAL"&gt;     &lt;row mapChild="CI_ACCT_CHAR"&gt;       &lt;CHAR_TYPE_CD is="CM_RTLFG"/&gt;       &lt;EFFDT is="%effectiveDate"/&gt;     &lt;/row&gt;   &lt;/retailerFlag&gt;   &lt;retailerCode label="Retailer Code" mapField="ADHOC_CHAR_VAL"&gt;     &lt;row mapChild="CI_ACCT_CHAR"&gt;       &lt;CHAR_TYPE_CD is="CM_RTLCD"/&gt;       &lt;EFFDT is="%effectiveDate"/&gt;     &lt;/row&gt;   &lt;/retailerCode&gt;   &lt;retailerName label="Retailer Name" mapField="ADHOC_CHAR_VAL"&gt;     &lt;row mapChild="CI_ACCT_CHAR"&gt;       &lt;CHAR_TYPE_CD is="CM-RTMRN"/&gt;       &lt;EFFDT is="%effectiveDate"/&gt;     &lt;/row&gt;   &lt;/retailerName&gt;   &lt;retailerType label="Retailer Type" mapField="CHAR_VAL"&gt;     &lt;row mapChild="CI_ACCT_CHAR"&gt;       &lt;CHAR_TYPE_CD is="CM_RTLTY"/&gt;</pre> |

| Property | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|          | <pre>&lt;EFFDT is="%effectiveDate"/&gt; &lt;/row&gt; &lt;/retailerType&gt; &lt;retailerStatus label="Retailer Status" mapField="CHAR_VAL"&gt;   &lt;row mapChild="CI_ACCT_CHAR"&gt;     &lt;CHAR_TYPE_CD is="CM_RTLST"/&gt;     &lt;EFFDT is="%effectiveDate"/&gt;   &lt;/row&gt; &lt;/retailerStatus&gt; &lt;retailerBranch type="group" mapXML="ACCT_DATA_AREA"&gt;   &lt;retailerBranchList type="list"&gt;     &lt;branchCode label="Branch Code" isPrimeKey="true" dataType="string"/&gt;     &lt;branchName label="Branch Name" isPrimeKey="true" fkRef="ACCT" dataType="string"/&gt;     &lt;deliveryAddress label="Delivery Address" fkRef="PREM" dataType="string"/&gt;     &lt;extReference label="External Refercene ID required" dataType="lookup" lookup="F1_SE_TRUEFALSE_FLG"/&gt;     &lt;status label="Status" dataType="lookup" lookup="ACT_INACT_FLG"/&gt;   &lt;/retailerBranchList&gt; &lt;/retailerBranch&gt; &lt;uiHint:startSection label="Logs" sectionColumn="float" visibleOn="displayMap"/&gt;   &lt;cmlogs type="group" mapXML="ACCT_DATA_AREA"&gt;     &lt;createdBy label="created By" dataType="string"/&gt;     &lt;createdDateTime label="created Date time" dataType="string"/&gt;     &lt;updatedBy label="Updated User" default="%CurrentUser" dataType="string"/&gt;     &lt;updatedDateTime label="Updated Date Time" default="%ProcessDateTime" dataType="string"/&gt;   &lt;/cmlogs&gt; &lt;uiHint:endSection/&gt; &lt;/schema&gt;</pre> |  |
| Options  | Display Map Service Script                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |
|          | Portal Navigation Option                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |

| Field Name      | Description                             |
|-----------------|-----------------------------------------|
| Main            |                                         |
| Account Id      | Primary Key                             |
| Department Name | Mandatory. Characteristic Type CM-DPTNM |
| Retailer Flag   | Mandatory. Characteristic Type CM_RTLFG |
| Retailer Code   | Mandatory Characteristic Type CM_RTLCD  |
| Retailer Name   | Mandatory Characteristic Type CM-RTMRN  |

| Field Name                          | Description                                                                                                                                                                                                                                     |
|-------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Retailer Type</b>                | Characteristic Type CM_RTLTY                                                                                                                                                                                                                    |
| <b>Retailer Status</b>              | Characteristic Type CM_RTLST                                                                                                                                                                                                                    |
| <b>Retailer Branch List</b>         |                                                                                                                                                                                                                                                 |
| <b>Branch Code</b>                  | Unique internal identifier for the branch. Mandatory and maps to ACCT_DATA_AREA element branchCode                                                                                                                                              |
| <b>Branch Name</b>                  | Full name of the branch (e.g., SPAR – DISTRIBUTION CENTRE). Mandatory and this will be an existing account id in the system and maps to ACCT_DATA_AREA element branchName with FK reference to account.                                         |
| <b>Delivery Address</b>             | The physical branch delivery address (C2M Premise Id) maps to ACCT_DATA_AREA element deliveryAddress with FK reference to premise.                                                                                                              |
| <b>External Reference Required?</b> | A Yes/No value to indicate whether the authorization of order requires the external reference or not. Default to 'No' if value does not present on migrated account. Maps to ACCT_DATA_AREA element extReferenceFlag with Lookup Value – YES/NO |
| <b>Status</b>                       | Current branch status (active/inactive). Maps to ACCT_DATA_AREA element status with Lookup Value – Active/Inactive                                                                                                                              |

#### 5.1.1.1 Retail Management Input Map

Input MAP should be rendered to maintain Retail and branch Details. These Details will be added/updated by authorized users; hence New Application service needs to be created which will be attached to this.

In (C2M) system, each Retailer account, branch account will be represented as a distinct business object, associated with the Account maintenance object.

A new menu should be created to attach this Map and used to update Retailer/branch details which will be stored as in C2M Account entity.

Mock Input UI

Account ID \*9495717263 Villa,Maria, Residential, \$365.79

Department Name

Retailer FlagNo

Retailer Code

Retailer Name

Retailer TypeMajor Chain

Retailer StatusActive

|     | Branch Code | Branch Name                                          | Delivery Address                                | External Refercene ID requiered | Status |
|-----|-------------|------------------------------------------------------|-------------------------------------------------|---------------------------------|--------|
| + - | BRANCH1     | 4204432996 Pancho Villa Taqueria, Commercial, \$0.00 | 5082678669 100 Main Street, Portland, OR, 97229 | False                           | Active |

Save

Cancel

Mock Display UI

Account ID

Department Name

Retailer Flag

Retailer Code

Retailer Name

Retailer Type

Retailer Status

Record Actions

Edit

| Branch Code | Branch Name | Delivery Address | External Refercene ID required | Status |
|-------------|-------------|------------------|--------------------------------|--------|
|-------------|-------------|------------------|--------------------------------|--------|

Logs

created By

created Date time

Updated User

Updated Date Time

Account Retail Management

Bookmark

Refresh

Main

Retail Management Account

Account ID Villa,Maria, Residential, \$365.79

Department Name

Retailer Flag

Retailer Code

Retailer Name

Retailer TypeIndependent

Retailer Status

Record Actions

Edit

| Branch Code | Branch Name                               | Delivery Address | External Refercene ID required | Status   |
|-------------|-------------------------------------------|------------------|--------------------------------|----------|
| BRANCH1     | Beck,Mark, Residential, \$0.00            |                  |                                | Active   |
| BRVC 2      | AKHILA,SAICHOWDARY, Residential, \$-10.00 |                  |                                | Inactive |

created By

created Date time

Updated User

Updated Date Time

The Edit should open the Input UI with editable data for updating the Retailer data and branch details.

### 5.1.2 CM-RetailAccountPriceMgmt

| Property            | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Business Object     | CM-RetailAccountPriceMgmt                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Description         | Retailer/Branch-specific price overlay (discount)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Maintenance Object  | ACCOUNT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Application Service | F1-DFLTTS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Instance Control    | Allow new instances                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Schema              | <pre> &lt;schema xmlns:uiHint="http://oracle.com/ouafUIHints"&gt;   &lt;accountId mapField="ACCT_ID" dataType="string"/&gt;   &lt;retailerBranchPriceList label="Retailer Price List" type="group" mapXML="ACCT_DATA_AREA"&gt;     &lt;bagList label="Retailer Price deatils" type="list"&gt;       &lt;productCode label="product code" isPrimeKey="true" dataType="string"/&gt;       &lt;bagType label="Bag Type" dataType="lookup" isPrimeKey="true" lookup="CM_BAG_TYPE_FLG"/&gt;       &lt;effectiveDate mdField="EFFDT" dataType="date" isPrimeKey="true"/&gt;       &lt;endDate label="effective To" dataType="date" isPrimeKey="true"/&gt;       &lt;revisionNumber label="Revison Number" type="group"&gt;         &lt;vatData label="VAT Details" type="list"&gt;           &lt;revNum label="Revision Number" isPrimeKey="true" dataType="string"/&gt;           &lt;priceExclVAT label="Price Excl. VAT" dataType="string"/&gt;           &lt;vatAmount label="VAT" dataType="string"/&gt;           &lt;priceInclVAT label="Price Incl. VAT" dataType="string"/&gt;           &lt;discountPercent label="Discount %" dataType="string"/&gt;           &lt;costAmount label="Cost" dataType="string"/&gt;           &lt;markUpAmount label="Mark Up" dataType="string"/&gt;           &lt;markUpPercent label="Mark Up %" dataType="string"/&gt;           &lt;stockLevel label="Stock Level" dataType="string"/&gt;         &lt;/vatData&gt;       &lt;/revisionNumber&gt;     &lt;/bagList&gt;   &lt;/retailerBranchPriceList&gt; &lt;/schema&gt; </pre> |

| Field Name             | Description                                                                                                     |
|------------------------|-----------------------------------------------------------------------------------------------------------------|
| <b>Main</b>            |                                                                                                                 |
| <b>Department Name</b> | Mandatory. It is a lookup or characteristic. It is maps to the element Department Name in the ACCT_DATA_AREA.   |
| <b>Revision Number</b> | It identifies the version of the item price list. It maps to the element Revision Number in the ACCT_DATA_AREA. |



|                                      |                                                                                                                                                           |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Effective From</b>                | Mandatory. The date which retailer price defines then it becomes effective. It maps to Effective From in the ACCT_DATA_AREA.                              |
| <b>Effective To</b>                  | Mandatory. this date should be later than the Effective Date From. It maps to Effective To in the ACCT_DATA_AREA.                                         |
| <b><u>Sale Price Excl. VAT</u></b>   | The price of the product, excluding VAT. It maps to Sale Price Excluding VAT in the ACCT_DATA_AREA.                                                       |
| <b>VAT</b>                           | The value added tax applicable for the product. It maps to VAT in the ACCT_DATA_AREA.                                                                     |
| <b><u>Sale Price Incl. VAT</u></b>   | The price of the product, including VAT. It maps to Sale Price Including VAT in the ACCT_DATA_AREA.                                                       |
| <b>Discount %</b>                    | Mandatory. Here percentage can be equal or greater than zero. It maps to Discount Percent in the ACCT_DATA_AREA.                                          |
| <b><u>Discounted Sale Amount</u></b> | The discount price obtained by applying discount percentage is EXCI VAT value. It maps to the element Discounted Sale Amount in the ACCT_DATA_AREA.       |
| <b>Mark Up</b>                       | Here difference between the discounted price Excl. VAT vale and discounted price values. It maps to element Mark Up in the ACCT_DATA_AREA.                |
| <b>Mark Up %</b>                     | Here percentage is equal to Mark Up divided by the Cost <u>Price</u> and multiplied by 100. It maps to the element Mark Up Percent in the ACCT_DATA_AREA. |
| <b>Stock Level</b>                   | Mandatory. Value must be numerical. It maps to the element Stock Level in the ACCT_DATA_AREA.                                                             |

#### 5.1.2.1 Retail Account Price Management Input Map

Input MAP should be rendered to maintain Item Price List of a specific customer/branch on top of the Item price. In this its custom interface hosts negotiated terms, like discount percentage, derived cost/markup. And this design isolates branch-specific terms, preserving the integrity of the base item price list.

This portal is a Fact-based object and can be launch via the Retail Management Menu and the BO will contain the below elements.

UI Mock Input

ccount ID 9495717263

Retailer Price List

Retailer Price deatils

| Bag Type                              | Effective Date        | effective To          | VAT Details                          |                            |                            |                |
|---------------------------------------|-----------------------|-----------------------|--------------------------------------|----------------------------|----------------------------|----------------|
| <div>+ <div>Black Plastic</div></div> | <div>02-24-2026</div> | <div>02-28-2026</div> | <div>+ <div>product code</div></div> | <div>Revision Number</div> | <div>Price Excl. VAT</div> | <div>VAT</div> |
|                                       |                       |                       | <div>+ <div>cd01</div></div>         | <div>11</div>              | <div>100</div>             | <div>10</div>  |

Save

Cancel

Mock Display UI

Retailers Price details

Account ID 9495717263

Record Actions 

Edit

Retailer Price List

Retailer Price deatils

| Bag Type      | Effective Date | effective To | VAT Details  |                 |                 |     |                 |            |      |         |           |             |
|---------------|----------------|--------------|--------------|-----------------|-----------------|-----|-----------------|------------|------|---------|-----------|-------------|
| Black Plastic | 02-24-2026     | 02-28-2026   | product code | Revision Number | Price Excl. VAT | VAT | Price Incl. VAT | Discount % | Cost | Mark Up | Mark Up % | Stock Level |
|               |                |              | cd01         | 11              | 100             | 10  | 110             | 5          | 105  | 5       | 5         | 100         |

5.1.3 CM-MaintainItemPriceList

Maintain Item Price is an Extendable lookup BO used to Maintain the Effective dated and Revision Based Price details for the Items(Bags)

| Property            | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Business Object     | CM-MaintainItemPriceList                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Description         | Maintain Item Price List                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Maintenance Object  | F1-EXT LKUP                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Application Service | F1-DFLT5                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Instance Control    | Allow new instances                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Schema              | <div>&lt;schema name="schema"&gt;<br/>&lt;lookupValue label="Product Code" required="true" isPrimeKey="true" mapField="F1_EXT_LOOKUP_VALUE"/&gt;<br/>&lt;bo suppress="true" isPrimeKey="true" fkRef="F1-BUSOB" mapField="BUS_OBJ_CD"/&gt;<br/>&lt;description required="true" mapField="DESCR"/&gt;<br/>&lt;overrideDescription suppress="blank" mapField="DESCR_OVRD"/&gt;<br/>&lt;longDescription suppress="blank" mapField="DESCRLONG"/&gt;</div> |

| Property | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          | <pre> &lt;lookupUsage required="true" dataType="lookup" default="F1AC" mapField="F1_EXT_LOOKUP_USAGE_FLG" lookup="F1_EXT_LOOKUP_USAGE_FLG"/&gt; &lt;owner suppress="true" dataType="lookup" mapField="OWNER_FLG" lookup="OWNER_FLG"/&gt; &lt;version suppress="true" dataType="number" mapField="VERSION"/&gt;  &lt;itemPriceList label="Item Details" type="group" mapXML="BO_DATA_AREA"&gt;    &lt;bagList label="bagList" type="list"&gt;     &lt;bagType label="Bag Type" dataType="lookup" isPrimeKey="true" lookup="CM_BAG_TYPE_FLG"/&gt;      &lt;revisionNumber label="Revision Number" type="group"&gt;        &lt;vatData label="VAT Details" type="list"&gt;         &lt;revNum label="Revision Number"/&gt;         &lt;effectiveDate mdField="EFFDT" dataType="date" isPrimeKey="true"/&gt;       &lt;/vatData&gt;         &lt;endDate label="effective To" dataType="date" isPrimeKey="true"/&gt;         &lt;costPrice label="Cost Price"/&gt;         &lt;salePriceExclVAT label="Sale Price Excluding VAT"/&gt;         &lt;vatCode label="VAT Code"/&gt;         &lt;vatPercentage label="VAT Percentage"/&gt;         &lt;salePriceInclVAT label="Sale Price Including VAT"/&gt;       &lt;/vatData&gt;     &lt;/revisionNumber&gt;   &lt;/bagList&gt; &lt;/itemPriceList&gt; &lt;/schema&gt; </pre> |

| Field Name      | Description                                                                                                   |
|-----------------|---------------------------------------------------------------------------------------------------------------|
| Main            |                                                                                                               |
| Product Code    | Mandatory. It is a Extendable lookup. It maps to the element Product Code in the Lookup Value                 |
| Bag Type        | Mandatory. It is delivered to DC and It maps to the element Bag Type in the BO_DATA_AREA.                     |
| Revision number | It identifies the version of the item price list. It maps to the element Revision Number in the BO_DATA_AREA. |
| Cost price      | Mandatory. Values must be greater than zero. It maps to the element Cost Price in the BO_DATA_AREA.           |

| Field Name                       | Description                                                                                                                                                            |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Sales Price Excluding VAT</b> | Mandatory. Here the excluding value will be added tax (VAT) amount and must be greater than zero. It maps to the element Sale Price Excluding VAT in the BO_DATA_AREA. |
| <b>VAT Code</b>                  | Mandatory. Added value tax applicable for the product must/should be selected. It maps to the element VAT Code in the BO_DATA_AREA.                                    |
| <b>VAT Percentage</b>            | Here the percentage of added value tax is defined for selected VAT Code. It maps to the element VAT Percentage in the BO_DATA_AREA.                                    |
| <b>Sale Price Including VAT</b>  | Including VAT the price item will be sold. It maps to the element Sale Price Including VAT in the BO_DATA_AREA.                                                        |
| <b>Effective From</b>            | Mandatory. The date which retailer price defines then it becomes effective. It maps to Effective From in the BO_DATA_AREA.                                             |
| <b>Effective To</b>              | Mandatory . this date should be later than the Effective Date From. It maps to Effective To in the BO_DATA_AREA.                                                       |
| <b>Status</b>                    | Current item price status (active/inactive). ). Maps to BO_DATA_AREA element status with Lookup Value – Active/Inactive                                                |

Whenever adding data or Updating data Validations needs to done on the product Effective Dates to avoid Overlapping and End date should not be prior to the From Date.

#### 5.1.3.1 Maintain Item Price List Input Map

Input MAP should be rendered to maintain Item Price List of a specific customer/branch on top of the Item price. In this its custom interface hosts negotiated terms, like discount percentage, derived cost/markup. And this design isolates branch-specific terms, preserving the integrity of the base item price list.

This portal is a Fact-based object and can be launch via the Retail Management Menu and the BO will contain the below elements

UI Mock Input

Main

Product Code

CP002

Description

CP o2

Override Description

Detailed Description

Status

Active

ITEM

Item Details

bagList

| Bag Type |               | VAT Details |                 |                |              |            |                          |          |
|----------|---------------|-------------|-----------------|----------------|--------------|------------|--------------------------|----------|
|          |               |             | Revision Number | Effective Date | effective To | Cost Price | Sale Price Excluding VAT | VAT Code |
| +        | Black Plastic | +           | 10              | 02-26-2026     | 03-10-2026   | 10         | 100                      | 001      |

Save

Cancel

## Mock Display UI

Extendable Lookup Value

Main

Product Code

PROD001

Description

Product One

Status

Active

ITEM

Item Details

bagList

| Bag Type    | VAT Details     |                |              |            |            |
|-------------|-----------------|----------------|--------------|------------|------------|
|             | Revision Number | Effective Date | effective To | Cost Price | Sale Price |
| Blue Garden | 1               | 02-01-2026     | 02-26-2026   | 100        | 90         |

Record Actions

Edit

Delete

Duplicate

Record Information

### 5.1.4 CM-OrderRetailManagement

This BO will be used to hold the Order data for Retail Management. This includes searchable characteristics for the order number, department, retailer code, branch code, and order status. These characteristics need to be protected and accessible only by DSW users. This BO also holds the retailer order number, customer account number, product variant details, order line items with product codes and quantities, delivery note reference, GRN reference, invoice authorization status, and order totals including subtotal excluding VAT, total discount, total VAT, and total amount including VAT.

| Property        | Value                    |
|-----------------|--------------------------|
| Business Object | CM-OrderRetailManagement |

| Property            | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Description         | Order Retail Management                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Maintenance Object  | Fact                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Application Service | TBD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Instance Control    | Allow new instances                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Schema              | <pre> &lt;schema xmlns:uiHint="http://oracle.com/ouafUIHints"&gt;   &lt;factId suppress="input" mapField="FACT_ID"   uiHint:visibleOn="displayMap" dataType="string"/&gt;   &lt;branchCode label="Branch Code" isPrimeKey="true" fkRef="ACCT"   mapField="CHAR_VAL"&gt;     &lt;row mapChild="F1_FACT_CHAR"&gt;       &lt;CHAR_TYPE_CD is="C1-ACCT"/&gt;     &lt;/row&gt;   &lt;/branchCode&gt;   &lt;businessObject default="CM-OrderRetailMangement"   mapField="BUS_OBJ_CD" uiHint:visibleOn="displayMap"   dataType="string"/&gt;   &lt;uiHint:startSection mdField="F1_RECORD_ACTIONS_LBL"   sectionColumn="right" visibleOn="displayMap"/&gt;   &lt;uiHint:includeMap map="CM-RetailOrderMgmtActions"/&gt;   &lt;uiHint:endSection/&gt;   &lt;rmMaintainOrder type="group" mapXML="FACT_DATA_AREA"&gt;     &lt;maintainOrder label="Maintain Order" type="group"&gt;       &lt;orderDate label="Order Date" dataType="date"/&gt;       &lt;retailerOrderNumber label="Retailer Order Number"       dataType="string"/&gt;       &lt;caseId label="Case ID" fkRef="CASE"       uiHint:visibleOn="displayMap" dataType="string"/&gt;     &lt;/maintainOrder&gt;     &lt;productVariantDetails label="Product Variant Details"     type="group"&gt;       &lt;variant_1 label="Vairant-1" isPrimeKey="true"       dataType="string"/&gt;       &lt;variant_2 label="Vairant-2" dataType="string"/&gt;       &lt;variant_3 label="Vairant-3" dataType="string"/&gt;     &lt;/productVariantDetails&gt;     &lt;orderDetails label="Order Details" type="list"&gt;       &lt;productCode label="Product Code" dataType="lookupBO"       isPrimeKey="true" lookupBO="CM-MaintainItemPriceList"/&gt;       &lt;variant_1 label="Vairant-1" dataType="string"/&gt;       &lt;variant_2 label="Vairant-2" dataType="string"/&gt;       &lt;variant_3 label="Vairant-3" dataType="string"/&gt;       &lt;quantityOrdered label="Quantity Ordered" isPrimeKey="true"       dataType="string"/&gt;       &lt;priceExclVat label="Price Excl. VAT" dataType="string"/&gt;       &lt;discountAmount label="Discount Amount" dataType="string"/&gt;       &lt;vat label="VAT" dataType="string"/&gt;       &lt;priceInclVat label="Price Incl. VAT" dataType="string"/&gt;       &lt;totalLineAmount label="Total Line Amount"       dataType="string"/&gt;       &lt;requiredDate label="Required Date" dataType="date"/&gt;       &lt;stockLevel label="Stock Level" dataType="string"/&gt; </pre> |

| Property | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          | <pre> &lt;lineStatus label="Line Status" dataType="string"/&gt; &lt;remark label="Remark" dataType="string"/&gt; &lt;/orderDetails&gt; &lt;subTotal label="Sub Total" type="group"&gt;   &lt;totalOrderQuantity label="Total Order Quantity" isPrimeKey="true" dataType="string"/&gt;   &lt;totalDiscount label="Total Discount" dataType="string"/&gt;   &lt;totalVat label="Total VAT" dataType="string"/&gt;   &lt;totalOrderAmountExclVat label="Total Order Amount Excl. VAT" dataType="string"/&gt;   &lt;totalOrderAmountInclVat label="Total Order Amount Incl. VAT" dataType="string"/&gt; &lt;/subTotal&gt; &lt;/rmMaintainOrder&gt; &lt;/schema&gt; </pre> |
| Options  | Display Map Service Script                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|          | Portal Navigation Option                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

## Display UI:

The life cycle status Buttons needs to be rendered based on the Current BO status along with the Custom action Buttons such as calculate, Print and Print Itemlist

The screenshot shows the Oracle Utilities Customer To Meter application interface. The main section is titled "Order Management - Fact" and includes a "Main" tab. Below the tab, there is a section for "Record Actions" with buttons for "Calculate", "Submit", "Print", and "Print Item List". The "Calculate" button is highlighted. The sidebar on the right contains sections for "Customer Contact", "Alerts", and "C2M Demo Scenarios". The "Calculate" button is located in the "Record Actions" section.

The Calculate Button Should Invoke the Editable UI of the Fact Entity and Clicking on save should calculate the Total Line Item Amount on each line item level and calculate Total Order Quantity, Total

Discount, Total VAT, Total Order Amount Excl. VAT, Total Order Amount Incl. VAT on the Order Level and update the Value to the Fact entity.

The Print and Print item list should call the BI Publisher by passing the Fact ID to render the Printable report.

### 5.1.5 CM-MaintainOrderInvoice

This BO will be used to hold the Maintain Invoice data for retail management. This includes searchable characteristics for the invoice number, account id, branch reference, order reference and invoice status. These characteristics need to be protected and accessible only by DSW users. This BO also holds the delivery note reference, GRN external reference, invoice line items with product codes, quantities delivered and pricing, invoice totals including subtotal excluding VAT, total discount, total VAT, total amount including VAT, currency, authorization status, and notes.

| Property            | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Business Object     | CM-MaintainOrderInvoice                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Description         | Order Invoice Management                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Maintenance Object  | Fact                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Application Service | TBD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Instance Control    | Allow new instances                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Schema              | <pre> &lt;schema&gt;   &lt;factId mapField="FACT_ID" dataType="string"/&gt;   &lt;businessObject default="CM-MaintainOrderInvoice" mapField="BUS_OBJ_CD" dataType="string"/&gt;   &lt;maintainOrderInvoice type="group" mapXML="FACT_DATA_AREA"&gt;     &lt;orderInvoice label="Order Invoice" type="group"&gt;       &lt;department label="Department" dataType="string"/&gt;       &lt;invoiceNumber label="Invoice Number" dataType="string"/&gt;       &lt;invoiceDate label="invoice Date" dataType="date" isPrimeKey="true"/&gt;       &lt;status label="Status" isPrimeKey="true" dataType="string"/&gt;       &lt;orderNumber label="Order Number" isPrimeKey="true" dataType="string"/&gt;       &lt;orderDate label="Order Date" dataType="date" isPrimeKey="true"/&gt;       &lt;accountId label="Account ID" isPrimeKey="true" dataType="string"/&gt;       &lt;retailerCode label="Retailer Code" isPrimeKey="true" dataType="string"/&gt;       &lt;branchCode label="Branch Code" isPrimeKey="true" fkRef="ACCT" dataType="string"/&gt;       &lt;deliveryAddress label="Delivery Address" dataType="string"/&gt;       &lt;notes label="Notes" isPrimeKey="true" dataType="string"/&gt;     &lt;/orderInvoice&gt;     &lt;productVariantDetails label="Product Variant Details" type="list"&gt;       &lt;variant_1 label="Variant-1" isPrimeKey="true" dataType="string"/&gt;       &lt;variant_2 label="Variant-2" dataType="string"/&gt;       &lt;variant_3 label="Variant-3" dataType="string"/&gt; </pre> |



| Property | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          | <pre> &lt;/productVariantDetails&gt; &lt;invoiceDetails label="Invoice Details" type="group"&gt;   &lt;lineNo label="Line No" isPrimeKey="true" dataType="string"/&gt;   &lt;productCode label="Product Code" isPrimeKey="true" dataType="string"/&gt;   &lt;variant_1 label="Variant-1" dataType="string"/&gt;   &lt;variant_2 label="Variant-2" dataType="string"/&gt;   &lt;variant_3 label="Variant-3" dataType="string"/&gt;   &lt;quantityOrdered label="Quantity Ordered" isPrimeKey="true" dataType="string"/&gt;   &lt;priceExclVat label="Price Excl. VAT" dataType="string"/&gt;   &lt;discountAmount label="Discount Amount" dataType="string"/&gt;   &lt;vat label="VAT" dataType="string"/&gt;   &lt;priceInclVat label="Price Incl. VAT" dataType="string"/&gt;   &lt;totalLineAmount label="Total Line Amount" dataType="string"/&gt;   &lt;requiredDate label="Required Data" dataType="date"/&gt;   &lt;stockLevel label="Stock Level" dataType="string"/&gt;   &lt;lineTotal label="Line Total" dataType="string"/&gt;   &lt;remark label="Remark" dataType="string"/&gt; &lt;/invoiceDetails&gt; &lt;subTotal label="Sub Total" type="list"&gt;   &lt;totalInvoiceQuantity label="Total Invoice Quantity" isPrimeKey="true" dataType="string"/&gt;   &lt;totalDiscount label="Total Discount" dataType="string"/&gt;   &lt;totalVat label="Total VAT" dataType="string"/&gt;   &lt;totalInvoiceAmountExclVat label="Total Invoice Amount Excl. VAT" dataType="string"/&gt;   &lt;totalInvoiceAmountInclVat label="Total Invoice Amount Incl. VAT" dataType="string"/&gt; &lt;/subTotal&gt; &lt;/maintainOrderInvoice&gt; &lt;/schema&gt; </pre> |
| Options  | Display Map Service Script                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|          | Portal Navigation Option                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

|                  |                      |
|------------------|----------------------|
| Fact Id          | <input type="text"/> |
| Business Object  | <input type="text"/> |
| Order Invoice    |                      |
| Department       | <input type="text"/> |
| Invoice Number   | <input type="text"/> |
| Invoice Date     | <input type="text"/> |
| Status           | <input type="text"/> |
| Order Number     | <input type="text"/> |
| Order Date       | <input type="text"/> |
| Account ID       | <input type="text"/> |
| Retailer Code    | <input type="text"/> |
| Branch Code      | <input type="text"/> |
| Delivery Address | <input type="text"/> |
| Notes            | <input type="text"/> |

|                                                              |                                                              |                      |                      |                      |
|--------------------------------------------------------------|--------------------------------------------------------------|----------------------|----------------------|----------------------|
| Product Variant Details                                      |                                                              |                      |                      |                      |
|                                                              |                                                              | Variant-1            | Variant-2            | Variant-3            |
| <input data-bbox="196 764 217 791" type="button" value="+"/> | <input data-bbox="224 764 245 791" type="button" value="X"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |

|                                                              |                                                              |                      |                      |                      |
|--------------------------------------------------------------|--------------------------------------------------------------|----------------------|----------------------|----------------------|
| Product Variant Details                                      |                                                              |                      |                      |                      |
|                                                              |                                                              | Variant-1            | Variant-2            | Variant-3            |
| <input data-bbox="196 926 217 953" type="button" value="+"/> | <input data-bbox="224 926 245 953" type="button" value="X"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |

|                                                                |                                                                |                      |                      |                      |                      |                      |                      |                      |
|----------------------------------------------------------------|----------------------------------------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Invoice Details                                                |                                                                |                      |                      |                      |                      |                      |                      |                      |
|                                                                |                                                                | Line No              | Product Code         | Variant-1            | Variant-2            | Variant-3            | Quantity Ordered     | Price E              |
| <input data-bbox="196 1062 217 1089" type="button" value="+"/> | <input data-bbox="224 1062 245 1089" type="button" value="X"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |

|                                |                      |
|--------------------------------|----------------------|
| Sub Total                      |                      |
| Total Invoice Quantity         | <input type="text"/> |
| Total Discount                 | <input type="text"/> |
| Total VAT                      | <input type="text"/> |
| Total Invoice Amount Excl. VAT | <input type="text"/> |
| Total Invoice Amount Incl. VAT | <input type="text"/> |

### 5.1.6 CM-MaintainDeliveryNote

This BO will be used to hold the Delivery Note data for retail management. This includes searchable characteristics for the delivery note number, order reference, route reference, and delivery status. These characteristics need to be protected and accessible only by DSW users. This BO also holds the vehicle registration, delivery person details, required delivery date, actual delivery date, GRN external reference, proof of delivery capture status, delivery line items with planned and delivered quantities, receiver name, and optional return reference linkbacks.

| Property        | Value                   |
|-----------------|-------------------------|
| Business Object | CM-MaintainDeliveryNote |
| Description     | Maintain Delivery Note  |

| Property            | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Maintenance Object  | Fact                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| Application Service | TBD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |
| Instance Control    | Allow new instances                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |
| Schema              | <pre> &lt;schema&gt;   &lt;factId mapField="FACT_ID" dataType="string"/&gt;   &lt;businessObject default="CM-MaintainDeliveryNote" mapField="BUS_OBJ_CD" dataType="string"/&gt;   &lt;maintainDeliveryNote type="group" mapXML="FACT_DATA_AREA"&gt;     &lt;deliveryNote label="delivery Note" type="group"&gt;       &lt;deliveryNoteNBR label="Delivery Note Number" dataType="string"/&gt;       &lt;orderReference label="Order reference" dataType="string"/&gt;       &lt;reqdeliveryDate label="Requested Delivery Date" dataType="date" isPrimeKey="true"/&gt;       &lt;deliveryDate label="Delivery Date" dataType="date" isPrimeKey="true"/&gt;       &lt;vehicleRegistration label="Vehicle Registration" isPrimeKey="true" dataType="string"/&gt;       &lt;deliveryPerson label="Delivery Person" isPrimeKey="true" dataType="string"/&gt;       &lt;deliveryContact label="Delivery Contact" isPrimeKey="true" dataType="string"/&gt;       &lt;goodsReceivedNoteNBR label="Goods Received Note NBR" isPrimeKey="true" dataType="string"/&gt;       &lt;routeReference label="Route Reference" isPrimeKey="true" dataType="string"/&gt;       &lt;deliveryStatus label="Delivery Status" dataType="string"/&gt;       &lt;attachments label="Attachments" isPrimeKey="true" dataType="string"/&gt;     &lt;/deliveryNote&gt;     &lt;deliveryDetails label="Delivery Details" type="list"&gt;       &lt;sequenceNumber label="Sequence Number" isPrimeKey="true" dataType="string"/&gt;       &lt;productCode label="Product Code" isPrimeKey="true" dataType="string"/&gt;       &lt;quantityPlanned label="Quantity Planned" isPrimeKey="true" dataType="string"/&gt;       &lt;quantityDelivered label="Quantity Delivered" dataType="string"/&gt;       &lt;receiverName label="Receiver Name" dataType="string"/&gt;       &lt;proofOfDeliveryCaptured label="Proof of Delivery Captured" dataType="string"/&gt;     &lt;/deliveryDetails&gt;   &lt;/maintainDeliveryNote&gt; &lt;/schema&gt; </pre> |  |
| Options             | Display Map Service Script                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |
|                     | Portal Navigation Option                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |

Fact Id

\*

Business Object

\*

delivery Note

Delivery Note Number

Order reference

Requested Delivery Date

Delivery Date

Vehicle Registration

Delivery Person

Delivery Contact

Goods Received Note NBR

Route Reference

Delivery Status

Attachments

#### Delivery Details

|                          | Sequence Number | Product Code | Quantity Planned | Quantity Delivered | Receiver Name | Proof of Delivery Captured |
|--------------------------|-----------------|--------------|------------------|--------------------|---------------|----------------------------|
| <div>+</div> <div></div> |                 |              |                  |                    |               |                            |

Save

Cancel

## 5.2 BO Lifecycle

### 5.2.1 Maintain Orders

| Status                   | Description | Sequence | Status Condition | Transitory State | Alert   | Next status                                                 |
|--------------------------|-------------|----------|------------------|------------------|---------|-------------------------------------------------------------|
| CREATE                   | Create      | 10       | Initial          | No               | Display | <ul style="list-style-type: none"> <li>SUBMITTED</li> </ul> |
| Required Characteristics |             |          |                  |                  |         |                                                             |
| Comment                  |             |          |                  |                  |         |                                                             |

| Status                   | Description | Sequence  | Status Condition | Transitory State | Alert   | Next status                                                                 |
|--------------------------|-------------|-----------|------------------|------------------|---------|-----------------------------------------------------------------------------|
| SUBMITTED                | Submitted   | 20        | Interim          | No               | Display | <ul style="list-style-type: none"> <li>• HOLD</li> <li>• ORDERED</li> </ul> |
| Required Characteristics |             |           |                  |                  |         |                                                                             |
| Comment                  |             |           |                  |                  |         |                                                                             |
| System Event             | Seq.        | Algorithm |                  |                  |         |                                                                             |
| Enter Processing         | 10          |           |                  |                  |         |                                                                             |
| Exit processing          | 10          |           |                  |                  |         |                                                                             |

| Status                   | Description | Sequence  | Status Condition | Transitory State | Alert   | Next status                                                 |
|--------------------------|-------------|-----------|------------------|------------------|---------|-------------------------------------------------------------|
| HOLD                     | Hold        | 30        | Interim          | No               | Display | <ul style="list-style-type: none"> <li>• ORDERED</li> </ul> |
| Required Characteristics |             |           |                  |                  |         |                                                             |
| Comment                  |             |           |                  |                  |         |                                                             |
| System Event             | Seq.        | Algorithm |                  |                  |         |                                                             |
| Enter Processing         | 10          |           |                  |                  |         |                                                             |
| Exit processing          | 10          |           |                  |                  |         |                                                             |

| Status | Description | Sequence | Status Condition | Transitory State | Alert | Next status |
|--------|-------------|----------|------------------|------------------|-------|-------------|
|--------|-------------|----------|------------------|------------------|-------|-------------|


| ORDERED                  | Ordered | 40        | Interim | No | Display | <ul style="list-style-type: none"> <li>• SHORTCLS</li> <li>• HOLD</li> <li>• CANCELLED</li> </ul> |
|--------------------------|---------|-----------|---------|----|---------|---------------------------------------------------------------------------------------------------|
| Required Characteristics |         |           |         |    |         |                                                                                                   |
| Comment                  |         |           |         |    |         |                                                                                                   |
| System Event             | Seq.    | Algorithm |         |    |         |                                                                                                   |
| Enter Processing         | 10      |           |         |    |         |                                                                                                   |
|                          | 20      |           |         |    |         |                                                                                                   |
| Exit processing          | 10      |           |         |    |         |                                                                                                   |

| Status                   | Description | Sequence  | Status Condition | Transitory State | Alert   | Next status                                               |
|--------------------------|-------------|-----------|------------------|------------------|---------|-----------------------------------------------------------|
| SHORTCLS                 | On Hold     | 50        | Interim          | No               | Display | <ul style="list-style-type: none"> <li>• CLOSE</li> </ul> |
| Required Characteristics |             |           |                  |                  |         |                                                           |
| Comment                  |             |           |                  |                  |         |                                                           |
| System Event             | Seq.        | Algorithm |                  |                  |         |                                                           |
| Enter Processing         | 10          |           |                  |                  |         |                                                           |
| Exit processing          | 10          |           |                  |                  |         |                                                           |

| Status    | Description | Sequence | Status Condition | Transitory State | Alert   | Next status                                               |
|-----------|-------------|----------|------------------|------------------|---------|-----------------------------------------------------------|
| CANCELLED | Captured    | 60       | Interim          | No               | Display | <ul style="list-style-type: none"> <li>• CLOSE</li> </ul> |

|                          |      |           |
|--------------------------|------|-----------|
| Required Characteristics |      |           |
| Comment                  |      |           |
| System Event             | Seq. | Algorithm |
| Enter Processing         | 10   |           |
| Exit processing          | 10   |           |

| Status                   | Description | Sequence | Status Condition | Transitory State | Alert | Next status |
|--------------------------|-------------|----------|------------------|------------------|-------|-------------|
| CLOSED                   | Closed      | 70       | Final            | No               |       |             |
| Required Characteristics |             |          |                  |                  |       |             |
| Comment                  |             |          |                  |                  |       |             |



## 5.2.2 Maintain Invoice

| Status                   | Description | Sequence | Status Condition | Transitory State | Alert   | Next status |
|--------------------------|-------------|----------|------------------|------------------|---------|-------------|
| FRESH                    | Fresh       | 10       | Initial          | No               | Display | • L1-APPRV  |
| Required Characteristics |             |          |                  |                  |         |             |
| Comment                  |             |          |                  |                  |         |             |

| Status                   | Description | Sequence  | Status Condition | Transitory State | Alert   | Next status |
|--------------------------|-------------|-----------|------------------|------------------|---------|-------------|
| L1-APPRV                 | L1-Approval | 20        | Interim          | No               | Display | • FINAL     |
| Required Characteristics |             |           |                  |                  |         |             |
| Comment                  |             |           |                  |                  |         |             |
| System Event             | Seq.        | Algorithm |                  |                  |         |             |
| Enter Processing         | 10          |           |                  |                  |         |             |
|                          | 20          |           |                  |                  |         |             |
| Exit processing          | 10          |           |                  |                  |         |             |

| Status                   | Description | Sequence | Status Condition | Transitory State | Alert   | Next status |
|--------------------------|-------------|----------|------------------|------------------|---------|-------------|
| FINAL                    | Approved    | 30       | Interim          | No               | Display | • REJECTED  |
| Required Characteristics |             |          |                  |                  |         |             |
| Comment                  |             |          |                  |                  |         |             |



| System Event     | Seq. | Algorithm |
|------------------|------|-----------|
| Enter Processing | 10   |           |
| Exit processing  | 10   |           |

| Status                   | Description | Sequence  | Status Condition | Transitory State | Alert   | Next status |
|--------------------------|-------------|-----------|------------------|------------------|---------|-------------|
| REJECTED                 | Rejected    | 40        | Final            | No               | Display |             |
| Required Characteristics |             |           |                  |                  |         |             |
| Comment                  |             |           |                  |                  |         |             |
| System Event             | Seq.        | Algorithm |                  |                  |         |             |
| Enter Processing         | 10          |           |                  |                  |         |             |
| Exit processing          | 10          |           |                  |                  |         |             |

### 5.2.3 Maintain Delivery Note

| Status                   | Description | Sequence | Status Condition | Transitory State | Alert   | Next status |
|--------------------------|-------------|----------|------------------|------------------|---------|-------------|
| DRAFT                    | Draft       | 10       | Initial          | No               | Display | • ISSUED    |
| Required Characteristics |             |          |                  |                  |         |             |
| Comment                  |             |          |                  |                  |         |             |

| Status                   | Description | Sequence  | Status Condition | Transitory State | Alert   | Next status |
|--------------------------|-------------|-----------|------------------|------------------|---------|-------------|
| ISSUED                   | Issued      | 20        | Interim          | No               | Display | • COMPLETED |
| Required Characteristics |             |           |                  |                  |         |             |
| Comment                  |             |           |                  |                  |         |             |
| System Event             | Seq.        | Algorithm |                  |                  |         |             |
| Enter Processing         | 10          |           |                  |                  |         |             |
|                          | 20          |           |                  |                  |         |             |
| Exit processing          | 10          |           |                  |                  |         |             |

| Status                   | Description | Sequence  | Status Condition | Transitory State | Alert   | Next status |
|--------------------------|-------------|-----------|------------------|------------------|---------|-------------|
| COMPLETED                | Completed   | 30        | Interim          | No               | Display | • CANCELLED |
| Required Characteristics |             |           |                  |                  |         |             |
| Comment                  |             |           |                  |                  |         |             |
| System Event             | Seq.        | Algorithm |                  |                  |         |             |
| Enter Processing         | 10          |           |                  |                  |         |             |
| Exit processing          | 10          |           |                  |                  |         |             |

| Status | Description | Sequence | Status Condition | Transitory State | Alert | Next status |
|--------|-------------|----------|------------------|------------------|-------|-------------|
|--------|-------------|----------|------------------|------------------|-------|-------------|

|                          |           |           |       |    |         |  |
|--------------------------|-----------|-----------|-------|----|---------|--|
| CANCELLED                | Cancelled | 40        | Final | No | Display |  |
| Required Characteristics |           |           |       |    |         |  |
| Comment                  |           |           |       |    |         |  |
| System Event             | Seq.      | Algorithm |       |    |         |  |
| Enter Processing         | 10        |           |       |    |         |  |
| Exit processing          | 10        |           |       |    |         |  |

### 5.3 Zone

#### 5.3.1 CM-RTLMGMACT

| Property                       | Value                                   |
|--------------------------------|-----------------------------------------|
| Zone                           | <b>CM-RTLMGMACT</b>                     |
| Zone Type                      | Explicit Object Map                     |
| Description                    | Retail Management Account               |
| Application Service            | CILCACCP                                |
| Ui Map                         | map='CM_RetailManagementDisplay'        |
| Zone Visibility Service Script | ss='CM-ZoneAlwVI' output=shouldShowZone |
| display Object                 | bo='CM_RetailManagement'                |
| XML Parameter 1                | Name=ACCT_ID targetPath=accountId       |

#### 5.3.2 CMRTPRRICEMG

| Property                       | Value                                   |
|--------------------------------|-----------------------------------------|
| Zone                           | <b>CMRTPRRICEMG</b>                     |
| Zone Type                      | Explicit Object Map                     |
| Description                    | Retail Price Details                    |
| Application Service            | Account                                 |
| Ui Map                         | map='CM-RetialAccountPriceMgmtDisp'     |
| Zone Visibility Service Script | ss='CM-ZoneBrcVI' output=shouldShowZone |

| Property        | Value                             |
|-----------------|-----------------------------------|
| display Object  | bo='CM-RetialAccountPriceMgmt'    |
| XML Parameter 1 | name=ACCT_ID targetPath=accountId |

## 5.4 Portal

Create Account Retail Management to Main Retail and Retailers Price details. Include the Zone field in the portal to allow users to search, add, or update Blocks based on Zone.

### 5.4.1 CMACTRTM

| Property            | Value                     |
|---------------------|---------------------------|
| Portal              | CMACTRTM                  |
| Description         | Account Retail Management |
| Type                | Standalone Portal         |
| Application Service |                           |
| Zone 1              | C1-ACMGMQRY               |
| Zone 2              | CM-RTLGMGMACT             |
| Zone 3              | CMRTPRRICEMG              |

Note: C1-ACMGMQRY can be Duplicated/customized to CM zone to adjust the Input filter, broadcast and output displays for the Account Retail management.

### 5.4.2 CMORDMGM

Create Order Management Portal for Adding the Fact based Order Management Entity in the Portal action option(Add order) and for Searching the Order Fact entry using the Branch Account ID, Creation Date, Completion Date,Fact Status which needs to Navigate the Fact Entity (Bo - CM-OrderRetailManagement).

Order management Portal:

Add order Button Click should invoke the Order management UI for creating the Fact Entry.

Branch Code2652143458Utility Company, Commercial, \$0.00 2652143458

Maintain Order

Order Date

Retailer Order Number

Product Variant Details

Vairant-1

Vairant-2

Vairant-3

Order Details

|   | Product Code | Vairant-1 | Vairant-2 | Vairant-3 | Quantity Ordered | Price Excl. VAT | Discount Amount | VAT | Price Incl. VAT |
|---|--------------|-----------|-----------|-----------|------------------|-----------------|-----------------|-----|-----------------|
| + | Product One  |           |           |           | 10               | 200             | 10              | 10  | 210             |

Sub Total

After choosing the Product code the Price Details such as Price Excl Vat, Vat Amount, Inclusive Vat amount should be auto populated from the Extendable lookup (CM-MaintainItemPriceList) or if the Branch account has Special Retail Price (CM-RetailAccountPriceMgmt).

Search Options output:

Order Management

Add OrderBookmark

Main

Search ByMain

Business ObjectOrder Retail Management

Status

Create Date/Time

Last Update Date/Time

Fact Id

Search

Hide Filters

Filters: Business Object Order Retail Management

|   | Create Date/Time    | Record Information | Last Update Date/Time | Business Object         | User            | Fact Id      |
|---|---------------------|--------------------|-----------------------|-------------------------|-----------------|--------------|
| 1 | 03-01-2026 17:14:27 |                    | 03-01-2026 17:14:27   | Order Retail Management | System, English | 582807831228 |
| 2 | 03-01-2026 17:12:23 |                    | 03-01-2026 17:12:23   | Order Retail Management | System, English | 699476939908 |
| 3 | 03-01-2026 17:12:14 |                    | 03-01-2026 17:12:14   | Order Retail Management | System, English | 208467007676 |
| 4 | 03-01-2026 17:04:24 |                    | 03-01-2026 17:04:24   | Order Retail Management | System, English | 217410752846 |
| 5 | 03-01-2026 16:35:42 |                    | 03-01-2026 16:35:42   | Order Retail Management | System, English | 317962978814 |

Clicking on Fact Id should take the Relevant Fact Ids’s BO navigation Portal. Similarly order can be searched using the Account Id(Branch) its created

Order Management

Add Order
Bookmark
Refresh

Main

Fact Search

Search By
Search by Account

Account ID
2652143458

Search

Link Editor

Filters: Account ID 2652143458

|   | Last Update Date/Time | Business Object         | User            | Fact Id      |
|---|-----------------------|-------------------------|-----------------|--------------|
| 1 | 03-01-2026 17:04:24   | Order Retail Management | System, English | 217410752846 |

### 5.4.3 CMINVMGM

Create Invoice Management Portal for Searching the Order Fact entry using the Branch Account ID, Order Id, Creation Date, Completion Date, Fact Status which needs to Navigate the Fact Entity (CM-MaintainOrderInvoice).

## 5.5 Menu

Upon generating the Portal, the system will automatically create the required navigation options and associated keys.

These keys must be used to add the following submenus into the main menu to facilitate access to the maintenance modules:

### 1. Retail Management

Selecting any of the above menu option system should invoke the respective maintenance portal. When a user clicks on any of this option, a Query Portal should be displayed to view existing entries.

Upon selecting ADD, an Input Map should be presented to allow the user to add or update details. These menu items and associated functionalities must be restricted to authorized users only.

Mock UI:

Account Should be searched with the Retailer Code or branch Code Characteristics type and on Broadcast/search of the account ID Maintain Retailers and Retailers price list zone should be displayed.

Account Retail Management
Bookmark
Refresh

Main

Account Search ⓘ

Search By
Default

Person ID

Include Hierarchy
☐

Customer Class

Account Management Group

Bill Cycle

Search

Maintain Retailer

Retailer Price List Management

Account Retail Management
Bookmark
Refresh

Main

Account Search ⓘ

Search By
Account Characteristic

Person ID
2154079703
David,John

Include Hierarchy
☒

Characteristic Type
External Account Number

Characteristic Value

Search

Hide Filters
Filters: Person ID 2154079703, Include Hierarchy Y

|                          | Account                         | Mailing Address                           | Account Management Group | Bill Cycle                 | Person ID  | Account |
|--------------------------|---------------------------------|-------------------------------------------|--------------------------|----------------------------|------------|---------|
| <input type="checkbox"/> | David,John, Residential, \$0.00 | 1320 SW, Park Avenue, Portland, OR, 97421 |                          | Monthly bill cycle - day 2 | 2154079703 | 450065  |

## 5.6 Script

### 5.6.1 CMActRetMain

This BPA will be used to Maintain the Retails management Account and validations for Changing the Branch Status and Updating/Removing the Branch char.

The chars (CMBRCHCD – Branch Code ), (CMRTATID – Retailer account ID) will be added/updated/removed on the accounts during the updates. It is assumed that one branch will linked to one Retailer at a time.

| Property            |  | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|---------------------|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Script              |  | CMActRetMain                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Description         |  | Retail Management Account                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Script Type         |  | BPA script                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Application Service |  | F1-DFLT5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Script as text      |  | <pre> move "\$accountId" to \$boPrimeKey;  //move "\$accountId" to "map_schema/boGroup/accountId";  move 'map_schema/accountId' to \$boPrimeKeyXpath;  if("\$action='UPD'")      move "\$acctId" to     "CM_RetailManagement/accountId";      invokeBO 'CM_RetailManagement' using     "CM_RetailManagement" for read;      end-if;  generateBOEditMap 'CM_RetailManagement' using "CM_RetailManagement";  //move "map_schema/accountId" to "CM_RetailManagement/accountId";  //invokeBO 'CM_RetailManagement' using "CM_RetailManagement" for read;  invokeBO 'CM_RetailManagement' using "CM_RetailManagement" for update;  //For each of the Branches updated/removed the chars (<b>CMBRCHCD – Branch Code</b>), (<b>CMRTATID – Retailer account ID</b>) will be added/updated/removed </pre> |



### 5.6.3 CMAcRtlPrcM

| Property            | Value                           |
|---------------------|---------------------------------|
| Script              | CMAcRtlPrcM                     |
| Description         | Account Retail Price Management |
| Script Type         | BPA script                      |
| Algorithm Entity    |                                 |
| Application Service | F1-DFLTS                        |
| Script as text      |                                 |

### 5.6.4 CM-ZoneBrcVI

| Property            | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Script              | CM-ZoneBrcVI                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Description         | Zone Visibility - True if the account is Branch and active                                                                                                                                                                                                                                                                                                                                                                                            |
| Script Type         | Service script                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Algorithm Entity    |                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Application Service | F1-DFLTS                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Script as text      | 1: label "This script will determine whether to display the<br>Retailer Price Management Zone or not";<br><br>10: edit data<br><br>// Initialize values<br><br>//Return true if Account is a Branch account(CMBRCHCD -<br>Branch Code ) and the account is active for the Retailer<br>Mapped (CMRTATID - Retailer account ID) has this account<br>ID as Active in the account Data area<br><br>move 'true' to "parm/shouldShowZone";<br><br>end-edit; |

### 5.6.5 CMOrdMgmMtAt

| Property | Value        |
|----------|--------------|
| Script   | CMOrdMgmMtAt |

| Property            | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Description         | order magt action service script                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Script Type         | Service script                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Algorithm Entity    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Application Service | C1SITASK                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Script as text      | <pre> 10: edit data     if ("parm/factId = \$BLANK")         terminate;     end-if; end-edit; 20: edit data     move 'F1-FACT' to "F1-DetermineBo/input/mo";     move "parm/factId" to "F1-DetermineBo/input/pkValue1";     invokeBS 'F1-DetermineBo' using "F1-DetermineBo";     move "F1-DetermineBo/output/bo" to "parm/bo"; end-edit; 30: edit data     invokeBO "F1-DetermineBo/output/bo" using "parm" for read; end-edit; 40: edit data     if ("parm/boStatus != \$BLANK")          move "parm/factId" to "F1- RetrieveNextStates/input/pkValue1";         move "F1-DetermineBo/output/bo" to "F1- RetrieveNextStates/input/bo";         move "F1-DetermineBo/output/boStatus" to "F1- RetrieveNextStates/input/boStatus";         invokeBS 'F1-RetrieveNextStates' using "F1- RetrieveNextStates"; </pre> |

| Property | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          | <pre>         for (\$state in "F1-RetrieveNextStates/output/states")             move "\$state/default" to             "parm/output/+states/default";              move "\$state/boStatus" to             "parm/output/states[last()]/boStatus";              move "\$state/boTransitory" to             "parm/output/states[last()]/boTransitory";              move "\$state/boNextStatusLabel" to             "parm/output/states[last()]/boNextStatusLabel";              move "\$state/access" to             "parm/output/states[last()]/access";              move "\$state/boTransitionCondition" to             "parm/output/states[last()]/boTransitionCondition";          end-for;      end-if; end-edit; </pre> |

### 5.6.6 CM\_RMMOVALID

| Property            | Value                                                                                                                                                                                                         |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Script              | CM_RMMOVALID                                                                                                                                                                                                  |
| Description         | Arrear Validation/Check                                                                                                                                                                                       |
| Script Type         | Plug-in script                                                                                                                                                                                                |
| Algorithm Entity    | Package – Criteria Field                                                                                                                                                                                      |
| Application Service | <<>>                                                                                                                                                                                                          |
| Script as text      | <ul style="list-style-type: none"> <li>• Retrieve Account ID</li> <li>• Check the arrears</li> <li>• If arrears exist proceed to status HOLD</li> <li>• If arrears do not exist proceed to ORDERED</li> </ul> |

### 5.6.7 CM\_RMBBRTORD

| Property            | Value                                                                                              |
|---------------------|----------------------------------------------------------------------------------------------------|
| Script              | CM_RMBBRTORD                                                                                       |
| Description         | Blue Bag – Retail Order Case                                                                       |
| Script Type         | Plug-in script                                                                                     |
| Algorithm Entity    | Package – Criteria Field                                                                           |
| Application Service | <<>>                                                                                               |
| Script as text      | <ul style="list-style-type: none"> <li>Create the given case type with the valid inputs</li> </ul> |

### 5.6.8 CM\_RMPROFINV

| Property            | Value                                                                      |
|---------------------|----------------------------------------------------------------------------|
| Script              | CM_RMPROFINV                                                               |
| Description         | Pro-forma Invoice                                                          |
| Script Type         | Plug-in script                                                             |
| Algorithm Entity    | Package – Criteria Field                                                   |
| Application Service | <<>>                                                                       |
| Script as text      | <ul style="list-style-type: none"> <li>Create Pro-forma Invoice</li> </ul> |

### 5.6.9 CM\_RMMROVALD

| Property            | Value                                                                                                                 |
|---------------------|-----------------------------------------------------------------------------------------------------------------------|
| Script              | CM_RMMROVALD                                                                                                          |
| Description         | Validate Attachments                                                                                                  |
| Script Type         | Plug-in script                                                                                                        |
| Algorithm Entity    | Package – Criteria Field                                                                                              |
| Application Service | <<>>                                                                                                                  |
| Script as text      | <ul style="list-style-type: none"> <li>Admin validates intake (PO/portal ref, Delivery Notice, Pro-forma).</li> </ul> |

### 5.6.10 CM\_RMMROMAIL

| Property            | Value                                                                              |
|---------------------|------------------------------------------------------------------------------------|
| Script              | CM_RMMROMAIL                                                                       |
| Description         | Depot Email                                                                        |
| Script Type         | Plug-in script                                                                     |
| Algorithm Entity    | Package – Criteria Field                                                           |
| Application Service | <<>>                                                                               |
| Script as text      | <ul style="list-style-type: none"><li>Depot Email to notify depot/region</li></ul> |

### 5.6.11 CM\_RMMRVALID

| Property            | Value                                                                                                     |
|---------------------|-----------------------------------------------------------------------------------------------------------|
| Script              | CM_RMMRVALID                                                                                              |
| Description         | Validate return attachments                                                                               |
| Script Type         | Plug-in script                                                                                            |
| Algorithm Entity    | Package – Criteria Field                                                                                  |
| Application Service | <<>>                                                                                                      |
| Script as text      | <ul style="list-style-type: none"><li>Validate links to Delivery Note/Invoice; check quantities</li></ul> |

### 5.6.12 CM\_RMOINCALC

| Property            | Value                                                                                                     |
|---------------------|-----------------------------------------------------------------------------------------------------------|
| Script              | CM_RMOINCALC                                                                                              |
| Description         | Calculate Sub Total                                                                                       |
| Script Type         | Plug-in script                                                                                            |
| Algorithm Entity    | Package – Criteria Field                                                                                  |
| Application Service | <<>>                                                                                                      |
| Script as text      | <ul style="list-style-type: none"><li>Validate links to Delivery Note/Invoice; check quantities</li></ul> |

### 5.6.13 CM\_OrdMgmMt

Calculates the order amounts including product prices, discount amounts, VAT, and total invoice amounts (excl. and incl. VAT) for all line items in the order before submission. Invokes the BO 'CM-OrderRetailMangement' using the CALCULATE action.

| Property            |  | Value                                                                                                                                                                                                                                                                                                                                     |
|---------------------|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Script              |  | CM_OrdMgmMt                                                                                                                                                                                                                                                                                                                               |
| Description         |  | Order Management fact Maintain                                                                                                                                                                                                                                                                                                            |
| Script Type         |  | BPA script                                                                                                                                                                                                                                                                                                                                |
|                     |  |                                                                                                                                                                                                                                                                                                                                           |
| Application Service |  | F1-DFLTS                                                                                                                                                                                                                                                                                                                                  |
| Script as text      |  | If action ='ADD'<br>generateBOEditMap 'CM-OrderRetailMangement'<br>using "CM-OrderRetailMangement";<br>invokeBO 'CM-OrderRetailMangement' using "CM-<br>OrderRetailMangement" for add;<br>if action ='CALCULATE'<br>update the Price Details based on the Product code<br>mapping with extendable lookup/Branch Specific Price<br>Details |

### 5.6.14 CM\_PrintOrdr

| Property            |  | Value                               |
|---------------------|--|-------------------------------------|
| Script              |  | CM-PrintOrdr                        |
| Description         |  | Print Order                         |
| Script Type         |  | BPA script                          |
|                     |  |                                     |
| Application Service |  | F1-DFLTS                            |
| Script as text      |  | Invoke BI Publisher for Order Print |

### 5.6.15 CM\_Prnltmlst

| Property            | Value                                      |
|---------------------|--------------------------------------------|
| Script              | CM-Prnltmlst                               |
| Description         | Print Item List                            |
| Script Type         | BPA script                                 |
|                     |                                            |
| Application Service | F1-DFLT5                                   |
| Script as text      | Invoke BI Publisher for Item Print Details |

## 5.7 Algorithm Type

### CM\_RMMOVALID

| Field Name           | Field Value                                                                                                                                                                                                         |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Algorithm type       | CM_RMMOVALID                                                                                                                                                                                                        |
| Description          | check arrears and decide which status to proceed.                                                                                                                                                                   |
| Detailed Description | <p>The purpose of this algorithm is that it takes 2 status inputs and checks the arrears and decides what to do.</p> <p>If arrears exist - status 1 (HOLD)</p> <p>If arrears doesn't exist - status 2 (ORDERED)</p> |
| Algorithm Entity     | Business Object Status – Enter                                                                                                                                                                                      |
| Program Type         | Plug-in Script                                                                                                                                                                                                      |
| Script               | CM_RMMOVALID                                                                                                                                                                                                        |
| ALGORITHM PARAMETER  | REQUIRED                                                                                                                                                                                                            |
| Status-1             | HOLD                                                                                                                                                                                                                |
| Status-2             | ORDERED                                                                                                                                                                                                             |

### CM\_RMBBRTORD

| Field Name     | Field Value  |
|----------------|--------------|
| Algorithm type | CM_RMMOVALID |

|                                 |                                |
|---------------------------------|--------------------------------|
| Description                     | Blue Bags Case                 |
| Detailed Description            | Blue Bags - Retail Order Case  |
| Algorithm Entity                | Business Object Status – Enter |
| Program Type                    | Plug-in Script                 |
| Script                          | CM_RMBBRTORD                   |
| <b>ALGORITHM PARAMETER</b>      | <b>REQUIRED</b>                |
| <b>Blue Bags Case type code</b> | CM-RMBBCSP                     |

#### CM\_RMPROFINV

| Field Name                 | Field Value                                            |
|----------------------------|--------------------------------------------------------|
| Algorithm type             | CM_RMPROFINV                                           |
| Description                | Pro-forma Invoice                                      |
| Detailed Description       | Create Pro-forma Invoice and send pro-forma PDF email. |
| Algorithm Entity           | Business Object Status – Enter                         |
| Program Type               | Plug-in Script                                         |
| Script                     | CM_RMPROFINV                                           |
| <b>ALGORITHM PARAMETER</b> | <b>REQUIRED</b>                                        |
| <b>FACT BO</b>             | CM-MaintainOrderInvoice                                |

#### CM\_RMMROVALD

| Field Name           | Field Value                                                         |
|----------------------|---------------------------------------------------------------------|
| Algorithm type       | CM_RMMROVALD                                                        |
| Description          | Validate Attachments                                                |
| Detailed Description | Admin validates intake (PO/portal ref, Delivery Notice, Pro-forma). |
| Algorithm Entity     | Business Object Status – Enter                                      |



|                            |                 |
|----------------------------|-----------------|
| Program Type               | Plug-in Script  |
| Script                     | CM_RMMROVALD    |
| <b>ALGORITHM PARAMETER</b> | <b>REQUIRED</b> |

## CM\_RMDPOMAIL

| Field Name                 | Field Value                    |
|----------------------------|--------------------------------|
| Algorithm type             | CM_RMDPOMAIL                   |
| Description                | Depot Email                    |
| Detailed Description       | Depot mail                     |
| Algorithm Entity           | Business Object Status – Enter |
| Program Type               | Plug-in Script                 |
| Script                     | CM_RMDPOMAIL                   |
| <b>ALGORITHM PARAMETER</b> | <b>REQUIRED</b>                |

## CM\_RMMRVALID

| Field Name                 | Field Value                                                  |
|----------------------------|--------------------------------------------------------------|
| Algorithm type             | CM_RMMRVALID                                                 |
| Description                | Validate return attachments                                  |
| Detailed Description       | Validate links to Delivery Note/Invoice;<br>check quantities |
| Algorithm Entity           | Business Object Status – Enter                               |
| Program Type               | Plug-in Script                                               |
| Script                     | CM_RMMRVALID                                                 |
| <b>ALGORITHM PARAMETER</b> | <b>REQUIRED</b>                                              |

## 5.8 Algorithms

### CM\_RMMOVALID

| Field                | Value                                             |
|----------------------|---------------------------------------------------|
| Algorithm            | CM_RMMOVALID                                      |
| Description          | check arrears and decide which status to proceed. |
| Algorithm Type       | CM_RMMOVALID                                      |
| Algorithm Parameters |                                                   |
| Fact BO              | CM-OrderRetailMangement                           |

### CM\_RMBBRTORD

| Field                    | Value          |
|--------------------------|----------------|
| Algorithm                | CM_RMMOVALID   |
| Description              | Blue Bags Case |
| Algorithm Type           | CM_RMMOVALID   |
| Soft Parameters          |                |
| Blue Bags Case type code | CM-RMBBCSP     |

### CM\_RMPROFINV

| Field                | Value                                                  |
|----------------------|--------------------------------------------------------|
| Algorithm            | CM_RMPROFINV                                           |
| Description          | Create Pro-forma Invoice and send pro-forma PDF email. |
| Algorithm Type       | CM_RMPROFINV                                           |
| Algorithm Parameters |                                                        |
| Fact BO              | CM-MaintainOrderInvoice                                |

## CM\_RMMROVALD

| Field           | Value                                                               |
|-----------------|---------------------------------------------------------------------|
| Algorithm       | CM_RMMROVALD                                                        |
| Description     | Admin validates intake (PO/portal ref, Delivery Notice, Pro-forma). |
| Algorithm Type  | CM_RMMROVALD                                                        |
| Soft Parameters |                                                                     |
| Document Intake | PO/Portal ref                                                       |
|                 | Delivery Notice                                                     |
|                 | Pro-forma                                                           |

## CM\_RMMROMAIL

| Field          | Value                             |
|----------------|-----------------------------------|
| Algorithm      | CM_RMMROMAIL                      |
| Description    | Depot mail to notify depot/region |
| Algorithm Type | CM_RMDPOMAIL                      |

## CM\_RMMRVALID

| Field           | Value                                                     |
|-----------------|-----------------------------------------------------------|
| Algorithm       | CM_RMMRVALID                                              |
| Description     | Validate links to Delivery Note/Invoice; check quantities |
| Algorithm Type  | CM_RMMRVALID                                              |
| Soft Parameters |                                                           |
| Document Intake | Delivery Note                                             |
|                 | Invoice                                                   |

## CM\_RMMRDMAIL

| Field | Value |
|-------|-------|
|-------|-------|

|                |                                  |
|----------------|----------------------------------|
| Algorithm      | CM_RMMRDMAIL                     |
| Description    | Depot email with return note PDF |
| Algorithm Type | CM_RMDPOMAIL                     |

## 5.9 UI MAP

### 5.9.1 CM-RetialAccountPriceMgmtDisp

CM-RetailManagementDisplay – the UI map will be used to display the Retail Account Detail and its branch details and Edit button will be available which will invoke the BO to display the details for Edit.

| Property    | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| UI Map      | CM-RetailAccountPriceMgmtDisp                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| UI Map Type | XHTML Document                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Description | Retail Price Management Display                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| HTML Editor | <pre>&lt;!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd"&gt;  &lt;html class="scrollRepaintFix"&gt;   &lt;head&gt;     &lt;link rel="stylesheet" type="text/css" href="cisDisabled.css" /&gt;     &lt;script&gt;      function processButtonClick(action) {       var root = xmlData.documentElement;       var bo = OraDomElementHelper.getText(root.selectSingleNode('bo'));       var values= {action: action, bo: bo};       oraRunScriptWithValues('CMActRtlPrcM', values);     }    &lt;/script&gt; &lt;/head&gt; &lt;body class="oraZoneMap"&gt;</pre> |

| Property | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          | <pre> &lt;input id="EDIT" oraMdLabel="EDIT_LBL" class="oraButton" type="button" style="float:left;" onClick="processButtonClick('UPD');" /&gt;  &lt;div&gt;    &lt;label oraLabel="accountId" for="accountId" /&gt;    &lt;span oraField="accountId" id="accountId" /&gt;  &lt;/div&gt;  &lt;div class="oraGridDiv" id="retailerBranch_retailerBranchList"&gt;    &lt;table cellpadding="2" oraMdLabel="GENERIC_SUMMARY" oraList="retailerBranch/retailerBranchList" onResize="if (this.clientWidth &gt; this.parentNode.clientWidth) { this.parentNode.className += ' oraGridDivScroll';}"&gt;      &lt;thead&gt;        &lt;tr&gt;          &lt;th class="oraGridColumnHeader" oraLabel="branchCode" nowrap="nowrap" scope="col" /&gt;          &lt;th class="oraGridColumnHeader" nowrap="nowrap" oraLabel="bagList" /&gt;        &lt;/tr&gt;      &lt;/thead&gt;      &lt;tbody&gt;        &lt;tr&gt;          &lt;td class="oraNormal oraDisplayCell" scope="row" oraField="branchCode" /&gt;          &lt;td class="oraDisplayCell oraEmbeddedTable" nowrap="nowrap"&gt;            &lt;table cellpadding="2" oraMdLabel="GENERIC_SUMMARY" oraList="bagList" onResize="if (this.clientWidth &gt; this.parentNode.clientWidth) { this.parentNode.className += ' oraGridDivScroll';}"&gt;              &lt;thead&gt;                &lt;tr&gt; </pre> |

| Property | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          | <pre> &lt;th class="oraGridColumnHeader" oraLabel="bagType" nowrap="nowrap" scope="col" /&gt;  &lt;th class="oraGridColumnHeader" oraLabel="effectiveDate" nowrap="nowrap" scope="col" /&gt;  &lt;th class="oraGridColumnHeader" oraLabel="endDate" nowrap="nowrap" scope="col" /&gt;  &lt;th class="oraGridColumnHeader" nowrap="nowrap" oraLabel="revisionNumber/vatData" /&gt;  &lt;/tr&gt;  &lt;/thead&gt;  &lt;tbody&gt;  &lt;tr&gt;  &lt;td class="oraNormal oraDisplayCell" scope="row" oraField="bagType" /&gt;  &lt;td class="oraNormal oraDisplayCell" scope="row" oraField="effectiveDate" /&gt;  &lt;td class="oraNormal oraDisplayCell" scope="row" oraField="endDate" /&gt;  &lt;td class="oraDisplayCell oraEmbeddedTable" nowrap="nowrap"&gt;  &lt;table cellpadding="2" oraMdLabel="GENERIC_SUMMARY" oraList="revisionNumber/vatData" onResize="if (this.clientWidth &gt; this.parentNode.clientWidth) { this.parentNode.className += ' oraGridDivScroll';}"&gt;  &lt;thead&gt;  &lt;tr&gt;  &lt;th class="oraGridColumnHeader" oraLabel="productCode" nowrap="nowrap" scope="col" /&gt;  &lt;th class="oraGridColumnHeader" oraLabel="revNum" nowrap="nowrap" scope="col" /&gt;  &lt;th class="oraGridColumnHeader" oraLabel="costPrice" nowrap="nowrap" scope="col" /&gt;  &lt;th class="oraGridColumnHeader" oraLabel="vatPer" nowrap="nowrap" scope="col" /&gt; </pre> |

| Property | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          | <pre> &lt;th class="oraGridColumnHeader" oraLabel="costIncVat" nowrap="nowrap" scope="col" /&gt;  &lt;th class="oraGridColumnHeader" oraLabel="discountPrice" nowrap="nowrap" scope="col" /&gt;  &lt;/tr&gt;  &lt;/thead&gt;  &lt;tbody&gt;  &lt;tr&gt;  &lt;td class="oraNormal oraDisplayCell" scope="row" oraField="productCode" /&gt;  &lt;td class="oraNormal oraDisplayCell" oraField="revNum" /&gt;  &lt;td class="oraNormal oraDisplayCell" oraField="costPrice" /&gt;  &lt;td class="oraNormal oraDisplayCell" oraField="vatPer" /&gt;  &lt;td class="oraNormal oraDisplayCell" oraField="costIncVat" /&gt;  &lt;td class="oraNormal oraDisplayCell" oraField="discountPrice" /&gt;  &lt;/tr&gt;  &lt;/tbody&gt;  &lt;/table&gt;  &lt;/td&gt;  &lt;/tr&gt;  &lt;/tbody&gt;  &lt;/table&gt;  &lt;/td&gt;  &lt;/tr&gt;  &lt;/tbody&gt;  &lt;/table&gt;  &lt;/div&gt; </pre> |

| Property | Value                                                                                                                                                                    |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          | <pre> &lt;/body&gt; &lt;xml style="display:none;"&gt;   &lt;root&gt;     &lt;accountId&gt;3243395299&lt;/accountId&gt;   &lt;/root&gt; &lt;/xml&gt; &lt;/html&gt; </pre> |

### 5.9.2 CM-RetailOrderMgmtActions

CM-RetailOrderMgmtActions – the UI map will be used to display the action buttons for the Order Retail Management fact. Calculate, Submit and Cancel buttons will be available which will invoke the BPA scripts CM-OrdMgmMt, CM-PrintOrd and CM-PrntmLst respectively to perform the corresponding actions on the BO CM-OrderRetailMangement.

| Property    | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| UI Map      | CM-RetailOrderMgmtActions                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| UI Map Type | XHTML Document                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Description | Retail Management Task Actions                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| HTML Editor | <pre> &lt;script type="text/javascript"&gt;   /* <![CDATA[ */     function getAction() {       id('pkVal1').value = id('factId').value;       oraInvokeSS('CMOrdMgmMtAt','nextStates');     }      function processButtonClick (actionValue,index) {       var path = 'nextStates/output/states[' + index +']/boStatus';       var actions = {action: actionValue};       oraRunScriptWithValues('CM_OrdMgmMt', actions, 'factId', 'bo', path);     } </pre> </td></tr> </table> </div> <div data-bbox="83 920 246 947" data-label="Page-Footer"> <p>52 Functional Design Document<br/>Retail Management</p> </div> <div data-bbox="104 950 418 962" data-label="Page-Footer"> <p>Copyright © 2026, Oracle and/or its affiliates / Confidential – Oracle Internal</p> </div> <div data-bbox="814 929 918 945" data-label="Page-Footer"> <p>ORACLE</p> </div> <div data-bbox="771 958 948 972" data-label="Page-Footer"> <p>Confidential – Oracle Internal</p> </div>]]></pre> |



| Property | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          | <pre> function processCalculate() {      //Open the Input map of the fact BO and calculate the     amounts and update the BO.      var actions = {action: 'CALCULATE'};      oraRunScriptWithValues('CM_OrdMgmMt', actions, 'factId', 'bo', path);      }  /* ]]&gt; */  &lt;/script&gt; &lt;div&gt;      &lt;input id="CALCULATE" oraMdLabel="CALCULATE_LBL" class="oraButton" type="button" style="float:left;" onClick="processCalculate();" /&gt;  &lt;/div&gt; &lt;div&gt;      &lt;input id="PRINT ORDER" oraMdLabel="PRINT_LBL" class="oraButton" type="button" style="float:left;" /&gt;  &lt;/div&gt; &lt;div&gt;      &lt;input id="PRINT_ITEM_LIST" oraMdLabel="PRINT_LBL" class="oraButton" type="button" style="float:left;" /&gt;  &lt;/div&gt; &lt;div id="actionSection"&gt;      &lt;div oraAfterLoad="getAction();"&gt;          &lt;input id="TRANSITION_1" oraMdLabel="TRANSITION_1_LBL" class="oraButton" type="button" style="float:left; display:none" onClick="processButtonClick('TRANSITION',1);"/&gt;          &lt;input id="TRANSITION_2" oraMdLabel="TRANSITION_2_LBL" class="oraButton" type="button" style="float:left; display:none" onClick="processButtonClick('TRANSITION',2);"/&gt; </pre> |

| Property | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          | <pre> &lt;input id="TRANSITION_3" oraMdLabel="TRANSITION_3_LBL" class="oraButton" type="button" style="float:left; display:none" onClick="processButtonClick('TRANSITION',3);"/&gt;  &lt;input id="TRANSITION_4" oraMdLabel="TRANSITION_4_LBL" class="oraButton" type="button" style="float:left; display:none" onClick="processButtonClick('TRANSITION',4);"/&gt;  &lt;input id="TRANSITION_5" oraMdLabel="TRANSITION_5_LBL" class="oraButton" type="button" style="float:left; display:none" onClick="processButtonClick('TRANSITION',5);"/&gt;  &lt;input id="TRANSITION_6" oraMdLabel="TRANSITION_6_LBL" class="oraButton" type="button" style="float:left; display:none" onClick="processButtonClick('TRANSITION',6);"/&gt;  &lt;input id="TRANSITION_7" oraMdLabel="TRANSITION_7_LBL" class="oraButton" type="button" style="float:left; display:none" onClick="processButtonClick('TRANSITION',7);"/&gt;  &lt;input id="TRANSITION_8" oraMdLabel="TRANSITION_8_LBL" class="oraButton" type="button" style="float:left; display:none" onClick="processButtonClick('TRANSITION',8);"/&gt;  &lt;input id="TRANSITION_9" oraMdLabel="TRANSITION_9_LBL" class="oraButton" type="button" style="float:left; display:none" onClick="processButtonClick('TRANSITION',9);"/&gt;  &lt;input id="TRANSITION_10" oraMdLabel="TRANSITION_10_LBL" class="oraButton" type="button" style="float:left; display:none" onClick="processButtonClick('TRANSITION',10);" orLoad="oraInitializeTransitionActions();"/&gt;  &lt;/div&gt; &lt;/div&gt; &lt;div style="display:none"&gt;    &lt;input type="text" id="serviceTaskIdentifier" oraField="serviceTaskId"&gt;&lt;/input&gt;    &lt;tr&gt;      &lt;td style="display:none"&gt;        &lt;table id="nextStateList" oraList="nextStates/output/states" width="100%"&gt; </pre> |

| Property | Value                                                                                                                                                                                                                                                 |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          | <pre> &lt;tr&gt;   &lt;td id="boStatusCode" oraField="boStatus" style="display:none"&gt;&lt;/td&gt; &lt;/tr&gt; &lt;/table&gt; &lt;/td&gt; &lt;/tr&gt; &lt;input type="text" id="pkVal1" oraField="nextStates/serviceTaskId"/&gt; &lt;/div&gt; </pre> |

### 5.9.3 CM-RetailManagementDisplay

| Property    | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| UI Map      | CM_RetailManagementDisplay                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| UI Map Type | Complete XHTML Document                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Description | Retail Management Display                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| HTML Editor | <pre> &lt;!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1- strict.dtd"&gt;  &lt;html&gt;    &lt;head&gt;      &lt;link rel="stylesheet" type="text/css" href="cisDisabled.css" /&gt;      &lt;script&gt;        function processButtonClick(action) {         var root = xmlData.documentElement;         var bo = OraDomElementHelper.getText(root.selectSingleNode('bo'));         var values= {action: action, bo: bo};         oraRunScriptWithValues('CMActRetMain', values);       } </pre> |

| Property | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          | <pre> &lt;/script&gt; &lt;/head&gt;  &lt;body class="oraZoneMap"&gt;   &lt;div&gt;     &lt;label oraLabel="accountId" for="accountId" /&gt;     &lt;span oraField="accountId" id="accountId" /&gt;   &lt;/div&gt;   &lt;div&gt;     &lt;label oraLabel="departmentName" for="departmentName" /&gt;     &lt;span oraField="departmentName" id="departmentName" oraType="charType:CM-DPTNM;" /&gt;   &lt;/div&gt;   &lt;div&gt;     &lt;label oraLabel="retailerFlag" for="retailerFlag" /&gt;     &lt;span oraField="retailerFlag" id="retailerFlag" oraType="charType:CM_RTLFG;" /&gt;   &lt;/div&gt;   &lt;div&gt;     &lt;label oraLabel="retailerCode" for="retailerCode" /&gt;     &lt;span oraField="retailerCode" id="retailerCode" /&gt;   &lt;/div&gt;   &lt;div&gt;     &lt;label oraLabel="retailerName" for="retailerName" /&gt;     &lt;span oraField="retailerName" id="retailerName" /&gt;   &lt;/div&gt;   &lt;div&gt;     &lt;label oraLabel="retailerType" for="retailerType" /&gt;     &lt;span oraField="retailerType" id="retailerType" oraType="charType:CM_RTLTY;" /&gt;   &lt;/div&gt; </pre> |

| Property | Value                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|          | <pre> &lt;div&gt;     &lt;label oraLabel="retailerStatus" for="retailerStatus" /&gt;     &lt;span oraField="retailerStatus" id="retailerStatus" oraType="charType:CM_RTLST;" /&gt; &lt;/div&gt;  &lt;div class="oraGridDiv" id="retailerBranch_retailerBranchList"&gt;      &lt;table cellspacing="2" oraMdLabel="GENERIC_SUMMARY" oraList="retailerBranch/retailerBranchList" onResize="if (this.clientWidth &gt; this.parentNode.clientWidth) { this.parentNode.className += ' oraGridDivScroll';}"&gt;          &lt;thead&gt;              &lt;tr&gt;                  &lt;th class="oraGridColumnHeader" oraLabel="branchCode" nowrap="nowrap" scope="col" /&gt;                  &lt;th class="oraGridColumnHeader" oraLabel="branchName" nowrap="nowrap" scope="col" /&gt;                  &lt;th class="oraGridColumnHeader" oraLabel="deliveryAddress" nowrap="nowrap" scope="col" /&gt;                  &lt;th class="oraGridColumnHeader" oraLabel="extReference" nowrap="nowrap" scope="col" /&gt;                  &lt;th class="oraGridColumnHeader" oraLabel="status" nowrap="nowrap" scope="col" /&gt;              &lt;/tr&gt;          &lt;/thead&gt;          &lt;tbody&gt;              &lt;tr&gt;                  &lt;td class="oraNormal oraDisplayCell" scope="row" oraField="branchCode" /&gt;                  &lt;td class="oraNormal oraDisplayCell" oraField="branchName" /&gt;                  &lt;td class="oraNormal oraDisplayCell" oraField="deliveryAddress" /&gt;                  &lt;td class="oraNormal oraDisplayCell" oraField="extReference" /&gt; </pre> |

| Property | Value                                                                                                                                                                                                                                                                                                                                                                                        |  |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|          | <pre> <td &gt;="" &lt;="" &lt;div&gt;="" &lt;input="" &lt;label="" &lt;span="" <="" body&gt;="" class="oraButton" div&gt;="" for="cmlogs_updatedDateTime" id="EDIT" onclick="processButtonClick('UPD');" orafield="cmlogs/updatedDateTime" oralabel="cmlogs/updatedDateTime" oramdlabel="EDIT_LBL" pre="" style="float:left;" table&gt;="" tbody&gt;="" tr&gt;="" type="button"> </td></pre> |  |

| Property | Value                                                        |
|----------|--------------------------------------------------------------|
|          | <pre>&lt;xml style="display:none;" /&gt; &lt;/html&gt;</pre> |

## 6 Solution Specific Configuration

This section provides the configurations needed to support the solution.

### 6.1 Message

#### 6.1.1 Message

| ## | Msg Category | Msg Number | Msg Text |
|----|--------------|------------|----------|
| 1  |              |            |          |
| 2  |              |            |          |
| 3  |              |            |          |

### 6.2 Administrative Activities

#### 6.2.1 Characteristics Type

##### 6.2.1.1 CM-DEPTN

| Field                   | Value             |  |
|-------------------------|-------------------|--|
| Characteristic Type     | CM-DEPTN          |  |
| Description             | Department Number |  |
| Type of Char Value      | Predefined Value  |  |
| Algorithm               |                   |  |
| Characteristic Entities |                   |  |
| Characteristic Entity   | Case              |  |
| Characteristic Values   |                   |  |
| ACCOUNT                 | Account           |  |

##### 6.2.1.2 CM-RTLFG

| Field                   | Value            |  |
|-------------------------|------------------|--|
| Characteristic Type     | CM-RTLFG         |  |
| Description             | Retailer Flag    |  |
| Type of Char Value      | Predefined Value |  |
| Algorithm               |                  |  |
| Characteristic Entities |                  |  |
| Characteristic Entity   | Case             |  |



|                      |     |
|----------------------|-----|
| Characteristic Value |     |
| YES                  | Yes |
| NO                   | No  |

#### 6.2.1.3 CM\_RTMRN

| Field                   | Value         |  |
|-------------------------|---------------|--|
| Characteristic Type     | CM-RTMRN      |  |
| Description             | Retailer Name |  |
| Type of Char Value      |               |  |
| Algorithm               |               |  |
| Characteristic Entities |               |  |
| Characteristic Entity   | Case          |  |
| Characteristic Value    |               |  |
| ACCOUNT                 | Account       |  |

#### 6.2.1.4 CM\_RTLCD

| Field                   | Value         |  |
|-------------------------|---------------|--|
| Characteristic Type     | CM_RTLCD      |  |
| Description             | Retailer Code |  |
| Type of Char Value      | Adhoc Value   |  |
| Algorithm               |               |  |
| Characteristic Entities |               |  |
| Characteristic Entity   | Case          |  |
| Characteristic Value    |               |  |
| ACCOUNT                 | Account       |  |

#### 6.2.1.5 CM\_RTPTY

| Field               | Value            |  |
|---------------------|------------------|--|
| Characteristic Type | CM_RTPTY         |  |
| Description         | Retailer Type    |  |
| Type of Char Value  | Predefined Value |  |
| Algorithm           |                  |  |

|                         |         |
|-------------------------|---------|
| Characteristic Entities |         |
| Characteristic Entity   | Case    |
| Characteristic Value    |         |
| ACCOUNT                 | Account |

#### 6.2.1.6 CM-RTLST

| Field                   | Value            |  |
|-------------------------|------------------|--|
| Characteristic Type     | CM-RTLST         |  |
| Description             | Retailer Status  |  |
| Type of Char Value      | Predefined Value |  |
| Algorithm               |                  |  |
| Characteristic Entities |                  |  |
| Characteristic Entity   | Case             |  |
| Characteristic Value    |                  |  |
| ACTIVE                  | Active           |  |
| INACTIVE                | Inactive         |  |

#### 6.2.1.7 CMBRCHCD

| Field                   | Value                         |  |
|-------------------------|-------------------------------|--|
| Characteristic Type     | CMBRCHCD                      |  |
| Description             | Retail Management-Branch Code |  |
| Type of Char Value      | Adhoc Value                   |  |
| Algorithm               |                               |  |
| Characteristic Entities |                               |  |
| Characteristic Entity   | Case                          |  |

#### 6.2.1.8 CMRTATID

| Field               | Value                                  |  |
|---------------------|----------------------------------------|--|
| Characteristic Type | CMRTATID                               |  |
| Description         | Retail Management- Retailer Account ID |  |
| Type of Char Value  | Foreign Key Value                      |  |

|                         |      |  |
|-------------------------|------|--|
| Algorithm               |      |  |
| Characteristic Entities |      |  |
| Characteristic Entity   | Case |  |
|                         |      |  |

## 6.2.2 Lookup

### 6.2.2.1 CM\_BAG\_TYPE\_FLG - Bag Type Retail Management

| FIELD VALUE | DESCRIPTION |
|-------------|-------------|
| 10          | Bin Liner   |
| 12          | Blue Garden |
| 20          | Plastic Bag |
| 25          | Red Bags    |

## 7 Data Requirements

The following are the known data requirements from the eThekwini’s business team and from the business needs provided:

| id | data requirement | expected data location |
|----|------------------|------------------------|
|    |                  |                        |
|    |                  |                        |
|    |                  |                        |
|    |                  |                        |

## 8 Security Requirements

### 8.1 Users and Security

The following application security rules have been identified during the gathering of the eThekwini business needs:

Note : User groups and Security will be more discussed with migration/Business team and updated further .

- Users with signing authority should only be able to approve or cancel the respective To Do, rest all users should only view the To Do details.
- Users with key issue authority should only be able to approve or cancel the respective To Do, rest all users should only view the To Do details.

| Id | Security Exception | Response |
|----|--------------------|----------|
|    |                    |          |

## 9 Performance Considerations

<<Prepare the Performance Considerations by defining the design considerations necessary to achieve the data retrieval and storage requirements for performance. One example is 1 minute response time for a certain batch processing etc.>>

## 10 Testing Requirements

### 10.1 Test Scenarios

These are sample test scenarios for testing .

| Id  | test scenario                                                      | preparation                            | expected result                                                                      |
|-----|--------------------------------------------------------------------|----------------------------------------|--------------------------------------------------------------------------------------|
| 001 | Create new CRU Block                                               | Add CRU block as premise               | A new premise with type CRU Block should be created with CRU as Parent premise       |
| 002 | Create new House Unit                                              | Add new CRU House Unit                 | A new premise with type CRU House Unit should be created, with parent as CRU Block   |
| 003 | Create New Room Unit                                               | Create CRU Home unit                   | New Home Unit should be created with premise type parent as CRU Block or House Unit. |
| 004 | Effective from Date Should not be backdated                        | Try to input Backdated entry           | Effective date should be mandatory and should select only current or future date     |
| 005 | Effective till Date should be non-blank and greater than from date | Try to put backdated entry             | System should not accept.                                                            |
| 006 | Create CRU lease Campaign                                          | Add a Campaign will all Data required. | System should show eligible packages and create SA/SP for the Lease of CRU.          |

11 Appendix: Document Control

This appendix shows how this document has been edited, reviewed, and approved. This information is in the Appendix to improve the overall readability of the document.

Change Record

| Version | Date       | Author  | Summary of Changes     |
|---------|------------|---------|------------------------|
| v0.1    | 19-02-2025 | Divakar | Initial draft version; |
|         |            |         |                        |
|         |            |         |                        |
|         |            |         |                        |

Reviewers

| Date | Reviewer | Role / Responsibility |
|------|----------|-----------------------|
|      |          |                       |
|      |          |                       |
|      |          |                       |
|      |          |                       |
|      |          |                       |
|      |          |                       |

Approvals

| Date | Approved by | Role / Responsibility |
|------|-------------|-----------------------|
|      |             |                       |
|      |             |                       |
|      |             |                       |

Document Reference

This document may be related to other documents and project work products that are listed in the following table.



| Document Name                               | Description and Location                                                                                                                                                                                           |
|---------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Project schedule                            | Project Plan with weekly updates<br><a href="#">&lt;&lt;Provide link&gt;&gt;</a>                                                                                                                                   |
| Data Acquisition and Migration Requirements | Requirements for acquiring data from the legacy system, updating (cleaning) the data, and transforming. These reflect business requirements and are not a mapping.<br><a href="#">&lt;&lt;Provide link&gt;&gt;</a> |
| Council Workshop notes                      | <a href="#">External-eThekweni RMS-Oracle C2M - Documents - Notes - All Documents</a>                                                                                                                              |
| ...                                         |                                                                                                                                                                                                                    |

## 12 Appendix: Definitions, Acronyms, and Abbreviations

[<update this table from the current Document Library version of the table to get latest updates.>](#)

| Term             | Explanation                                                                                                                                                                                                                                                                                                                                                                                     |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| API              | Application Programming Interface                                                                                                                                                                                                                                                                                                                                                               |
| Change Requests  | Requests by project team which change or add to previously agreed upon scope or functional requirements. Change Requests are approved via the project change request management process.                                                                                                                                                                                                        |
| CIS              | Customer Information System (Legacy)                                                                                                                                                                                                                                                                                                                                                            |
| CSR              | Customer Service Representative                                                                                                                                                                                                                                                                                                                                                                 |
| CSS              | Cascading Style Sheet                                                                                                                                                                                                                                                                                                                                                                           |
| CX               | Customer Experience                                                                                                                                                                                                                                                                                                                                                                             |
| DB               | Database                                                                                                                                                                                                                                                                                                                                                                                        |
| ERD              | Entity Relationship Diagram                                                                                                                                                                                                                                                                                                                                                                     |
| IT               | Information Technology                                                                                                                                                                                                                                                                                                                                                                          |
| IWS              | Inbound Web Services                                                                                                                                                                                                                                                                                                                                                                            |
| OAuth            | Open Authorization                                                                                                                                                                                                                                                                                                                                                                              |
| OOTB             | Out of the Box                                                                                                                                                                                                                                                                                                                                                                                  |
| PMO              | Project Management Office                                                                                                                                                                                                                                                                                                                                                                       |
| POC              | Proof of Concept                                                                                                                                                                                                                                                                                                                                                                                |
| Process Playback | Process Playback sessions are interactive demonstrations during which the configured solution is “played back” to the key stakeholders to confirm that the solution meets the client’s business needs. It is owned and led by the Business Process Owner and supported by the Solution Architect who will step through selected use cases that are agreed at the beginning of the Refine phase. |
| QA               | Quality Assurance                                                                                                                                                                                                                                                                                                                                                                               |
| RACI             | <u>R</u> esponsible, <u>A</u> ccountable, <u>C</u> onsulted, and <u>I</u> nformed are used to clarify responsibilities by forming matrices to identify specific roles and responsibilities within testing                                                                                                                                                                                       |
| RAID log         | <u>R</u> isks, <u>A</u> ctions, <u>I</u> ssues, <u>D</u> ecisions project logs                                                                                                                                                                                                                                                                                                                  |
| REST             | Representational State Transfer                                                                                                                                                                                                                                                                                                                                                                 |
| SIT              | Systems Integration Testing                                                                                                                                                                                                                                                                                                                                                                     |

| Term                       | Explanation                                                                                                                                                                                                |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SLA                        | Service Level Agreement                                                                                                                                                                                    |
| SOA                        | Service Oriented Architecture                                                                                                                                                                              |
| SOAP                       | Simple Object Access Protocol                                                                                                                                                                              |
| SOW                        | Statement of Work                                                                                                                                                                                          |
| Standard Validation Script | A Standard Validation Script is the specific set of sequential steps, required data and expected results based on Oracle Standard Use Cases (Oracle Modern Best Practice) used to validate Oracle solution |
| UAT                        | User Acceptance Testing                                                                                                                                                                                    |
| UI                         | User Interface                                                                                                                                                                                             |
| URL                        | Uniform Resource Locator                                                                                                                                                                                   |
| VPN                        | Virtual Private Network                                                                                                                                                                                    |
| WO                         | Work Order                                                                                                                                                                                                 |
| WSDL                       | Web Service Definition Language                                                                                                                                                                            |