Activity 1


DDL COMMANDS (Create, Alter, Drop,)

- **Create Command -** CREATE command is to **define the structure of an object before storing data in it.**

```
CREATE TABLE Restuarant(
   Order_ID INT,
   Customer_Name VARCHAR(50),
   Customer_Phone_Number VARCHAR(100),
   Cuisine_Name VARCHAR(100)
);

INSERT INTO Restuarant VALUES
(092456,'NithyanandanG',1234567890,'NorthIndian'),
(123456,'Nitish',4455667890,'SouthIndian'),
(033256,'Shreyas',7745362846,'Chats'),
(093214,'Raghu',9905468462,'Chinese'),
(198432,'Shrihan',6635284642,'Japanese'),
(882542,'Swayam',7130184627,'Continental');

SELECT * FROM Restuarant;
```




```
CREATE TABLE Restuarant(
    Order_ID INT,
    Customer_Name VARCHAR (50),
    Customer_Phone_Number VARCHAR (100),
    Cuisine_Name VARCHAR (100)
);
SHOW TABLES;

INSERT INTO Restuarant VALUES
(092456,'NithyanandanG',1234567890,'NorthIndian'),
(123456,'Nitish',4455667890,'SouthIndian'),
(033256,'Shreyas',7745362846,'Chats'),
(093214,'Raghu',9905468462,'Chinese'),
(198432,'Shrihan',6635284642,'Japanese'),
(882542,'Swayam',7130184627,'Continental');

SELECT * FROM Restuarant;
```


```
+----------------------------
| Tables_in_sandbox_db |
+----------------------------
| restuarant
+----------------------------
+----------+---------------+-
| Order_ID | Customer_Name |
+----------+---------------+-
|    92456 | NithyanandanG |
|   123456 | Nitish        |
|    33256 | Shreyas       |
|    93214 | Raghu         |
|   198432 | Shrihan       |
|   882542 | Swayam        |
+----------+---------------+-
```

- **Alter Command -** Used to **modify the structure of an existing table** without deleting it.


ALTER TABLE Restuarant

ADD Order_Price INT;

SELECT * FROM Restuarant;



- **Drop Command -** Command used to permanently delete a database object such as a table, database, or column.



Github Link - https://github.com/nithyanandangbca25-bot/DBMS-Programs.git