Lab 7-10 Programs

```
CREATE DATABASE IF NOT EXISTS DBMS_LAB;
USE DBMS_LAB;

DROP TABLE IF EXISTS employee;
DROP TABLE IF EXISTS department;


CREATE TABLE department (
   dept_id INT PRIMARY KEY,
   dept_name VARCHAR(50),
   location VARCHAR(50)
);

CREATE TABLE employee (
   emp_id INT PRIMARY KEY,
   emp_name VARCHAR(50),
   salary DECIMAL(10,2),
   dept_id INT
);
INSERT INTO department VALUES
(10, 'HR', 'Bangalore'),
(20, 'IT', 'Chennai'),
(30, 'Finance', 'Mumbai'),
(40, 'Marketing', 'Delhi');


INSERT INTO employee VALUES
(101, 'Nithyanandan G', 35000, 10),
(102, 'Bala', 42000, 20),
(103, 'Charan', 28000, 20),
(104, 'Deepak', 50000, 30),
(105, 'Karthik', 32000, NULL);

SELECT * FROM department;


SELECT * FROM employee;
```





```
SELECT
    employee.emp_id,
    employee.emp_name,
    employee.salary,
    department.dept_name,
    department.location
FROM employee
INNER JOIN department
ON employee.dept_id = department.dept_id;
```





```
SELECT
    employee.emp_id,
    employee.emp_name,
    employee.salary,
    employee.dept_id,
    department.dept_name,
    department.location
FROM employee
LEFT OUTER JOIN department
ON employee.dept_id = department.dept_id;
```





```
SELECT
    employee.emp_id,
    employee.emp_name,
    employee.salary,
    department.dept_id,
    department.dept_name,
    department.location
FROM employee
RIGHT OUTER JOIN department
ON employee.dept_id = department.dept_id;
```




```
SELECT *
FROM employee
NATURAL JOIN department;
SELECT
    employee.emp_name,
    employee.salary,
    department.dept_name
FROM employee
INNER JOIN department
ON employee.dept_id = department.dept_id
WHERE employee.salary > 30000;
```


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Query 1
Nithyanandan G*
Limit to 1000 rows
SQLAdditions
My Snippets
51 FROM employee
52 LEFT OUTER JOIN department
53 ON employee.dept_id = department.dept_id;
54 SELECT
55 employee.emp_id,
56 employee.emp_name,
57 employee.salary,
58 department.dept_id,
59 department.dept_name,
60 department.location
61 FROM employee
62 RIGHT OUTER JOIN department
63 ON employee.dept_id = department.dept_id;
64
65 SELECT *
66 FROM employee
67 NATURAL JOIN department;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
dept_id emp_id emp_name salary dept_name location
10 101 Nithyanandan G 35000.00 HR Bangalore
20 102 Bala 42000.00 IT Chennai
20 103 Charan 28000.00 IT Chennai
30 104 Deepak 50000.00 Finance Mumbai
Result Grid
Form Editor
department 66
employee 67
Result 68
Result 69
Result 70
Result 71
Read Only
Context Help
Snippets
Output
Action Output
Query Completed
27°C
Partly sunny
Search
ENG
IN
01:06 PM
29-09-2026


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
Query 1
Nithyanandan G*
Limit to 1000 rows
SQLAdditions
My Snippets
59 department.dept_name,
60 department.location
61 FROM employee
62 RIGHT OUTER JOIN department
63 ON employee.dept_id = department.dept_id;
64
65 SELECT *
66 FROM employee
67 NATURAL JOIN department;
68 SELECT
69 employee.emp_name,
70 employee.salary,
71 department.dept_name
72 FROM employee
73 INNER JOIN department
74 ON employee.dept_id = department.dept_id
75 WHERE employee.salary > 30000;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
emp_name salary dept_name
Nithyanandan G 35000.00 HR
Bala 42000.00 IT
Deepak 50000.00 Finance
Result Grid
Form Editor
department 72
employee 73
Result 74
Result 75
Result 76
Result 77
Result 78
Read Only
Context Help
Snippets
Output
Action Output
Query Completed
27°C
Partly sunny
Search
ENG
IN
01:07 PM
29-09-2026