



SAVEETHA
INSTITUTE OF MEDICAL AND TECHNICAL SCIENCES
(Declared as Deemed to be University under Section 3 of UGC Act 1956)



SAVEETHA INSTITUTE OF MEDICAL AND TECHNICAL SCIENCES

(Declared as Deemed to be University under Section 3 of UGC Act 1956)

MCQ Test

COURSE NAME: Software Testing COURSE CODE: CSA3711

NAME: R. NITHYA PRIYA

REG NO: 192421119

COURSE OUTCOME COVERED

CO1: Apply software testing principles to enhance the effectiveness of software quality assurance

and improve defect detection strategies.

Assessment Tool Weightage: 20%

Sl. No

MCQ Questions Bloom's Level

1 A team applies systematic test design techniques during development. This reflects: a) Debugging b) Testing as an engineering activity c) Maintenance d) Deployment

2 If a project skips defined testing processes, what is the likely outcome? a) Faster delivery with high quality b) Increased defects in production c) Reduced testing cost only d) Improved documentation

3 Selecting test cases based on requirements demonstrates: a) Random testing b) Process-driven testing c) Ad hoc testing d) Maintenance testing

4 Applying equivalence partitioning is an example of: a) Debugging b) Test design technique c) Coding standard d) Deployment activity

5 A tester identifies missing requirements during testing. This shows: a) Coding error b) Process gap c) User error d) Hardware issue

3

6 Following a structured testing lifecycle ensures: a) Random defect detection b) Improved software quality c) Less documentation d) No defects

3

7 Which activity best represents testing as a process? a) Writing code b) Executing test cases systematically c) Deploying software d) User training

3

8 A tester reuses test cases from a repository. This supports: a) Efficiency in testing b) Increased coding errors c) Reduced coverage d) Random testing

3

9 If defects are tracked and analyzed, it improves: a) Coding speed b) Software quality process c) Deployment time d) User interface

3

10 Applying boundary value analysis helps to: a) Increase documentation b) Detect edge-case defects c) Reduce execution time d) Avoid testing

3

11 A tester validates system behavior against requirements. This is: a) Verification b) Validation c) Debugging d) Coding

3

12 Detecting defects before release reduces: a) Development effort b) Maintenance cost c) Coding standards d) Testing

scope

13 Applying testing principles ensures: a) Zero defects guarantee b) Early defect detection c) No testing needed d) Faster coding

3

14 Which principle suggests testing all inputs is impossible? a) Exhaustive testing b) Exhaustive testing is impossible c) Early testing d) Defect clustering

3

15 A tester focuses on frequently failing modules. This uses: a) Random testing b) Defect clustering principle c) Regression testing d) Smoke testing

3

16 If testing starts early in SDLC, it helps: a) Reduce defects cost b) Increase coding errors c) Delay project d) Skip documentation

3

17 A tester designs test cases independently from developers. This ensures: a) Bias b) Objectivity c) Delay d) Redundancy

3

18 A tester reviews requirements for errors. Role performed is: a) Developer b) Tester c) Manager d) User

3

19 Reporting defects clearly is part of: a) Coding b) Tester's responsibility c) Deployment d) Maintenance

3

20 A tester collaborates with developers to fix bugs. This shows: a) Isolation b) Teamwork c) Delay d) Redundancy

3

21

A requirement ambiguity causes defects. Origin is: a) Coding
b) Requirements phase c) Testing phase d) Deployment

3

22 Incorrect algorithm implementation leads to: a)
Requirement defect b) Design defect c) Coding defect d)
Testing defect

3

23 Missing validation checks are example of: a) Design defects
b) Coding defects c) Requirement defects d) Deployment
defects

3

24 Poor UI design causing confusion is: a) Coding defect b)
Design defect c) Requirement defect d) Hardware defect

3

25 A system crash due to memory leak is: a) Requirement
defect b) Coding defect c) Design defect d) Documentation
defect

3

26 Classifying defects based on severity helps: a) Ignore
defects b) Prioritize fixing c) Delay release d) Increase cost

3

27 A critical defect impacts: a) Minor feature b) Core
functionality c) UI color d) Documentation

3

28 A minor defect example is: a) System crash b) Login failure
c) Typo error d) Data loss

3

29 Defect classification helps testers to: a) Ignore bugs b)

Organize defects c) Skip testing d) Increase errors

3

30 A defect repository is used to: a) Store code b) Store test cases c) Store defect details d) Store UI designs

3

31 Reusing defect data helps in: a) Predicting issues b) Increasing bugs c) Reducing tests d) Skipping phases

3

32 A defect repository improves: a) Code complexity b) Testing efficiency c) User interface d) Deployment speed

3

33 Logging defects with details ensures: a) Confusion b) Traceability c) Delay d) Redundancy

3

34 A tester uses past defect data to design tests. This is: a) Random testing b) Experience-based testing c) Debugging d) Deployment

3

35 Incorrect login validation is an example of: a) Functional defect b) Performance defect c) Security defect d) UI defect

3

36 Slow response time is a: a) Functional defect b) Performance defect c) UI defect d) Coding standard

3

37 Unauthorized data access indicates: a) UI defect b) Security defect c) Functional defect d) Design defect

3

38 Missing button functionality is: a) Functional defect b)

Security defect c) Performance defect d) Hardware defect

3

39 Poor alignment in UI is: a) Functional defect b) UI defect c) Security defect d) Design defect

3

40 Applying testing principles avoids: a) Coding b) Redundant tests c) Deployment d) Maintenance

3

41 A tester validates outputs using expected results. This is: a) Debugging b) Test execution c) Coding d) Maintenance

3

42 If defects are not tracked, it leads to: a) Better quality b) Poor traceability c) Faster delivery d) No impact

3

43 Applying test process ensures: a) Random results b) Structured testing c) No defects d) No planning

3

44 Test case design based on requirements ensures: a) Low coverage b) High coverage c) No defects d) Less effort

3

45 Early testing reduces: a) Defect cost b) Code size c) UI design d) Deployment time

3

46 A tester identifies repeated defects. This indicates: a) Good design b) Poor process c) No issue d) Perfect testing

3

47 Reviewing test results helps: a) Ignore defects b) Improve quality c) Skip testing d) Reduce effort

3

48 A tester applies regression testing to: a) Add features b) Ensure fixes work c) Deploy software d) Design UI

3

49 Identifying root cause of defects helps: a) Increase bugs b) Prevent recurrence c) Delay testing d) Skip coding

3

50 A test plan ensures: a) Random execution b) Organized testing c) No testing d) No defects

3

51 Applying defect classification improves: a) Testing cost b) Fix prioritization c) Coding errors d) UI design

3

52 A tester uses historical defect trends. This helps in: a) Ignoring defects b) Risk-based testing c) Deployment d) Coding

3

53 Testing ensures product meets: a) Developer needs b) User requirements c) Tester goals d) Manager plans

3

54 A defect due to wrong requirement interpretation is: a) Coding defect b) Requirement defect c) UI defect d)

3

Hardware defect

55 Applying process standards ensures: a) Poor quality b) Consistent quality c) No testing d) Random output

3

56 A tester documents defects clearly. This helps: a) Developers fix quickly b) Increase errors c) Delay release d) Reduce quality

3

57 A defect repository is analyzed to: a) Increase cost b) Improve testing strategy c) Skip testing d) Reduce quality

3

58 A tester applies black-box testing. This focuses on: a) Internal code b) External behavior c) Hardware d) Deployment

3

59 Defects found in testing phase indicate: a) Perfect design b) Earlier phase issues c) No issues d) Hardware problems

3

60 Applying structured testing improves: a) Random results b) Product reliability c) Coding errors d) Deployment delay

ANSWER:

- 1.B
- 2.B
- 3.B
- 4.B
- 5.B
- 6.B
- 7.B
- 8.A
- 9.B
- 10.B
- 11.B
- 12.B
- 14.B
- 15.B
- 16.A
- 17.B
- 18.B
- 19.B
- 20.B
- 21.B
- 22.C

23.B
24.B
25.B
26.B
27.B
28.C
29.B
30.C
31.C
32.B
33.B
34.B
35.A
36.B
37.B
38.A
39.B
40.B
41.C
42.B
43.B
44.B
45.A
46.B
47.B
48.B
49.B
50.B
51.B
52.B
53.B
54.B
55.B
56.A
57.B
58.B
59.B
60.B