

Amazon S3


Amazon S3 > Buckets > Create bucket
General configuration
AWS Region
Asia Pacific (Mumbai) ap-south-1
Bucket type Info
General purpose
Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.
Directory
Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.
Bucket namespace
Choose the namespace where you want to create your bucket. Learn more
Global namespace
By default, S3 creates general purpose buckets in the global namespace.
Account Regional namespace (recommended)
General purpose buckets created in your account Regional namespace are unique to your account. These buckets can never be created by another AWS account.
Bucket name Info
bucket2nithya
Bucket names must be 3 to 63 characters and unique within the global namespace. Bucket names must also begin and end with a letter or number. Valid characters are a-z, 0-9, periods (.), and hyphens (-). Learn


Amazon S3 > Buckets > bucket2nithya > Upload
Upload Info
Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDKs or Amazon S3 REST API. Learn more
Drag and drop files and folders you want to upload here, or choose Add files or Add folder.
Files and folders (1 total, 1.2 MB)
Remove
Add files
Add folder
All files and folders in this table will be uploaded.
Find by name
1
Name
Folder
Type
Size
Nithya-assignment day2.pdf
-
application/pdf
1.2 MB
Destination Info
Destination
s3://bucket2nithya

Summary

Destination	Succeeded	Failed
s3://bucket2nithya	1 file, 1.2 MB (100.00%)	0 files, 0 B (0%)


Files and folders | Configuration


Files and folders (1 total, 1.2 MB)

Find by name

1

Name	Folder	Type	Size	Status	Error
Nithya-assignment day2....	-	application/pdf	1.2 MB	Succeeded	-





AWS Policy Generator

The AWS Policy Generator is a tool that enables you to create policies that control access to Amazon Web Services (AWS) products and resources. For more information about creating policies, key concepts in Using AWS Identity and Access Management.

Step 1: Select policy type

A Policy is a container for permissions. The different types of policies you can create are an IAM Policy, an S3 Bucket Policy, an SNS Topic Policy, a VPC Endpoint Policy, and an SQS Queue Policy.

Type of Policy

S3 Bucket Policy

Step 2: Add statement(s)

A statement is the formal description of a single permission. See a description of elements that you can use in statements.

Effect

- (•) Allow
- ( ) Deny

Principal

1

Use a comma to separate multiple values.

ARN should follow the following format: arn:aws:s3:::${BucketName}/${KeyName}. Use a comma to separate multiple values.

▶ **Add conditions (optional)**

Add Statement

Statements added (1)


You added the following statements. Click the button below to Generate a policy.


Principal(s)	Effect	Action	Resource(s)	Condition(s)	Remove
*	Allow	s3:GetObject	arn:aws:s3:::bucket2nithya/*	*None*	Remove


Step 3: Generate policy


A policy is a document (written in the Access Policy Language) that acts as a container for one or more statements.

Generate Policy




Amazon S3 > Buckets > bucket2nithya > Edit static website hosting
Amazon S3
Buckets
General purpose buckets
Directory buckets
Table buckets
Vector buckets
Files
File systems
Access management and security
Access Points
Access Points for FSx
Access Grants
IAM Access Analyzer
Storage management and
Use this bucket to host a website or redirect requests. Learn more
Static website hosting
Disable
Enable
Hosting type
Host a static website
Use the bucket endpoint as the web address. Learn more
Redirect requests for an object
Redirect requests to another bucket or domain. Learn more
For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see Using Amazon S3 Block Public Access
Index document
Specify the home or default page of the website.
index.html
Error document - optional
This is returned when an error occurs.


Amazon S3 > Buckets > bucket2nithya
Objects
Metadata
Properties
Permissions
Metrics
Management
File systems
Access Points
Objects (3)
Copy S3 URI
Copy URL
Download
Open
Delete
Actions
Create folder
Upload
Objects are the fundamental entities stored in Amazon S3. You can use Amazon S3 inventory to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. Learn more
Find objects by prefix
1
Name
Type
Last modified
Size
Storage class
index.html
html
October 13, 2026, 11:21:16 (UTC+05:30)
8.4 KB
Standard
templatemo_629_nexus_system/
Folder
-
-
-
timer.html
html
October 13, 2026, 11:21:16 (UTC+05:30)
186.0 B
Standard


Not secure
bucket2nithya.s3-website.ap-south-1.amazonaws.com
MODULAR COMPUTE SYSTEMS
THE NEXUS
One chassis. Infinite configurations. Precision-engineered infrastructure for teams that build at the edge of what hardware allows.
SCROLL TO DESCEND
Nexus System
FREE CSS TEMPLATES / TEMPLATEMO
000%