

Java Full Stack Development-LAB08


ID.NO:2000030185

Name: Suprith Ch


OUTPUTS:

POSTMAN API:

Insert Employee



View All Employees:



View Employee By Id

The screenshot shows the Postman application interface. The top bar includes navigation links (Home, Workspaces, API Network, Explore), a search bar, and user options (Invite, Upgrade). The left sidebar shows the 'My Workspace' section with a 'Collections' tab. A collection named 'My first collection' is expanded, showing two folders: 'First folder inside collection' and 'Second folder inside collection'. The main panel displays a GET request to 'localhost:2040/viewempbyid?id=3'. The 'Body' tab is selected, showing a JSON response:

```
1 {
2   "id": 3,
3   "name": "Phalguni",
4   "gender": "FEMALE",
5   "designation": "B.Tech",
6   "salary": 30000.0,
7   "location": "Kolkata"
8 }
```

The status bar at the bottom indicates 'Status: 200 OK', 'Time: 61 ms', and 'Size: 269 B'.


Delete Employee

The screenshot shows the Postman application interface. The top bar is identical to the previous screenshot. The left sidebar shows the 'My Workspace' section with the 'Collections' tab. The main panel displays a DELETE request to 'localhost:2040/deleteemp?id=3'. The 'Body' tab is selected, showing a text response:

```
1 Employee Record Deleted Successfully
```

The status bar at the bottom indicates 'Status: 200 OK', 'Time: 31 ms', and 'Size: 199 B'.

Update Employee:



MYSQL OUTPUT:

