Walnut Technologies™

GPS TRACKER


WM-MFT-4G

Smart Tracking. Total Control.

- ***Precision GPS Tracking —*** *2.5 m positioning accuracy*
- ***Always Connected with 4G —*** *Reliable CAT-1 connectivity*
- ***Real-Time Fleet Visibility*** *— Live vehicle tracking, anytime*
- ***Smart Geo-Fencing —*** *Virtual boundaries with instant alerts*
- ***10,000-Point History*** *— Route and trip history at your fingertips*
- ***Ignition Intelligence —*** *Real-time ACC/ignition monitoring*
- ***SOS Emergency Support —*** *Enhanced safety in critical situations*
- ***Ready for Customization —*** *RFID, fuel sensors & other peripherals*







Walnut Technologies™

TECHNICAL SPECIFICATIONS		
GNSS	Positioning system	GPS+GLONASS
GNSS	Frequency	L1
GNSS	Positioning accuracy	<2.5m CEP
GNSS	Channels	33 tracking channels
GNSS	Tracking sensitivity	-167dBm
GNSS	Acquisition sensitivity	-149dBm
GNSS	TTFF (open sky)	Avg. hot start <5sec, Avg. cold start <40sec
Cellular	Platform	CAT-1 4G/LTE Module
Power	Battery	55mAh/3.7V
Power	Input voltage	9-90VDC
Power	Backup time	45 minutes

Walnut Technologies™



TECHNICAL SPECIFICATIONS		
Interface	LED indication	GNSS (Blue), Cellular (Green)
Interface	SIM	Nano-SIM
Interface	Digital inputs	1 Ignition detection
Interface	Digital outputs	1 outputs: (CAN optional)
Physical specification	Dimensions	82.5 x 38.5 x 15.0 mm
Physical specification	Weight	50g
Physical specification	Antenna	Inbuild GSM and GNSS antenna
Physical specification	Casing	Industrial-grade black housing
Operating environment	Operating temperature	-20°C to +70°C
Operating environment	Operating humidity	5%~95%, non-condensing
Features	Data storage	10k History logs

ADDITIONAL FEATURES		
Feature	LBS positioning	Station mode positioning
Feature	Geo Fence	Optional Customizable boundaries
Feature	FOTA Updates	firmware-over-the-air updates
Feature	CAN optional	Add CAN functionality if required for diagnostics or data exchange
Feature	Protocol	TCP(Server based) and MQTT(can be customized)
Feature	SOS Button	Enhanced safety in critical situations

Walnut Technologies™

Smart Tracking | Safer Vehicles | Smarter Fleets

- *Smart Geo-Fencing with customizable virtual boundaries for enhanced vehicle monitoring.*
- *4G LTE CAT-1 Connectivity for reliable and seamless real-time data transmission*
- *Real-Time GPS/GNSS Monitoring for continuous vehicle tracking and improved fleet visibility.*
- *FOTA-Based Firmware Updates for convenient remote device upgrades and maintenance.*
- *10,000 Location History Logs for route tracking, trip analysis and movement records.*





Walnut Technologies™

Our Capabilities

Automotive GPS Tracker Design & Manufacturing Capabilities

- R&D-Driven Innovation: In-house team for end-to-end product design, development, and validation.
- Integrated Manufacturing: 40,000 sq.ft. facility (expanding to 80,000 sq.ft.) with full-scale production capabilities.
- Advanced SMT Line: RS1 JUKI Japan – 100,000 CPH for high-speed, precision assembly.
- In-House Testing & Calibration: Using Keysight, NI, Rigol, and Tektronix equipment.
- PCB Expertise: Complete in-house design, prototyping, and production.
- Quality Control: Dedicated IQC, LQC, and OQC departments ensuring best-in-class quality.
- Tooling & Molding: In-house mold design and plastic injection molding for high-precision components



Walnut Technologies™

Contact Us

Instagram	https://www.instagram.com/walnut_medical/
Linkedin	https://www.linkedin.com/company/walnut-medical-private-limited/
Youtube	https://www.youtube.com/@walnutmedical9305

Walnut Technologies™

Address Walnut Medical Pvt Ltd 132 JLPL Industrial Park Sector 82, Mohali Punjab 160055

Email contact@walnutmedical.in, sales@walnutmedical.in

Contact 7087582218, 9650622772

URL www.walnutmedical.in