

Halar Road Cross Lane, Besides L.I.C. Bldg. Valsad-396 001. Ph.: (02632) 243280. Mo.: 99250 49280

Mohan Kalyan PatelReg. Date :30/09/2022Male/77 YearsLab. No114758-18

Sample No \*2579\*

Ref. Dr.

Dr. POOJA D TANDEL MD MEDICINE VIBRANT HOSPITAL VAP1

#### HEMATOLOGY REPORT

	<u> </u>	LUGI	<u> KEPUKI</u>
Test	Result	Unit	Ref. Range
Haemoglobin:	<u>12.8</u>	g/dL	13.0 - 17.0 g/dL
Total Leucocyte Count:	7120	$X~10^3$ / $\mu L$	4000 - 10000 /uL
Differential Count			
Neutrophils:	59	%	40-80
Eosinophils:	02	%	1.0-6.0
Basophils:	00	%	<1-2
Lymphocytes:;	31	%	M: 20-40; F: 20-40
Monocytes:	08	%	2-10
Neutrophils Absolute Count:	4.07	$X~10^3$ / $\mu L$	2.0-7.0
Eosinophils Absolute Count:	0.18	$X~10^3$ / $\mu L$	0.02-0.50
Basophils Absolute Count:	0.07	$X~10^3$ / $\mu L$	0.02-0.10
Lymphocytes Absolute Count:	2.21	$X~10^3$ / $\mu L$	1.0-3.0
Monocytes Absolute Count:	0.59	$X~10^3$ / $\mu L$	0.2-1.0
Total RBC Count:	<u>4.48</u>	X 106 / μL	M: 4.5-5.5; F: 3.9-4.8
Hematocrit (HCT):	<u>38.1</u>	%	42 - 52 %
MCV:	85.0	fL	83 - 101
MCH:	28.6	pg	27-32
MCHC:	33.6	g/dL	31.5 - 34.5
RDW-SD:	<u>44.9</u>	fL	39 - 46
RDW-CV:	12.8	%	11.6 - 14.0
Platelets Count:	259000	/µL	150000 - 400000
Plateletcrit (PCT):	0.263	%	
Mean Platelet Volume	10.2	fL	
Malaraial Parasite	M.P. are not	seen	

Method: Fully automated bidirectional interfaced analyser (6 Part Differential SYSMEX XN-1000).

LAB USE ONLY (Enter Date/Time:30/09/2022 2:42:00 PM) ( Verify Date/Time:30/09/2022 3:35:00 PM)



Mohan Kalyan Patel Male/77 Years Reg. Date : Lab. No 30/09/2022 114758-18

Sample No

\*2579\*

Ref. Dr.

Dr. POOJA D TANDEL MD MEDICINE VIBRANT HOSPITAL VAP1

## BIOCHEMISTRY REPORT

Test	Result	Unit	Ref. Range	
S.Creatinine:	0.91	mg/dL	0.60 - 1.30 mg/dL	

LAB USE ONLY (Enter Date/Time:30/09/2022 2:34:00 PM) (Verify Date/Time:30/09/2022 2:34:00 PM)



 Mohan Kalyan Patel
 Reg. Date :
 30/09/2022

 Male/77 Years
 Lab. No
 114758-18

Sample No

\*2579\*

Ref. Dr.

Dr. POOJA D TANDEL MD MEDICINE VIBRANT HOSPITAL VAP1

# **SERUM ELECTROLYTES**

Test	Result	Unit	Ref. Range
S. Sodium:	141.6	mmol/L	135 - 145 mmol/L
S. Potassium:	4.71	mmol/L	3.5 - 5.3 mEq/L
S. Chloride:	104.6	mmol/L	97 - 110 mmol/L

LAB USE ONLY (Enter Date/Time:30/09/2022 1:20:00 PM) ( Verify Date/Time:30/09/2022 1:20:00 PM)



Mohan Kalyan PatelReg. Date :30/09/2022Male/77 YearsLab. No114758-18

Sample No

\*2579\*

Ref. Dr.

Dr. POOJA D TANDEL MD MEDICINE VIBRANT HOSPITAL VAP1

## TROPONIN - T hs TEST REPORT

Test	Result	Unit	Ref. Range
S. Troponin - T hs	<0.10	ng/ml	0.01ng/mL

LAB USE ONLY (Enter Date/Time:30/09/2022 1:40:00 PM) ( Verify Date/Time:30/09/2022 1:40:00 PM)



Mohan Kalyan Patel Male/77 Years Reg. Date : 30/09/2022 Lab. No 114758-18

Sample No

\*2579\*

Ref. Dr.

Dr. POOJA D TANDEL MD MEDICINE VIBRANT HOSPITAL VAP1

## CPK - MB

Test	Result	Unit	Ref. Range
S. CPK - MB:	5.77	U/L	up to 24 U/L

LAB USE ONLY (Enter Date/Time:30/09/2022 2:09:00 PM) ( Verify Date/Time:30/09/2022 2:09:00 PM)



Mohan Kalyan PatelReg. Date :30/09/2022Male/77 YearsLab. No114758-18

Sample No

\*2579\*

Ref. Dr.

Dr. POOJA D TANDEL MD MEDICINE VIBRANT HOSPITAL VAP1

## URINE REPORT

Test	Result	Unit	Ref. Range
PHYSICAL EXAMINATION			
QUANTITY	20	mL	500 - 2000/24 HRS
COLOUR APPEARANCE	Colourless Clear	Clear	
REACTION(PH)	6.0		4.6 - 8.0
SPECIFIC GRAVITY	1.010		1.005 - 1.030
CHEMICAL EXAMINATION			
URINE ALBUMIN	Nil		Absent
URINE SUGAR(Qualitative)	Nil		Absent
KETONES	Absent		Absent
BILE SALTS	Absent		Absent
BILE PIGMENTS	Absent		Absent
UROBILOGEN	Normal		Normal
BLOOD	Absent		Absent
MICROSCOPIC EXAMINATION			
PUS CELLS/HPF	1 - 2 / HPF	/HPF	1 - 5
RED BLOOD CELLS/HPF	Absent	/HPF	0 - 2/hpf
EPITHELIAL CELLS/HPF	1 - 2 / HPF	/HPF	
CASTS/LPF	Absent		
CRYSTALS BACTERIA YEAST NOTE REMARK	Absent ABSENT Absent		
URI			

LAB USE ONLY (Enter Date/Time:30/09/2022 1:33:00 PM) ( Verify Date/Time:30/09/2022 2:28:00 PM)



Mohan Kalyan PatelReg. Date :30/09/2022Male/77 YearsLab. No114758-18

Sample No \*2579\*

Ref. Dr.

Dr. POOJA D TANDEL MD MEDICINE VIBRANT HOSPITAL VAP1

## **N Terminal PRO BNP REPORT**

<u>Test</u> <u>Result</u> <u>Unit</u> <u>Normal Range</u>

NT PROBNP: 1266.84 pg/ml

N terminal B type Natriuretic Perptide) < 44 years - 116 pg/mL

45-54 years - UP TO 170.0 55-64 years - UPTO 270.0 65-74 years - UPTO 350.0 > 75 years - UPTO 449

Method :- Immunoflouroscence Assay

LAB USE ONLY (Enter Date/Time:30/09/2022 1:57:00 PM) ( Verify Date/Time:30/09/2022 1:57:00 PM)