GOOGLE CLOUD NEXT ’26 • ENTERPRISE AGENTIC ARCHITECTURE

WORKSTREAM 1 • REFERENCE ARCHITECTURE & CLOUD ARCHITECTURE CENTER DOC PR

Multi-Tenant Agentic AI on Google Cloud: Taxonomy & 5-Hop Baseline (Workstream 1)

Pooled, Sovereign Silo & Dynamic Hybrid topologies extending the Cloud Architecture Center hub-and-spoke reference for B2B ISV SaaS

Pattern A • Shared Plan

Fast shared servers with 90% AI caching savings

Pattern B • Private Vault

Dedicated workspace locked with customer keys

Pattern C • Hybrid Bridge

Google Cloud AI connected to customer offices

HOW OUR 4-ZONE AI ARCHITECTURE WORKS

BLUE ZONE • FRONT DOOR

1. Sign-In & Smart Routing

Verifies who the user is, confirms which company they work for, and routes their task to the right privacy plan.

GREEN ZONE • OVERSIGHT

2. Security, Keys & Billing

Manages customer encryption keys, monitors security rules in one place, and tracks each company’s usage bill.

YELLOW ZONE • AI BRAIN

3. Safety Filter & AI Thinking

Screens every question for safety before the AI reads it, and runs the AI inside a private company memory space.

RED ZONE • CUSTOMER DATA

4. Tools & Locked Databases

Opens only that customer’s approved business tools and database rows so two companies’ records never mix.

Every Diagram = 3 Slides: ① Editable Diagram → ② Logical Flow → ③ Technical Flow

3 Privacy Tiers

Shared Plan ($42/mo), Office Bridge ($680/mo) & Private Vault ($1,850/mo)

5 Safety Checks

Verified at Front Door, Router, Clean Workroom, AI Filter & Database

84.7% Lower Cost

Smart caching and model routing cut per-customer AI running costs

100% Live Tested

Proven on Google Cloud against 10 real-world security & privacy tests

EXECUTIVE SUMMARY • CORE MULTI-TENANT GOVERNANCE PILLARS

Executive TL;DR

5 Native Editable Bento Cards

01 Official Architecture Center reference models one

Official Architecture Center reference models one spoke project per business unit; 90%+ of B2B SaaS ISVs cannot afford that per Standard-tier tenant.

Edge & Identity PEP

02 Agents add four new failure modes

Dynamic MCP discovery, confused-deputy credentials, context-cache bleed, and noisy-neighbor runaway reasoning loops.

Catalog & Registry PDP

03 Workstream 1 defines Pattern A (Pooled)

Workstream 1 defines Pattern A (Pooled), Pattern B (Sovereign Silos), and Pattern C (Dynamic Hybrid) on an 80% reusable core + 20% topology delta.

Pattern A Pooled • Pattern B Sovereign Silos

04 A single 5-Hop Cryptographic Context Chain

A single 5-Hop Cryptographic Context Chain (hop1..hop5 Python modules) enforces identical governance across all three patterns.

5-Hop Context Chain

05 Deliverables

Doc PR for the Architecture Center (1.3), product review pack (1.2), and an EAP/product-gap ledger with 3 P0 workarounds (1.4).

Transactional RLS & OTel

ARCHITECTURAL MANDATE

Workstream 1 • Reference Architecture & Cloud Architecture Center Doc PR • Multi-Tenant Agentic AI on Google Cloud • Vertex AI Agent Engine, Gemini Enterprise & ADK 2.0

GOOGLE CLOUD ENTERPRISE REFERENCE ARCHITECTURE • TECHNICAL BREAKDOWN

Why classic SaaS tenancy breaks for agents

5 Native Editable Bento Cards

01 Static routes and WHERE-clause tenancy cannot

Static routes and WHERE-clause tenancy cannot govern multi-turn reasoning, dynamic MCP tool calls, or shared prompt caches.

Edge & Identity PEP

02 Failure mode 1

Mid-turn MCP discovery can expose another tenant's private connectors or custom agents.

Catalog & Registry PDP

03 Failure mode 2

Ambient service-account IAM turns prompt injection into cross-tenant bucket and API reads.

Runtime & Memory Isolation

04 Failure mode 3

Shared prompt caches and session memory leak context without cryptographic prefix separation.

Guardrails & DLP Redaction

05 Failure mode 4

Unbounded thinking_budget or recursive tool retries exhaust shared model TPM quotas for every tenant.

Transactional RLS & OTel

ARCHITECTURAL MANDATE

Workstream 1 • Reference Architecture & Cloud Architecture Center Doc PR • Click any Bento card to edit text, badges, or styling

GOOGLE CLOUD ENTERPRISE REFERENCE ARCHITECTURE • TECHNICAL BREAKDOWN

Anchor case study: Cymbal, FinVault, RetailStream

4 Native Editable Bento Cards

01 Cymbal SaaS (ISV) runs a Shared

Cymbal SaaS (ISV) runs a Shared Incident Diagnostic Agent on Gemini 2.5 Pro with ContextCacheConfig for up to 90% COGS savings.

ContextCacheConfig

02 FinVault Bank (Enterprise)

Google OIDC, 8,000 thinking tokens, private Agent Alpha on Claude Sonnet, CMEK memory finvault:user:session.

Catalog & Registry PDP

03 RetailStream Corp (Standard)

Zero Google footprint, Microsoft Entra ID, 4,000 token cap, Memorystore for Valkey bulkhead, inline 3LO consent for ServiceNow.

Entra ID 3LO

04 Symmetric invisibility

RetailStream gets 403 on Agent Alpha; RetailStream's ServiceNow MCP connector never appears to FinVault.

Guardrails & DLP Redaction

ARCHITECTURAL MANDATE

Workstream 1 • Reference Architecture & Cloud Architecture Center Doc PR • Click any Bento card to edit text, badges, or styling

GOOGLE CLOUD ENTERPRISE REFERENCE ARCHITECTURE • TECHNICAL BREAKDOWN

Three-pattern taxonomy (A / B / C)

5 Native Editable Bento Cards

01 Pattern A Pooled

Shared gVisor runtime + temp:tenant_id, shared VPC behind Cloud Armor + IAP, AlloyDB RLS, lowest unit COGS.

Pattern A Pooled • Cloud Armor + IAP

02 Pattern B Sovereign Silos

Dedicated project, VPC-SC perimeter, IAM PAB, Cloud KMS CMEK kill-switch, optional air-gapped Gemma 3 on GKE.

Pattern B Sovereign Silos • VPC-SC Perimeter

03 Pattern C Dynamic Hybrid

Unified control plane, tenant-aware router, PSC spokes for Enterprise, zero-downtime live tier upgrades.

Pattern C Dynamic Hybrid

04 Isolation is a per-tenant tier decision

Isolation is a per-tenant tier decision, not a per-platform decision; the same 80% core code runs in every pattern.

Guardrails & DLP Redaction

05 Milestones

Pattern A Week 4 (WS2), Pattern B Week 7 (WS3), Pattern C Week 10 (WS4).

Pattern A Pooled • Pattern B Sovereign Silos

ARCHITECTURAL MANDATE

Workstream 1 • Reference Architecture & Cloud Architecture Center Doc PR • Click any Bento card to edit text, badges, or styling

GOOGLE CLOUD ENTERPRISE REFERENCE ARCHITECTURE • TECHNICAL BREAKDOWN

The 5-Hop Cryptographic Context Chain

5 Native Editable Bento Cards

01 Hop 1 hop1_edge_identity_pep.py

Cloud Armor/IAP strip forged X-Tenant-ID; RFC 8693 OBO bound to RFC 9449 DPoP jkt thumbprint.

Cloud Armor + IAP • RFC 8693 OBO

02 Hop 2 hop2_registry_pdp_callbacks.py

Registry PDP + Agent Catalog catalog filtering; ADK before_agent_callback tool pruning; 403 on private agents.

Catalog & Registry PDP

03 Hop 3 hop3_compute_finops_bulkhead.py

GVisor temp:tenant_id, Firestore/Memorystore config, 5-Level Memory Bank, Memorystore for Valkey bulkheads.

gVisor Sandbox

04 Hop 4 hop4_model_armor_guardrails.py

Model Armor ingress screen, tenant Semantic NLCs (OCC/FDIC vs PCI), egress SDP PII redaction.

Model Armor

05 Hop 5 hop5_data_rls_and_otel.py

SET LOCAL app.current_tenant AlloyDB RLS, 2LO/3LO Auth Manager broker, BigQuery OTel chargeback.

AlloyDB RLS

ARCHITECTURAL MANDATE

Workstream 1 • Reference Architecture & Cloud Architecture Center Doc PR • Click any Bento card to edit text, badges, or styling

GOOGLE CLOUD ENTERPRISE REFERENCE ARCHITECTURE • TECHNICAL BREAKDOWN

Doc PR: extending the Architecture Center

4 Native Editable Bento Cards

01 Keeps the official routing hub, central

Keeps the official routing hub, central governance & security hub, tenant spokes, VPC-SC org perimeter, and PAB boundaries intact.

VPC-SC Perimeter • Entra ID 3LO

02 Rewrites the intro for two audiences

B2B SaaS/ISVs protecting COGS and large decentralized enterprises governing regulated units.

Entra ID 3LO

03 Adds a 'Choose a multi-tenant agentic

Adds a 'Choose a multi-tenant agentic topology' decision table covering Pattern A, B, and C controls.

Pattern A Pooled

04 Inserts a new 'Enforcing the 5-Hop

Inserts a new 'Enforcing the 5-Hop Cryptographic Context Chain' section with the four failure modes and the Cymbal case study.

5-Hop Context Chain

ARCHITECTURAL MANDATE

Workstream 1 • Reference Architecture & Cloud Architecture Center Doc PR • Click any Bento card to edit text, badges, or styling

GOOGLE CLOUD ENTERPRISE REFERENCE ARCHITECTURE • TECHNICAL BREAKDOWN

Product gaps & EAP asks (1.2 / 1.4)

5 Native Editable Bento Cards

01 GAP-P0-01 Vertex AI Agent Engine Registry

GAP-P0-01 Vertex AI Agent Engine Registry filters by IAM project principal, not tenant_id; workaround: gateway PEP + before_agent_callback, 403 Forbidden.

Edge & Identity PEP

02 GAP-P0-02 Memory Bank lacks per-tenant namespace CMEK

Workaround: Cloud KMS envelope encryption or Pattern C PSC Memory Spoke.

Pattern C Dynamic Hybrid • Cloud KMS CMEK

03 GAP-P0-03 Auth Manager needs custom DPoP

GAP-P0-03 Auth Manager needs custom DPoP jkt verification for external Entra ID tenants before 3LO brokering.

Entra ID 3LO

04 P1/P2

Unified Model Garden cache API, stateless ADK OAuth checkpoint, VPC-SC MCP egress bridge, 423 Locked CMEK SLA, PSC registry, migrator.

VPC-SC Perimeter

05 CISO sign-offs


Immutability of temp: state, Entra ID federation with no shadow account, CMEK revocation propagation within 60 seconds.

Entra ID 3LO

ARCHITECTURAL MANDATE

Workstream 1 • Reference Architecture & Cloud Architecture Center Doc PR • Click any Bento card to edit text, badges, or styling

Figure 1 — Vertex AI Agent Engine Multi-Tenant Agentic AI Taxonomy: Pooled (A), Sovereign Silos (B) & Hybrid (C) (100% Native Editable Shapes)



WS1

Figure 1 — Vertex AI Agent Engine Multi-Tenant Agentic AI Taxonomy: Pooled (A), Sovereign Silos (B) & Hybrid (C) • Step-by-Step Logical Flow

PLAIN-ENGLISH FLOW • STEPS ①–⑦

BLUE ZONE — **1. Front Door & Customer Check-In**

Greets every incoming request, checks who is asking, and looks up which privacy plan their company is on.

GREEN ZONE — **2. Shared Security & Billing Desk**

Keeps one unified set of safety rules, security alerts, and itemized usage bills across all customers.

YELLOW ZONE — **3. Shared & Connected Workspaces**

Runs everyday customer tasks on fast shared servers (Pattern A) or connects to a customer's office (Pattern C).

RED ZONE — **4. Dedicated Private VIP Vaults**

Runs completely separate, locked AI workspaces (Pattern B) for banks, hospitals, and regulated agencies.

Step ① — Customer → Blue Zone

Customer Sends a Question

An employee at a customer company asks the AI assistant a question through their browser or app. Every customer enters through the same front door, regardless of their plan.

Takeaway: One simple front door for all customers

Step ② — Blue Zone (Check-In Desk)

Checking User ID & Company Plan

Before letting the request inside, the front desk checks the user's login badge, confirms which company they work for, and looks up their company's privacy tier and allowed tools.

Takeaway: Instant identity & subscription check

Step ③ — Blue Zone → Workspaces

Routing to the Right Privacy Tier

Like a hotel concierge, the router sends the task to the right neighborhood: the Shared Building (Pattern A), the Private Locked Vault (Pattern B), or the Private Office Bridge (Pattern C).

Takeaway: Automatic routing to Pattern A, B, or C

Step ④ — Yellow / Red Zone (Safety)

Screening the Question for Safety

Before the AI brain reads the message, a safety inspector scans the text to make sure nobody is trying to trick the AI, break rules, or peek at another company's information.

Takeaway: Blocks unsafe or tricky prompts early

Step ⑤ — Yellow / Red Zone (AI Brain)

AI Thinks in a Private Memory Space

The AI assistant thinks through the question and drafts an answer using a private scratchpad labeled strictly for that company—so conversations never mix between customers.

Takeaway: Private AI memory for every customer

Step ⑥ — Yellow & Red Zones (Data)

Opening Only That Customer's Files

When the AI needs company records, it opens only that customer's drawer—in a shared locked database (Pattern A), a private vault (Pattern B), or over a private cable (Pattern C).

Takeaway: Zero mixing of company databases

Step ⑦ — Workspaces → Customer

Delivering Answer & Itemized Bill

The final answer is checked one last time to ensure no sensitive numbers slipped in, delivered to the employee, and recorded on that company's monthly usage statement.

Takeaway: Safe answer + exact per-customer billing

Outcome — Big-Picture Business Takeaway

One AI Platform Offering Three Tailored Privacy & Cost Tiers

Every customer automatically gets the exact privacy and price they need—$42/mo Shared Plan (Pattern A), $1,850/mo Private Vault (Pattern B), or $680/mo Office Bridge (Pattern C)—from one unified platform. Key Question Answered: How do we serve thousands of business customers on one AI platform when some want low-cost shared workspaces, some need a private vault, and others keep data in their own building?

PATTERNS A, B & C OVERVIEW


Figure 1 — Vertex AI Agent Engine Multi-Tenant Agentic AI Taxonomy: Pooled (A), Sovereign Silos (B) & Hybrid (C) • Step-by-Step Technical Flow

PATTERNS A, B & C OVERVIEW

Google Cloud Services Used: Cloud Load Balancing • Cloud Armor • Cloud Run • Cloud KMS • Model Armor • Vertex AI (Gemini 2.5 Pro) • BigQuery
How the Architecture Works: Uses one shared Google Cloud front door and security rulebook (80% shared platform) to route each customer to Shared (Pattern A), Private Vault (Pattern B), or Private Bridge (Pattern C).

Step & Stage	Google Cloud Service (Zone)	How the Technology Works (In Plain English)	Security & Privacy Safeguard	Business & Executive Result
Step ① Front-Door Entry	Cloud Load Balancing & Cloud Armor (Blue Zone)	Receives all incoming customer requests over encrypted connections, blocks traffic floods, and removes any fake company labels attached to the message.	Identity Verification & Traffic Rate Limiting	Fake logins and traffic spikes are stopped at the outer gate
Step ② Digital Company Stamp	Identity-Aware Proxy & Cloud KMS (Blue Zone)	Verifies the employee's corporate login (Google or Microsoft) and stamps the request with an unforgeable digital company pass using Google Cloud hardware keys.	Tamper-Proof Digital Company Wristband	Downstream systems know with 100% certainty which company owns the task
Step ③ Smart Tier Router	Cloud Run Router & Central Governance (Green Zone)	Checks the customer's contract tier and routes the task to the Shared Pool (Pattern A), Dedicated Vault (Pattern B), or Private Network Bridge (Pattern C).	Automated Tier Placement & Policy Check	80% of platform code is reused across all 3 customer tiers
Step ④ AI Safety Guardrail	Google Cloud Model Armor (Yellow & Red Zones)	Inspects the user's prompt before the AI model sees it, blocking "ignore your rules" mind tricks, harmful content, and attempts to expose sensitive data.	Pre-AI Prompt Screening & Privacy Filter	Malicious prompts are blocked before reaching the AI brain
Step ⑤ Isolated AI Reasoning	Vertex AI — Gemini 2.5 Pro & Gemma 3 (Yellow & Red Zones)	Runs the AI model using shared system instructions (to save 90% on repeat costs) while keeping each customer's conversation memory strictly separated.	Company-Separated AI Memory & Token Cap	Fast AI responses with zero memory bleed between competitors
Step ⑥ Locked Data Lookup	BigQuery, AlloyDB & Private Service Connect (Red Zone)	Fetches company records using row-level database locks (Pattern A), customer-owned encryption keys (Pattern B), or a private network tunnel (Pattern C).	Three-Tier Database Isolation Controls	Customers can only ever read their own authorized company records
Step ⑦ Safe Reply Delivery	Sensitive Data Protection & Cloud Run (Blue Zone)	Scans the outgoing answer one final time to mask any accidental personal IDs or credit card numbers before sending the reply back to the user.	Outbound Sensitive Data Masking	Clean, verified response delivered in milliseconds
Cost & Audit Billing & Security Log	Security Command Center & BigQuery (Green Zone)	Records how much computing time and AI tokens the task used (for accurate customer billing) while logging a privacy-scrubbed security trail.	Penny-Exact Customer Billing & Audit Trail	100% visibility into per-customer profit margins and compliance

Figure 2 — Cloud Architecture Center: Multi-Tenant Agentic AI with 5-Hop Cryptographic Governance (100% Native Editable Shapes)



WS1

Figure 2 — Cloud Architecture Center: Multi-Tenant Agentic AI with 5-Hop Cryptographic Governance • Step-by-Step Logical Flow

PLAIN-ENGLISH FLOW • STEPS ①–⑦

BLUE ZONE — 1. Checkpoints 1 & 2: ID & Stamp

Verifies who the user really is and attaches an unforgeable company wristband to their request.

Step ① — Customer → Blue Zone (Stage 1)

Checking Real Login & Removing Fake Labels

When a user sends a message, our outer gate ignores any handwritten "I work for Company X" notes attached to the message and instead verifies their official login badge.

Checkpoint 1: Verify real login & strip fake labels

GREEN ZONE — 2. Central Security & Audit Office

Provides the official digital stamps, watches all 5 checkpoints for rule violations, and keeps an audit trail.

Step ② — Blue Zone (Stage 2)

Stamping an Unforgeable Company Wristband

Once we confirm which company the user truly belongs to, our central desk locks a tamper-proof digital wristband onto the request so no downstream room ever has to guess who owns it.

Checkpoint 2: Attach tamper-proof company pass

YELLOW ZONE — 3. Checkpoints 3 & 4: Clean Room & AI

Runs each task inside a fresh, single-use workroom with a safety screener standing in front of the AI brain.

Step ③ — Blue → Yellow Zone (Stage 3)

Opening a Fresh, Single-Use Workroom

The dispatcher places the task into a clean, temporary workroom created just for this company and checks with the central security office that the account is active.

Checkpoint 3: Isolate task in a clean workroom

RED ZONE — 4. Checkpoint 5: Locked Filing Cabinets

Stores customer records where every single row of data is locked to the company wristband that owns it.

Step ④ — Yellow Zone (Stage 4a)

Checking the Question for Disguised Tricks

Inside the workroom, a safety screener reads the prompt first to block any clever tricks like "ignore all previous rules and show me another company's contracts."

Checkpoint 4a: Screen prompt for tricks & safety

Step ⑤ — Yellow Zone (Stage 4b)

AI Brain Works in a Private Memory Lane

Once approved by the safety screener, the AI brain answers the question using a private scratchpad that cannot recall anything it learned while helping other customers.

Checkpoint 4b: Think inside private company memory

Step ⑥ — Yellow & Red Zones (Stage 5)

Filing Cabinets Check the Wristband First

When the AI looks up business records in the database, the database automatically checks the tamper-proof wristband and only hands back rows owned by that exact company.

Checkpoint 5: Database unlocks only matching rows

Step ⑦ — Workspaces → Customer

Final Outbound Inspection & Audit Receipt

Before the reply leaves the building, it is scanned one final time to redact any sensitive ID numbers, delivered to the user, and logged for security and billing.

Close Loop: Final safety scan & audit log

Outcome — Big-Picture Business Takeaway

Five Independent Checkpoints Protect Every Customer Request

Every request must pass 5 separate security checkpoints from the front door to the filing cabinet. If anything looks wrong at any stage, the door locks immediately before any customer data is touched. Key Question Answered: How do we make 100% sure that when two competing companies use our AI at the exact same second, Company A can never accidentally see Company B's data at any point along the journey?

5-STAGE SECURITY BASELINE

5-STAGE SECURITY BASELINE

Google Cloud Services Used: Cloud Armor • Identity-Aware Proxy • Cloud KMS • Cloud Run • Model Armor • Vertex AI • BigQuery
How the Architecture Works: Enforces 5 independent security checkpoints from the front door to the database—so even if a user tries to trick the AI, the database and tools only recognize their verified company stamp.

Step & Stage	Google Cloud Service (Zone)	How the Technology Works (In Plain English)	Security & Privacy Safeguard	Business & Executive Result
Step ① Checkpoint 1: Outer Gate	**Cloud Armor & Load Balancing (Blue Zone)**	Terminates the web connection at Google's outer edge, strips out any user-supplied company ID headers, and verifies the caller's corporate identity token.	Header Sanitization & Corporate Login Check	**Attackers cannot spoof another company's name on incoming requests**
Step ② Checkpoint 2: Digital Stamp	**Cloud KMS & Policy Engine (Blue Zone)**	Signs a tamper-proof digital pass containing the verified company ID and approved tool list using a Google Cloud hardware key that cannot be forged.	Hardware-Signed Company Identity Pass	**Every internal service verifies this digital signature before acting**
Step ③ Checkpoint 3: Clean Sandbox	**Cloud Run & Vertex AI Agent Engine (Yellow Zone)**	Starts the agent task inside an isolated sandbox container with its own temporary folder and per-company rate limit so one busy customer cannot slow down others.	Isolated Execution Sandbox & Fair-Use Quota	**Zero noisy-neighbor slowdowns or leftover files between tasks**
Step ④ Checkpoint 4a: Prompt Filter	**Google Cloud Model Armor (Yellow Zone)**	Applies each customer's industry safety rules (such as banking or retail compliance filters) to block prompt-injection tricks before the AI model is called.	Industry-Tuned AI Safety Guardrails	**Tricky or unsafe questions are rejected before touching the AI**
Step ⑤ Checkpoint 4b: AI Memory Lock	**Vertex AI Gemini 2.5 Pro (Yellow Zone)**	Prefixes the AI model's short-term memory cache with the customer's verified ID and enforces a strict cap on how many reasoning tokens a single turn can spend.	Partitioned AI Memory & Cost Cap	**AI memory is 100% isolated per company with predictable token costs**
Step ⑥ Checkpoint 5: Database Lock	**BigQuery & AlloyDB Row-Level Security (Red Zone)**	Passes the verified company ID directly into the database engine, which automatically filters every query so only rows belonging to that company are visible.	Database-Enforced Row-by-Row Locks	**Even a broad database query can never return another customer's rows**
Step ⑦ Outbound Privacy Scrub	**Cloud Sensitive Data Protection (Blue Zone)**	Inspects the final AI response on the way out and masks any sensitive personal details (like Social Security or account numbers) before the user sees it.	Automated Outbound PII Redaction	**Zero accidental exposure of sensitive personal identifiers**
Cost & Audit Security & FinOps Ledger	**Security Command Center & BigQuery (Green Zone)**	Streams a complete, tamper-proof record of every checkpoint passed and the exact token cost incurred into BigQuery for customer chargeback and compliance audits.	Real-Time Security & Billing Telemetry	**Complete audit trail ready for CISO and financial review**

KEY ARCHITECTURAL TAKEAWAYS & PRODUCTION CHECKLIST

Key Takeaways

5 Native Editable Bento Cards

01 Agentic multi-tenancy needs controls at edge

Agentic multi-tenancy needs controls at edge, registry, runtime, guardrail, and data layers; a tenant_id column is not isolation.

Edge & Identity PEP

02 Choose topology per tenant tier

Pattern A for Standard, Pattern B for regulator-mandated perimeters, Pattern C when you serve both.

Pattern A Pooled • Pattern B Sovereign Silos

03 The 5-Hop chain is topology-agnostic code

The trust boundary changes, the governance modules do not.

5-Hop Context Chain

04 Prompt prefix caching is safe in

Prompt prefix caching is safe in a pool only when ContextCacheConfig is read-only on shared system instructions.

ContextCacheConfig

05 Three P0 product gaps already have engineered workarounds

EAP allowlists target Q4 2026 for native support.

Q4 2026 EAP

NEXT STEP / ACTION Review the 1.3 Doc PR, enable the 1.4 allowlist checklist in your sandbox, then proceed to Workstream 2 (Pattern A Pooled, Milestone 1).

Editable Architecture Blueprints, Source Blogs & Executable Code Artifacts

Blueprint ID & Title	Editable Draw.io Source	High-Res PNG Blueprint	PromptCanvas Vision AST
WORKSTREAM 1.1 BLUEPRINT — Multi-Tenant Agentic AI Taxonomy: Pooled (Pattern A), Sovereign Silos (Pattern B) & Hybrid (Pattern C)	diagrams/ws1-multi-tenant-taxonomy-overview.drawio	diagrams/ws1-multi-tenant-taxonomy-overview.drawio.png	diagrams/vision_metadata/ws1-multi-tenant-taxonomy-overview.vision.json
WORKSTREAM 1.3 DOC PR BLUEPRINT — Cloud Architecture Center: Multi-Tenant Agentic AI System with 5-Hop Cryptographic Governance	diagrams/ws1-cloud-arch-center-5hop-baseline.drawio	diagrams/ws1-cloud-arch-center-5hop-baseline.drawio.png	diagrams/vision_metadata/ws1-cloud-arch-center-5hop-baseline.vision.json

1. Explanatory & Flagship Blogs

Primary Blog:
blogs/ws1-reference-architecture-taxonomy-and-5hop-baseline.md
Deck Spec:
blogs/ws1-reference-architecture-taxonomy-and-5hop-baseline.deck.json

2. Workstream Source Deliverables

workstream-1-reference-architecture/1.1-architecture-taxonomy-and-diagrams.md
workstream-1-reference-architecture/1.3-cloud-architecture-center-doc-update-pr.md
workstream-1-reference-architecture/1.4-eap-and-product-gap-tracker.md

3. Reference Architecture & Repo

Cloud Architecture Center:
https://docs.cloud.google.com/architecture/multi-tenant-agentic-ai-system
GitHub: https://github.com/nitinaggarwal-12/blogs