SQL Worksheet   ⊘ Clear   ⚲ Find   Actions ∨   🖫 Save   Run ▶

```sql
1  create table Orders(Ord_num number(4),Ord_amount number(5),Advance_amount number(5),Ord_date varchar(25),Cust_code varchar(4),Agent_code varchar(5),Descriptions varchar(20));
2  insert into Orders(Ord_num,Ord_amount,Advance_amount,Ord_date,Cust_code,Agent_code,Descriptions)values(004,200,3000,'15-aug-2020','C004','Ac001','Masala Kulcha');
3  insert into Orders(Ord_num,Ord_amount,Advance_amount,Ord_date,Cust_code,Agent_code,Descriptions)values(007,600,5000,'17-sept-2020','C006','Ac003','Biryani');
4  insert into Orders(Ord_num,Ord_amount,Advance_amount,Ord_date,Cust_code,Agent_code,Descriptions)values(008,700,100,'19-feb-2019','C007','Ac005','Biryani');
5  insert into Orders(Ord_num,Ord_amount,Advance_amount,Ord_date,Cust_code,Agent_code,Descriptions)values(009,10000,600,'21-march-2010','C009','Ac002','Masala Dosa');
6  insert into Orders(Ord_num,Ord_amount,Advance_amount,Ord_date,Cust_code,Agent_code,Descriptions)values(010,20,600,'21-april-2012','C006','Ac005','Chicken Tikka');
7  select * from Orders;
8  desc Orders;
9  select Descriptions from Orders;
10 select Ord_num,Cust_code from orders;
11 Delete from Orders where Ord_num=10;
12 select * from Orders;
13
```

1 row(s) inserted.

1 row(s) inserted.

1 row(s) inserted.

ORD_NUM	ORD_AMOUNT	ADVANCE_AMOUNT	ORD_DATE	CUST_CODE	AGENT_CODE	DESCRIPTIONS
4	200	3000	15-aug-2020	C004	Ac001	Masala Kulcha

Live SQL

SQL Worksheet

Feedback ⑦ Help cs21b2022@iiitdm.ac.in ∨

Clear Find Actions ∨ Save Run ▶

Table created.

1 row(s) inserted.

1 row(s) inserted.

1 row(s) inserted.

1 row(s) inserted.

1 row(s) inserted.

ORD_NUM	ORD_AMOUNT	ADVANCE_AMOUNT	ORD_DATE	CUST_CODE	AGENT_CODE	DESCRIPTIONS
4	200	3000	15-aug-2020	C004	Ac001	Masala Kulcha
7	600	5000	17-sept-2020	C006	Ac003	Biryani
8	700	100	19-feb-2019	C007	Ac005	Biryani
9	10000	600	21-march-2010	C009	Ac002	Masala Dosa
10	20	600	21-april-2012	C006	Ac005	Chicken Tikka

SQL Worksheet

Clear Find Actions Save Run

Download CSV

5 rows selected.

TABLE ORDERS

Column	Null?	Type
ORD_NUM	-	NUMBER(4,0)
ORD_AMOUNT	-	NUMBER(5,0)
ADVANCE_AMOUNT	-	NUMBER(5,0)
ORD_DATE	-	VARCHAR2(25)
CUST_CODE	-	VARCHAR2(4)
AGENT_CODE	-	VARCHAR2(5)
DESCRIPTIONS	-	VARCHAR2(20)

Download CSV

SQL Worksheet   ⬦ Clear   🔍 Find   Actions ⌄   💾 Save   Run ▶

7 rows selected.

DESCRIPTIONS
Masala Kulcha
Biryani
Biryani
Masala Dosa
Chicken Tikka

Download CSV

5 rows selected.

ORD_NUM	CUST_CODE
4	C004
7	C006

Download CSV

5 rows selected.

ORD_NUM	CUST_CODE
4	C004
7	C006
8	C007
9	C009
10	C006

Download CSV

5 rows selected.

1 row(s) deleted.

Live SQL

SQL Worksheet

⬦ Clear   ⚲ Find   Actions ⌄   🖫 Save   **Run ▶**

10	C006

Download CSV

5 rows selected.

1 row(s) deleted.

ORD_NUM	ORD_AMOUNT	ADVANCE_AMOUNT	ORD_DATE	CUST_CODE	AGENT_CODE	DESCRIPTIONS
4	200	3000	15-aug-2020	C004	Ac001	Masala Kulcha
7	600	5000	17-sept-2020	C006	Ac003	Biryani
8	700	100	19-feb-2019	C007	Ac005	Biryani
9	10000	600	21-march-2010	C009	Ac002	Masala Dosa

Download CSV

4 rows selected.

OneDrive   ··· ✕

Screenshot saved

SQL Worksheet ⬦ Clear ✎ Find Actions ⌄ 🖫 Save **Run ▶**

```
1  create table Agents(Agent_code varchar(5),Agent_name varchar(25),Working_area varchar(25),Commision float(5),Phone_no number(24),Country varchar(20));
2  insert into Agents(Agent_code,Agent_name,Working_area,Commision,Phone_no,Country)values('Ac001','Ramesh','Bangalore',0.15,0331234567,'India');
3  insert into Agents(Agent_code,Agent_name,Working_area,Commision,Phone_no,Country)values('Ac002','Dinesh','Bangalore',0.25,0331234568,'');
4  insert into Agents(Agent_code,Agent_name,Working_area,Commision,Phone_no,Country)values('Ac003','Suresh','Mumbai',0.35,0331234569,'London');
5  insert into Agents(Agent_code,Agent_name,Working_area,Commision,Phone_no,Country)values('Ac004','Kamlesh','New jersey',0.68,0331234564,'');
6  insert into Agents(Agent_code,Agent_name,Working_area,Commision,Phone_no,Country)values('Ac005','Karthik','Chennai',0.73,0331234563,'India');
7  select * from Agents;
8  desc Agents;
9  select Commision,Phone_no from Agents;
10 Delete from Agents where Agent_name="Ramesh";
11 select * from Agents;
12
```

Table created.

1 row(s) inserted.

1 row(s) inserted.

1 row(s) inserted.

SQL Worksheet   ⬦ Clear   ⬚ Find   Actions ∨   ⬚ Save   Run ▶

Table created.

1 row(s) inserted.

1 row(s) inserted.

1 row(s) inserted.

1 row(s) inserted.

1 row(s) inserted.

| AGENT_CODE	AGENT_NAME	WORKING_AREA	COMMISION	PHONE_NO	COUNTRY
Ac001	Ramesh	Bangalore	.15	331234567	India
Ac002	Dinesh	Bangalore	.25	331234568	-
Ac003	Suresh	Mumbai	.35	331234569	London
Ac004	Kamlesh	New jersey	.68	331234564	-
Ac005	Karthik	Chennai	.73	331234563	India

Live SQL

SQL Worksheet

Download CSV

5 rows selected.

TABLE AGENTS

Column	Null?	Type
AGENT_CODE	-	VARCHAR2(5)
AGENT_NAME	-	VARCHAR2(25)
WORKING_AREA	-	VARCHAR2(25)
COMMISION	-	FLOAT(5)
PHONE_NO	-	NUMBER(24,0)
COUNTRY	-	VARCHAR2(20)

Download CSV

6 rows selected.

Getting Started 🌐 Booking.com 🌐 Express VPN 🔴 McAfee Security 🔵 Best Price on Vivo Y2T... 🌐 LastPass password ma... 🌐 LastPass

≡ ⬭ Live SQL

💬 Feedback ⑦ Help ⚇ cs21b2022@iiitdm.ac.in ⌄ ◼⬭

SQL Worksheet

⊘ Clear ⚲ Find Actions ⌄ 💾 Save Run ▶

Download CSV

6 rows selected.

COMMISION	PHONE_NO
.15	331234567
.25	331234568
.35	331234569
.68	331234564
.73	331234563

Download CSV

5 rows selected.

1 row(s) deleted.

Live SQL

Feedback ⑦ Help ⚇ cs21b2022@iiitdm.ac.in ⌄

SQL Worksheet

⊘ Clear · ⚲ Find · Actions ⌄ · 🖫 Save · Run ▶

.73	331234563

Download CSV

5 rows selected.

1 row(s) deleted.

AGENT_CODE	AGENT_NAME	WORKING_AREA	COMMISION	PHONE_NO	COUNTRY
Ac002	Dinesh	Bangalore	.25	331234568	-
Ac003	Suresh	Mumbai	.35	331234569	London
Ac004	Kamlesh	New jersey	.68	331234564	-
Ac005	Karthik	Chennai	.73	331234563	India

Download CSV

4 rows selected.

OneDrive ··· ✕

Screenshot saved