

Reliable cooling solutions...



...that ensure a healthy life

Over 1,50,000
satisfactory installations
in India

Life saving vaccinations must be stored under exacting conditions to ensure maximum efficacy. Celsius brings to India, reliable medical refrigeration products suitable for laboratories, hospitals, research institutions and for pharmaceutical, bio- medical & life sciences applications.

Medicine Coolers



- Features**
- External temperature controller • Optional digital controller with display • Multi-positional shelving system
 - Unique Top to Bottom view with minimal wastage of storage space

Medicine Upright Freezers



- Features**
- Temperature controller • Optional digital controller with display
 - 8 shelf + drawers in BFS 345S • 5 pull-out drawers in BFS-150

VESTFROST

Celfrost™

Low Temp Freezers



- Features**
- Digital Temperature Controller with display • Acoustic Alarm • Lock • Interior Light • Counter Balance PVC Laminated Steel LID • Steel Liner • Castors • CFC / HCFC Free • High Density Puff with Cyclopentane

Pharmacy Refrigerators & Freezers



- Features**
- Digital temperature controller with display • No frost • Door lock for safety • Energy efficient, self-closing doors
 - Lockable, swivel castors (optional) • Precise temperature • Easy to clean, 304-grade, stainless steel interior and exterior
 - Freely adjustable plastic-coated shelves • Removable door gasket for ease in cleaning

Technical Specifications

Model	Medicine Coolers				Medicine Freezers			Low Temp Freezers	Pharmacy Refrigerators/Freezers			
Specs	FKG 120	FKG 320	FKG 371*	FKS471*	BFS 345S*	BFS 345*	BFS 150	VT 327*	GN 650TN	GN1410TN	GN650BT	GN1410BT
Capacity (ltrs.)	120	320	381	361	344	344	142	323	650	1410	650	1410
Dimensions (inches)	40.8	66.7	72.8	72.8	72.8	72.8	48.2	35	79.1	79.1	79.1	79.1
W	18.7	20.7	23.4	23.4	23.4	23.4	23.6	61.4	29.1	54.6	29.1	54.6
D	21.5	20.7	23.4	23.4	23.4	23.4	20.4	25.6	32.7	32.7	32.7	32.7
Temperature range in °C**	1 to 10				-17 to -24			-30 to -50*	-2 to + 8		-18 to -22	
Wheels	Yes	Yes	Yes(Rear)	Yes (Rear)	Yes(Rear)	Yes(Rear)	Yes(Rear)	Yes	No	No	No	No
Lock	No	Yes	Yes	Yes	Yes	Optional	No	Yes	Yes	Yes	Yes	Yes
Defrost	—	—	—	—	Manual	Manual	Manual	Manual	Auto	Auto	Auto	Auto
Rated Load, Wattage	135	210	300	300	140	140	160	495	456	650	1000	1300
No. of Shelves/drawers	3	3	6	7	8	8	5	-	3	6	3	6
No. of lids/doors	1	1	1	1	1	2	1	1	2	4	2	4
Type of door	Glass	Glass	Glass	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid	Solid

* Imported under Vestfrost brand. Other models imported under Celfrost brand
** Under Standard test conditions
* At 25 degree C ambient
Electricals : 220 V / 50Hz. / 1 phase
Specifications, features and colours are subject to change without any notice, due to continuous product development



Flake Ice Machines



Flakes



Coldrooms



Features of Ice Machines

- Stainless steel body
- Easy accessibility to ice
- Automatic control device
- Patented cleaning technology
- Split collar evaporator support with shaft coupling ensures longer water seal and bearing life
- Low maintenance

Coldrooms

Team Celfrost has vast experience in the design and construction of Coldrooms to suit the specific requirements of hospitals, pharmaceutical and research facilities. It offers an extensive range of Coldroom solutions in a choice of temperatures that will help you preserve what matters most to you.

Do ask for our separate catalogue for Celfrost Walk-in Coldrooms.

Technical Specifications of Flake Ice Machines

Model	Rated Capacity* kgs. / 24 hrs.	Cube Shape	Design	Refrigerant	Dimensions (Inches)			Storage Bin Recommended
					W	D	H	
QF-406	179	Flakes	Undercounter	R-404a	26.0	26.5	38.5	Built in - 26 kgs.
SF-400	194	Flakes	Modular	R-404a	22.0	24.5	26.5	B420 - 141 kgs.

- * Capacity is based on air / water temperature of 21°/10°C.
- Electrical : 230V / 50Hz / 1 Phase.
- Storage Bins are available upon request, tailor-made to suit your needs.
- Specifications, features, models and colours are subject to change, without any prior notice, due to continuous product development.



CELSIUS REFRIGERATION PVT. LTD.

Corp. Office : 7th Floor, Udyog Minar Udyog Vihar, Phase-V
Gurgaon - 122 016, Haryana, India

Phone : +91 124 4308430 / 4062401. Fax : +91 124 4308431

E-mail : corp@celsiusindia.com

Regional Offices :

Ahmedabad	: Tel : 9375933335	Chennai	: Tel : 9340084611
Bangalore	: Tel : 9341230302	Punjab	: Tel : 9357615927
Delhi	: Tel : 9312933066	Pune	: Tel : 9370573030
Kolkata	: Tel : 9330930660	Lucknow	: Tel : 9335174580
Mumbai	: Tel : 9324569975	Hyderabad	: Tel : 9346447254
Nagpur	: Tel : 9372970248	Jodhpur	: Tel : 9351317208
		Jammu	: Tel : 9419132575

New launch:
Revolutionary
Water Coolers with
RO & In-Tank
UV purification
Technology



AUTHORISED DEALER / DISTRIBUTOR

Visit us at www.celsiusindia.com