Cucumber Report

| Start : Feb 16, 7:09:21.996 PM	End : Feb 16, 7:09:49.962 PM	Duration : 27.966 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 5 SKIPPED - 0	PASSED - 5 FAILED - 5 SKIPPED - 9

1

5

19

Pass %

0 %

Pass %

0 %

Pass %

26 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Flipkart Search, Filter and Product Validation	*27.966 s*	5	0	5	0	19	5	5	9

#	Feature Name	Scenario Name
1	Flipkart Search, Filter and Product Validation	Verify search functionality
2		Verify sorting functionality
3		Verify brand filter functionality
4		Verify price filter functionality
5		Verify product page navigation

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@AutomationPractice	5	0	5	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Flipkart Search, Filter and Product Validation	5	0	5	0	27.966 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Flipkart Search, Filter and Product Validation	Verify search functionality	3	1	1	1	6.517 s
2		Verify sorting functionality	4	1	1	2	5.011 s
3		Verify brand filter functionality	4	1	1	2	5.019 s
4		Verify price filter functionality	4	1	1	2	6.107 s
5		Verify product page navigation	4	1	1	2	5.250 s

Flipkart Search, Filter and Product Validation

FAILED	DURATION - 27.966 s	Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0	5	Steps Total - 19 Pass - 5 Fail - 5 Skip - 9	19
	/ 7:09:21.996 PM // 7:09:49.962 PM /				

Verify search functionality

FAILED	DURATION - 6.517 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	3
/ 7:09:21.996 PM // 7:09:28.513 PM /				
Flipkart Search, Filter and Product Validation				
@AutomationPractice				

#	Step / Hook Details	Status	Duration
1	Given I launch Flipkart application	PASSED	3.110 s
2	When I search for product "iPhone 14"	FAILED	0.082 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@class='Vy9RSP']"} (Session info: chrome=145.0.7632.46) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [38b6b3759aa395b5fd82db9f16b39608, findElement {value=//input[@class='Vy9RSP'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 145.0.7632.46, chrome: {chromedriverVersion: 144.0.7559.133 (7da823b1d59..., userDataDir: C:\Users\NGaurav\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61205}, goog:processID: 25552, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61205/devtoo..., se:cdpVersion: 145.0.7632.46, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 38b6b3759aa395b5fd82db9f16b39608
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(Unknown Source)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Unknown Source)
	    at java.base/java.lang.reflect.Constructor.newInstance(Unknown Source)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy23.clear(Unknown Source) at PageClass.FlipkartTestPage.SearchProduct(FlipkartTestPage.java:58) at StepDefinition.FlipkartTestSteps.i_search_for_product(FlipkartTestSteps.java:33) at ?.I search for product "iPhone 14"(file:///C:/CucumberJava/CucumberJava/src/test/resources/Features/FlipkartTest.feature:8) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Utility.Hooks.takeScreensotOnFailure(io.cucumber.java.Scenario) screenshot 	PASSED	0.453 s
3	Then I verify search results are displayed	SKIPPED	0.000 s

Verify sorting functionality

FAILED	DURATION - 5.011 s		Steps	
/ 7:09:28.552 PM // 7:09:33.563 PM /			Total - 4 Pass - 1 Fail - 1 Skip - 2	
Flipkart Search, Filter and Product Validation				
@AutomationPractice				

#	Step / Hook Details	Status	Duration
1	Given I launch Flipkart application	PASSED	3.122 s
2	When I search for product "Laptop"	FAILED	0.060 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@class='Vy9RSP']"} (Session info: chrome=145.0.7632.46) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [3b2c432c6c5d5ff77f7beb562fff79af, findElement {value=//input[@class='Vy9RSP'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 145.0.7632.46, chrome: {chromedriverVersion: 144.0.7559.133 (7da823b1d59..., userDataDir: C:\Users\NGaurav\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59768}, goog:processID: 28736, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59768/devtoo..., se:cdpVersion: 145.0.7632.46, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3b2c432c6c5d5ff77f7beb562fff79af
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(Unknown Source)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Unknown Source)
	    at java.base/java.lang.reflect.Constructor.newInstance(Unknown Source)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at jdk.proxy2/jdk.proxy2.$Proxy23.clear(Unknown Source)
	    at PageClass.FlipkartTestPage.SearchProduct(FlipkartTestPage.java:58)
	    at StepDefinition.FlipkartTestSteps.i_search_for_product(FlipkartTestSteps.java:33)
	    at ?.I search for product "Laptop"(file:///C:/CucumberJava/CucumberJava/src/test/resources/Features/FlipkartTest.feature:13)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - Utility.Hooks.takeScreensotOnFailure(io.cucumber.java.Scenario)	PASSED	0.261 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And I sort results by low to high price	SKIPPED	0.000 s
4	Then I verify search results are displayed	SKIPPED	0.000 s

Verify brand filter functionality

FAILED	DURATION - 5.019 s		Steps
/ 7:09:33.579 PM // 7:09:38.598 PM /			Total - 4
Flipkart Search, Filter and Product Validation			Pass - 1
			Fail - 1
@AutomationPractice			Skip - 2

#	Step / Hook Details	Status	Duration
1	Given I launch Flipkart application	PASSED	3.082 s
2	When I search for product "Running Shoes"	FAILED	0.050 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@class='Vy9RSP']"} (Session info: chrome=145.0.7632.46) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [85071d7bccf35751dd096b3c6e65f7ce, findElement {value=//input[@class='Vy9RSP'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 145.0.7632.46, chrome: {chromedriverVersion: 144.0.7559.133 (7da823b1d59..., userDataDir: C:\Users\NGaurav\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62152}, goog:processID: 23296, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62152/devtoo..., se:cdpVersion: 145.0.7632.46, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 85071d7bccf35751dd096b3c6e65f7ce
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(Unknown Source)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Unknown Source)
	    at java.base/java.lang.reflect.Constructor.newInstance(Unknown Source)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy23.clear(Unknown Source) at PageClass.FlipkartTestPage.SearchProduct(FlipkartTestPage.java:58) at StepDefinition.FlipkartTestSteps.i_search_for_product(FlipkartTestSteps.java:33) at ?.I search for product "Running Shoes"(file:///C:/CucumberJava/CucumberJava/src/test/resources/Features/FlipkartTest.feature:19) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Utility.Hooks.takeScreensotOnFailure(io.cucumber.java.Scenario) screenshot	PASSED	0.267 s
3	And I select Puma brand filter	SKIPPED	0.000 s
4	Then I verify search results are displayed	SKIPPED	0.000 s

Verify price filter functionality

FAILED	DURATION - 6.107 s
/ 7:09:38.605 PM // 7:09:44.712 PM /	
Flipkart Search, Filter and Product Validation	
@AutomationPractice	

Steps
Total - 4
Pass - 1
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given I launch Flipkart application	PASSED	3.861 s
2	When I search for product "Headphones"	FAILED	0.057 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@class='Vy9RSP']"} (Session info: chrome=145.0.7632.46) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [d14e534df8723959568a2ca8bdb1bc12, findElement {value=//input[@class='Vy9RSP'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 145.0.7632.46, chrome: {chromedriverVersion: 144.0.7559.133 (7da823b1d59..., userDataDir: C:\Users\NGaurav\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54108}, goog:processID: 10432, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:54108/devtoo..., se:cdpVersion: 145.0.7632.46, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d14e534df8723959568a2ca8bdb1bc12 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(Unknown Source) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Unknown Source) at java.base/java.lang.reflect.Constructor.newInstance(Unknown Source) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy23.clear(Unknown Source) at PageClass.FlipkartTestPage.SearchProduct(FlipkartTestPage.java:58) at StepDefinition.FlipkartTestSteps.i_search_for_product(FlipkartTestSteps.java:33) at ?.I search for product "Headphones"(file:///C:/CucumberJava/CucumberJava/src/test/resources/Features/FlipkartTest.feature:25) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Utility.Hooks.takeScreensotOnFailure(io.cucumber.java.Scenario)	PASSED	0.519 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And I select price filter	SKIPPED	0.000 s
4	Then I verify search results are displayed	SKIPPED	0.000 s

Verify product page navigation

FAILED	DURATION - 5.250 s		Steps
/ 7:09:44.712 PM // 7:09:49.962 PM /			Total - 4
			Pass - 1
Flipkart Search, Filter and Product Validation			Fail - 1
			Skip - 2
@AutomationPractice			

#	Step / Hook Details	Status	Duration
1	Given I launch Flipkart application	PASSED	3.345 s
2	When I search for product "Samsung Mobile"	FAILED	0.055 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@class='Vy9RSP']"} (Session info: chrome=145.0.7632.46) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c2b215ed7f1687b9dc8173f068452892, findElement {value=//input[@class='Vy9RSP'], using=xpath}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 145.0.7632.46, chrome: {chromedriverVersion: 144.0.7559.133 (7da823b1d59..., userDataDir: C:\Users\NGaurav\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56803}, goog:processID: 11612, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56803/devtoo..., se:cdpVersion: 145.0.7632.46, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c2b215ed7f1687b9dc8173f068452892
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(Unknown Source)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Unknown Source)
	    at java.base/java.lang.reflect.Constructor.newInstance(Unknown Source)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.$Proxy23.clear(Unknown Source)		
	at PageClass.FlipkartTestPage.SearchProduct(FlipkartTestPage.java:58)		
	at StepDefinition.FlipkartTestSteps.i_search_for_product(FlipkartTestSteps.java:33)		
	at ?.I search for product "Samsung Mobile"(file:///C:/CucumberJava/CucumberJava/src/test/resources/Features/FlipkartTest.feature:31)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - Utility.Hooks.takeScreensotOnFailure(io.cucumber.java.Scenario)	PASSED	0.280 s
	screenshot		
3	And I click first product	SKIPPED	0.000 s
4	Then I verify product page is opened	SKIPPED	0.000 s