Cucumber Report

18-Feb-2026, 8:00:14 am

Start : Feb 18, 7:59:26.654 am	End : Feb 18, 8:00:13.315 am	Duration : 46.661 s
Features	*Scenarios*	*Steps*
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 5 SKIPPED - 0	PASSED - 5 FAILED - 5 SKIPPED - 9







Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Flipkart Search, Filter and Product Validation	46.661 s	5	0	5	0	19	5	5	9

#	Feature Name	Scenario Name
1	Flipkart Search, Filter and Product Validation	Verify search functionality
2		Verify sorting functionality
3		Verify brand filter functionality
4		Verify price filter functionality
5		Verify product page navigation

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@AutomationPractice	5	0	5	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	Flipkart Search, Filter and Product Validation	5	0	5	0	46.661 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Flipkart Search, Filter and Product Validation	Verify search functionality	3	1	1	1	32.551 s
2		Verify sorting functionality	4	1	1	2	3.385 s
3		Verify brand filter functionality	4	1	1	2	3.606 s
4		Verify price filter functionality	4	1	1	2	3.459 s
5		Verify product page navigation	4	1	1	2	3.659 s

Flipkart Search, Filter and Product Validation

FAILED	DURATION - 46.661 s
/ 7:59:26.654 am // 8:00:13.315 am /	

Scenarios	Steps
Total - 5	Total - 19
Pass - 0	Pass - 5
Fail - 5	Fail - 5
Skip - 0	Skip - 9



Verify search functionality

FAILED	DURATION - 32.551 s
/ 7:59:26.654 am // 7:59:59.205 am /	
Flipkart Search, Filter and Product Validation	
@AutomationPractice	



Steps
Total - 3
Pass - 1
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Given I launch Flipkart application	PASSED	30.349 s
2	When I search for product "iPhone 14"	FAILED	0.041 s

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:
{"method":"xpath","selector":"//input[@class='Vy9RSP']"}  (Session info: chrome=144.0.7559.134) For documentation on this error, please visit:
https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.28.1', revision:
'73f5ad48a2' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.9' Driver info: org.openqa.selenium.
chrome.ChromeDriver Command: [01a1e0e0d38b1aaa646d893e48f0e118, findElement {using=xpath, value=//input[@class='Vy9RSP']}]
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 144.0.7559.134, chrome: {chromedriverVersion:
144.0.7559.133 (7da823b1d59..., userDataDir: C:\Users\ApM\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:59653}, goog:processID: 22232, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName:
windows, proxy: Proxy(), se:cdp: ws://localhost:59653/devtoo..., se:cdpVersion: 144.0.7559.134, setWindowRect: true, strictFileInteractability:
false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob:
true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,
webauthn:virtualAuthenticators: true} Session ID: 01a1e0e0d38b1aaa646d893e48f0e118
    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
```

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy23.clear(Unknown Source) at PageClass.FlipkartTestPage.SearchProduct(FlipkartTestPage.java:58) at StepDefinition.FlipkartTestSteps.i_search_for_product(FlipkartTestSteps.java:33) at ?.I search for product "iPhone 14"(file:///C:/Users/ApM/OneDrive%20-%20DXC%20Production/Desktop/projects/CucumberJava/src/test/resources/Features/FlipkartTest.feature:8) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Utility.Hooks.takeScreensotOnFailure(io.cucumber.java.Scenario) screenshot 	PASSED	0.093 s
3	Then I verify search results are displayed	SKIPPED	0.000 s

Verify sorting functionality

FAILED	DURATION - 3.385 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2
/ 7:59:59.205 am // 8:00:02.590 am /			
Flipkart Search, Filter and Product Validation			
@AutomationPractice			

#	Step / Hook Details	Status	Duration
1	Given I launch Flipkart application	PASSED	2.086 s
2	When I search for product "Laptop"	FAILED	0.024 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@class='Vy9RSP']"} (Session info: chrome=144.0.7559.134) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d7bdada2713a3a31804c2460fe5fdc09, findElement {using=xpath, value=//input[@class='Vy9RSP']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 144.0.7559.134, chrome: {chromedriverVersion: 144.0.7559.133 (7da823b1d59..., userDataDir: C:\Users\ApM\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55832}, goog:processID: 39132, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55832/devtoo..., se:cdpVersion: 144.0.7559.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d7bdada2713a3a31804c2460fe5fdc09 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy23.clear(Unknown Source) at PageClass.FlipkartTestPage.SearchProduct(FlipkartTestPage.java:58) at StepDefinition.FlipkartTestSteps.i_search_for_product(FlipkartTestSteps.java:33) at ?.I search for product "Laptop"(file:///C:/Users/ApM/OneDrive%20-%20DXC%20Production/Desktop/projects/CucumberJava/src/test/resources/Features/FlipkartTest.feature:13) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Utility.Hooks.takeScreensotOnFailure(io.cucumber.java.Scenario)	PASSED	0.149 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And I sort results by low to high price	SKIPPED	0.000 s
4	Then I verify search results are displayed	SKIPPED	0.000 s

Verify brand filter functionality

FAILED	DURATION - 3.606 s
/ 8:00:02.590 am // 8:00:06.196 am /	
Flipkart Search, Filter and Product Validation	
@AutomationPractice	



Steps
Total - 4
Pass - 1
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given I launch Flipkart application	PASSED	2.149 s
2	When I search for product "Running Shoes"	FAILED	0.023 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@class='Vy9RSP']"} (Session info: chrome=144.0.7559.134) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [976b170b83f29a614bb018b483910dc6, findElement {using=xpath, value=//input[@class='Vy9RSP']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 144.0.7559.134, chrome: {chromedriverVersion: 144.0.7559.133 (7da823b1d59..., userDataDir: C:\Users\ApM\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59590}, goog:processID: 16024, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59590/devtoo..., se:cdpVersion: 144.0.7559.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 976b170b83f29a614bb018b483910dc6

```
at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
```

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy23.clear(Unknown Source) at PageClass.FlipkartTestPage.SearchProduct(FlipkartTestPage.java:58) at StepDefinition.FlipkartTestSteps.i_search_for_product(FlipkartTestSteps.java:33) at ?.I search for product "Running Shoes"(file:///C:/Users/ApM/OneDrive%20-%20DXC%20Production/Desktop/projects/CucumberJava/src/test/resources/Features/FlipkartTest.feature:19) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Utility.Hooks.takeScreensotOnFailure(io.cucumber.java.Scenario) screenshot	PASSED	0.135 s
3	And I select Puma brand filter	SKIPPED	0.000 s
4	Then I verify search results are displayed	SKIPPED	0.000 s

Verify price filter functionality

FAILED	DURATION - 3.459 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2
/ 8:00:06.196 am // 8:00:09.655 am /			
Flipkart Search, Filter and Product Validation			
@AutomationPractice			

#	Step / Hook Details	Status	Duration
1	Given I launch Flipkart application	PASSED	2.004 s
2	When I search for product "Headphones"	FAILED	0.017 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@class='Vy9RSP']"} (Session info: chrome=144.0.7559.134) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8845d3d37e0e314d047a0bdaa5c8c9bd, findElement {using=xpath, value=//input[@class='Vy9RSP']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 144.0.7559.134, chrome: {chromedriverVersion: 144.0.7559.133 (7da823b1d59..., userDataDir: C:\Users\ApM\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65089}, goog:processID: 12128, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65089/devtoo..., se:cdpVersion: 144.0.7559.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8845d3d37e0e314d047a0bdaa5c8c9bd at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy23.clear(Unknown Source) at PageClass.FlipkartTestPage.SearchProduct(FlipkartTestPage.java:58) at StepDefinition.FlipkartTestSteps.i_search_for_product(FlipkartTestSteps.java:33) at ?.I search for product "Headphones"(file:///C:/Users/ApM/OneDrive%20-%20DXC%20Production/Desktop/projects/CucumberJava/src/test/resources/Features/FlipkartTest.feature:25) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Utility.Hooks.takeScreensotOnFailure(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And I select price filter	SKIPPED	0.000 s
4	Then I verify search results are displayed	SKIPPED	0.000 s

Verify product page navigation

FAILED	DURATION - 3.659 s
/ 8:00:09.655 am // 8:00:13.314 am /	
Flipkart Search, Filter and Product Validation	
@AutomationPractice	



Steps
Total - 4
Pass - 1
Fail - 1
Skip - 2

#	Step / Hook Details	Status	Duration
1	Given I launch Flipkart application	PASSED	2.017 s
2	When I search for product "Samsung Mobile"	FAILED	0.023 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@class='Vy9RSP']"} (Session info: chrome=144.0.7559.134) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.28.1', revision: '73f5ad48a2' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bbd83caa173eb3536b489d1f2734fb93, findElement {using=xpath, value=//input[@class='Vy9RSP']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 144.0.7559.134, chrome: {chromedriverVersion: 144.0.7559.133 (7da823b1d59..., userDataDir: C:\Users\ApM\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49884}, goog:processID: 20388, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49884/devtoo..., se:cdpVersion: 144.0.7559.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bbd83caa173eb3536b489d1f2734fb93

```
at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)
at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
```

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy23.clear(Unknown Source) at PageClass.FlipkartTestPage.SearchProduct(FlipkartTestPage.java:58) at StepDefinition.FlipkartTestSteps.i_search_for_product(FlipkartTestSteps.java:33) at ?.I search for product "Samsung Mobile"(file:///C:/Users/ApM/OneDrive%20-%20DXC%20Production/Desktop/projects/CucumberJava/src/test/resources/Features/FlipkartTest.feature:31) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - Utility.Hooks.takeScreensotOnFailure(io.cucumber.java.Scenario) screenshot	PASSED	0.128 s
3	And I click first product	SKIPPED	0.000 s
4	Then I verify product page is opened	SKIPPED	0.000 s