

JANUARY

2026 V 1.0

RESEARCH DESIGN SAMPLE

Prepared by:

RESEARCHEDIT4U
SOLUTIONS PVT. LTD.
WHERE RESEARCH FIND WINGS



+91-8093778526



www.researchedit4u.in



info@researchedit4u.in

ResearchEdit4U — Research Design Map

SAMPLE – NOT FOR SUBMISSION

Brand: ResearchEdit4U | www.researchedit4u.in / info@researchedit4u.in

Topic used in this sample: *“If I stop caffeine after 2:00 pm for 2 weeks, will my sleep get better?” (Students, simple instruments).*

Clients Story

Problem	“My supervisor told me to bring a proper research design. He’s busy and wasn’t happy with my last try. I even tried AI tools and still couldn’t meet expectations.”
What our client had	One-line idea (sleep), a short deadline, no lab, able to do a brief survey/diary.
Service chosen	Research Design Map
How we helped (ethically)	Short guidance calls; we clarified aims & questions, mapped what to measure and how to compare, shared reading lists and checklists, and provided editable templates. You wrote and decided; we coached and quality-checked.
What you received	Five simple pieces (below), ready for supervisor. No ghostwriting—this protects your degree and follows ICMJE/COPE.


1) Research plan

Aim: See if cutting caffeine after 2 pm improves student sleep.

Main question (RQ1): Do sleep scores get better after the rule? Secondary (RQ2): Does daytime sleepiness drop?

Evidence: Lower PSQI (better sleep) and lower ESS (less sleepiness), with a 95% CI that shows a real change.

Research Design Map
Clarity from question to analysis
ResearchEdit4U Solutions



Concept map: *After-2 pm caffeine → worse night sleep → higher daytime sleepiness; alcohol and late screens can also affect sleep.*

2) What to measure & how (tools you'll actually use)


Thing	What it means	Tool/source	Scale	Scoring	Mini-pilot
Sleep quality	How good sleep was	PSQI (Buysse et al., 1989)	0-21 (lower=better)	Standard PSQI	8-10 students/days
Sleepiness	Chance of dozing	ESS (Johns, 1991)	0-24 (higher=worse)	Standard ESS	8-10 students/days
Caffeine timing	When last caffeine was	Diary note	Time	After-2pm: yes/no	Try for 3 days
Side factors	Alcohol; late screens	2 short items	—	Controls	Check wording

3) Who & how many (+quick checks)

Who: University students (18–30). Method: Convenience sample (or within-person Week-1 vs Week-2).


How many (example): For a medium effect, a simple two-group comparison needs about 64 per group ($\alpha=.05$, power=.80). Within-person plans need fewer.

Quick check	What you do
Missing data	If small (<5%), simple rule; if larger, say how you'll handle it
Weird values	Scan for outliers (e.g., max scores every day)
Rule kept?	Daily tick-box: kept after-2pm rule (yes/no)



Mini-Gantt: Plan & pilot (days 1–6) → Collect (days 7–11) → Analyse & draft (days 12–14).

4) Two pictures (idea + steps)



Flow: Collect → Quick checks → Compare → Double-check → Report (1 table + 2 figures).

5) How to write it up (the right template)

If you did not randomise people into groups: write with STROBE headings (observational).

If you randomise later: write with CONSORT 2010 (trials).

If you later do a review/meta-analysis: follow PRISMA 2020.

These checklists come from EQUATOR Network and are what journals expect.

Integrity & your role (how we keep you safe)

We do NOT write your paper. We coach, structure, and quality-check; you write, collect data, decide, and approve (ICMJE/COPE aligned).

Keep data private; share only summaries. If required by your school, submit a short ethics form (low-risk, survey/diary). You can preregister on OSF for transparency (optional).

References

- Drake, C. et al. (2013). Caffeine effects on sleep taken 0, 3, or 6 hours before bedtime. *Journal of Clinical Sleep Medicine*. <https://doi.org/10.5664/jcsm.3170>
- Buysse, D. J., Reynolds, C. F., Monk, T. H., Berman, S. R., & Kupfer, D. J. (1989). The Pittsburgh Sleep Quality Index. *Psychiatry Research*, 28(2), 193–213. [https://doi.org/10.1016/0165-1781\(89\)90047-4](https://doi.org/10.1016/0165-1781(89)90047-4)
- Johns, M. W. (1991). A new method for measuring daytime sleepiness: The Epworth Sleepiness Scale. *Sleep*, 14(6), 540–545. <https://doi.org/10.1093/sleep/14.6.540>
- Schulz, K. F., Altman, D. G., & Moher, D. (2010). CONSORT 2010 Statement. *BMJ*, 340, c332. <https://doi.org/10.1136/bmj.c332>
- von Elm, E., et al. (2007). The STROBE statement. *PLoS Medicine*, 4(10), e296. <https://doi.org/10.1371/journal.pmed.0040296>
- Page, M. J., et al. (2021). PRISMA 2020 statement. *BMJ*, 372, n71. <https://doi.org/10.1136/bmj.n71>
- Faul, F., Erdfelder, E., Buchner, A., & Lang, A.-G. (2009). G*Power 3.1. *Behavior Research Methods*, 41, 1149–1160. <https://doi.org/10.3758/BRM.41.4.1149>

THANK YOU

RESEARCH DESIGN SUPPORT TOOLKIT SAMPLE

Build your study on a clearer, stronger, and more defensible research design.

We help researchers improve
design selection • objective-method alignment •
variable planning • sampling logic • data collection flow
• study feasibility • research clarity

Need support for your research design?

Send your topic, objectives, proposal draft, or study idea and get a

Free sample research design review.

WhatsApp: +91-8093778526

Website: www.researchedit4u.in

 www.researchedit4u.in

 info@researchedit4u.in