CSE 241 Programming Assignment 5

NOTE

The weight-point of this assignment is two times the weight-point of a regular programming assignment.

DUE

June 8th, 2021, 23:55

Description

- This is an individual assignment. Please do not collaborate
- If you think that this document does not clearly describes the assignment, ask questions before its too late.

This assignment is about using C++ STL, exception handling and/or creating Class templates.

- Your program reads two files:
  - `data.txt`
  - `commands.txt`
- According to content in `data.txt`, the program utilizes necessary STL classes and/or user-created classes for a catalog representation.
- Your program creates a log file(`output.txt`) for certain steps of operations performed on catalog.

`data.txt`

- This file holds information about a catalog. A catalog can be one of the following:
  - Book catalog
  - Music catalog
  - Movie catalog
- The type of the catalog is specified in the first line of `data.txt`

Book Catalog

- Each line in a book catalog keeps information about a book.
- Format:

```
<title> <authors> <year> <tags>
```

- Example: Contents of `data.txt` for a book catalog

```
book
"Hilbert Spaces With Applications" "Lokenath Debnathl, Piotr Mikusinski" "2005" "Mathematics, Set Theory"
"The Neolithic Revolution in the Near East: Transforming the Human Landscape" "Alan H. Simmons" "2011" "Social Science, Anthropology, Cultural, General, Archaeology"
"Learning Flask Framework" "Matt Copperwaite, Charles Leifer" "2015" "Computers, Programming Languages, Python, Internet, Application Development, Web, Web Programming"
"Graphics Gems V" "Alan W. Paeth" "1995" ""
```

Music Catalog

- Each line in a music catalog keeps information about a music album.
- Format:

```
<title> <artists> <year> <genre>
```

- Example: Contents of `data.txt` for a music catalog

```
music
"Professor Satchafunkilus and the Musterion of Rock" "Joe Satriani" "2008" "Guitar Virtuoso"
"Physical Graffiti" "Led Zeppelin" "1975" "Rock"
"Witchdoctor's Son" "Okay Temiz, Johnny Dyani" "2017" "Jazz, Fusion"
"Return Of The Mother Head's Family Reunion" "Richie Kotzen" "2007" "Rock, Guitar Virtuoso"
```

Movie Catalog

- Each line in a movie catalog keeps information about a movie.
- Format:

```
<title> <director> <year> <genre> <starring>
```

- Example: Contents of `data.txt` for a movie catalog

```
movie
"The Lord of the Rings: The Fellowship of the Ring" "Peter Jackson" "2001" "Adventure, Drama, Fantasy" "Elijah Wood, Ian McKellen, Orlando Bloom"
"Twelve Monkeys" "Terry Gilliam" "1995" "Mystery, Sci-Fi, Thriller" " Bruce Willis, Madeleine Stowe, Brad Pitt"
"Perfume: The Story of a Murderer" " Tom Tykwer" "2006" "Crime, Drama, Fantasy" "Ben Whishaw, Dustin Hoffman, Alan Rickman"
"Cold Mountain" "Anthony Minghella" "2003" "Adventure, Drama, History" " Jude Law, Nicole Kidman, Renee Zellweger"
```

`commands.txt`

This file includes several commands which work on the catalog information you read from `data.txt`. Each line is a command. The following should be recognized:

- There are two commands.

```
search <string> in <field>
sort <field>
```

`search` command

- Format:

```
search <string> in <field>
```

- Output:

This command returns a list of matched(partially or fully) entries (one entry in a line). Search should be limited to the field specified. Not found returns no line.

- Example:

```
search "Joe" in "artists"
```

This returns the following line:

```
"Professor Satchafunkilus and the Musterion of Rock" "Joe Satriani" "2008" "Guitar Virtuoso"
```

`sort` command

- Format:

```
sort <field>
```

- Output:

This command returns a list of sorted entries (ascending order)

- Example:

```
sort "title"
```

This returns the following lines:

```
"Cold Mountain" "Anthony Minghella" "2003" "Adventure, Drama, History" " Jude Law, Nicole Kidman, Renee Zellweger"
"Perfume: The Story of a Murderer" " Tom Tykwer" "2006" "Crime, Drama, Fantasy" "Ben Whishaw, Dustin Hoffman, Alan Rickman"
"The Lord of the Rings: The Fellowship of the Ring" "Peter Jackson" "2001" "Adventure, Drama, Fantasy" "Elijah Wood, Ian McKellen, Orlando Bloom"
"Twelve Monkeys" "Terry Gilliam" "1995" "Mystery, Sci-Fi, Thriller" " Bruce Willis, Madeleine Stowe, Brad Pitt"
```

`output.txt`

This file keeps the log of the operations. The following events should be recorded in the specified format:

- `catalog read`
- `output of commands`

`catalog read`

- First specify the type of the catalog.
- At the end, state the number of unique entries.

```
Catalog Read: music
4 unique entries
```

`output of commands`

- State the command.
- Append its output.

```
search "Joe" in "artists"
"Professor Satchafunkilus and the Musterion of Rock" "Joe Satriani" "2008" "Guitar Virtuoso"
```

Exceptions

- Your program should catch certain exceptions and create log entries for them.
- You need to catch the following exceptions:

Missing field exception

- If any of the field in any entries is missing your program should omit that line and create an exception record in the log file.

```
Exception: missing field
```

Duplicate entry exception

- If the first field of any entries fully match, your program should create an exception for each repetition and log these instances in the log file.

```
Exception: duplicate entry
```

Wrong command exception

- If the command is not in the expected format(unrecognized field name, extra information etc. . .), log this instance as an exception.

```
Exception: command is wrong
```

A full example.

- Suppose we are given the following `data.txt` file and `commands.txt` file:
- `data.txt`

```
movie
"The Lord of the Rings: The Fellowship of the Ring" "Peter Jackson" "2001" "Adventure, Drama, Fantasy" "Elijah Wood, Ian McKellen, Orlando Bloom"
"Twelve Monkeys" "Terry Gilliam" "1995" "Mystery, Sci-Fi, Thriller" " Bruce Willis, Madeleine Stowe, Brad Pitt"
"Twelve Monkeys" "" "" "Sci-Fi, Thriller" " Bruce Willis, Madeleine Stowe, Brad Pitt"
"Perfume: The Story of a Murderer" " Tom Tykwer" "2006" "Crime, Drama, Fantasy" "Ben Whishaw, Dustin Hoffman, Alan Rickman"
"Twelve Monkeys" "" "" "Mystery, Sci-Fi, Thriller" " Bruce Willis, Madeleine Stowe, Brad Pitt"
"Cold Mountain" "Anthony Minghella" "2003" "Adventure, Drama, History"
```

- `commands.txt`

```
search "Monkeys" in "title"
search "Spice" in "type"
sort "year"
```

- The first line is `movie`. This means your application will going to run in `movie organiser` mode.
- Following is the log file for this example:
- `output.txt`

```
Catalog Read: movie
Exception: duplicate entry
"Twelve Monkeys" "" "" "Sci-Fi, Thriller" " Bruce Willis, Madeleine Stowe, Brad Pitt"
Exception: duplicate entry
"Twelve Monkeys" "" "" "Mystery, Sci-Fi, Thriller" " Bruce Willis, Madeleine Stowe, Brad Pitt"
Exception: missing field
"Cold Mountain" "Anthony Minghella" "2003" "Adventure, Drama, History"
3 unique entries
search "Monkeys" in "title"
"Twelve Monkeys" "Terry Gilliam" "1995" "Mystery, Sci-Fi, Thriller" " Bruce Willis, Madeleine Stowe, Brad Pitt"
Exception: command is wrong
search "Spice" in "type"
sort "year"
"Twelve Monkeys" "Terry Gilliam" "1995" "Mystery, Sci-Fi, Thriller" " Bruce Willis, Madeleine Stowe, Brad Pitt"
"The Lord of the Rings: The Fellowship of the Ring" "Peter Jackson" "2001" "Adventure, Drama, Fantasy" "Elijah Wood, Ian McKellen, Orlando Bloom"
"Perfume: The Story of a Murderer" " Tom Tykwer" "2006" "Crime, Drama, Fantasy" "Ben Whishaw, Dustin Hoffman, Alan Rickman"
```

Remarks

- Be careful with the order of exceptions. If an entry has a missing field and it has the same first field with another entry, you should throw missing field exception.
- Assume no other errors will be present in the files.
- Try to generalize your program. (you can use templates).
- Efficiency is important. (try to use the existing (STL) containers and their methods for sorting etc. . .)

Turn in:

- Source code of a complete C++ program and a suitable makefile. You should use c++11 standard. Your code will be tested in a linux-gcc environment.
- A script will be used in order to check the correctness of your results. So, be careful not to violate the expected output format.
- Provide comments unless you are not interested in partial credit. (If I cannot easily understand your design, you may loose points.)

- You cannot get full credit if your implementation contradicts with the statements in this document.

Late Submission

- Not accepted.

Grading (Tentative)

- `Max Grade` : `100`.
- Multiple tests(at least `5`) will be performed.

All of the followings are possible deductions from `Max Grade`.

- Do **NOT** use hard-coded values. If you use you will loose `10pts`.
- No submission: `-100`. (be consistent in doing this and your overall grade will converge to `N/A`) (To be specific: if you miss `3` assignments you'll get `N/A`)
- Compile errors: `-100`.
- Irrelevant code: `-100`.
- Major parts are missing: `-100`.
- Unnecessarily long code: `-30`.
- Inefficient implementation: `-20`.
- Using language elements and libraries which are not allowed: `-100`.
- Not caring about the structure and efficiency: `-30`. (avoid using hard-coded values, avoid hard-to-follow expressions, avoid code repetition, avoid unnecessary loops).
- Significant number of compiler warnings: `-10`.
- Not commented enough: `-10`. (Comments are in English. Turkish comments are not accepted).
- Source code encoding is not `UTF-8` and characters are not properly displayed: `-5`. (You can use 'Visual Studio Code', 'Sublime Text', 'Atom' etc... Check the character encoding of your text editor and set it to `UTF-8`).
- Missing or wrong output values: `Fails the test`.
- Output format is wrong: `-30`.
- Infinite loop: `Fails the test`.
- Segmentation fault: `Fails the test`.
- Fails 5 or more random tests: `-100`.
- Fails the test: `deduction up to 20`.
- Prints anything extra: `-30`.
- Unwanted chars and spaces in output: `-30`.
- Submission includes files other than the expected: `-10`.
- Submission does not follow the file naming convention: `-10`.
- Sharing or inheriting code: `-200`.