INTERNAL ENGINEERING BRIEF

Fayyaz Travels Admin

Full technical documentation for the `ftadmin` codebase

Product	Staff admin panel (not the public website)
Codebase	ftadmin — Next.js UI + Fastify API + MySQL `fz`
Production URL	https://fayyaz.travel/panel/
API service	ftbackend (default port 4000)
Document date	14 August 2026
Audience	Engineers joining or maintaining this repository

Fayyaz Travels Admin Panel — Database Mapping Guide

What this document covers: Every admin panel section, which database table it uses, and which columns store what — in sidebar order.

Database: `fz` (plus legacy tables where noted)

Total tables used: 14 admin-owned + several (`tbl_packages`, `tbl_message`, etc.)

---

1. Dashboard (`/`)

Purpose: Overview metrics, enquiry chart, recent activity (read-only).

Data	Table	Columns / notes
Packages count	`add_package`	`status`, `created_at`
Blogs count	`blog_posts`	`status`, `created_at`
Pages count	`cms_pages`	`status`, `created_at` / `published_at`
Enquiry chart	legacy `tbl_message`	`message_type`, `insert_date`
Extra metrics	legacy `tbl_destinations`, `tbl_testimonials`, `tbl_products`	status + dates
Package titles	`tbl_packages`	`p_name` (join on `package_id`)

Note: No dedicated audit table. Activity labels use `created_by` / `updated_by` on content tables.

---

2. Settings → General (`/settings/general`)

Purpose: Site / company config + quote email CC/BCC.

Table: `admin_settings` (singleton row, `id = 1`)

Column	Use
`site_name`, `company_name`	Branding
`support_email`, `support_phone`, `office_address`	Contact
`timezone`	Time zone
`homepage_title`, `homepage_description`	Homepage SEO/text
`maintenance_mode`	Site on/off

Column	Use
`quote_cc_emails`, `quote_bcc_emails`	Supplier quote email CC/BCC
`updated_by`, `updated_at`	Who changed last

---

3. Settings → User Management (`/user-management`)

Purpose: Staff admin accounts.

Table: `admin_users`

Column	Use
`email`, `password_hash`	Login
`full_name`, `role`	Name + role
`is_active`	Enable/disable
`last_login_at`	Last login
`created_at`, `updated_at`	Audit

Secondary table: `user_permissions`

Column	Use
`user_id`	Links to `admin_users.id`
`module_key`	Which module
`can_view` / `can_edit` / `can_delete`	Per-user permission overrides

---

4. Settings → Role Management (`/settings/role-management`)

Purpose: Rename / manage role strings used by staff.

Tables: `role_permissions` + updates `admin_users.role`

Column	Use
`role`	Role name
`module_key`	Which module
`can_view` / `can_edit` / `can_delete`	Permissions
`updated_at`	Last change

---

5. Settings → Access Control (`/settings/roles`)

Purpose: Permission matrix by role × module.

Table: `role_permissions` (same columns as above)

Effective access = role permissions + optional `user_permissions` overrides.

Module catalog is defined in code (`permission-types.ts`), not in DB.

---

6. Blogs Management

Routes: `/blogs/all`, `/blogs/new`, `/blogs/drafts`, `/blogs/pending-review`, `/blogs/scheduled`, `/blogs/published`, `/blogs/categories`, `/blogs/edit/[id]`

Main table: `blog_posts`
Category table: `blog_categories`

`blog_posts` columns

Column	Use
`title`, `slug`, `excerpt`, `content`	Post content
`featured_image_path`	Cover image
`category_id`	FK → `blog_categories.id`
`author_name`	Author
`status`	`draft` / `pending_review` / `scheduled` / `published` / `archived`
`is_featured`, `published_at`	Featured flag + publish date
`tags` (JSON)	Tags
`related_package_ids` (JSON)	Linked packages (`add_package.id` — soft link, not FK)
SEO fields	Meta title / description etc.
`created_by` / `updated_by`	Who edited

`blog_categories` columns

Column	Use
`name`, `slug`, `description`	Category identity
`display_order`, `status`	Order + active/inactive
SEO fields	Category SEO
Audit fields	`created_by` / `updated_by`, timestamps

---

7. Page Management (CMS)

Routes: `/pages/all`, `/pages/new`, `/pages/drafts`, `/pages/published`, `/pages/edit/[id]`

Table: `cms_pages`

Column	Use
`title`, `slug`, `excerpt`, `content`	Page content
`featured_image_path`	Image
`page_type`	Page type
`status`	`draft` / `published` / `archived`
`show_in_nav`, `display_order`	Nav visibility + order
`published_at`	Publish date
SEO fields	Meta SEO
`created_by` / `updated_by`	Audit

---

8. Packages

8.1 Package lists

Routes: `/packages`, `/packages/all`, `/packages/drafts`, `/packages/pending-review`, `/packages/archived`

Tables: `add_package` ⋈ `tbl_packages` (`ap.package_id = tp.id`)

`add_package` key columns

Column	Use
`id`	Wizard package ID
`package_id`	FK → legacy `tbl_packages.id`
`status`	`draft` / `pending_review` / `published` / `archived` / `deleted`
`current_step`	Wizard progress (1–14)
14 JSON step columns	See section 8.4 below
`created_by` / `updated_by`	Audit
`created_at` / `updated_at`	Timestamps

`tbl_packages` key columns (legacy)

Column	Use
`id`, `p_name`, `p_slug`	Package identity
`feature_img`, `desti_image`, `day_night`	Display fields

Column	Use
`is_publish`, `is_archive`, `status`	Publish state
Meta SEO fields	Synced from wizard SEO step

8.2 Expiring rates (`/packages/expiring-rates`)

Source: `add_package.supplier_source` JSON → `validityTo` (next 30 days)
Titles from: `tbl_packages`

8.3 Supplier quote requests (`/packages/supplier-quotes`)

Source: `add_package` where `supplier_quote_tool IS NOT NULL`
Stores recipients, email body, last sent info, travel party, etc.

8.4 Add Package wizard — 14 steps (`/add-package`)

Primary table: `add_package` (+ stub/sync row in `tbl_packages`)

Step	Title	JSON column	What is stored
1	Supplier Source	`supplier_source`	Supplier name, package name, country, contact, emails, WhatsApp, quotation files, notes, `validityTo`
2	Package Basics	`package_basics`	Title/slug, intro/overview, tour type, countries/cities, days/nights, categoryIds, landing pages, seasonal info
3	Media & Front-End	`media_frontend`	Hero/card images, video, CTAs/WhatsApp, highlight images, banners, why-choose
4	Pricing	`pricing`	Pricing type; hotel categories → booking ranges / departure months; adult/child tiers; promotions; blackouts; markup/margins
5	Itinerary	`itinerary`	`days[]` — title, HTML description, meals, notes, highlights
6	Hotels	`hotels`	Hotel entries (name, city, stars, room, nights, policies, maps)
7	Inclusions	`inclusions`	Included / excluded / optional addons, local fees, flight/train/transfer flags
8	Booking Policy	`booking_policy`	Payment/deposit/balance, confirmation, cancellation rows, amendment/refund rules
9	Consultant View	`consultant_view`	Sell tips, objections, upsells, risks, visa/halal notes
10	Supplier Quote Tool	`supplier_quote_tool`	Request meta, party, hotel/rooming, email To/subject/body/signature, lastSent*
11	Front-End FAQs	`frontend_faqs`	FAQ array (`question`, `answer`, visibility)
12	Sales & Ads Assets	`sales_ads_assets`	Ad copy, WhatsApp share, sales card preview fields
13	SEO	`seo`	Meta title/description, keywords, related packages, index/review status

Step	Title	JSON column	What is stored
14	Review & Publish	`review_publish`	Reviewers, notes, publishedAt, submitAction

Related tables while saving packages:

Table	Role
`package_category_map`	Links `add_package.id` ↔ `package_categories.id`
`package_categories`	Category master
`package_templates`	Apply template into step JSON
`pricing_rules`	Defaults/guidance for pricing UI
`suppliers`	Directory (Step 1 stores snapshot in JSON, not hard FK)
`admin_settings`	Quote CC/BCC emails for Step 10 send
Filesystem `uploads/`	Media files (no media DB table)

8.5 Package Categories (`/packages/categories`)

Tables: `package_categories` + `package_category_map`

Column	Use
`name`, `slug`, `description`	Category identity
`icon_path`, `image_path`	Visuals
`display_order`, `status`, `is_featured`	Order / status / featured
SEO + audit	Meta + who edited

`package_category_map`: `package_id` (= `add_package.id`), `category_id`

8.6 Pricing Rules (`/packages/pricing-rules`)

Table: `pricing_rules`

Column	Use
`name`, `description`	Rule identity
`scope_type` / `scope_value`	Where rule applies
Currency + `exchange_rate_type`, `default_exchange_rate`, `rate_lock_days`	FX settings
`markup_type`, `default_markup_value`, `tiered_markup_json`	Markup
Margin thresholds, `requires_finance_approval`	Control
`status`, `is_default`, `display_order`	Active / default / order
Audit fields	Who changed

8.7 Package Templates (`/packages/templates`)

Table: `package_templates`
(Route exists; not always in sidebar `NAV_ITEMS`.)

Column	Use
`name`, `slug`, `description`, `template_type`	Template identity
`included_steps` (JSON)	Which step numbers are included
Same step JSON cols as wizard (1–13)	Prefill data (no `review_publish`)
`status`, `is_default`, `display_order`, `usage_count`	Status + usage
Audit fields	Who changed

---

9. Suppliers (`/suppliers`)

Purpose: Vendor directory.

Table: `suppliers`

Column	Use
`company_name`, `country`, `city_tour_area`	Identity / location
`status`	`active` / `inactive` / `do_not_use`
`relationship_status`	Relationship quality
`services_offered`	What they provide
`contact_person`, `email_address`, `contact_number`, `website`	Contact
`notes`, `problems_with_services`, `account_details`	Extra info
`tc_poc_fixed_departure`, `relationship_owner`	Ownership / POC
`date_added_updated`	Date
Audit timestamps	Created / updated

Note: Package Step 1 stores a supplier snapshot inside `supplier_source` JSON — no hard foreign key.

---

10. Promotions (`/promotions`)

Purpose: UI for global promo offers linked to packages.

Dedicated DB table: none (sample / in-memory UI)

Reads: package list API (`add_package` / `tbl_packages`) for package picker
Package-level promos: also live inside `add_package.pricing` JSON

---

11. Enquiry (`/enquiry`)

Purpose: Lead / enquiry inbox from legacy site forms.

Table: legacy `{LEGACY_DB}.tbl_message`

Columns	Use
`first_name`, `last_name`, `email`, `phone`, `c_code`, `company`	Contact
`origin`, `destination`, dates, pax, `budget`	Trip details
`message`, `message_type`, `status`	Enquiry body + type
`page_url`, `insert_date` / `edit_date`	Source page + when received

Join: `tbl_destinations` for origin/destination names.

Quick summary — section → table

#	Section	Main table(s)
1	Dashboard	Multiple (read-only aggregates)
2	Settings → General	`admin_settings`
3	User Management	`admin_users` + `user_permissions`
4	Role Management	`role_permissions` (+ `admin_users.role`)
5	Access Control	`role_permissions`
6	Blogs	`blog_posts` + `blog_categories`
7	Pages (CMS)	`cms_pages`
8	Packages	`add_package` + `tbl_packages`
8a	Package Categories	`package_categories` + `package_category_map`
8b	Pricing Rules	`pricing_rules`
8c	Templates	`package_templates`
9	Suppliers	`suppliers`
10	Promotions	No dedicated table
11	Enquiry	legacy `tbl_message`

All tables list (14 + legacy)

Admin-owned (13)

1. `add_package`

2. `admin_users`
3. `admin_settings`
4. `role_permissions`
5. `user_permissions`
6. `suppliers`
7. `package_categories`
8. `package_category_map`
9. `package_templates`
10. `pricing_rules`
11. `cms_pages`
12. `blog_categories`
13. `blog_posts`

Legacy / shared

14. `tbl_packages` (FK from `add_package`)
    Also read: `tbl_message`, `tbl_destinations`, `tbl_testimonials`, `tbl_products` (dashboard / enquiry)

Cross-cutting notes

- **No dedicated audit/history table.** Pattern: `created_by` / `updated_by` VARCHAR on content tables.
- **Media:** files under `uploads/` via `/api/media` — no media DB table.
- **Package builder permissions:** module keys gate wizard steps; data still lives in `add_package` JSON columns.