PRODUCT FEATURE GUIDE

Fayyaz Travels Admin

How every feature works — workflows, who uses them, and what gets saved

Product	Staff admin panel (not the public website)
Codebase	ftadmin — Next.js UI + Fastify API + MySQL `fz`
Production URL	https://fayyaz.travel/panel/
API service	ftbackend (default port 4000)
Document date	14 August 2026
Audience	Staff, product, and engineers learning how the panel works

Fayyaz Travels Admin — How Every Feature Works

Product: Staff admin panel at `/panel`
Date: 14 August 2026
Purpose: Explain what each feature does, who uses it, the click-by-click flow, and what the system does behind the scenes.

This is a **functional** guide. For tables, APIs, and file names see `DOCUMENTATION.md`.

How to read this guide

Each feature is described the same way:

Heading	Meaning
What it is	Why the feature exists
Who uses it	Typical staff role
How it works	The live workflow
What gets saved	Database / email / files
Limits	What it does *not* do yet

The panel URL in production is `https://fayyaz.travel/panel/...`. Paths below omit `/panel`.

Status legend

- **Live** — UI + API + database
- **UI only** — screens work in the browser but do not persist to MySQL
- **Partial** — some steps are real, some are display-only

---

1. Signing in and the admin shell

1.1 Login — Live

What it is. Gate to the whole panel.

How it works

1. Open `/login`.
2. Enter email and password. Password must be at least 8 characters with a letter and a number at signup; login only checks that the stored hash matches.
3. The API looks up `admin_users`, compares bcrypt, and rejects inactive accounts with the same message as a wrong password (`Invalid email or password`).
4. On success it writes `last_login_at`, returns a JWT (default 7 days) plus the user profile.

5. The browser stores `ft_admin_token` and `ft_admin_user` in `localStorage`.
6. You are sent to `?next=` (if you were kicked off a private page) or the dashboard.

There is **no forgot-password** flow and **no server logout**. Logout only clears localStorage.

1.2 Signup — Live (open registration)

How it works

1. Open `/signup`.
2. Enter full name, email, password.
3. If the email already exists → error.
4. **First account in the database becomes Super Admin.** Every later signup becomes `admin`.

In production this should be treated as a bootstrap path. Day-to-day staff should be created under User Management by a Super Admin.

1.3 Session guard — Live

Every page except `/login` and `/signup` requires a token. On load the app calls `/api/auth/me`. If the token is missing or expired you are redirected to login.

Logged-in users who open login/signup are sent to the dashboard.

1.4 Sidebar — Live (permission-filtered)

The left nav is built from `NAV_ITEMS`. Each link is shown only if the current user's permission matrix has **view** on that module.

Parents stay visible if any child is visible. **Promotions is not mapped to a permission**, so it always appears.

Collapsed on small screens; hamburger in the header opens it.

1.5 Header search — Live

Type in the top search box. It matches:

- Package titles (wizard + legacy catalogue)
- Open enquiries (name / email)
- Quick links (Packages, Add Package, Enquiries, Suppliers, Blogs, Pages, Promotions)

Click a result to open that screen or the package editor.

1.6 Enquiry bell — Live

The bell loads recent **open** enquiries. Clicking a row opens Enquiry. This is a notification inbox, not a separate product.

1.7 User menu — Live

Shows your name and initials. **View site** opens the public website (`https://fayyaztravels.com` unless `NEXT_PUBLIC_FRONTEND_URL` is set). **Logout** clears the session and returns to login.

---

2. Dashboard — Live

Path: `/`
Who: everyone with `dashboard` view.

What you see

1. Greeting using the signed-in first name.
2. **Stat cards** (each card is a link):
    - Total Pages → `/pages/all`
    - Total Destinations → package hub (counts live website destinations)
    - Total Packages → `/packages/all`
    - Total Testimonials → Enquiry (count only; testimonials are not managed here)
    - Total Blogs → `/blogs/all`
    - Total Products → `/packages/all` (legacy `tbl_products` count)
    - Newsletter subscribers → Enquiry (`tbl_message` rows of type `popupenquery`)
3. **Overview chart** — enquiry volume for Last 7 / 30 / 90 days (Singapore time).
4. **Recent activities** — latest packages, blogs, pages, enquiries, testimonials.
5. **Quick actions** — Add Package, Write Blog, Manage Packages, View Blogs, User Management, Settings.
6. **Content summary** — short counts strip.

Behind the scenes. One API call: `GET /api/dashboard?chartDays=7|30|90`. Numbers mix **admin tables** (pages, blogs, wizard packages) and **legacy website tables** (destinations, products, testimonials, messages).

---

3. Packages

This is the core product. A package can come from two places:

Source	Meaning
Wizard	Built in this admin (`add_package`). Editable in 14 steps.
Legacy	Already on the public site (`tbl_packages`) with no wizard row. Can be listed, archived, or deleted — not opened in the 14-step editor.

Creating a wizard package also inserts a **stub row** in `tbl_packages` so the public catalogue has an ID. Title, slug, images, and SEO are copied back as you save.

3.1 Package dashboard — Live

Path: `/packages`

Shows status counts, recently published packages, and a pipeline table. Counts include wizard + legacy (deleted wizard rows are hidden).

3.2 Package lists — Live

Path	What you get
`/packages/all`	Combined catalogue (wizard + legacy)

Path	What you get
`/packages/drafts`	Wizard drafts
`/packages/pending-review`	Submitted for approval
`/packages/archived`	Archived
`/packages/expiring-rates`	Packages whose pricing `validityTo` is within **30 days**
`/packages/supplier-quotes`	Packages that have Supplier Quote Tool data saved

On each row you can

- **View** — read-only details modal (all 14 sections)
- **Edit** — wizard packages open `/add-package?id=...`. Legacy packages cannot use the wizard
- **Archive** — wizard sets `status = archived`; legacy sets `is_archive = 1`
- **Delete** — wizard **soft-deletes** (`status = deleted`, hidden from lists). Legacy **hard-deletes** the `tbl_packages` row (and the linked wizard row via CASCADE)

Search filters the table in the browser.

3.3 Add / edit package wizard — Live

Path: `/add-package`
Create: empty wizard. **Edit:** `/add-package?id=123`. **From template:** `/add-package?templateId=4`. **Jump to a step:** `?step=7`.

Who: Product, Finance, Ops, Sales, SEO — each step is a permission. If you cannot **view** a step, it is disabled on the stepper. If you cannot **edit**, Save is blocked.

Chrome around the form

- Progress: "Step N of 14"
- Status dropdown: draft / pending review / published / archived (needs an existing id)
- **Use Template** — pick an active template; copies steps 1–13 into this package
- **Duplicate** — new draft titled `Copy of …`
- **Preview** — same details modal as the list
- **Save Draft** — saves the current step without advancing, forces `draft`

Save behaviour

1. First successful save calls `POST /api/packages` and the URL becomes `?id=...`.
2. Later saves `PATCH` only the JSON for that step (plus title/slug on step 2).
3. Steps 1–13 "Save & continue" move to the next step and update `current_step`.
4. Step 14 stays on 14 unless you Save Draft.

Audit names (`created_by` / `updated_by`) come from the logged-in user's name.

3.4 The 14 wizard steps

Step 1 — Supplier Source (Product) — Live

Record **which vendor** this package comes from.

Typical fields: supplier name, contact person, emails, phone, country, notes. Emails from here are reused in Step 10 when sending a quote request.

Saved in `add_package.supplier_source` (JSON). This is **not** a foreign key to the Suppliers directory — it is a snapshot on the package. Staff can still type a name that exists in Suppliers.

Step 2 — Package Basics (Product) — Live

The catalogue identity: title, URL slug (auto from title, kept unique), duration, destinations/cities, short description, **package categories** (multi-select from active `package_categories`).

Title and slug are also written to `tbl_packages.p_name` / `p_slug`. Category links go to `package_category_map` using the **wizard id**.

Step 3 — Media & Front-End (Product + Marketing) — Live

Hero images (desktop + mobile), gallery, highlight video, front-end CTAs, WhatsApp click-to-chat.

Images can be uploaded through **Media upload** (`POST /api/media/upload` → `/uploads/images/...`) or pasted as a path. Legacy site images are shown via the legacy-asset proxy so old `tbl_packages` photos still load.

Hero paths sync to `tbl_packages.feature_img` / `desti_image`.

Step 4 — Pricing (Product + Finance) — Live

Two package types:

Type	How rates are structured
General	Booking date ranges with hotel categories (3★ / 4★ / 5★)
Fixed departure	Departure months and specific dates, each with a status (active, guaranteed, limited, sold out, cancelled)

For each hotel category you set:

- Adult price **tiers** (pax bands)
- Child / infant rows (with bed, without bed, infant)
- Promotions (percentage or fixed, with dates)
- Blackout dates

Also: validity from/to (this drives **Expiring Rates**), currency, notes.

Saved in `pricing` JSON. **Pricing Rules** (global markup / FX) are a separate settings module — they are **not auto-applied** into this form today. Staff use them as reference when filling rates.

Step 5 — Itinerary (Product) — Live

Day-by-day programme: day number, title, description (rich text), optional meals/location. Reorder and add/remove days.

Step 6 — Hotels (Product + Ops) — Live

Stay list: city, hotel name, nights, star rating, room type, notes. This is the operational hotel plan, separate from the 3★/4★/5★ **price** categories in Step 4.

Step 7 — Inclusions (Product) — Live

Three rich-text blocks: **Included**, **Excluded**, **Add-ons**. There is a permission key called `exclusions`, but exclusions live inside this step's JSON, not a separate column.

Step 8 — Booking Policy (Ops + Finance) — Live

Payment terms, cancellation table (days before departure → penalty), amendment rules, visa notes, other legal copy.

Step 9 — Consultant View (Sales Lead) — Live

Internal only — not for the public site. Sales notes, talking points, margin hints, "do not promise" warnings, consultant FAQs.

Step 10 — Supplier Quote Tool (Consultants) — Live

Build a quote request for the vendor:

- Quote type, supplier to send to, based-on package, reply deadline
- Travel dates, adults/children/ages, hotel preference, rooming, meals
- Requested changes, negotiation note
- Toggles: include day-by-day itinerary, include client budget

Send email

1. Recipients default from Step 1 supplier emails; you can add more.
2. Subject/body are generated, then editable.
3. CC/BCC come from **General Settings** (`quote_cc_emails` / `quote_bcc_emails`).
4. `POST /api/packages/:id/supplier-quotes/send` sends via Microsoft Graph or SMTP.
5. A send snapshot (time, recipients, subject) is stored on the package JSON.

If mail is not configured the API returns 503. Packages with saved quote-tool data appear under **Supplier Quote Requests**.

Step 11 — Front-End FAQs (Product + SEO) — Live

Public Q&A list shown on the package page. Add/remove question + answer (rich text).

Step 12 — Sales & Ads Assets (Marketing + Sales) — Live

Ad headlines, short/long copy, selling points, sales-card snapshot text for consultants and ads teams.

Step 13 — SEO (SEO Team) — Live

Meta title, meta description, focus keyword, index/noindex style flags. Synced to `tbl_packages.meta_title`, `meta_keywords`, `meta_description`.

Step 14 — Review & Publish (Final Approver) — Live (actions) / Partial (health cards)

Real actions

- Save as draft
- **Submit for review** → `pending_review` (shows on Pending Reviews)
- **Publish** → `published`

Reviewers / sign-off names can be stored on `review_publish` JSON.

Display-only: the “health checks” and section cards on this step are **static illustrations** (images/pricing/SEO warnings). They do not currently scan the other 13 JSON blobs.

3.5 Package templates — Live

Path: `/packages/templates`

Reusable skeletons so Product does not start from a blank wizard.

How it works

1. Create a template: name, slug, description, type **full** or **partial**, which steps 1–13 to include, paste JSON for those steps.
2. Mark one as **default** (the apply picker can highlight it).
3. From Add Package → **Use Template**, or open `/add-package?templateId=`.
4. Apply copies included steps into a **new** (or current) package, increments `usage_count`. Inactive templates cannot be applied.

Review & Publish is never copied. Super Admin is required to delete a template.

3.6 Package categories — Live

Path: `/packages/categories`

Taxonomy for merchandising (Domestic, Honeymoon, Cruise, …). Fields: name, unique slug, description, icon, hero image, display order, featured flag, SEO, active/inactive.

Linking happens in **Package Basics** (step 2). Deleting a category (Super Admin) removes map rows (CASCADE). Deleting a wizard package also clears its map rows.

3.7 Pricing rules — Live (reference data)

Path: `/packages/pricing-rules`

Finance’s **rule book**, not a calculator that overwrites Step 4.

Each rule has:

- Scope: global / destination / currency / supplier country
- Supplier currency → display currency (e.g. ZAR → SGD)
- Exchange rate: manual / auto / fixed, optional lock days
- Markup: percentage / fixed / tiered bands
- Minimum margin alert and finance-approval threshold

One rule can be **default**. Duplicate names are rejected. Super Admin deletes.

How staff should use it today: open the matching rule, then enter selling prices in Step 4 that honour markup and FX. Automatic application inside the pricing form is not wired yet.

3.8 Package guide — Live (static help)

Path: `/packages/guide`

Internal reminders: image size (1200px, 16:9, no watermarks), slug style, pricing/SEO notes. Not a CMS — text comes from `GUIDE_ITEMS` in code.

---

4. Blogs — Live

Who: Content / marketing.

Blogs in this admin are **new tables** (`blog_posts`, `blog_categories`). They are **not** the old website `tbl_post` rows.

4.1 Post list

Path	Filter
`/blogs/all`	Everything
`/blogs/drafts`	`draft`
`/blogs/scheduled`	`scheduled`
`/blogs/published`	`published`
`/blogs/archived`	`archived`

Search, category, author, sort, pagination. Stats at the top. Super Admin can delete; others edit/archive according to permissions (UI). Delete is Super Admin on the API.

4.2 Write / edit a post

Paths: `/blogs/new`, `/blogs/edit/[id]`

1. Title → slug auto-generated (unique).
2. Excerpt, TinyMCE body, featured image (media upload).
3. Category (from active blog categories), author name, tags.
4. Featured toggle.
5. SEO title/description.
6. **Status:**
    - **Draft** — work in progress
    - **Scheduled** — requires a **Singapore** publish datetime; the API cron (`BLOG_PUBLISH_CRON`, default every minute) flips it to `published` when `published_at <= now`
    - **Published** — live as far as this admin is concerned
    - **Archived** — retired

After save, the app routes you to the list that matches the new status.

Important: "Published" here means the row in `blog_posts` is published. The **public website must still be wired** to read this table. Until that integration exists, publishing in admin does not automatically change fayyaztravels.com.

4.3 Blog categories — Live

Path: `/blogs/categories`

Name, slug, description, order, SEO, active/inactive. Posts keep their body if a category is deleted (`category_id` SET NULL).

---

5. CMS pages — Live

Who: Content.

Same pattern as blogs, table `cms_pages`.

Path	Filter
`/pages/all`	All
`/pages/new`	Create
`/pages/edit/[id]`	Edit
`/pages/drafts / published / archived`	By status

Fields: title, unique slug, excerpt, HTML body, featured image, **page type** (about, contact, legal, landing, general), show in nav, display order, SEO, status, publish time.

Same caveat as blogs: this is the **admin CMS**. The public site shows these pages only after the website is pointed at `cms_pages`.

Delete is Super Admin on the API.

---

6. Suppliers — Live

Path: `/suppliers`
Who: Product / Ops / relationship owners.

Vendor directory modelled on the internal supplier spreadsheet.

Operational status: Active / Inactive / Do not use
Relationship status: New → under review → with issues → on probation → inactive → blacklisted, plus quality badges poor / average / good / excellent.

How it works

1. Stats grid (counts by operational status).
2. Filter by search, country, status, relationship; sort and paginate.
3. Create/edit: company, country, city/tour area, contacts, emails, phones, website, services (preset chips + custom services stored in the browser), notes, problems, bank/account details, TC POC, relationship owner, sheet date.
4. **Excel/CSV export** downloads the current list for offline use.
5. Super Admin can delete.

Link to packages: optional and by **name**, not ID. Step 1 of the wizard does not require picking a row from this table.

---

7. Promotions — UI only

Path: `/promotions`

The screen looks complete: list, create/edit form, discount type (percentage or fixed amount), date range, active flag, multi-select of real packages.

What actually happens: records live in React state seeded from `SAMPLE_PROMOTIONS`. Refreshing the page **loses new promotions**. There is no `promotions` table and no API.

Use this as a **preview of the intended workflow**, not as production discount management. Package-level promo rows inside **Step 4 Pricing** are the live place for slashed rates today.

---

8. Enquiries — Live

Path: `/enquiry`
Who: Sales / customer service.

This is the inbox for the **public website contact forms**. Data is `tbl_message` (legacy). The admin does not create enquiries; the website does.

Types

Website `message_type`	Label in admin
`contactus`	Contact Us
`popupenquery`	Popup / Newsletter
`contactus_visa`	Visa
`contactus_corporate`	Corporate

Status: Open (`status ≠ 2`) or Closed (`status = 2`).

How it works

1. Stats: total, open, closed, this month, counts per type.
2. Search name/email; filter type and status; sort by date, name, or email.
3. Open a row → details: traveller names, phone, origin/destination (resolved from `tbl_destinations` when the stored value is a numeric id), dates, pax, budget, message, page URL, IP.
4. **Close** or **re-open** (PATCH).
5. **Delete** removes the website row (JWT only — not Super Admin gated).

The header bell shows the latest open items.

---

9. User management — Live (writes = Super Admin)

Path: `/user-management`

How it works

1. Anyone with `users` view can **see** the list and stats (active / inactive / Super Admins).
2. Only **Super Admin** sees **Add User** and can create, edit, or delete.
3. Create: full name, email, password, role (built-in or custom roles from Role Management).
4. Edit: name, role, active flag. You **cannot** deactivate yourself, change your own role, delete yourself, or demote/delete the **last** Super Admin.
5. Inactive users cannot log in.

Roles are free-form strings (`admin`, `super_admin`, `owner`, or custom like `package_manager`).

---

10. Settings

10.1 General settings — Live

Path: `/settings/general`

Singleton row (`admin_settings.id = 1`):

- Site name, company name
- Support email, phone, office address
- Timezone field (stored; **UI dates still use Singapore time**)
- Homepage title/description (stored for the public site to consume later)
- **Maintenance mode** flag (stored; this admin does not put the public site into maintenance by itself)
- **Quote CC / BCC** — comma-separated emails attached to every Supplier Quote Tool send

Save writes `updated_by` as the current user's name.

10.2 Access Control — Live (role matrix)

Path: `/settings/roles`
Who can save: Super Admin or Owner.

A checkbox grid:

- Rows = modules (Dashboard, Blogs, each package step, Users, Roles, …)
- Columns = **View / Edit / Delete**

Saving a role replaces `role_permissions`. Reset restores code defaults:

- Super Admin: everything
- Other roles: view+edit on most modules, **no** Users/Roles, **no** delete

How this affects the product

- Sidebar hides modules without **view**
- Wizard steps without **view** cannot be opened; without **edit** cannot be saved
- The **API does not re-check this matrix** on each package/blog call. A user who knows the HTTP API and has a valid JWT can still hit those endpoints. Super Admin (and Owner for roles) is the extra server-side lock for deletes and user/role admin.

10.3 Role management — Live (roles) / Partial (designations)

Path: `/settings/role-management`
Who: Super Admin or Owner.

Live

- Create a custom role (slug like `finance_lead`)
- Rename / delete custom roles (`admin`, `super_admin`, `owner` are protected)
- Deleting a role **reassigns those users to** `admin`
- Open an employee → override **this person's** view/edit/delete per module (stored in `user_permissions`). Clear overrides to fall back to the role

Effective access = role matrix, then user overrides win where they differ.

Partial / UI-only

- Designation, department, access-level labels on employee cards are local UI defaults
- The activity log on this page is **browser localStorage**, not a database audit table

---

11. Media uploads — Live

There is no standalone "Media library" page. Uploads happen inside forms (blog image, page image, package media).

How it works

1. Staff pick a file.
2. `POST /api/media/upload` with the JWT.
3. Images go to `uploads/images/`, videos to `uploads/videos/`.
4. Allowed: jpeg, png, gif, webp, svg, mp4, webm, ogg, quicktime. Max **80 MB**, one file.
5. Response URL `/uploads/...` is stored on the record.

Those URLs are **public** (no JWT) so the public site or an email can display them if the path is known.

Legacy website photos are loaded through `/api/legacy-assets/...` (JWT), which reads a local folder or fetches `https://fayyaztravels.com/...`.

---

12. Email (Supplier quotes) — Live when configured

Used only by Package Step 10 today.

Send order

1. Microsoft Graph if `GRAPH_CLIENT_ID` / secret / tenant are set
2. Else SMTP if `SMTP_HOST` is set
3. Else Ethereal test inbox in non-production

CC/BCC always merge from General Settings. Brand HTML wrapper is applied around the body.

---

13. Permissions — how a day in the office should feel

Example: a **Travel Consultant** role with view+edit on Enquiries, Supplier Quote Tool, Consultant View; view-only on Packages; no Users.

1. Login → dashboard (if dashboard view is on).
2. Sidebar shows Enquiry and maybe Packages, hides User Management.
3. They can open a package, reach Step 9–10, send a quote.
4. They cannot see Step 4 if Pricing view is off.
5. They cannot delete a blog even if they guess the URL **in the UI**; the API still requires Super Admin for most deletes.

Super Admin sees every nav item and can manage users and roles.

---

14. End-to-end scenarios

A. Launch a new tour

1. (Optional) Ensure the supplier exists under **Suppliers**.
2. (Optional) Open **Pricing Rules** for that destination/currency.
3. **Add Package**, or apply a **Template**.
4. Fill steps 1–13. Save Draft anytime.
5. Step 10: email the supplier if rates are missing.
6. Step 14: Submit for review. Lead opens **Pending Reviews**, checks Preview, Publish.
7. Public catalogue stub in `tbl_packages` now has title/slug/SEO/images. Website listing still depends on the public site reading that row (and later the JSON).

B. Publish a blog next Tuesday 09:00 SGT

1. **Blog Categories** — create "Travel Tips" if needed.
2. **Write New Blog** — body, image, category.
3. Status **Scheduled**, datetime Tuesday 09:00.
4. Save. Post sits on `/blogs/scheduled`.
5. API cron publishes it automatically after that time.
6. Public site shows it only if it reads `blog_posts`.

C. Work an inbound lead

1. Customer submits Contact Us on the website → row in `tbl_message`.
2. Bell and Dashboard chart update.
3. Sales opens **Enquiry**, filters Open / Contact Us, reads details, Close when done.

D. Onboard a finance user

1. Super Admin → **Role Management** → create `finance`.
2. **Access Control** → for `finance`, enable Pricing + Pricing Rules + Booking Policy; disable Users.
3. **User Management** → Add User with role `finance`.
4. They log in and only see those areas in the sidebar.

---

15. Feature status cheat sheet

Feature	Status	Notes
Login / session / sidebar	Live	JWT in localStorage
Signup	Live	First user = Super Admin
Dashboard	Live	Mix of admin + legacy counts
Package wizard (14 steps)	Live	JSON in `add_package`
Step 14 health cards	Partial	Static UI, not real validation
Templates / categories / pricing rules	Live	Rules not auto-applied to Step 4
Package archive / soft-delete	Live	Needs `deleted` ENUM migration
Legacy package list / archive / delete	Live	No wizard edit
Blogs + schedule cron	Live	Public site must consume table
Blog / page CMS	Live	Same public-site caveat
Suppliers + CSV export	Live	Not FK-linked to wizard
Promotions	**UI only**	Lost on refresh
Enquiries inbox	Live	Legacy `tbl_message`
Users	Live	Writes Super Admin only
General settings	Live	Maintenance flag is storage only
Role matrix + user overrides	Live	Enforced in UI; API uses JWT + Super Admin
Designation / activity log	Partial	Local UI
Media upload	Live	Public `/uploads`
Supplier quote email	Live	Needs Graph or SMTP
Forgot password / 2FA	**Not built**	
Public website publish pipeline	**Outside this repo**	Admin writes tables the site may still need to read

---

16. What “published” means in this admin

You click Publish on…	What is guaranteed
A **package**	`add_package.status = published` and catalogue fields on `tbl_packages` are updated. The **website** already lists `tbl_packages`; extra wizard JSON (itinerary, hotels, FAQs) appears on the site only after the public app is taught to read it.
A **blog**	`blog_posts.status = published` (or cron did it). Website must query `blog_posts`.
A **page**	`cms_pages.status = published`. Website must query `cms_pages`.

The admin is the **system of record for staff**. The public site is a separate consumer.

When a feature is marked UI only or Partial, do not promise it to operations as a source of truth. Use the Live column in §15.