| | |
|---|---|
| **Started on** | Thursday, 8 October 2026, 12:39 AM |
| **State** | Finished |
| **Completed on** | Thursday, 8 October 2026, 12:46 AM |
| **Time taken** | 7 mins 50 secs |
| **Marks** | 1.00/1.00 |
| **Grade** | **10.00** out of 10.00 (**100**%) |

**Question 1** | Correct Mark 1.00 out of 1.00

Find the intersection of two sorted arrays.

OR in other words,

Given 2 sorted arrays, find all the elements which occur in both the arrays.

Input Format

· The first line contains T, the number of test cases. Following T lines contain:

1. Line 1 contains N1, followed by N1 integers of the first array
2. Line 2 contains N2, followed by N2 integers of the second array

Output Format

The intersection of the arrays in a single line

Example

Input:

1

3 10 17 57

6 2 7 10 15 57 246

Output:

10 57

Input:

1

6 1 2 3 4 5 6

2 1 6

Output:

1 6

**For example:**

| Input | Result |
|---|---|
| 1<br>3 10 17 57<br>6<br>2 7 10 15 57 246 | 10 57 |

**Answer:** (penalty regime: 0 %)

```
#include <stdio.h>
int main(){
    int n;
    scanf("%d",&n);
    while(n--){
        int n1;
        scanf("%d",&n1);
        int arr[n1];
        for(int i=0;i<n1;i++)
        scanf("%d",&arr[i]);
        int n2;
        scanf("%d",&n2);
        int brr[n2];
        for(int i=0;i<n2;i++)
        scanf("%d",&brr[i]);
        int i=0,j=0;
        while(i<n1 && j<n2){
            if(arr[i]==brr[j]){
                printf("%d ",arr[i]);
                i++;
                j++;
            }
```

```
            else if(arr[i]<brr[j])
            i++;
            else
            j++;
        }
    }
}
```

| | Input | Expected | Got | |
|---|---|---|---|---|
| ✔ | 1<br>3 10 17 57<br>6<br>2 7 10 15 57 246 | 10 57 | 10 57 | ✔ |
| ✔ | 1<br>6 1 2 3 4 5 6<br>2<br>1 6 | 1 6 | 1 6 | ✔ |

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.